

Index

-
- A_3B ordered fcc, 245
- Aberration, 97–98, 137, 352, 544; *see also* Chromatic aberration; Spherical aberration
- aberration-free focus, 468
 - coma, 469, 473
 - function, 460
- Absorption
- of electrons, 223, 374
 - anomalous, 298, 375
 - contrast 354
 - distance, 397
 - parameters, 395
 - of X-rays, 589
 - absorption-free intensity ratio, 615
 - correction, 610, 612, 613, 630
 - edge, 604, 659
 - extrapolation techniques for correction, 614
 - path length, 614
- Accelerating voltage
- calibration of, 151
 - continuous kV control for CBED, 338
 - effect on Bloch waves, 217
 - effect on EELS, 669, 702
 - effect on Ewald sphere, 199
 - effect on X-rays, 578, 583, 589, 609, 624
- Adaptive filter, 523–524
- Airy disk, 28, 100
- ALCHEMI, 616
- Allowed reflections, 272
- Amorphous
- carbon, 354, 504, 582, 671; *see also* Holey carbon film
 - germanium, 504, 511
 - layer, 522
 - materials, 274
 - specimen, 353
- Amplitude contrast, 349, 351–360, 372; *see also* Contrast
- Amplitude of diffracted beam, 203, 207, 239, 254, 405
- Amplitude-phase diagrams, 430
- Analog
- collection, 644
 - to digital converter, 645
 - images, 107
 - pulse processing, 563
- Analytical electron microscopy, 555–703
- Angle, 30; *see also* Bragg; Collection semiangle; Convergence semiangle; Incidence semiangle
- Angle-resolved EELS, 698
- Angular-momentum quantum number, 691
- Annular dark field (ADF), 352, 358, 364; *see also* Dark field
- detector
 - image, 145
- Anodic dissolution, 161
- Anomalous
- X-ray generation, 601; *see also* Absorption
- Anticontaminator, 121, 124
- Antiphase (domain) boundaries, 245, 381, 389, 478
- Aperture, 21, 85–104, 502, 507, 524; *see also* Diaphragm
- condenser (C2), 78, 133, 135, 139, 305, 306, 308, 542, 589, 683
 - alignment of C2, 137
 - virtual C2, 139
 - differential pumping, 123, 641
 - function, 460, 463
 - objective, 103, 142, 351, 355, 358, 363, 373, 425, 441, 486, 490, 502–503, 534, 647
 - virtual, 466, 579
- Artifact
- in EELS, 671
 - in image, 10, 11, 494, 504, 512, 534
 - of specimen preparation, 163, 170
 - X-ray peak, 578, 582, 590, 591
- Artificial color, 507
- Artificial superlattice, 246
- Ashby–Brown contrast, 417
- Astigmatism, 98
- condenser, 138
 - intermediate, 148
 - objective, 147, 188, 463, 469, 473
- Atomic
- basis, 242
 - number, 39
 - correction factor, 610
 - scattering amplitude, 43, 240, 243, 276, 538, 629
 - scattering factor, 41, 239, 360
 - structure, 441
- Auger electron, 52, 658, 692
- spectrometer, 52
- Automatic beam alignment, 511
- Automatic peak identification, 590
- Averaging images, 506
- Axis-angle pair, 284, 285
- Back focal plane, 90, 140, 186, 188, 307, 641; *see also* Lens
- Background, *see also* Bremsstrahlung
- extrapolation, 673
 - modeling, 602
 - subtraction, 507, 601, 604, 609, 674
- Backscattered electron (BSE), 23, 38, 211, 542, 575, 576
- detection, 113
- Baking, 123
- Band gap (semiconductor), 195, 219, 229, 233, 234, 236, 559
- image, 698
- Bandwidth, 109, 110
- Bar, 119
- Barn, 24
- Basal plane, 410
- Basis vectors, 515–516

Note: all materials examples are indexed under “Materials examples in text.”

- Beam (electron)
 blanking, 567
 broadening, 623, 633
 coherence, 71, 72, 82, 450, 466, 485
 convergence, 139, 304, 360, 364, 490, 647;
see also Convergence semiangle
 current, 73, 78, 615, 669
 damage, 10, 61, 82, 149, 356, 469, 507, 589,
 632
 deflection, 95, 425
 diameter, 79, 82, 307, 623, 669
 diffracted, 203–212; *see also* Diffracted
 beam
 diffracted amplitude, 207, 239, 254, 405
 direct, 21, 45, 184, 204, 206, 207, 351
 direction, 280, 311, 324
 energy: *see* Accelerating voltage
 incident, 21, 181
 many-beam conditions: *see* Many-beam
 parallel, 133, 304
 shape, 626
 splitter, 544
 tilting, 135, 268, 505, 511, 518, 534
 translation, 135
 two-beam conditions: *see* Two-beam
- Beam-defining aperture, 112, 683
- Beam-sensitive materials, 507; *see also* Beam
 damage
- Beam-specimen interaction volume, 623
- Bend contour, 321, 369, 372–373, 376
- Beryllium
 grid, 581, 582
 oxide, 581
 specimen holder, 582
 window, 560, 576, 591, 610
 thickness, 611
- Bethe cross section, 54
- Bethe ridge, 662
- Bi-prism, 544
- Black cross, 338
- Black level, 356
- Black/white contrast, 411
- Bloch theorem, 219, 293
- Bloch wall, 536
- Bloch wave, 203, 209, 215–224, 227–231, 298,
 374, 375, 382, 385, 393, 436, 488, 516
 absorption, 394
 amplitude, 233
 coefficient, 219, 235
 kinematical condition, 616
- Body-centered lattice, 240, 325, 326
- Boersch effect, 645
- Bohr orbit, 658
- Bohr radius, 40
- Borrmann effect, 616, 682
- Boundary: *see* Grain, boundary; Interface;
 Phase, boundary
- Bragg, 45
 angle, 30, 46, 78, 182–185, 204, 315, 361,
 648
 beam, 204, 221, 227, 229, 232, 276, 485,
 486; *see also* Diffracted beam
- Bragg (*cont.*)
 condition, 196, 209, 254, 292, 321, 330, 372,
 376, 397, 403, 424, 428, 682
 diffraction, 184, 204, 291, 361, 655
 law, 46, 150, 181, 182, 193, 195, 239, 297,
 373, 464, 540, 570
 plane, 229
 reflection, 46, 182, 184, 204, 244, 359, 489
- Bravais lattice, 333
- Bremsstrahlung, 52, 56, 558, 575, 578, 581,
 582, 601; *see also* Background
 coherent, 583, 589, 590, 591, 594
- Bright field (BF)
 image 142, 355, 358, 361, 372, 386, 387, 524
 high-order BF, 541
 detector, 145
 in STEM, 144, 355
 symmetry, 329
- Brightness (gun), 70, 78, 472, 541
- Brillouin-zone boundary, 228–235, 262
- Bulk holder, 126; *see also* Specimen holder
- Bulk modulus, 418
- Burgers vector, 259, 381, 403, 405, 407, 409,
 411, 416, 418, 419, 433, 447; *see also*
 Dislocation
- Buxton's tables, 330
- c/a ratio, 241
- Calibration, 138, 148–153
 of accelerating voltage, 151
 of camera length, 150
 of focal increment, 152
 of illumination system, 138
 of image rotation, 151
 of magnification, 148
- Camera constant, 324
- Camera length, 142, 150, 199, 267, 280, 295,
 305, 306, 306, 331, 355, 356, 647, 649
- Carbon, *see also* Holey carbon film
 amorphous, 354, 504, 582, 671
 contamination, 303, 628
 film, 564
 nanotube, 342
- Cartesian-vector notation, 242
- Cathode-ray tube (CRT), 107, 145
- Cathodoluminescence, 59, 107, 113, 127, 543
- Cauliflower structure, 555
- Center of symmetry, 211, 218, 222, 328, 397
- Centrosymmetric point group, 328
- Channel-to-channel gain variation, 664, 676
- Channeling, 223, 616, 682
- Characteristic length, 204, 205, 218; *see also*
 Extinction distance
- Characteristic scattering angle, 655, 662
- Charge-collection microscopy, 59, 543
- Charge-coupled device (CCD), 107, 111
 camera, 189, 356, 396, 437, 472, 502, 508,
 509, 511, 546
- Chemical resolution, 590
- Chemical shift, 693
- Chemical wire/string saw, 159
- Chemically sensitive images, 538
- Chemically sensitive reflections, 243, 244, 244,
 245
- chi-squared, 604, 675
- Chromatic aberration, 98, 101, 138, 356, 471,
 472, 485, 639, 649, 657, 702; *see also*
 Aberration
- Chromium-film standard, 564, 576–579
- Clamping ring, 125
- Cleavage, 159, 168
- Cliff-Lorimer
 equation, 600, 605, 612, 674
 k factor, 600, 605–612, 633
- Coherence: *see* Beam coherence; Spatial
 coherence
- Coherent
 bremsstrahlung, 583, 589, 590, 591, 594
 Foucault imaging, 536
 Fresnel imaging, 536
 interference, 28
 particles, 417
 processing, 545
 scattering, 22
- Coincident-site lattice, 475
- Cold FEG, 473, 645
- Cold trap: *see* Anticontaminator
- Collection semiangle, 30, 101, 364, 655, 669,
 674, 675
- Collimator, 577
- Column approximation, 203, 210, 382, 385,
 395, 397, 398, 405, 419
- Coma-free alignment, 469
- Comis, 15, 418
- Composition
 measurement, 338, 626
 profile, 617
- Compton scattering, 699
- Computer simulation, 17, 418; *see also* Image,
 simulation of
- Condenser 1 lens, 78, 133–135, 144
- Condenser 2 lens, 133–135, 137; *see also* Lens
 aberration, 138, 580
 alignment, 136
 aperture, 137
 calibration, 138
 defocusing, 594
 diaphragm, 579
- Conduction band, 664
- Confidence limit, 607
- Conjugate plane, 89, 141
- Constructive interference: *see* Interference
- Contamination, 96, 114, 123, 303, 469, 540,
 582, 629, 632
- Continuum, 601; *see also* Background;
 Bremsstrahlung
- Contrast, 351, 406; *see also* Amplitude
 contrast; Diffraction, contrast; Phase,
 contrast
 Fresnel, 450–456
 inside-outside, 411, 434
 minimum, 467
 minimum defocus, 469, 473
 transfer function, 460, 462, 463

- Contrast (*cont.*)
topographic, 540
- Convergence semiangle, 30, 78, 135, 305, 309, 314, 473, 669
correction, 682
- Convergent beam, 78, 133, 142
diffraction, 186, 267, 284, 303–342, 510; *see also* Higher-order Laue zone (HOLZ)
energy-filtered, 702
imaging, 340
- Cooling holder, 127; *see also* Specimen, holder
- Core-hole effect, 684
- Core-loss image, 702
- Coster-Kronig transition, 56, 692
- Coulomb force, 37
- Count rate, 563, 566, 567, 589, 593
- Coupled harmonic oscillator, 212
- Coupled pendulum, 436
- Critical energy: *see* Ionization
- Cross-correlating image, 512
- Cross-correlation function, 518, 519
- Cross section, 24, 655
differential, 25, 239
elastic, 39, 353
experimental, 678
generalized, 395, 418
modified Bethe–Heitler, 603
partial ionization, 674, 676
phonon, 61
plasmon differential, 60
relativistic Hartree–Fock, 496
Rutherford, 39, 357
screened-relativistic Rutherford, 40
- Cross-section specimen preparation, 165
- Cross-tie wall, 536
- Cryogenic pump, 121
- Cryo-transfer holder, 127; *see also* Specimen, holder
- Crystal; *see also* Lattice
A-face centered, 326
B-face centered, 326
I-centered, 326
cubic, 270
diamond cubic, 416
imperfect, 486
low-index
high-symmetry pole, 316
plane, 284
pole, 295
zone axis, 197, 514
low-symmetry zone axis, 311
noncentrosymmetric, 218, 397
orientation of, 295
orthorhombic, 195
perfect, 217
potential of, 217
primitive, 239, 240, 325
projected potential of, 490
simple cubic, 240, 243, 244, 255
tetragonal distortion of, 446
- Crystal Kit, 248
- Crystallographic convention, 212
- Crystallographic shear, 478
- Curie temperature, 391, 536
- Current, 468; *see also* Beam (electron), current
centering, 147
dark, 109, 665
density, 71
- Curve fitting, 674
- Cut-off angle, 656
- Cyanide solution, 157
- Cyclotron radius, 94
- Dark field (DF), *see also* Weak-beam dark field
external control for, 534
image, 142, 143, 352, 355, 361, 369, 371, 372, 386, 387
annular, 145
centered, 143, 361–363, 533
diffuse, 277
displaced-aperture, 143, 386
focus of, 467
high-angle annular, 359
multiple, 188, 307, 340
STEM, 145, 356
through focus ($2\frac{1}{2}\text{D}$), 532
tilt control, 363
- Dead layer, 109, 560
- Dead time, 563, 566, 590
- Debye–Waller factor, 485, 397
- Decision limit, 633
- Deconvolution, 626, 646, 669, 680, 694
- Defect, 235, 493; *see also* Dislocation; Grain, boundary; Stacking fault; Twin boundary
computer modeling of 394
core, 427
unit cell, 491
- Defocus condition, 533
- Defocus image, 508
- Deformable-ion approximation, 409
- Delocalization, 683
- Delta (δ) fringe, 389
- Delta function, 680
- Density, 624
- Density of states, 664, 689, 694
- Depth
distribution of X-ray production, 613, 625
of field, 8, 102, 533
of focus, 8, 102
fringes, 431
- Desk-Top Spectrum Analyzer, 15, 570
- Desktop Microscopist, 15, 248, 270
- Detectability limits, 594, 633
- Detection quantum efficiency, 107, 643
- Detector (electron), 21, 107–115, 441; *see also* Spectrometer (EELS)
depletion region of, 108
envelope function, 472
gain of, 109, 110, 356
STEM, 113, 352
- Detector (X-ray): *see* Spectrometer (X-ray energy-dispersive); Spectrometer (X-ray wavelength-dispersive)
- Determination limit, 633
- Deviation parameter, 197, 279, 361, 375, 397; *see also* Excitation error
- Diamond-cubic structure, 416
- Diamond window, 561
- Diaphragm, 95; *see also* Aperture
self-cleaning, 96
top-hat C2, 579, 580
- Dielectric constant
determination of, 691
image, 700
- Dielectric response, 698
- Difference spectrum, 675
- Differential hysteresis imaging, 15, 356
- Differential pumping aperture, 123, 641
- Differentiating the image, 507
- Diffracted beam, 45, 181, 184, 201–213, 221
amplitude of, 207–209, 239, 254, 405
intensity of, 197, 203
- Diffraction plane, 181, 272; *see also* Bragg, plane
- Diffraction, 5, 9, 37, 140, 177–342, 237–249, 251–263
camera, 179
center, 147
contrast, 5, 349, 361–437
convergent beam: *see* Convergent-beam diffraction
from dislocations, 259
double, 278, 285, 335
extra reflection, 246, 494
Fraunhofer, 27
Fresnel, 27
grating, 148, 149, 254
group, 330–333
indexing, 185, 195, 267–287
oblique-textured, 274
ring, 273
mode, 646
multiple, 203
nanodiffraction, 342
pattern, 30, 89, 177–189
180° inversion of, 151
selected area: *see* Selected area diffraction (SAD)
split spot in, 231
spot spacing in, 258
streak in, 235, 258
systematic absence in, 273, 285
systematic row in, 184, 335, 423
rocking-beam, 341, 343
rotation, 268, 363
scanning-beam, 340
single-crystal, 271
vector (g), 182, 184, 194, 208, 272, 425, 430, 437
- Diffraction coupling, 646
- Diffraction pattern, 504–505, 511
- Diffuse scattering, 258–260, 291, 538; *see also* Scattering
- Diffusion pump, 120
- Diffusion coefficient, 618

- Digital
 filtering, 603
 image, 107, 501
 pulse processing, 563, 565, 567
 recording, 396
- Digital Micrograph, 15, 504, 521
- Dimpling, 160
- Diode array, 645, 650
 saturation of, 671
- Dipole selection rule, 692
- Direct beam: *see* Beam, direct
- Discommensurate structure, 259
- Discommensuration wall, 478
- Disk of least confusion, 79, 97, 101
- Dislocation, 256, 259, 403–419, 447; *see also*
 Burgers vector; Strain
 array, 414
 contrast from, 405
 core of, 260, 406, 409, 428, 454
 density, 403
 dipole, 409, 410, 434
 dissociated, 411, 432, 434, 435
 edge, 405, 406
 end-on, 453
 faulted dipole, 434
 faulted loop, 410
 inclined, 419
 interfacial, 414
 intersecting, 419
 line direction, 403, 405, 419
 loop, 409–411
 misfit, 414
 network, 409
 node, 409, 434
 ordered array of, 260
 pair, 411
 partial, 407, 411, 413, 432, 433
 screw, 405
 strain field of, 412
 superlattice, 407
 transformation, 414
- Disordered/ordered region, 245
- Dispersion
 diagram, 228
 plane (of spectrometer), 640, 642
 relation, 220
 surface 225–236, 261, 262, 375, 391, 437
 branches of 229, 232, 393
- Displacement
 damage, 63
 energy, 63
 field, 396, 403, 405, 408, 409, 418
 vector, 312, 419
- Display resolution, 563, 590, 643
- Double-period image, 515
- Double-tilt holder, 126, 304, 361; *see also*
 Specimen, holder
- Drift
 correction, 508, 628
 rate, 423, 472, 473
 tube, 642, 664
- Dwell time, 115, 642, 670
- Dynamic experiments, 546
- Dynamical diffraction, 185, 203–212, 256, 278;
see also Diffraction
 absence, 335, 336
 calculation of intensity, 256
 condition, 601
 contrast in CBED, 308
 coupling, 221, 185, 206
 scattering, 240
- Edge: *see* Ionization
- EELS: *see* Electron energy-loss spectrometry
 (EELS)
- Effective EELS aperture diameter, 648
- Elastic, *see also* Scattering
 constant, 418
 mean-free path, 612
 scattering, 23, 37–47, 655
 coherent, 184, 361
 cross section, 353
- Elasticity theory, 383
- ELD software, 15, 510
- Electric-field potential, 217
- Electro-discharge machining, 159
- Electron
 backscatter pattern (EBSP), 267, 297
 beam: *see* Beam (electron)
 beam-induced current (EBIC), 59, 543
 channeling, 223, 616, 682
 charge, 217
 crystallography, 303, 508
 detector: *see* Detector (electron)
 diffraction: *see* Diffraction
 dose, 62; *see also* Beam damage
 energy-loss spectrometry (EELS), 7, 291,
 639–703; *see also* Spectrometer
 (EELS)
 angle-resolved, 698
 collection efficiency of, 662
 collection mode, 646
 detectability limit of, 683
 diffraction mode, 646
 image mode, 646
 imaging, 437, 650, 639, 699–703
 microanalysis by, 669–683
 parallel collection, 644
 serial collection, 642
 spatial resolution of, 682
 energy-loss spectrum 655–664
 artifacts in, 664
 atlas of, 658
 channeling effect in, 682
 deconvolution of, 680
 extended fine structure in, 694
 extrapolation window in, 675
 families of edges in, 671
 fine structure in, 660, 663, 689
 near-edge structure in, 659, 689
 parameterization of, 610
 power-law fit, 675
 gun, 72, 472; *see also* Gun
 holography, 543
- Electron (*cont.*)
 interferometer, 451
 lens: *see* Lens
 microscope microanalyzer, 570, 599
 momentum, 220
 phase: *see* Phase,
 potential energy, 217
 rest mass, 13, 656
 scattering: *see* Diffraction; Scattering
 shell, 53
 source, 67–83; *see also* Gun
 structure factor, 397; *see also* Structure factor
 velocity of, 220
 wave vector, 204, 220
 wavelength of, 13, 205, 629
- Electron–electron interaction, 655
- Electron-hole pair, 59, 559, 564
- Electron-spectroscopic imaging, 650, 700–703
- Electropolishing, 161
- Electrostatic lens, 76; *see also* Lens
- ELP (energy-loss program), 15, 671
- EMS (electron microscope simulation
 program), 15, 248, 270, 522
- Empty state, 689
- Enantiomorphism, 340
- Energy, *see also* Electron, energy-loss
 spectrometry (EELS)
 resolution
 X-ray, 559, 562–564, 590, 591, 593, 594
 EELS, 670
 spread, 71, 82
 window, 674
- Energy-dispersive spectrometry, 558–634; *see*
also Spectrometer (X-ray energy-
 dispersive)
- Energy-loss: *see* Electron, energy-loss
 spectrometry (EELS)
- Envelope function, 460, 466, 471
- Epitaxy, 278
- Errors in quantification, 606
- Escape peak, 568, 591
- Eucentric, 268, 531; *see also* Goniometer
 height, 139, 149, 534
 plane, 95, 305, 306, 307, 309, 577
 specimen, 577
- Ewald Sphere, 196–200, 223, 230–235, 255–
 262, 273, 279, 291, 309, 311, 372, 391,
 408, 425–429, 489, 510
- Excitation error, 197–198; *see also* Deviation
 parameter
 effective, 210, 369, 423
- Exciton, 63, 694
- Extended energy-loss fine structure (EXELFS):
 694
- Extended X-ray absorption fine structure
 (EXAFS), 694
- Exposure time, 423, 425
- Extinction distance, 204–205, 212, 233, 235,
 245, 262, 321–322, 374–375, 397, 411,
 416, 437, 452
 apparent, 397
 determination of, 423

- Extinction distance (*cont.*)
 effective, 233, 430, 629
 Extraction replica, 168, 357
 Extraction voltage, 76
 Extrinsic stacking fault, 387, 432
- Face-centered cubic, 240, 241, 325; *see also*
 Crystal; Lattice
- Fano factor, 564
 Faraday cup, 112, 567, 629, 645
 Fast Fourier transform (FFT), 487
 Fe⁵⁵ source, 564
 Fermi
 energy, 689
 level, 664, 689
 surface, 259, 689
- Field-effect transistor, 558, 563
 Field emission, 70, 76–77, 134, 544, 589, 626,
 670; *see also* Gun
- Filter mask, 523
 Fine structure: *see*, Electron energy-loss
 spectrometry (EELS)
- Fingerprinting, 658
 Fiori definition, 584, 632; *see also* Peak-to-
 background ratio
- First-difference spectrum, 675
 First-order Laue zone, 309; *see also* Higher-
 order Laue zone (HOLZ)
- Fitting parameter, 675
 Fixed-pattern readout noise, 665
 Flat-field correction, 521
 Fluorescence (light), 108
 Fluorescence (X-ray), 52, 628
 correction, 610, 615–616
 yield, 56, 560, 609, 659
- Flux lines, 536; *see also* Magnetic, flux lines
 Focus, 148; *see also* Lens; Overfocus;
 Underfocus
- Focusing circle (WDS), 570
 Forbidden electron energies, 229
 Forbidden reflection, 240, 247, 272, 342; *see*
also Diffraction, pattern; Systematic
 absence
- Foucault image, 535
 Fourier
 analysis, 523
 coefficient, 228
 component, 397
 deconvolution (logarithmic, ratio), 680, 681
 fast (Fourier) transform (FFT), 487
 filtering, 502, 523
 inverse transform, 487
 reconstruction, 502
 series, 218, 220
 transform, 460, 487, 502, 503, 523–524
- Frame averaging, 423, 437
 Frame grabber, 502
 Frame time, 111
 Free electron, 657
 Free-electron density, 657, 696
 Fresnel
 biprism, 450
- Fresnel (*cont.*)
 contrast, 450, 451, 492
 diffraction, 27, 211, 486
 fringe, 82, 148, 492, 493
 image, 536
 zone construction, 211
- Friedel's law, 328
 Full Width at Half Maximum (FWHM), 79,
 564, 602
 Full Width at Tenth Maximum (FWTM), 80,
 565, 602, 623
 FWTM/FWHM ratio, 565
- G vector, 272; *see also* Diffraction, vector (**g**)
g·**b** analysis, 416, 420
g·**r** contrast, 388, 405
 Gas bubble, 451
 Gas-flow proportional counter, 570
 Gatan image filter (GIF), 639, 650, 664
 Gaussian
 curve fitting, 604
 diameter, 79
 image, 98
 image plane, 89
 intensity, 623, 625
 statistics, 606, 633
- Generalized-oscillator strength, 677
 Generated X-ray emission, 609
 Germanium detector, 559, 562, 590; *see also*
 Spectrometer (X-ray energy-dispersive)
- Ghost edge, 665, 671
 Gjønnnes-Moodie (GM) line, 335, 338
 Glaser, 470
 Glass layer, 260, 453
 Glide plane (dislocation), 403, 406
 Glide plane (symmetry), 333, 335
 Goniometer, 124; *see also* Eucentric
 GP zone, 258
 Grain
 boundary, 197, 261, 277, 381, 414, 453, 491,
 493, 494, 522, 523, 618; *see also*
 Stacking fault; Twin Boundary
 coincident-site lattice, 381
 high-angle, 381, 453
 low-angle, 381
 rotation, 391
 sigma ($\Sigma = 3$), 381
 small-angle, 415
 tilt, 453, 477
 twist, 445
 size, 267
 texture, 267
- Gray level, 507
 Gray scale, 521
 Great circle, 269; *see also* Stereographic
 projection
- Grid, 158, 166, 582
 Grigson scanning, 342
 Gun, 72–77; *see also* Electron source; Field
 emission
 alignment of, 137
 brightness of, 70, 78, 472, 541, 589
- Gun (*cont.*)
 crossover, 71
 emission current, 75, 78
 field-emission, 70, 76
 filament, 69
 flashing of, 76
 lanthanum hexaboride, 69
 saturation of, 73
 self-biasing, 73
 tungsten, 69
 undersaturated image of, 75, 468
 Wehnelt cylinder, 72, 73
- Hartree–Slater model, 496, 677
 Heisenberg's uncertainty principle, 692
 Hexagonal close-packed crystal, 241, 247; *see*
also Crystal
- High-resolution TEM, 7, 457–482
 High voltage, 72, 471
 High-voltage electron microscope, 7, 128, 546
 Higher-order Laue zone (HOLZ); *see also*
 Convergent beam
 diffraction, 306, 309, 311, 323, 338
 Kikuchi line, 329
 indexing, 317
 line, 152, 198, 268, 297, 315, 329, 490
 plane, 309, 315
 ring, 311, 323, 338
 scattering, 309
 shift vector **t**, 325
 simulation of, 338
- Higher-order reflection, 184, 272
 Higher-order waves, 45
 Higher-order X-ray lines, 571
 History of the TEM, 5
 Holder: *see* Specimen holder
 Hole-count, 579
 Holey carbon film, 81, 82, 148, 166
 Hollow-cone illumination, 361
 Holography, 543
 Howie detector, 359
 Howie–Whelan equations, 206, 207, 369, 374,
 382, 383, 395, 396, 398, 403, 418
 Hydrocarbon contamination, 560, 565; *see also*
 Contamination
- Hydrogenic edge, 659, 662, 673, 677, 680
- Ice, 565
 Illumination system, 133–138, 578; *see also*
 Condenser 1 lens; Condenser 2 lens; Lens
- Image, 349–549
 analysis of, 15
 calculation of, 493
 contrast in, 351–364
 coupling, 646
 of defects, 381–419, 491
 delocalization in, 472
 distance, 90; *see also* Lens
 drift, 504
 of flux lines, 545
 formation, 88
 lattice-fringe, 441–443

- Image (*cont.*)
 matching, 398
 plane, 89; *see also* Lens
 processing of, 15, 437, 501–507
 rotation of, 95, 151, 363
 simulation of, 15, 375, 413, 418, 437, 483–498, 521
 of sublattice, 475
 Imaging system of TEM, 140–148
 In-hole spectrum, 580
 In-line holography, 544
In situ TEM, 128, 502, 546
 Incidence semiangle, 30; *see also* Angle
 Incoherent; *see* Scattering, incoherent
 Incommensurate structure, 478
 Incomplete charge collection, 564, 565, 604
 Incomplete read-out, 665
 Inelastic; *see* Scattering, inelastic
 Information limit, 467, 470
 Information theory, 470
 Inner potential, 218, 219, 221, 452, 454
 mean, 496
 scaled mean, 220
 Inner-shell ionization; *see* Ionization
 Instrument-response function, 680
 Instrument spectrum, 582
 Integration approach, 254
 Intensity, 351; *see also* Spectrum, electron
 energy-loss; Spectrum, X-ray
 integration, 603–604, 672, 676
 total, 631, 679
 window, 676
 Interaction constant, 461
 Interband scattering, 235
 Interband transition, 655, 656, 658, 698
 Interface, 381, 413, 476; *see also* Grain,
 boundary; Phase, boundary
 dislocation, 414
 interphase, 407, 626
 semicoherent, 416
 strain at, 447
 Interference, 44, 240
 constructive, 42, 45, 182
 destructive, 45, 182, 184
 fringe, 451
 Intergranular film, 453, 493
 Intermediate voltage electron microscope, 7,
 71, 128, 559, 562, 578, 590
 Internal-fluorescence peak, 569, 582, 594
 International Tables, 247, 248, 335
 Internet, 13
 Intersecting-chord construction, 424
 Interstitial atom, 258
 Intrashell scattering, 693
 Intraband transition, 655, 656, 658
 Intrashell scattering, 693
 Intrinsic Ge detector, 559, 562, 590; *see also*
 Spectrometer (X-ray energy-dispersive)
 Inversion-domain boundary, 382, 478
 Invisibility criterion, 21, 406, 410
 Ion beam blocker, 164
 Ion milling, 162–164
 Ion pump, 121
 Ionic crystal, 239
 Ionization, 52–55, 655, 658–663
 critical energy for, 53, 659, 671, 689
 cross section for, 53, 609, 659
 edge, 642, 659, 664, 670, 671
 integration of, 675, 676
 intensity of, 659, 672
 jump-ratio of, 671, 680
 onset of, 674, 676
 shape of, 672
 JCPDS files, 285
 k (k_{AB}) factor, 600, 605–611
 calculation of, 607–611
 error in, 607
 experimental values of, 607
 k space, 486, 694, 695
 K vector, 181, 193, 230, 291
 Kernel, 507
 Kikuchi diffraction, 291–298
 band, 291, 293, 296, 298, 306, 531
 line, 267, 268, 280, 291, 314, 315, 374, 376,
 423, 425, 639
 3g, 424
 deficient, 292
 excess, 292, 315
 pair, 152
 map, 268, 293, 295
 pattern, 284, 291, 295, 298, 423
 Kinematical diffraction, 308, 541, 601
 approximation, 262, 422, 423
 crystallography, 510
 equation, 423
 integral, 428
 intensity, 276
 Kinematically forbidden reflection, 240, 247,
 274, 335; *see also* Forbidden reflection;
 Systematic absence
 Kinetic energy, 217, 220
 Knock-on damage, 61, 589, 606; *see also*
 Beam (electron), damage
 Kohler illumination, 702
 Kossel, 329
 cone, 291, 292
 pattern, 306, 324
 Kossel-Möllenstedt (K-M)
 conditions, 307, 309, 323
 fringe, 305, 321, 330
 pattern, 305, 329
 Kramers' cross section, 56
 Kramers' Law, 602
 Kramers-Kronig analysis, 697
 Kurdjumov-Sachs, 285
 L_{12} structure, 389
 Laplacian filtering, 507
 Lattice; *see also* Crystal
 centering, 311, 325
 defect, 452; *see also* Dislocation
 fringe, 441, 442, 468
 Lattice (*cont.*)
 imaging, 441–443
 misfit, 415
 parameter, 205, 245, 258, 271, 286, 338,
 381, 416, 491
 point, 239, 241
 strain, 403–419, 702
 vector, 193, 195, 217, 383
 von Laue, 45
 condition, 181, 196
 equations, 45, 182, 195
 groups, 328
 X-ray pattern, 199
 zone, 419, 583; *see also* Higher-order Laue
 zone (HOLZ); Zero-order Laue zone
 Leak detection, 123
 Least-squares refinement, 518
 Lens, 87–104, 640
 aberration of, 683; *see also* Chromatic
 aberration; Spherical aberration
 astigmatism, 98; *see also* Astigmatism
 asymmetric, 641
 auto-focusing, 140
 auxiliary, 135, 136
 bore of, 91
 condenser; *see* Condenser 1 lens; Condenser
 2 lens
 condenser-objective, 135, 343
 current, 92
 defects, 97
 demagnification, 90
 focal length of, 90
 focal plane of, 89, 90
 focus of, 89, 188; *see also* Overfocus;
 Underfocus
 gap, 91, 576
 hysteresis, 149
 immersion, 92
 intermediate, 536, 650
 low-field, 536
 mini-lens, 343
 Newton's equation, 90
 objective; *see* Objective lens
 octupole, 93
 optic axis of, 88
 pincushion distortion, 99
 polepiece of, 91
 post-spectrometer, 645
 projector, 641
 projector crossover, 646, 647, 649
 ray diagram, 88
 rotation center of, 147
 sextupole, 642
 snorkel, 92
 superconducting, 93
 symmetric plane of, 140
 thin, 88
 wobbling of, 137, 147
 Library standard, 604, 658
 Light element, 570, 589, 664
 Line of no contrast, 417–418
 Linear elasticity, 403

- Liquid N₂
 dewar, 565
 holder, 309, 558, 559
- Lithography, 169
- Long-period superlattice, 246
- Long-range ordering, 245, 260, 475
- Lorentz
 force, 93
 microscopy, 451, 535–537
- Low-dose microscopy, 356, 507
- Low-loss, *see also* Electron energy-loss spectrometry (EELS); Plasmon fingerprinting, 697
 intensity, 674
 spectrum, 644, 656, 670, 696
- Magnetic
 correction, 534
 domain wall, 451
 flux lines, 546
 induction, 536
 prism spectrometer, 639, 640
 recording media, 534
 specimen, 534
- Magnification, 90, 148
- Many-beam
 calculation, 398, 485
 conditions, 222, 227, 235
 images, 429, 432, 442
- Mask, 502
- Mass-absorption coefficient, 610–614; *see also* Absorption of X-rays
- Mass-thickness contrast, 349, 353–358; *see also* Contrast
- Materials examples in text
 Ag, 386, 579
 Ag₂Al, 295
 Ag₂Se, 274
 Al, 32, 42, 52, 322, 341, 373, 412, 449, 557, 657, 658, 698
 Al-Ag, 8
 AlAs, 518
 Al-Cu, 365
 Al_xGa_{1-x}As, 245, 246, 376, 377, 518, 538, 616
 Al₃Li, 244, 363, 675, 697, 700
 Al-Li-Cu, 9, 480
 Al-Mn-Pd, 480, 494–496
 AlN, 382, 658
 Al₂O₃, 247, 260, 278, 371, 374, 538, 658, 699
 Al-Zn, 618
 Au, 26, 32, 40, 41, 386, 414, 452, 475, 511, 543
 Au₄Mn, 475
 B, 62, 582
 BaTiO₃, 571
 Be, 561
 Bi-Sr-Ca-Cu-O, 478
 biotite, 8, 604
 BN, 662, 681
 carbon, 32, 41, 81, 276, 505, 557, 681; *see also* Amorphous; Holey carbon film
- Materials examples in text (*cont.*)
 carbon nanotube, 342
 Ca, 665
 CaZrO₃, 337
 catalyst particles, 277, 619
 CdTe, 165
 Co, 545
 CoGa, 244, 447
 Co-Cr-Ta, 537
 Cr film, 62, 564, 576–584, 602, 677
 CsCl, 244
 Cu, 26, 40–42, 314, 317, 381, 386, 408, 411, 427, 435, 436, 583, 592, 618, 681
 Cu-Al, 339
 CuAu, 381
 Cu₃Au, 244
 CuCl₂PC, 509
 Cu-Co, 417
 CuZn, 244
 diamond, 453, 701
 Fe, 535, 624, 681, 698; *see also* Stainless steel; Steel
 FeAl, 244
 Fe₃Al, 244
 Fe-Cr-O, 593
 Fe-Mo, 259
 Fe-Ni, 535
 Fe-Ni-Cr, 412, 627
 Fe₂O₃, 278, 477
 Fe₂O₄, 540
 ferrite, 416
 ferroelectric, 534
 GaAs, 9, 218, 240, 243, 245, 246, 272, 370, 376, 377, 382, 386, 390, 518, 538, 541, 616
 Ge, 360, 386, 415, 444, 477, 504, 511, 547, 557
 glass
 metallic, 274
 oxide, 274, 594
 silica, 276, 557
 silicate, 538, 562
 graphite, 409; *see also* Carbon
 hematite, 416
 high-T_c superconductor, 478, 534
 hydrofluoric acid, 157
 icosahedral quasicrystal, 480, 494–496
 InAs, 444
 K₂O-7Nb₂O₅, 509
 latex particle, 149, 354, 629
 Mg, 569
 MgO, 81, 273, 295, 370, 427, 448
 Mo, 246
 MoO₃, 152, 342
 Na, 276
 NaCl, 243
 nanocrystals, 274, 277
 Nb, 478, 522
 Nb-Al, 615
 Nb₁₂O₂₉, 491
 Ni, 240, 410, 675
 NiAl, 243, 244, 389
 Ni₃Al, 240, 244, 389, 391, 408
- Materials examples in text (*cont.*)
 Ni-Cr-Mo, 617
 NiFe₂O₄, 475
 NiO, 391, 414, 416, 443, 446, 453, 475, 477, 503, 613, 643, 663
 NiO-CaO, 341
 NiO-ZrO₂, 698
 nitric acid, 157
 ordered intermetallic alloy, 245, 475
 Pb, 546
 perchloric acid, 157
 perovskite, 478
 polybutadiene, 699
 polymer, 62, 167, 353–357
 polystyrene, 699
 polytype, 479
 polytypoid, 479
 Pt, 359
 quantum-well heterostructure, 538
 quartz, 10, 340
 quasicrystal, 479, 494
 Sb, 592
 Si, 32, 111, 205, 239, 243, 246, 304, 360, 370, 386, 416, 434, 443, 516, 538, 544, 592, 692, 701, 702
 SiC, 382
 Si₃N₄, 477
 SiO₂, 62, 356, 692, 699
 Sigma (σ) phase, 308, 618
 Si/Mo superlattice, 246
 SnTe, 447
 SnSe₂, 413
 spinel, 7, 201, 390, 415, 431, 443, 455, 468, 475, 503, 658
 SrTiO₃, 360
 stainless steel, 333, 381, 595, 656
 steel, 357, 388, 533
 superconductor, 546
 Ta, 592
 Th, 683
 Ti, 592
 TiAl, 244
 Ti₃Al, 381
 TiC, 672
 TiN, 672
 TiO₂, 390
 U, 480
 vanadium carbide, 245, 246, 259, 260, 475
 wurtzite, 243
 Y, 592
 YBCO, 448
 yttrium-aluminum garnet, 110
 Zn, 410
 ZnO, 382, 493
 ZnS, 108
- Material safety data sheet, 157
- Mean-free path, 25, 40, 623, 631, 679
 elastic, 612, 623
 inelastic, 623
 plasmon, 657, 679
- Mean-square vibrational amplitude, 397
- Mechanical punch, 159

- Microanalysis, *see also* Spectrometer (EELS); Spectrometer (X-ray energy-dispersive); Spectrometer (X-ray wavelength-dispersive)
 qualitative, 589–594, 671–672
 quantitative, 599–618, 672–678
- Microdensitometer, 502
- Microdiffraction, 303, 342; *see also* Convergent-beam, diffraction
- Microdomain, 538
- Miller indices, 43, 185, 194, 195
- Miller–Bravais notation, 241, 242
- Minimum
 contrast, 467
 detectability, 631–635, 683
 detectable mass, 632, 634
 detectable signal-to-noise ratio, 472
 mass fraction, 632
 resolvable distance, 99
- MINIPACK-1, 522
- Mirror plane, 326, 328; *see also* Point group; Symmetry
- Mirror prism, 650
- Modulated structure, 478
- Moiré fringes, 267, 278, 279, 417, 444–449
 complex, 448
 general, 445
 rotational, 444, 445, 447
 translational, 444, 445, 446
- Möllenstedt spectrometer, 696
- Momentum transfer, 699
- Monte-Carlo simulation, 15, 25, 624
- Moseley's Law, 55
- Muffin-tin potential, 693
- Multi-channel analyzer (MCA), 558, 590, 593, 643, 670
- Multi-element spectrum, 603
- Multi-phase specimen, 625
- Multiple domains, 285
- Multiple least-squares fitting, 676, 681
- Multiple scattering: *see* Scattering, multiple
- Multislice calculation, 485, 488, 489, 522
- Murphy's law, 114, 680
- Near-field calculation, 486
- Near-field regime, 211, 450
- Néel wall, 536
- NIST
 multi-element glass, 606
 oxide glass, 594
 Sandia/JCPDS electron diffraction database, 285
 thin-film standard (SRM 2063), 606
- Noise, 560, 664; *see also* Signal-to-noise ratio analysis, 516
 reduction, 507, 516
- O-ring, 123, 124
- Objective lens, 92, 267, 534, 544, 576; *see also* Lens
 aperture, 103, 142, 351, 355, 358, 363, 373, 425, 441, 486, 490, 502–503, 534, 647
 astigmatism, 147, 425
- Objective lens (*cont.*)
 collection semiangle of, 98, 358, 364, 465
 defocus, 463, 467, 485, 504, 505, 512, 516, 544
 diaphragm, 578, 581, 582
 focal increment of, 152
 instability of, 471
 polepiece, 580
 rotation alignment of, 147
 transfer function of, 462
- Oblique-textured electron DP, 274
- Omega (Ω) filter, 639, 650
- On-axis image, 510–511
- Optic axis, 88; *see also* Lens
- Optical bench, 524
- Optical system, 459
- Ordering, 538
 long-range 245, 260, 475
 short-range, 258, 538
- Orientation imaging, 297
- Orientation relationship, 280–285
 cube/cube, 284
 Kurdjumov–Sachs, 285
 Nishiyama–Wasserman, 285
 precipitate-matrix, 284
- Overfocus, 91, 148, 188, 307, 460, 533, 534; *see also* Lens; Underfocus
- Overvoltage, 53, 533, 534
- Oxide layer, 540
- p-i-n device, 560
- p-n junction, 108, 543
- Parallax shift, 531, 532, 629
- Paraxial-ray condition, 94, 98, 101
- Particle on a substrate, 374
- Pascal, 119
- Passband, 467
- Path difference, 27, 182, 183
- Path length, 577; *see also* Absorption of X-rays
- Pathological overlap, 591
- Pattern recognition, 513
- Pauli exclusion principle, 691
- Peak (X-ray characteristic)
 deconvolution of, 593
 integration of, 603
 overlap of, 590
 visibility of, 593
- Peak-to-background ratio, 570, 577, 582, 583, 584, 589, 632
- Periodic-continuation method, 494
- Phase
 boundary, 381, 391, 47; *see also* Interface contrast, 349, 439–455, 463, 535; *see also* Contrast
 difference, 240
 distortion function, 463
 of electron wave, 207
 factor, 206, 207, 243, 384
 grating, 485, 486
 negative, 463
 object approximation, 461
 reconstructed, 508
 shift, 463
- Phase (*cont.*)
 transformation, 416, 546
- Phasor diagram, 27, 383, 430
- Phonon, 61, 656
- Phosphorescence, 108
- Photodiode array, 644; *see also* Diode array
- Photographic dodging, 501
- Photographic emulsion, 114
- Photomultiplier, 110, 643; *see also* Scintillator-photomultiplier detector
- pi (π)
 fringe, 389
 orbital, 658
 peak, 671
 state, 692
- Pixel, 472
- Planar defect, 256, 257, 379–399, 413, 419, 431; *see also* Grain, boundary; Stacking fault; Twin boundary
 inclined, 629
- Planar interface, 578
- Plane normal, 269, 284
- Plane wave, 44, 231
 amplitude, 221
- Plasma ashing, 123
- Plasmon, 60, 656–657, 696–697
 energy, 657, 696
 excitation, 655
 frequency, 657
 loss, 696; *see also* Low-loss spectrum
 microanalysis, 696
 peak, 664, 674
 mean-free path, 657, 679
- Plural elastic scattering, 23, 468, 655, 669, 674, 678, 679, 689, 694; *see also* Elastic, scattering; Scattering, elastic
- Point defect, 259, 476; *see also* Interstitial atom; Vacancy
- Point group, 323, 328, 331, 332, 334
 determination of, 330
 symmetry of, 326
 two-dimensional, 330
- Point-spread function, 459, 462, 646, 680
- Point-to-point resolution, 443, 468
- Poisson statistics, 564
- Poisson's ratio, 418
- Polepiece: *see* Lens
- Polycrystalline material, 273
- Polymer, 62, 167, 353–357
- Polytype, 479
- Polytypoid, 479
- Post-specimen lens, 316, 352, 359, 641; *see also* Lens
- Potential
 inner, 218, 219, 221, 452, 454, 496
 periodic, 217
 projected, 492, 514, 531
 well, 493
- Precision ion milling, 164
- Precision ion polishing, 164
- Primitive great circle, 269, 270; *see also* Stereogram

- Primitive lattice, 239, 240, 325; *see also* Crystal; Lattice
- Principal quantum number, 691
- Probability map, 486
- Probe, 134; *see also* Beam (electron)
current, 582
size, 589
- Processing HRTEM image: *see* Image, processing of
- Propagator matrix, 384
- Pulse processing, 563
- Pump, vacuum, 119–122
cryogenic, 121
diffusion, 120
dry, 120
ion, 121
roughing, 119
turbomolecular, 120
- Quadrupole, 93, 642; *see also* Lens
- Qualitative microanalysis, 587–595, 671
- Quantifying HRTEM images, 499–527
- Quantitative
chemical lattice imaging, 514–518
defect contrast imaging, 396
HRTEM, 469, 485–526
image analysis, 512
mass-thickness contrast, 357
microanalysis, 599–618, 672–677
- QUANTITEM, 514–516
- Quantum-mechanical convention, 212
- Quantum number, 691
- Quasicrystal structure, 480, 695
- Radial-distribution function (RDF), 276, 695
- Radiation damage, 61, 409; *see also* Beam (electron) damage
- Radiolysis, 61; *see also* Beam (electron) damage
- Ray diagram, 87–90
- Rayleigh criterion, 6, 79, 100, 466
- Rayleigh disk, 459
- Real space, 523
approach, 488, 514
crystallography, 373
patching method, 494
unit cell, 245
vector, 217
- Reciprocal lattice, 193–196, 200, 223, 240, 241, 245, 260, 262, 273, 309, 391, 485, 486, 504, 510, 523
formulation of, 486
origin of, 193, 197
point, 244
rod, 196, 254; *see also* Relrod
spacing, 490
vector, 182, 193–195, 273, 279, 280, 459; *see also* Diffraction vector
- Reciprocity theorem, 365
- Recombination center, 543
- Reference spectra, 604, 671
- Reflection electron microscopy, 540
- Reflection high-energy electron diffraction, 540
- Refractive index, 207, 212, 220
- Relative-transition probability, 609
- Relative transmission, 629
- Relativistic effect, 13
- Relrod, 196, 253, 255, 256, 257, 258, 261, 262, 272, 310, 371, 391, 392, 403; *see also* Reciprocal lattice rod
- Replica, 148, 168, 357
- Resolution, 6, 99–101
atomic level, 360
limit, 5, 6, 100
theoretical, 99
- Resolving power, 99
- Reverse-bias detector, 109, 560
- Richardson's Law, 69
- Right-hand rule, 94
- Rigid-body translation, 381
- Rose corrector, 470
- Safety, 10, 157
- Scan coil, 136, 309
- Scanning image, 115, 146
- Scanning transmission electron microscope (STEM), 8, 480, 647
annular dark-field image, 356
bright-field image, 144, 355
dark-field image, 145, 356
detectors in, 351, 364
diffraction contrast in, 364
digital imaging, 700
image magnification in, 148
mass-thickness contrast in, 355
mode, 555
Z contrast in, 358; *see also* Z contrast
- Scattering, 21–66, 309; *see also* Angle;
Coherent; Elastic
coherent, 22
cross-section, 589
elastic, 22, 37–45, 624, 655
factor: *see* Atomic scattering factor
forward, 23, 26, 207
incoherent, 22, 361
inelastic, 23, 51–66, 409, 639
intershell, 693
intrashell, 693
matrix, 383, 384
multiple, 23, 468, 486, 655, 693
multiple-scattering calculations, 693–694
nuclear, 42
plural, 23, 655
post-specimen, 580
Rutherford, 39–41, 353, 358
semiangle of, 30, 184, 655
single, 23, 274, 624, 655, 679, 681–682, 689, 694, 697, 699
strength, 204
thermal-diffuse, 189, 309
- Scherzer, 470
defocus, 465, 466, 467, 469, 470, 505
- Schottky
diode, 109; *see also* Detector (electron)
- Schottky (*cont.*)
emitter, 70, 473
- Schrödinger equation, 212, 217–219, 221, 470, 676
- Scintillation, 108
- Scintillator-photomultiplier detector, 110, 451, 541, 643, 644
after-glow, 670
shield, 645
- Screw axis, 333, 335; *see also* Space Group; Symmetry, screw axis
- Secondary electron, 57
detector, 113
fast, 57
imaging of, 541
slow, 57
types of, 541
- Selected area diffraction (SAD), 140, 185, 187, 267, 272, 277, 285, 303, 314, 363, 374, 508
aperture, 141, 186
error, 186, 187
pattern exposure, 188
- Selection rules, 240, 272
- Semiangle: *see* Angle; Bragg; Collection semiangle; Convergence semiangle; Incidence semiangle
- Semiconductor detector, 108, 559
- Semi-quantitative analysis, 672
- Shadowing, 168, 354, 493
- Shape effect, 253, 273
- Short-range ordering, 538
- Silicon dumbbells, 442
- Si(Li) detector, 559–562, 590, 591; *see also* Spectrometer (X-ray energy-dispersive)
- SI units, 13
- Side-entry holder, 124, 125, 268; *see also* Specimen, holder
- SIGMAK(L) program, 676
- Signal processing, 356
- Signal-to-background ratio (jump ratio), 683
- Signal-to-noise ratio, 473, 507, 521, 541, 543, 559, 562
- Single-atom detection, 684
- Single-atom imaging, 480
- Single-electron counting, 644
- Single-electron interaction, 658
- Single-period image, 514
- Single scattering: *see* Scattering, single
- Single-sideband holography, 544
- Slow-scan CCD, 504, 510, 521, 650; *see also* Charge-coupled device (CCD)
- Small circle, 269; *see also* Stereogram
- Smearing function, 459; *see also* Point-spread function
- Space group, 332, 491
- Spatial coherence, 72, 82, 450, 466
- Spatial resolution, 308, 590, 623–631, 633, 649, 682
- Specimen
90°-wedge, 169
artifacts in, 10, 172, 493, 676
cooling of, 127, 164

- Specimen (*cont.*)
 damage to, 639; *see also* Beam (electron)
 damage
 density of, 614
 drift of, 628, 632
 height of, 95, 139, 306, 532; *see also* z
 control
 holder, 117–129
 bulk, 126
 cooling, 127
 double tilt, 126
 EBIC, 127
 heating, 127, 502
 low-background, 127
 low-background, double-tilt, cooling, 304
 multiple, 126
 quick change, 126
 single-tilt, 125
 spring clips for, 125
 straining, 127, 502
 tilt-rotation, 127, 304
 top-entry, 124, 125
 orientation of, 280
 preparation of, 11, 157–173
 rotation of, 164
 self-supporting, 158, 579, 582
 surface of, 258, 371, 381, 470
 thickness of, 308, 353, 485, 516, 613, 614,
 657, 669, 675, 679; *see also* Thickness
 tilt axis, 152
 tilting of, 268
 transmission function, 461
 vibration, 472
 wedge-shaped, 212, 256, 369, 371, 391
 Spectrometer (EELS) 639–651; *see also*
 Electron, energy-loss spectrometry
 (EELS)
 aberrations of, 641
 artifacts in, 664
 calibration of, 642
 collection semiangle of, 647
 dispersion of, 645, 670
 entrance aperture of, 647, 648, 649, 669
 entrance slit of, 642, 646
 focusing of, 641
 object plane of, 641
 post-spectrometer slit, 650
 resolution of, 645
 Spectrometer (X-ray energy-dispersive), 558–
 569
 artifacts of, 568–570
 Au absorption edge, 582
 escape peak, 568, 591
 incomplete-charge collection, 564, 565,
 604
 internal-fluorescence peak, 569, 582, 594
 sum peak, 569, 591, 594
 system peaks, 590
 Au contact layer, 610
 automatic shutter, 581
 clock time, 564, 567
 collection angle of, 559, 562, 575, 578
 Spectrometer (X-ray energy-dispersive) (*cont.*)
 contamination of, 565
 dead layer, 560, 610
 dead time, 563, 566, 590
 efficiency of, 610
 leakage current of, 564
 live time, 564
 performance criteria for, 564
 residuals in, 605
 shutter, 565, 578
 take-off angle of, 575, 576, 578, 613, 614
 time constant, 563, 590, 593, 567
 window, 560–562, 575,
 Spectrometer (X-ray wavelength-dispersive),
 570, 599
 Spectrum
 electron energy-loss, 655–666, 689–703
 X-ray, 52–56, 555, 590–592
 Spectrum imaging, 700
 Sphere of projection 269; *see also*
 Stereographic projection
 Spherical aberration, 79, 97, 138, 187, 463,
 504–505, 541, 544, 646; *see also*
 Aberration
 broadening, 683
 coefficient, 79, 98, 267
 error, 100
 Spin quantum number, 691
 Spin-orbit splitting, 691
 Spinodal decomposition, 479, 538
 Spurious peak, 590
 Spurious X-ray, 575, 578
 Sputtering, 61, 606
 Stacking fault, 232, 257, 262, 381, 383, 385,
 386, 407, 478; *see also* Planar defect
 contrast, 411
 energy, 407, 410, 419, 432
 fringes, 386–387, 395
 inclined, 431
 intrinsic, 387, 432
 overlapping, 388, 432
 Stage 124, 576
 Staining, 355
 Standard Cr film, 574, 576–579, 581, 583, 602,
 677
 Standard specimen, 599, 605
 Stationary-phase method, 429
 Statistical criterion, 593, 632
 Statistically significant peak, 593–594
 Stereogram, 284, 285
 Stereographic projection, 269, 280, 295, 311, 326
 Stereology, 532
 Stereomicroscopy, 268, 403, 412, 531–532
 Stigmators, 99; *see also* Astigmatism
 Strain, 403
 analysis of, 338
 contrast, 417
 field, 403–420, 427
 lattice, 702
 measurement of, 338
 Straining holder, 127, 502; *see also* Specimen,
 holder
 Stress, 403
 Stress field, 403
 Strong-beam image, 361, 383, 433, 435
 Structure correlation, 277
 Structure factor, 43, 204, 239, 240, 243, 248,
 253, 256, 267, 354, 496, 702
 Structure-factor-modulus restoration, 510
 Student *t* value, 607
 Substitutional atom, 258
 Substitutional site, 616
 Substrate, 284
 Sum peak, 569, 591, 594
 Summation approach, 253
 Superlattice, 381, 478, 538; *see also* Ordering
 dislocation, 407
 reflection, 244, 245, 389, 538
 Surface
 barrier detector, 108, 109
 diffusion, 546
 dislocation, 413, 414
 faceting, 444
 groove, 492
 imaging, 540
 layer, 413
 plasmon, 658
 reconstruction, 258, 540
 relaxation, 538
 of specimen, 258, 371, 381, 470
 Symmetry; *see also* Mirror plane; Point group;
 Space group
 bright-field projection, 330, 331, 393
 determination of, 323, 326
 elements of, 270, 286
 glide plane, 332
 inversion, 326
 projection-diffraction, 330
 rotation axis, 328
 rotational, 326
 screw axis, 332, 495
 three dimensional, 311, 315
 translational, 326, 338
 whole-pattern (WP), 329–331
 zone-axis, 334
 System peaks, 590
 Systematic absence, 273, 285; *see also*
 Forbidden reflection
 Systematic row, 184, 335, 423; *see also*
 Diffraction pattern
 Transmission electron microscope, 5–14, 131–153
 Template, 514
 Temporal coherence, 71; *see also* Spatial
 coherence
 Texture, 273; *see also* Grain
 Thermal-contraction coefficient, 339
 Thermal-diffuse scattering, 189, 309
 Thermionic gun 69, 76, 589; *see also* Gun
 Thickness of specimen, 419, 610, 624, 628
 dependence, 405
 determination of, 321, 372, 518, 628–631,
 678
 effective, 375, 628

- Thickness of specimen (*cont.*)
 effect on contrast, 367–378
 fringe, 369, 371, 412, 416, 628
 simulation of, 375
 image, 700
- Thin-foil criterion, 600; *see also* Cliff-Lorimer
- Thin-foil effect 197, 255; *see also* Shape effect
- Threshold energy, 63; *see also* Beam
 (electron), damage
- Through-focus dark-field, 533; *see also* Dark
 field (DF) through focus (2½)
- Through-focus image, 473, 481, 491, 510
- Tie line, 229, 230, 232, 235; *see also*
 Dispersion, surface
- Tilted-beam condition, 442
- Top-bottom effect, 278, 279
- Top-hat filter function, 603, 676
- Topotaxy, 278
- Torr, 119
- Trace element, 594, 680
- Transfer function, 462, 470, 504; *see also*
 Contrast, transfer function
 effective, 466
- Translation boundary, 381
- Tripod polisher, 160
- TV camera, 426; *see also* Charge-coupled
 device (CCD)
- Twin boundary, 258, 414, 415, 455, 478; *see
 also* Grain, boundary; Stacking fault
- Twin-jet apparatus, 162
- Two-beam
 approximation, 206, 437, 441
 calculation, 397, 418
 condition, 206, 209, 212, 223, 228, 234, 321,
 359, 361, 364, 371, 382, 384, 395, 423,
 616, 628
- Ultrahigh vacuum, 76, 119, 561
- Ultramicrotomy, 167
- Ultrasonic cleaning, 159
- Ultra-thin window, 591; *see also* Spectrometer
 (X-ray energy-dispersive)
- Uncollimated electrons, 578
- Underfocus, 91, 148, 188, 307, 533, 534; *see
 also* Lens; Overfocus
- Unfilled states, 689
- Unit cell, 204, 239, 311, 382, 508, 522; *see
 also* Crystal; Lattice
 determination of, 323
 image, 516
 scattering amplitude from, 240
 volume of, 194, 629
- Vacancy, 65
 loop, 410, 411; *see also* Dislocation loop
 ordered array, 245
- Vacuum, 119–122
- Vacuum (*cont.*)
 backing valve, 122
 high, 119
 low, 119
 pumps, 119–122
 rough, 119
 tweezers, 158, 170
 ultrahigh, 76, 119, 561
 wave vector in, 230
- Vacuum level, 689
- Valence-state image, 700
- Végard's law, 338
- Video image, 502; *see also* Charge-coupled
 device (CCD)
- Viewing screen, 6, 107, 108
- Visible-light microscope, 6, 87
- Void, 451
- Voltage centering, 147, 468, 469
- Wafering saw, 159
- Water vapor, 560
- Wave
 equation, 217
 function, 452, 486
 matching construction, 229
 total amplitude of, 209, 253
 total function, 204, 218, 233
 vector, 181, 206, 220, 227, 228, 232, 452
 diffracted, 181
 incident, 181, 197
- Wavefront, 181
- Wavelength-dispersive spectrometer (WDS),
 570, 599; *see also* Spectrometer (X-ray
 wavelength dispersive)
- Weak-beam dark field, 269, 362, 423–437; *See
 also* Dark field (DF)
 3g reflection, 424
 condition, 414
 of dislocation, 427
 thickness fringes in, 426
- Weak phase-object approximation, 462, 463,
 489
- Wedge specimen, 212, 256, 369, 371, 391
- Wehnelt; *see also* Gun; Thermionic gun
 bias, 75
 cylinder, 72, 73
- Weighting factor, 240
- Weiss zone law, 185, 272, 309, 311
- White line, 671, 691
- White noise, 523
- White radiation, 197
- Wien Filter, 696
- Window (X-ray energy-dispersive
 spectrometer), 560, 561, 576
- Window polishing, 166, 582
- Windowless (X-ray energy-dispersive
 spectrometer) detector, 561, 576, 672
- Wobbling (lens), 137, 147
- Work function, 69
- World Wide Web, 13
- Wulff net, 269, 270, 280
- X-ray, 51–57, 555–635; *see also*
 Microanalysis; Spectrometer (X-ray
 energy-dispersive); Spectrometer (X-ray
 wavelength-dispersive)
 absorption of, 560, 577, 612, 630; *see also*
 Absorption (X-ray)
 absorption near-edge structure, 693
 atomic-number correction, 599, 610
 bremsstrahlung, 56, 558, 578–583, 601–
 602
 characteristic, 52, 558, 590
 count rate, 628
 depth distribution of, 609
 detector: *see* Spectrometer (X-ray energy-
 dispersive)
 diffraction, 179, 180
 emission of, 51, 609
 energy of, 55, 565
 energy-dispersive spectrometry (XEDS): *see*
 Microanalysis; Spectrometer (X-ray
 energy-dispersive)
 families of lines, 53, 591
 fluorescence, 582
 image, 618
 interaction volume, 625
 map, 619
 peak-to-background ratio, 582
 scattering factor, 397
 spectra, 52–56, 555, 590
- YAG scintillator, 644, 646
- Young's modulus, 418
- Young's slits, 11, 27, 182, 261
- Z contrast, 41, 353, 358–361, 693
- z control, 139, 307
- ZAF correction, 599
- Zero-loss
 integral, 676
 peak, 631, 642, 645, 646, 656, 670, 679
- Zero-order Laue zone, 198, 227, 279, 293, 309,
 311, 323, 419, 424
- Zero-order wave, 45
- Zone axis, 185, 270, 272, 273, 293, 296, 445,
 490, 516
 high-symmetry, 311
 image, 489
 low-symmetry, 311
 orientation, 316, 359, 583
 pattern, 284, 297, 304, 306, 321, 328, 331,
 335, 373
 symmetry, 334

Acknowledgments for Reproduction of Figures

TEM is a visual science, and any TEM text is heavily dependent on figures and halftones to transmit its message. We have been fortunate to work with many colleagues over the years who have generously given us fine examples of the art and science of TEM; we would like to acknowledge them here. We have also used the work of others, whose permission has been sought as listed below.

Chapter 1

Figure 1.1: From Ruska, E. (1980) *The Early History of the Electron Microscope*, Fig. 6, reproduced by permission of S. Herzog Verlag GmbH & Co.

Figures 1.4A: Courtesy of S.M. Zemyan.

Figures 1.4B,C: Courtesy of S.M. Merchant.

Figure 1.6: Courtesy K.S. Vecchio.

Figure 1.7: Courtesy T. Hayes, from Hayes, T. (1980) in Johari, O. (Ed.) *SEM—1980* 1, 1, Fig. 8, reproduced by permission of Scanning Microscopy International.

Figure 1.9A: Courtesy of JEOL USA Inc.

Figure 1.9B: Courtesy of NSA Hitachi Scientific Instruments, Ltd.

Figure 1.9C: Courtesy of Philips Electronic Instruments, Inc.

Figure 1.9D: Courtesy of V.G. Scientific.

Chapter 2

Figure 2.4: Courtesy of J. Bruley and V.J. Keast.

Figure 2.8: Modified from Hecht, E. (1988) *Optics* Fig. 10.21, Addison-Wesley.

Figure 2.11A,D: Courtesy of K.S. Vecchio.

Figure 2.11C: Courtesy of D.W. Ackland.

Chapter 3

Figure 3.3: Courtesy of D.E. Newbury, from Newbury, D.E. (1986) in Joy, D.C., *et al.* (Eds.) *Principles of Analytical*

Electron Microscopy, p. 6, Fig. 2, reproduced by permission of Plenum Press.

Figure 3.4: Courtesy of D.E. Newbury, from data in Newbury D.E. (1986) in Joy, D.C., *et al.* (Eds.) *Principles of Analytical Electron Microscopy*, p. 8, Table II, reproduced by permission of Plenum Press.

Chapter 4

Figure 4.1: Courtesy of D.E. Newbury, from Newbury, D.E. (1986) in Joy, D.C., *et al.* (Eds.) *Principles of Analytical Electron Microscopy*, p. 20, Fig. 4, reproduced by permission of Plenum Press.

Figure 4.3: From Woldseth, R. (1973) *X-ray Energy Spectrometry*, Fig. 3, reproduced by permission of Kevex Instruments.

Figure 4.4: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.3, reproduced by permission of Philips Electron Optics.

Figure 4.11: Courtesy of L.W. Hobbs, from Hobbs, L.W. (1979) in Hren, J.J., *et al.* (Eds.) *Introduction to Analytical Electron Microscopy*, Fig. 17.2, reproduced by permission of Plenum Press.

Figure 4.12: Courtesy of L.W. Hobbs, from Hobbs, L.W. (1979) in Hren, J.J., *et al.* (Eds.) *Introduction to Analytical Electron Microscopy*, Fig. 17.4, reproduced by permission of Plenum Press.

Table 4.1: Courtesy of J.I. Goldstein, from Goldstein, J.I., *et al.* (1992) *Scanning Electron Microscopy and X-ray Microanalysis*, 2nd edition, Table 3.11, reproduced by permission of Plenum Press.

Table 4.2: Courtesy of N.J. Zaluzec and J.F. Mansfield, from Zaluzec, N.J. and Mansfield, J.F. in Rajan, K. (Ed.) *Intermediate Voltage Electron Microscopy and Its Ap-*

plication to Materials Science (1987), p. 29, Table 1, reproduced by permission of Philips Electron Optics.

Chapter 5

Figure 5.1: Modified from Hall, C.E. (1966) *Introduction to Electron Microscopy*, Fig. 7.8, McGraw-Hill.

Figure 5.4B: Courtesy of J.I. Goldstein, from Goldstein, J.I., *et al.* (1992) *Scanning Electron Microscopy and X-ray Microanalysis*, 2nd edition, Fig. 2.7, reproduced by permission of Plenum Press.

Figure 5.5: Courtesy of D.W. Ackland.

Figure 5.6: Courtesy of D.W. Ackland.

Figure 5.7A: Modified from Crewe, A.V., *et al.* (1969) *Rev. Sci. Instrum.* **40**, 241, Fig. 2.

Figure 5.7B: Courtesy of D.W. Ackland.

Figure 5.10: Courtesy of J.R. Michael, from Michael, J.R. and Williams, D.B. (1987) *J. Microsc.* **147**, 289, Fig. 3, reproduced by permission of the Royal Microscopical Society.

Figure 5.11A: Modified from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 2.12b, Philips Electron Optics.

Figure 5.12: Courtesy of J.R. Michael, from Michael, J.R. and Williams, D.B. (1987) *J. Microsc.* **147**, 289, Fig. 2, reproduced by permission of the Royal Microscopical Society.

Figure 5.13A: Courtesy of D.W. Ackland.

Figure 5.13B: Courtesy of NSA Hitachi Scientific Instruments Ltd.

Chapter 6

Figure 6.7: Courtesy of D.W. Ackland.

Figure 6.8A: Courtesy of Philips Electronic Instruments Inc.

Figure 6.8B: Courtesy of Kratos Ltd.

Figure 6.8C: From Mulvey, T. (1974) *Electron Microscopy*—1974, p. 17, Fig. 1, reproduced by permission of the Australian Academy of Science.

Figure 6.8D: From Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Fig. 2.12, reproduced by permission of Springer Verlag.

Figure 6.9: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Fig. 2.3, Springer Verlag.

Figure 6.10B: Courtesy of A.O. Benscoter.

Figure 6.11: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Fig. 2.13, Springer Verlag.

Figure 6.14: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Fig. 4.23, Springer Verlag.

Chapter 7

Figure 7.1: Modified from Stephen, J., *et al.* (1975) *J. Phys. E* **8**, 607, Fig. 2.

Figure 7.5: Modified from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 1.2, Philips Electron Optics.

Figure 7.6: From Berger, S.D., *et al.* (1985) *Electron Microscopy and Analysis*, p. 137, Fig.1, reproduced by permission of The Institute of Physics Publishing.

Chapter 8

Figure 8.1: Courtesy of W.C. Bigelow, from Bigelow, W.C. (1994) *Vacuum Methods in Electron Microscopy*, Fig. 4.1, reproduced by permission of Portland Press, Ltd.

Figure 8.2: Courtesy of W.C. Bigelow, from Bigelow, W.C. (1994) *Vacuum Methods in Electron Microscopy*, Fig. 5.1, reproduced by permission of Portland Press, Ltd.

Figure 8.3: Courtesy of Leybold Vacuum Products Inc.

Figure 8.4: Courtesy of W.C. Bigelow, from Bigelow, W.C. (1994) *Vacuum Methods in Electron Microscopy*, Fig. 7.1, reproduced by permission of Portland Press, Ltd.

Figure 8.6: Courtesy of Gatan Inc.

Figure 8.7: From Valdrè, U., and Goringe, M.J. (1971) in Valdrè, U. (Ed.) *Electron Microscopy in Materials Science*, p. 217, Fig. 6, reproduced by permission of Academic Press Inc.

Figure 8.8: Courtesy of NSA Hitachi Scientific Instruments Ltd.

Figure 8.9A,B: Courtesy of Gatan Inc.

Figure 8.10A,B: Courtesy of Gatan Inc.

Figure 8.11: Courtesy of Gatan Inc.

Figure 8.12: From Komatsu, M., *et al.* (1994) *Journal of the American Ceramic Society* **77**, 839, Fig.1, reproduced by permission of The American Ceramic Society.

Figure 8.13: Courtesy of NSA Hitachi Scientific Instruments Ltd.

Chapter 9

Figure 9.6: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Fig. 4.14a, Springer Verlag.

Figure 9.16: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 1.7, reproduced by permission of Philips Electron Optics.

Figure 9.18B,C,D: Courtesy of D.W. Ackland.

Figure 9.19: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 1.5, reproduced by permission of Philips Electron Optics.

Figure 9.20: Courtesy of S. Ramamurthy.

Figure 9.21: Courtesy of D.W. Ackland.

Figure 9.23: Courtesy of D.W. Ackland.

Figure 9.24: Courtesy of D.W. Ackland.

Figure 9.25: Courtesy of S. Ramamurthy.

Table 9.1: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Table 2.4, reproduced by permission of Philips Electron Optics.

Table 9.2: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Table 2.2, reproduced by permission of Philips Electron Optics.

Chapter 10

Figure 10.1: Modified from Médard, L., *et al.* (1949) *Rev. Met.* **46**, 549, Fig.5.

Figure 10.2: Courtesy of SPI Inc.

Figure 10.3: Courtesy of Gatan Inc.

Figure 10.4: Courtesy of VCR Inc.

Figure 10.7A: From Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation Techniques in Materials Science*, Fig. 9, reproduced by permission of Philips Electron Optics.

Fig. 10.7b: From Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation Techniques in Materials Science*, Fig. 7, reproduced by permission of Philips Electron Optics.

Figure 10.8: From Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation Techniques in Materials Science*, Fig. 12, reproduced by permission of Philips Electron Optics.

Figure 10.9: Modified from Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation Techniques in Materials Science*, Fig. 11, Philips Electron Optics.

Figure 10.10: Courtesy of R. Alani, Gatan Inc.

Figure 10.11: Courtesy of A.G. Cullis, from Cullis, A.G., *et al.* (1985) *Ultramicroscopy* **17**, 203, Figs. 1a, 3, reproduced by permission of Elsevier Science B.V.

Figure 10.12: From van Hellemont, J., *et al.* (1988) in Bravman, J., *et al.* (Eds.) *Specimen Preparation for Transmission Electron Microscopy of Materials*, Mat. Res. Soc. Symp. **115**, 247, Fig. 1, reproduced by permission of MRS.

Figure 10.15: From Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation Techniques in Materials Science*, Figs. 20, 21, reproduced by permission of Philips Electron Optics.

Figure 10.16: From Thompson-Russell, K.C. and Edington, J.W. (1977) *Electron Microscope Specimen Preparation*

Techniques in Materials Science, Fig. 25, reproduced by permission of Philips Electron Optics.

Figure 10.17: From Hetherington, C.J.D. (1988) in Bravman, J., *et al.* (Eds.) *Specimen Preparation for Transmission Electron Microscopy of Materials*, Mat. Res. Soc. Symp. **115**, 143, Fig. 1, reproduced by permission of MRS.

Figure 10.18: Modified from Dobisz, E.A., *et al.* (1986) *J. Vac. Sci. Technol. B* **4**, 850, Fig. 1, reproduced by permission of MRS.

Figure 10.19: From Fernandez, A. (1988) in Bravman, J., *et al.* (Eds.) *Specimen Preparation for Transmission Electron Microscopy of Materials*, Mat. Res. Soc. Symp. **115**, 119, Fig. 1, reproduced by permission of MRS.

Figure 10.20: Courtesy of P. Goodhew, from Goodhew, P.J. (1988) in Bravman, J., *et al.* (Eds.) *Specimen Preparation for Transmission Electron Microscopy of Materials*, Mat. Res. Soc. Symp. **115**, 52, reproduced by permission of MRS.

Table 10.1: Courtesy of T. Malis.

Chapter 11

Table 11.1: Modified from Hirsch, P.B., *et al.* (1977) *Electron Microscopy of Thin Crystals*, 2nd edition, p. 19, Krieger.

Chapter 13

Table 13.2: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Table 7.2, p. 296, Springer Verlag.

Chapter 14

Figure 14.2: Modified from Hashimoto, H., *et al.* (1962) *Proc. Roy. Soc. (London)* **A269**, 80, Fig. 2.

Table 14.2: Modified from Reimer, L. (1993) *Transmission Electron Microscopy*, 3rd edition, Table 3.2, p. 58, Springer Verlag.

Chapter 16

Figure 16.5: Courtesy of M.L. Jenkins, from Jenkins, M.L., *et al.* (1976) *Phil. Mag.* **34**, 1141, Fig. 2, reproduced by permission of Taylor and Francis.

Figure 16.6: Courtesy of B.C. De Cooman.

Figure 16.7: From Dodsworth, J., *et al.* (1983) *Adv. Ceram.* **6**, 102, Fig. 3, reproduced by permission of the American Ceramic Society.

Figure 16.8: Courtesy of B.C. De Cooman.

Figure 16.9: From Gajdardziska-Josifovska, M., *et al.* (1995) *Ultramicroscopy* **58**, 65, Fig. 1, reproduced by permission of Elsevier Science B.V.

Figure 16.10: Courtesy of S. McKernan.

Figure 16.11: From Hahn, T. (Ed.) *International Tables for Crystallography A*, pp. 538–539, No. 164, reproduced by permission of The International Union of Crystallography.

Table 16.1: Modified from Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Appendix 8, Van Nostrand Reinhold.

Chapter 17

Figure 17.2: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 2.16, reproduced by permission of Philips Electron Optics.

Figure 17.9: Modified from Hirsch, P.B., *et al.* (1977) *Electron Microscopy of Thin Crystals*, 2nd edition, Fig. 4.11, Krieger.

Figure 17.7: From Carter, C.B., *et al.* (1981) *Phil. Mag.* **A43**, 441, Fig. 5c, reproduced by permission of Taylor and Francis.

Figure 17.10: From Driver, J.H., *et al.* (1972) *Phil Mag.* **26**, 1227, Fig. 3, reproduced by permission of Taylor and Francis.

Figure 17.11A–C: From Lewis, M.H., and Billingham, J. (1972) *JEOL News* **10e**(1), 8, Fig. 3, reproduced by permission of JEOL USA Inc.

Figure 17.11D: Modified from Sauvage, M. and Parthè, E. (1972) *Acta Cryst.* **A28**, 607, Fig. 2.

Figure 17.12: Modified from Carter, C.B., *et al.* (1981) *Phil. Mag.* **A43**, 441, Figs. 5a, b.

Figure 17.13: Modified from Carter, C.B., *et al.* (1980) *J. Electron Microsc.* **63**, 623, Fig. 8.

Figure 17.14: Modified from Carter, C.B. (1984) *Phil. Mag.* **A50**, 133, Figs. 1–3.

Chapter 18

Figure 18.2: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. A1.7, reproduced by permission of Philips Electron Optics.

Figure 18.7: Courtesy of S. Ramamurthy.

Figure 18.9: Courtesy of S. McKernan.

Figure 18.10A,C: Courtesy of S. McKernan.

Figure 18.10B,D,E: From Vainshtein, B.K., *et al.* (1992) in Cowley, J.M. (Ed.) *Electron Diffraction Techniques 1*, Fig. 6.13, reproduced by permission of Oxford University Press.

Figure 18.11: Modified from James, R.W. (1965) in Bragg, L. (Ed.) *The Optical Principles of the Diffraction of X-ray*, Vol. II of the Crystalline State, Figs. 170, 184, Cornell University Press.

Figure 18.12: Courtesy of D.J.H. Cockayne, from Sproul, A.,

et al. (1986) *Phil. Mag.* **B54**, 113, Fig. 1, reproduced by permission of Taylor and Francis.

Figure 18.13: From Graczyk, J.F. and Chaudhari, P. (1973) *Phys. stat. sol.* (b), **58**, 163, Fig. 10a, reproduced by permission of Akademie Verlag GmbH.

Figure 18.14: Courtesy of A. Howie, from Howie, A. (1988) in Buseck, P.R., *et al.* (Eds.) *High-Resolution Transmission Microscopy and Associated Techniques*, p. 607, Fig. 14.12, reproduced by permission of Oxford University Press.

Figure 18.15: From Tietz, L.A., *et al.* (1995) *Ultramicroscopy* **60**, 241, Figs. 2, 3, 4, reproduced by permission of Elsevier Science B.V.

Figure 18.16: From Tietz, L.A., *et al.* (1995) *Ultramicroscopy* **60**, 241, Fig. 5, reproduced by permission of Elsevier Science B.V.

Figure 18.17: From Andrews, K.W., *et al.* (1971) *Interpretation of Electron Diffraction Patterns*, 2nd edition, Fig. 41, reproduced by permission of Plenum Press.

Figure 18.18: From Andrews, K.W., *et al.* (1971) *Interpretation of Electron Diffraction Patterns*, 2nd edition, Fig. 41, reproduced by permission of Plenum Press.

Figure 18.19: From Andrews, K.W., *et al.* (1971) *Interpretation of Electron Diffraction Patterns*, 2nd edition, Fig. 41, reproduced by permission of Plenum Press.

Figure 18.20: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 2.20, reproduced by permission of Philips Electron Optics.

Chapter 19

Figure 19.6A: Courtesy of G. Thomas, from Levine, E., *et al.* (1966) *J. Appl. Phys.* **37**, 2141, Fig. 1a, reproduced by permission of the American Institute of Physics.

Figure 19.7: Modified from Okamoto, P.R., *et al.* (1967) *J. Appl. Phys.* **38**, 289, Fig. 5.

Figure 19.8: Courtesy of S. Ramamurthy.

Figure 19.9A: Modified from Thomas, G. and Goringe, M.J. (1979) *Transmission Electron Microscopy of Metals*, Fig. 2.30, John Wiley & Sons Inc.

Figure 19.9B: Modified from Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 2.27, Van Nostrand Reinhold.

Figure 19.11: Modified from Thomas, G. and Goringe, M.J. (1979) *Transmission Electron Microscopy of Metals*, Fig. 2.29, John Wiley & Sons Inc.

Chapter 20

Figure 20.2A: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.5, reproduced by permission of Oxford University Press.

- Figure 20.2B: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.17, reproduced by permission of Oxford University Press.
- Figure 20.3: Modified from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.6, Philips Electron Optics.
- Figure 20.5: From Lyman, C.E., *et al.* (Eds.) (1990) *Scanning Electron Microscopy, X-ray Microanalysis and Analytical Electron Microscopy—a Laboratory Workbook*, Fig. A27.2, reproduced by permission of Plenum Press.
- Figure 20.6: Courtesy of J.F. Mansfield, from Mansfield, J.F. (1984) *Convergent Beam Diffraction of Alloy Phases*, Fig. 5.3, reproduced by permission of Institute of Physics Publishing.
- Figure 20.7C: Courtesy of R. Ayer.
- Figure 20.8A: Modified from Ayer, R. (1989) *J. Electron Microscopy Tech.* **13**, 3, Fig. 3.
- Figure 20.9: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.13, reproduced by permission of Philips Electron Optics.
- Figure 20.10: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.14, reproduced by permission of Philips Electron Optics.
- Figure 20.11: Courtesy of W.A.T. Clark, from Heilman, P., *et al.* (1983) *Acta Met.* **31**, 1293, Fig. 4, reproduced by permission of Elsevier Science B.V.
- Figure 20.12: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.9, reproduced by permission of Philips Electron Optics.
- Figure 20.13: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.16, reproduced by permission of Philips Electron Optics.
- Figure 20.14: Courtesy of C.M. Sung.
- Figure 20.15: Courtesy of B. Ralph, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.18, reproduced by permission of Philips Electron Optics.
- Figure 20.16: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.14, reproduced by permission of Oxford University Press.
- Chapter 21**
- Figure 21.1: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.29a, reproduced by permission of Philips Electron Optics.
- Figure 21.3: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Figs. 4.29b, c, reproduced by permission of Philips Electron Optics.
- Figure 21.4: Courtesy of R. Ayer, from Raghavan, M., *et al.* (1984) *Met. Trans.* **15A**, 783, Fig. 6, reproduced by permission of ASM International.
- Figure 21.5A: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.23, reproduced by permission of Oxford University Press.
- Figure 21.5B: Courtesy of R. Ayer, from Ayer, R. (1989) *J. Electron Microsc. Tech.* **13**, 3, Fig. 7, reproduced by permission of John Wiley & Sons Inc.
- Figure 21.7: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.19, reproduced by permission of Oxford University Press.
- Figure 21.8: Courtesy of V.P. Dravid.
- Figure 21.9A–D: Courtesy of J.W. Steeds, from Chapman J.N. and Craven, A.J. (Eds.) (1984) *Quantitative Electron Microscopy*, p. 68, Fig. 8, reproduced by permission of the Scottish Universities Summer School in Physics.
- Figure 21.9E: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.25, reproduced by permission of Oxford University Press.
- Figure 21.10: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.24, reproduced by permission of Oxford University Press.
- Figure 21.11: Courtesy of K.S. Vecchio and V.P. Dravid, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Figs. 6.27, 6.28, reproduced by permission of Oxford University Press.
- Figure 21.12: Courtesy of K.S. Vecchio, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.29, reproduced by permission of Oxford University Press.
- Figure 21.13: Courtesy of K.S. Vecchio and V.P. Dravid, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.30, reproduced by permission of Oxford University Press.
- Figure 21.14: Courtesy of R. McConville, from Williams, D.B., *et al.* (Eds.) (1992) *Images of Materials*, Fig. 6.33, reproduced by permission of Oxford University Press.
- Figure 21.15: Courtesy of J.M. Cowley, from Liu, M. and Cowley, J.M. (1994) *Ultramicroscopy* **53**, 333, Figs. 1, 2, reproduced by permission of Elsevier Science B.V.
- Figure 21.16: Courtesy of W.D. Riecke, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 6.2, reproduced by permission of Philips Electron Optics.
- Figure 21.17: Courtesy of J.R. Michael.
- Table 21.1: Data from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, p. 79, reproduced by permission of Philips Electron Optics.

Table 21.2: Data from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, p. 79, reproduced by permission of Philips Electron Optics.

Table 21.3: Courtesy of B.F. Buxton, from Buxton, B.F., *et al.* (1976) *Phil. Trans. Roy. Soc. (London)* **281**, 181, Table 2, reproduced by permission of The Royal Society.

Table 21.4: Courtesy of B.F. Buxton, from Buxton, B.F., *et al.* (1976) *Phil. Trans. Roy. Soc. (London)* **281**, 181, Table 3, reproduced by permission of The Royal Society.

Table 21.6: Courtesy of B.F. Buxton, from Buxton, B.F., *et al.* (1976) *Phil. Trans. Roy. Soc. (London)* **281**, 181, Table 4, reproduced by permission of The Royal Society.

Table 21.7: Courtesy of J.W. Steeds, from Steeds, J.W., *et al.* (1983) *J. Appl. Cryst.* **16**, 317, Tables 5, 6, reproduced by permission of the International Union of Crystallography.

Chapter 22

Figure 22.5: Courtesy of K.A. Repa.

Figure 22.6: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 3.7d, reproduced by permission of Philips Electron Optics.

Figure 22.7: Courtesy of K.B. Reuter.

Figure 22.8: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 3.7c, reproduced by permission of Philips Electron Optics.

Figure 22.9A,B: Courtesy of H. Tsai, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 1.19a, b, reproduced by permission of Philips Electron Optics.

Figure 22.9C: Courtesy of K.-R. Peters.

Figure 22.10: Modified from Williams, D.B. (1983) in Krakow, W., *et al.* (Eds.) *Electron Microscopy of Materials*, Mat. Res. Soc. Symp. **31**, 11, Figs. 3a, b, MRS.

Figure 22.11A,B: Courtesy of I.M. Watt, from Watt, I.M. (1996) *The Principles and Practice of Electron Microscopy*, 2nd edition, Figs. 5.5a, b, reproduced by permission of Cambridge University Press.

Figure 22.12: Courtesy of M.M.J. Treacy, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 5.26b, reproduced by permission of Philips Electron Optics.

Figure 22.14: Courtesy of S.J. Pennycook, from Pennycook, S.J., *et al.* (1986) *J. Microsc.* **144**, 229, Fig. 8, reproduced by permission of the Royal Microscopical Society.

Figure 22.15A,B: Courtesy of S.J. Pennycook, from Lyman, C.E. (1992) *Microscopy: The Key Research Tool*, special publication of the *EMSA Bulletin* **22**, 7, Fig. 7, reproduced by permission of MSA.

Figure 22.15C: Courtesy of S.J. Pennycook, from Browning, *et al.* (1995) *Interface Science* **2**, 397, Fig. 4d, reproduced by permission of Kluwer.

Figure 22.16A: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 2.34, reproduced by permission of Philips Electron Optics.

Figure 22.17: Courtesy of D. Cohen.

Chapter 23

Figure 23.1: Courtesy of S. Ramamurthy.

Figure 23.2: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 3.2a, reproduced by permission of Philips Electron Optics.

Figure 23.3B: Courtesy of D. Cohen.

Figure 23.3C: Courtesy of S. King.

Figure 23.5: Courtesy of D. Susnitzky.

Figure 23.7: Modified from Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 3.3, Van Nostrand Reinhold.

Figure 23.8: Modified from Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Figs. 3.4b, d, Van Nostrand Reinhold.

Figure 23.9: Courtesy of S. Ramamurthy.

Figure 23.10: From Hashimoto H., *et al.* (1962) *Proc. Roy. Soc. (London)* **A269**, 80, Fig. 11, reproduced by permission of The Royal Society.

Figure 23.11A: Courtesy of NSA Hitachi Scientific Instruments Ltd.

Figure 23.11B,C: Courtesy of D. Cohen.

Figure 23.12: From Edington, J.W. (1976) *Practical Electron Microscopy in Materials Science*, Fig. 3.3d, reproduced by permission of Philips Electron Optics.

Figure 23.13B,C: From De Cooman, B.C., *et al.* (1987) in J.D. Dow and I.K. Schuller (Eds.) *Interfaces, Superlattices, and Thin Films*, Mat. Res. Soc. Symp. **77**, 187, Fig. 1, reproduced by permission of MRS.

Chapter 24

Figure 24.4A–D: Courtesy of D. Cohen.

Figure 24.4 E,F: Modified from Gevers, R., *et al.* (1963) *Phys. stat. sol.* **3**, 1563, Table 3.

Figure 24.5: From Föll, H., *et al.* (1980) *Phys. stat. sol.* (a) **58**, 393, Figs. 6a, c, reproduced by permission of Akademie Verlag GmbH.

Figure 24.7A,B: From Lewis, M.H. (1966) *Phil. Mag.* **14**, 1003, Fig. 9, reproduced by permission of Taylor and Francis.

Figure 24.7C,D: Courtesy of S. Amelinckx, from Amelinckx, S. and Van Landuyt, J. (1978) in S. Amelinckx, *et*

al. (Eds.) *Diffraction and Imaging Techniques in Material Science I*, p. 107, Figs. 3, 18, North-Holland.

Figure 24.8: From Rasmussen, D.R., *et al.* (1991) *Phys. Rev. Lett.* **66**, (20), 262, Fig. 2, reproduced by permission of The American Physical Society.

Figure 24.9: Courtesy of S. Summerfelt.

Figure 24.13: Modified from Metherell, A.J.F. (1975) in Valdrè, U. and Ruedl, E. (Eds.) *Electron Microscopy in Materials Science II*, 397, Fig. 13, Commission of the European Communities.

Figure 24.14: From Hashimoto, H., *et al.* (1962) *Proc. Roy. Soc. (London)* **A269**, 80, Fig. 15, reproduced by permission of The Royal Society.

Figure 24.16: Modified from Rasmussen, R., *et al.* (1991) *Phil. Mag.* **63**, 1299, Fig. 4.

Chapter 25

Figure 25.2B: Modified from Amelinckx, S. (1964) *Solid State Physics Suppl.* **6**, Fig. 76.

Figure 25.6A–C: Modified from Carter, C.B. (1980) *Phys. stat. sol.* (a) **62**, 139, Fig. 4.

Figure 25.6f: From Van Landuyt, J., *et al.* (1970) *Phys. stat. sol.* **41**, 271, Fig. 19, reproduced by permission of Akademie Verlag GmbH.

Figure 25.6G–H: Courtesy of B.C. De Cooman.

Figure 25.7: Modified from Hirsch, P.B., *et al.* (1977) *Electron Microscopy of Thin Crystals*, 2nd edition, Fig. 7.8, Krieger.

Figure 25.8: From Delavignette, P. and Amelinckx, S. (1962) *J. Nucl. Mat.* **5**, 17, Fig. 7, reproduced by permission of Elsevier Science B.V.

Figure 25.10: From Urban, K. (1971) in Koda, S. (Ed.) *The World Through the Electron Microscope*, Metallurgy V, p. 26, reproduced by permission of JEOL USA Inc.

Figure 25.11: Courtesy of A. Howie, from Howie, A. and Whelan, M.J. (1962) *Proc. Roy. Soc. (London)* **A267**, 206, Fig. 14, reproduced by permission of The Royal Society.

Figure 25.12: Modified from M. Wilkens (1978) in Amelinckx, S., *et al.* (Eds.) *Diffraction and Imaging Techniques in Material Science I*, p. 185, Fig. 4, North-Holland.

Figure 25.14: From Dupouy G. and Perrier, F. (1971) in Koda, S. (Ed.) *The World Through the Electron Microscope*, Metallurgy V, p. 100, reproduced by permission of JEOL USA Inc.

Figure 25.15A: From Modeer, B. and Lagneborg, R. (1971) in Koda, S. (Ed.) *The World Through the Electron Microscope*, Metallurgy V, p. 44, reproduced by permission of JEOL USA Inc.

Figure 25.15B: Courtesy of D.A. Hughes, from Hansen, N. and Hughes, D.A. (1995) *Phys. stat. sol.* (a) **149**, 155,

Fig. 5, reproduced by permission of Akademie Verlag GmbH.

Figure 25.16A: From Siems, F., *et al.* (1962) *Phys. stat. sol.* **2**, 421, Fig. 5a, reproduced by permission of Akademie Verlag GmbH.

Figure 25.16C: From Siems, F., *et al.* (1962) *Phys. stat. sol.* **2**, 421, Fig. 15a, reproduced by permission of Akademie Verlag GmbH.

Figure 25.17A: Modified from Whelan, M.J. (1958–59) *J. Inst. Met.* **87**, 392, Fig. 25a.

Figure 25.17B: Courtesy of K. Ostyn.

Figure 25.18: From Takayanagi, L. (1988) *Surface Science* **205**, 637, Fig. 5, reproduced by permission of Elsevier Science B.V.

Figure 25.19A: From Tunstall, W.J., *et al.* (1964) *Phil. Mag.* **9**, 99, Fig. 9, reproduced by permission of Taylor and Francis.

Figure 25.19B: From Amelinckx, S. in Merli, P.G. and Antisari, V.M. (Eds.) *Electron Microscopy in Materials Science*, p. 128, Fig. 45, reproduced by permission of World Scientific.

Figure 25.20: Courtesy of W. Skrotski.

Figure 25.21: Courtesy of W. Skrotski.

Figure 25.22: From Carter, C.B., *et al.* (1986) *Phil. Mag.* **A55**, 21, Fig. 2, reproduced by permission of Taylor and Francis.

Figure 25.23: From Carter, C.B., *et al.* (1981) *Phil. Mag.* **A43**, 441, Fig. 3, reproduced by permission of Taylor and Francis.

Figure 25.24: Courtesy of K. Ostyn.

Figure 25.25: Courtesy of L. Tietz.

Figure 25.26A: Courtesy of L.M. Brown, from Ashby, M.F. and Brown, L.M. (1963) *Phil. Mag.* **8**, 1083, Fig. 10, reproduced by permission of Taylor and Francis.

Figure 25.26B: Modified from Whelan, M.J. (1978) in Amelinckx, S., *et al.* (Eds.) *Diffraction and Imaging Techniques in Material Science I*, p. 43, Fig. 36, North-Holland.

Figure 25.26C: Courtesy of L.M. Brown, from Ashby, M.F. and Brown, L.M. (1963) *Phil. Mag.* **8**, 1083, Fig. 12, reproduced by permission of Taylor and Francis.

Figure 25.27: From Rasmussen, D.R. and Carter, C.B. (1991) *J. Electron Microsc. Technique* **18**, 429, Fig. 2, reproduced by permission of John Wiley & Sons Inc.

Figure 25.27: From Rasmussen, D.R. and Carter, C.B. (1991) *J. Electron Microsc. Technique* **18**, 429, Fig. 2, reproduced by permission of John Wiley & Sons Inc.

Chapter 26

Figure 26.7: Courtesy of S. King.

Figure 26.10: Courtesy of D.J.H. Cockayne, from Cockayne,

D.J.H. (1972) *Z. Naturforschung* **27a**, 452, Fig. 6c, reproduced by permission of Verlag der Zeitschrift für Naturforschung, Tübingen.

Figure 26.13: Modified from Carter, C.B., *et al.* (1986) *Phil. Mag.* **A55**, 1, Fig. 9.

Figure 26.15: Modified from Föll, H., *et al.* (1980) *Phys. stat. sol. (a)* **58**, 393, Figs. 6b, c.

Figure 26.17: From Heidenreich, R.D. (1964) *Fundamentals of Transmission Electron Microscopy*, Fig. 9.20, reproduced by permission of John Wiley & Sons Inc.

Figure 26.18: Courtesy of D.J.H. Cockayne, from Ray, I.L.F. and Cockayne, D.J.H. (1971) *Proc. Roy. Soc. (London)* **A325**, 543, Fig. 10, reproduced by permission of The Royal Society.

Figure 26.23: Modified from Carter, C.B. (1979) *J. Phys. (A)* **54** (1) 395 Fig. 8a.

Chapter 27

Figure 27.3A: From Izui, K.J., *et al.* (1977) *J. Electron Microsc. 26*, 129, Fig. 1, reproduced by permission of the Japanese Society of Electron Microscopy.

Figure 27.3C: Courtesy of J.C.H. Spence, from Spence, J.C.H. *Experimental High-Resolution Electron Microscopy*, Fig. 5.15, reproduced by permission of Oxford University Press.

Figure 27.4B: Courtesy of J.L. Hutchison, from Hutchison, J.L., *et al.* (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 205, Fig. 3, reproduced by permission of Halle/Saale.

Figure 27.4C: Courtesy of S. McKernan.

Figure 27.4D: From Carter, C.B., *et al.* (1989) *Phil. Mag.* **A63**, 279, Fig. 3, reproduced by permission of Taylor and Francis.

Figure 27.8: From Tietz, L.A., *et al.* (1992) *Phil. Mag.* **A65**, 439, Figs. 3a, 12a, c, reproduced by permission of Taylor and Francis.

Figure 27.10: Courtesy of J. Zhu.

Figure 27.12: Modified from Vincent, R. (1969) *Phil. Mag.* **19**, 1127, Fig. 4.

Figure 27.13: Modified from Norton, M.G. and Carter, C.B. (1995) *J. Mat. Sci.* **30**, Fig. 6.

Figure 27.14: Courtesy of U. Dahmen, from Hetherington, C.J.D. and Dahmen, U. (1992) in Hawkes, P.W. (Ed.) *Signal and Image Processing in Microscopy and Microanalysis, Scanning Microscopy Supplement 6*, 405, Fig. 9, reproduced by permission of Scanning Microscopy International.

Figure 27.15: From Heidenreich, R.D. (1964) *Fundamentals of Transmission Electron Microscopy*, Figs. 5.4, 5.6, reproduced by permission of John Wiley & Sons Inc.

Figure 27.16A: From Heidenreich, R.D. (1964) *Fundamentals of Transmission Electron Microscopy*, Fig. 11.2, reproduced by permission of John Wiley & Sons Inc.

Figure 27.16B: From Boersch, H., *et al.* (1962) *Z. Phys.* **167**, 72, Fig. 4, reproduced by permission of Springer-Verlag.

Figure 27.17: Courtesy of M. Rühle.

Figure 27.18: Modified from Kouh, Y.M., *et al.* (1986) *J. Mat. Sci.* **21**, 2689, Fig. 9.

Figure 27.19: Courtesy of M. Rühle, from Rühle, M. and Sass, S.L. (1984) *Phil. Mag.* **A49**, 759, Fig. 2, reproduced by permission of Taylor and Francis.

Figure 27.20B–E: From Carter, C.B., *et al.* (1986), *Phil. Mag.* **A55**, 21, Fig. 11, reproduced by permission of Taylor and Francis.

Chapter 28

Figure 28.4: Courtesy of R. Gronsky, from Gronsky, R. (1992) in Williams, D.B., *et al.* (Eds.) *Images of Materials*, Fig. 7.6, reproduced by permission of Oxford University Press.

Figure 28.5: Courtesy of S. McKernan.

Figure 28.6: Courtesy of S. McKernan.

Figure 28.7: Modified from Cowley, J.M. (1988) in Buseck, P.R., *et al.* (Eds.) *High-Resolution Electron Microscopy and Associated Techniques*, Fig. 1.9, Oxford University Press.

Figure 28.8: Courtesy of J.C.H. Spence, from Spence, J.C.H. (1988) *Experimental High-Resolution Electron Microscopy*, 2nd Ed., Fig. 4.3, reproduced by permission of Oxford University Press.

Figure 28.9: Modified from Rose, H. (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 6, Fig. 3, Halle/Saale.

Figure 28.10: From de Jong, A.F. and Van Dyck, D. (1993) *Ultramicroscopy* **49**, 66, Fig. 1, reproduced by permission of Elsevier Science B.V.

Figure 28.11: Courtesy of M.T. Otten, from Otten, M.T. and Coene, W.M.J. (1993) *Ultramicroscopy* **48**, 77, Fig. 8, reproduced by permission of Elsevier Science B.V.

Figure 28.12: Courtesy of M.T. Otten, from Otten, M.T. and Coene, W.M.J. (1993) *Ultramicroscopy* **48**, 77, Fig. 11, reproduced by permission of Elsevier Science B.V.

Figure 28.13: Courtesy of M.T. Otten, from Otten, M.T. and Coene, W.M.J. (1993) *Ultramicroscopy* **48**, 77, Fig. 10, reproduced by permission of Elsevier Science B.V.

Figure 28.14A,B: From Amelinckx, S., *et al.* (1993) *Ultramicroscopy* **51**, 90, Fig. 2, reproduced by permission of Elsevier Science B.V.

Figure 28.15: From Amelinckx, S., *et al.* (1993) *Ultramicroscopy*

copy 51, 90, Fig. 3, reproduced by permission of Elsevier Science B.V.

Figure 28.16: From Rasmussen, D.R., *et al.* (1995) *J. Microsc.* **179**, 77, Figs. 2c, d, reproduced by permission of the Royal Microscopical Society.

Figure 28.18A: Courtesy of S. McKernan.

Figure 28.18B: From Berger, A., *et al.* (1994) *Ultramicroscopy* **55**, 101, Fig. 4b, reproduced by permission of Elsevier Science B.V.

Figure 28.18C: Courtesy of S. Summerfelt.

Figure 28.18D: Courtesy of S. McKernan.

Figure 28.19: Courtesy of D.J. Smith.

Figure 28.21B: From Van Landuyt, J., *et al.* (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 254, Fig. 6, reproduced by permission of Halle/Saale.

Figure 28.21D: From Van Landuyt, J., *et al.* (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 254, Fig. 8, reproduced by permission of Halle/Saale.

Figure 28.22: From Nissen H.-U. and Beeli, C. (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 272, Fig. 4, reproduced by permission of Halle/Saale.

Figure 28.23: From Nissen H.-U. and Beeli, C. (1991) in Heydenreich, J. and Neumann, W. (Eds.) *High-Resolution Electron Microscopy—Fundamentals and Applications*, p. 272, Fig. 2, reproduced by permission of Halle/Saale.

Figure 28.24: From Parsons, J.R., *et al.* (1973) *Phil. Mag.* **29**, 1359, Fig. 2, reproduced by permission of Taylor and Francis.

Table 28.1: Modified from de Jong, A.F. and Van Dyck, D. (1993) *Ultramicroscopy* **49**, 66, Table 1.

Chapter 29

Figure 29.2A,B: Courtesy of M.A. O'Keefe, from O'Keefe, M.A. and Kilaas, R. (1988) in Hawkes, P.W., *et al.* (Eds.) *Image and Signal Processing in Electron Microscopy, Scanning Microscopy Supplement 2*, p. 225, Fig. 1, reproduced by permission of Scanning Microscopy International.

Figure 29.3: From Kambe, K. (1982) *Ultramicroscopy* **10**, 223, Figs. 1a–d, reproduced by permission of Elsevier Science B.V.

Figure 29.4: Courtesy of M.A. O'Keefe, from O'Keefe, M.A. and Kilaas, R. (1988) in Hawkes, P.W., *et al.* (Eds.) *Image and Signal Processing in Electron Microscopy, Scanning Microscopy Supplement 2*, p. 225, Fig. 4, re-

produced by permission of Scanning Microscopy International.

Figure 29.5: Modified from Rasmussen, D.R. and Carter, C.B. (1990) *Ultramicroscopy* **32**, 337, Figs. 1 and 2.

Figure 29.8: From Beeli, C. and Horiuchi, S. (1994) *Phil. Mag.* **B70**, 215, Figs. 6a–d, reproduced by permission of Taylor and Francis.

Figure 29.9: From Beeli, C. and Horiuchi, S. (1994) *Phil. Mag.* **B70**, 215, Figs. 7a–d, reproduced by permission of Taylor and Francis.

Figure 29.10: From Beeli, C. and Horiuchi, S. (1994) *Phil. Mag.* **B70**, 215, Fig. 8, reproduced by permission of Taylor and Francis.

Figure 29.11: From Jiang, J., *et al.* (1995) *Phil. Mag. Lett.* **71**, 123, Fig. 4, reproduced by permission of Taylor and Francis.

Chapter 30

Figure 30.1: Courtesy of J. Heffelfinger.

Figure 30.2: From Rasmussen, D.R., *et al.* (1995) *J. Microsc.* **179**, 77, Fig. 1b, reproduced by permission of The Royal Microscopical Society.

Figure 30.3: From Rasmussen, D.R., *et al.* (1995), *J. Microsc.* **179**, 77, Fig. 5, reproduced by permission of The Royal Microscopical Society.

Figure 30.4: Courtesy of O.L. Krivanek, from Krivanek, O.L. (1988) in Buseck, P.R., *et al.* (Eds.) *High-Resolution Electron Microscopy and Associated Techniques*, Fig. 12.6, reproduced by permission of Oxford University Press.

Figure 30.5: Courtesy of O.L. Krivanek, from Krivanek, O.L. (1988) in Buseck, P.R., *et al.* (Eds.) *High-Resolution Electron Microscopy and Associated Techniques*, Fig. 12.7, reproduced by permission of Oxford University Press.

Figure 30.6A: Courtesy of J.C.H. Spence, from Spence, J.C.H. and Zuo, J.M. (1992) *Electron Microdiffraction*, Fig. A1.3, reproduced by permission of Plenum Press.

Figure 30.6B: Courtesy of O.L. Krivanek, from Krivanek, O.L. (1988) in Buseck, P.R., *et al.* (Eds.) *High-Resolution Electron Microscopy and Associated Techniques*, Fig. 12.8, reproduced by permission of Oxford University Press.

Figure 30.7: Courtesy of S. McKernan.

Figure 30.8: Courtesy of Z.C. Lin, from Lin, Z.C. (1993) Ph.D. dissertation, Fig. 4.15, University of Minnesota.

Figure 30.9: Courtesy of O. Saxton, from Kirkland, A.I. (1992) in Hawkes, P.W. (Ed.) *Signal and Image Processing in Microscopy and Microanalysis, Scanning Microscopy Supplement 6*, 139, Figs. 1, 2, 3, reproduced by permission of Scanning Microscopy International.

- Figure 30.10: From Zou, X.D. and Hovmöller, S. (1993) *Ultramicroscopy* **49**, 147, Fig. 1, reproduced by permission of Elsevier Science B.V.
- Figure 30.11A: From Kirkland, A.I., *et al.* (1995) *Ultramicroscopy* **57**, 355, Fig. 1, reproduced by permission of Elsevier Science B.V.
- Figure 30.11B: From Kirkland, A.I., *et al.* (1995) *Ultramicroscopy* **57**, 355, Fig. 3, reproduced by permission of Elsevier Science B.V.
- Figure 30.12A–C: From Kirkland, A.I., *et al.* (1995) *Ultramicroscopy* **57**, 355, Fig. 8, reproduced by permission of Elsevier Science B.V.
- Figure 30.13: Courtesy of O.L. Krivanek, from Krivanek, O.L. and Fan, G.Y. (1992) in Hawkes, P.W. (Ed.) *Signal and Image Processing in Microscopy and Microanalysis*, *Scanning Microscopy* Supplement **6**, p. 105, Fig. 4, reproduced by permission of Scanning Microscopy International.
- Figure 30.14: Courtesy of O.L. Krivanek, from Krivanek, O.L. and Fan, G.Y. (1992) in Hawkes, P.W. (Ed.) *Signal and Image Processing in Microscopy and Microanalysis*, *Scanning Microscopy* Supplement **6**, p. 105, Fig. 5, reproduced by permission of Scanning Microscopy International.
- Figure 30.15: Courtesy of U. Dahmen, from Paciornik, S., *et al.* (1996) *Ultramicroscopy* **62**, 15, Fig. 1, reproduced by permission of Elsevier Science B.V.
- Figure 30.16: Courtesy of U. Dahmen, from Paciornik, S., *et al.* (1996) *Ultramicroscopy* **62**, 15, Fig. 5, reproduced by permission of Elsevier Science B.V.
- Figure 30.17: Courtesy of A. Ourmazd, from Kisielowski, C., *et al.* (1995) *Ultramicroscopy* **58**, 131, Figs. 2–4, reproduced by permission of Elsevier Science B.V.
- Figure 30.18: Courtesy of A. Ourmazd, from Kisielowski, C., *et al.* (1995) *Ultramicroscopy* **58**, 131, Figs. 8, 10, 12, reproduced by permission of Elsevier Science B.V.
- Figure 30.19A–D: Courtesy of A. Ourmazd, from Ourmazd, A., *et al.* (1990) *Ultramicroscopy* **34**, 237, Figs. 1, 1, 2, 5, reproduced by permission of Elsevier Science B.V.
- Figure 30.20A–F: Courtesy of A. Ourmazd, from Kisielowski, C., *et al.* (1995) *Ultramicroscopy* **58**, 131, Figs. 15a–f, reproduced by permission of Elsevier Science B.V.
- Figure 30.21: Courtesy of U. Dahmen, from Paciornik, S., *et al.* (1996) *Ultramicroscopy*, in press, Fig. 2, reproduced by permission of Elsevier Science B.V.
- Figure 30.22: From King, W.E. and Campbell, G.H. (1994) *Ultramicroscopy* **56**, 46, Fig. 1, reproduced by permission of Elsevier Science B.V.
- Figure 30.23: From King, W.E. and Campbell, G.H. (1994) *Ultramicroscopy* **56**, 46, Fig. 6, reproduced by permission of Elsevier Science B.V.
- Figure 30.24: Courtesy of M. Rühle, from Möbus, G., *et al.* (1993) *Ultramicroscopy* **49**, 46, Fig. 6, reproduced by permission of Elsevier Science B.V.
- Figure 30.25: From Thon, F. (1970) in Valdrè, U. (Ed.) *Electron Microscopy in Materials Science*, p. 571, Fig. 36, reproduced by permission of Academic Press.
- Figure 30.26: Courtesy of J. Heffelfinger.

Chapter 31

- Figure 31.2: Courtesy of R. Sinclair, from Sinclair, R., *et al.* (1981) *Met. Trans.* **12A**, 1503, Figs. 13, 14, reproduced by permission of ASM International.
- Figure 31.4A,B: From Marcinkowski, M.J. and Poliak, R.M. (1963) *Phil. Mag.* **8**, 1023, Figs. 15a, b, reproduced by permission of Taylor and Francis.
- Figure 31.4C,D: Courtesy of J. Silcox, from Silcox, J. (1963) *Phil. Mag.* **8**, 7, Fig. 7, reproduced by permission of Taylor and Francis.
- Figure 31.5: Courtesy of A.J. Craven, from Buggy, T.W., *et al.* (1981) *Analytical Electron Microscopy—1981*, p. 231, Fig. 5, reproduced by permission of San Francisco Press.
- Figure 31.6D,E: Courtesy of NSA Hitachi Scientific Instruments Ltd. and S. McKernan.
- Figure 31.7: Courtesy of R. Sinclair.
- Figure 31.8: From Kuesters, K.-H., *et al.* (1985) *J. Cryst. Growth* **71**, 514, Fig. 4, reproduced by permission of Elsevier Science, B.V.
- Figure 31.9: Courtesy of M. Mallamaci.
- Figure 31.10A: From De Cooman, B.C., *et al.* (1985) *J. Electron Microsc. Tech.* **2**, 533, Fig. 1, reproduced by permission of John Wiley & Sons Inc.
- Figure 31.10B: Courtesy of S.M. Zemyan.
- Figure 31.10C–E: Courtesy of B.C. De Cooman.
- Figure 31.12: Courtesy of G. Thomas, from Bell, W.L. and Thomas, G. (1972) in Thomas G., *et al.* (Eds.) *Electron Microscopy and Structure of Materials*, p. 53, Fig. 28, reproduced by permission of University of California Press.
- Figure 31.13: Courtesy of K.-R. Peters, from Peters, K.-R. (1984) in Kyser, D.F., *et al.* (Eds.) *Electron Beam Interactions with Solids for Microscopy, Microanalysis and Lithography*, p. 363, Fig. 1, reproduced by permission of Scanning Microscopy International.
- Figure 31.14: Courtesy of R. McConville, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 3.11, reproduced by permission of Philips Electron Optics.
- Figure 31.15: Courtesy of Philips Electronic Instruments, from Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig.

3.10, reproduced by permission of Philips Electron Optics.

Figure 31.16: Courtesy of H. Lichte, from Lichte, H. (1992) *Scanning Microscopy*, p. 433, Fig. 1, reproduced by permission of Scanning Microscopy International.

Figure 31.17: Modified from Lichte, H. (1992) *Ultramicroscopy* **47**, 223, Fig. 1.

Figure 31.18: Modified from Tonomura, A.: Courtesy of NSA Hitachi Scientific Instruments Ltd.

Figure 31.19A–C: From Tonomura, A. (1992) *Adv. Phys.* **41**, 59, Fig. 29, reproduced by permission of Taylor and Francis.

Figure 31.19D: From Tonomura, A. (1987) *Rev. Mod. Phys.* **59**, 639, Fig. 41, reproduced by permission of The American Physical Society.

Figure 31.20A: From Tonomura, A. (1992) *Adv. Phys.* **41**, 59, Fig. 38, reproduced by permission of Taylor and Francis.

Figure 31.20B: From Tonomura, A. (1992) *Adv. Phys.* **41**, 59, Fig. 42, reproduced by permission of Taylor and Francis.

Figure 31.20C: From Tonomura, A. (1992) *Adv. Phys.* **41**, 59, Fig. 44, reproduced by permission of Taylor and Francis.

Figure 31.21: Courtesy of R. Sinclair, from Sinclair, R., *et al.* (1994) *Ultramicroscopy* **56**, 225, Fig. 5, reproduced by permission of Elsevier Science B.V.

Chapter 32

Figure 32.1: Courtesy of J.E. Yehoda, from Messier, R and Yehoda, J.E. (1985) *J. Appl. Phys.* **58**, 3739, Fig. 1, reproduced by permission of the American Institute of Physics.

Figure 32.2: Courtesy of S.M. Zemyan.

Figure 32.3B: Courtesy of JEOL USA Inc.

Figure 32.4: Modified from Woldseth, R. (1973) *X-ray Energy Spectrometry*, Kevex Instruments.

Figures 32.5–8: Courtesy of S.M. Zemyan.

Figure 32.10: Courtesy of S. M. Zemyan, from Zemyan, S. and Williams, D.B. (1995) in Williams, D.B., *et al.* (Eds.) *X-ray Spectrometry in Electron Beam Instruments*, Fig. 12.9, reproduced by permission of Plenum Press.

Figure 32.11: Courtesy of S. M. Zemyan, from Zemyan, S. and Williams, D.B. (1995) in Williams, D.B., *et al.* (Eds.) *X-ray Spectrometry in Electron Beam Instruments*, Fig. 12.10, reproduced by permission of Plenum Press.

Figure 32.12A: Courtesy of J.J. Friel, from Mott, R.B. and Friel, J.J. (1995) in Williams, D.B., *et al.* (Eds.) *X-ray Spectrometry in Electron Beam Instruments*, Fig. 9.8, reproduced by permission of Plenum Press.

Figure 32.12B: Courtesy of C.E. Lyman, from Lyman C.E., *et al.* (1994) *J. Microsc.* **176**, 85, Fig. 9, reproduced by permission of the Royal Microscopical Society.

Figure 32.13: Courtesy of S.M. Zemyan.

Figure 32.14: Courtesy of S.M. Zemyan.

Figure 32.15: Courtesy of D.E. Newbury, from Newbury, D.E. (1995) in Williams, D.B., *et al.* (Eds.) *X-ray Spectrometry in Electron Beam Instruments*, Fig. 11.18, reproduced by permission of Plenum Press.

Figure 32.16: Courtesy of J.I. Goldstein, from Goldstein, J.I., *et al.* (1992) *Scanning Electron Microscopy and X-ray Microanalysis*, 2nd edition, Fig. 5.3, reproduced by permission of Plenum Press.

Figure 32.17A,B: Courtesy of S.M. Zemyan.

Chapter 33

Figure 33.1: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.5a, reproduced by permission of Philips Electron Optics.

Figure 33.2: Courtesy of W.A.P. Nicholson, from Nicholson, W.A.P., *et al.* (1982), *J. Microsc.* **125**, 25, Fig. 4, reproduced by permission of the Royal Microscopical Society.

Figure 33.3: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.30, reproduced by permission of Philips Electron Optics.

Figure 33.4: Courtesy of S.M. Zemyan.

Figure 33.5A,B: Courtesy of G. Cliff, from Cliff, G. and Kenway, P.B. (1982) *Microbeam Analysis—1982*, p. 107, Figs. 5, 4, reproduced by permission of San Francisco Press.

Figure 33.6: Modified from Williams D.B. and Goldstein, J.I. (1981) in Heinrich, K.F.J., *et al.* (Eds.) *Energy-Dispersive X-ray Spectrometry*, p. 346, Fig. 7a, NBS.

Figure 33.7: Courtesy of S.M. Zemyan.

Figure 33.8: Courtesy of S.M. Zemyan.

Figure 33.9A: Courtesy of S.M. Zemyan.

Figure 33.9B: Courtesy of K.S. Vecchio, from Vecchio, K.S. and Williams, D.B. (1987) *J. Microsc.* **147**, 15, Fig. 1, reproduced by permission of the Royal Microscopical Society.

Figure 33.10A: Courtesy of S.M. Zemyan.

Figure 33.10B: Courtesy of S.M. Zemyan, from Zemyan, S. and Williams, D.B. (1994) *J. Microsc.* **174**, 1, Fig. 6, reproduced by permission of the Royal Microscopical Society.

Chapter 34

Figures 34.1–5: Courtesy of S.M. Zemyan.

Chapter 35

- Figures 35.1–4: Courtesy of S.M. Zemyan.
 Figure 35.5A: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.20, reproduced by permission of Philips Electron Optics.
 Figure 35.5B,C: Courtesy of S.M. Zemyan.
 Figure 35.6: Courtesy of S.M. Zemyan.
 Figure 35.7: From Wood, J.E., *et al.* (1984) *J. Microsc.* **133**, 255, Figs. 2, 8, reproduced by permission of the Royal Microscopical Society.
 Figure 35.8: From Bender, B.A., *et al.* (1980) *J. Amer. Ceram. Soc.* **63**, 149, Fig. 1, reproduced by permission of the American Ceramic Society.
 Figure 35.10: Courtesy of S. Vivekenand and K. Barmak.
 Figure 35.11A: Courtesy of J.A. Eades, from Christenson, K.K. and Eades, J.A. (1986) *Proc. 44th EMSA Meeting*, p. 622, Fig. 2, reproduced by permission of MSA.
 Figure 35.12: Courtesy of R. Ayer, from M. Raghavan, *et al.* (1984) *Met. Trans.* **15A**, 783, Figs. 4, 11, reproduced by permission of ASM International.
 Figure 35.13: Courtesy of A.W. Nicholls, from Nicholls, A.W. and Jones, I.P. (1983) *J. Chem. Phys.* **44**, 671, Figs. 3, 6a, reproduced by permission of The American Physical Society.
 Figure 35.14A: Courtesy of V.J. Keast.
 Figure 35.14B: Courtesy of J.R. Michael, from Michael J.R. and Williams, D.B. (1987) *Met. Trans.* **15A**, Fig. 7, Reproduced by permission of ASM International.
 Figure 35.15: Courtesy of C.E. Lyman, from Lyman C.E. (1986) *Ultramicroscopy* **20**, 119, Figs. 1b, c, reproduced by permission of Elsevier Science B.V.
 Tables 35.1, 35.2: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Tables 4.2a, b, reproduced by permission of Philips Electron Optics.
 Tables 35.3A,B: From Wood, J.E., *et al.* (1984) *J. Microsc.* **133**, 255, Tables 9,11, reproduced by permission of the Royal Microscopical Society.

Chapter 36

- Figure 36.1A,B: Courtesy of V.J. Keast.
 Figure 36.2: Courtesy of J.R. Michael, from Williams D.B., *et al.* (1992) *Ultramicroscopy* **47**, 121, Fig. 1, reproduced by permission of Elsevier Science B.V.
 Figure 36.3: Courtesy of J.R. Michael, from Williams D.B., *et al.* (1992) *Ultramicroscopy* **47**, 121, Fig. 2, reproduced by permission of Elsevier Science B.V.
 Figure 36.4: Courtesy of R. Ayer, from Michael, J.R., *et al.* (1989) *J. Microsc.* **160**, 41, Fig. 2, reproduced by permission of the Royal Microscopical Society.

- Figure 36.5.: Courtesy of R. Ayer, from Michael, J.R., *et al.* (1989) *J. Microsc.* **160**, 41, Figs. 3, 4, reproduced by permission of the Royal Microscopical Society.
 Figure 35.8A,B: From Williams, D.B. (1987) *Practical Analytical Electron Microscopy in Materials Science*, 2nd Edition, Fig. 4.27, reproduced by permission of Philips Electron Optics.
 Figure 36.9: Courtesy of C.E. Lyman, modified from Lyman C.E. (1987) in Kirschner, J., *et al.* (Eds.) *Physical Aspects of Microscopic Characterization of Materials*, p. 123, Fig. 1, Scanning Microscopy International.
 Figure 36.10: Courtesy of C.E. Lyman, modified from Lyman C.E. (1987) in Kirschner, J., *et al.* (Eds.) *Physical Aspects of Microscopic Characterization of Materials* p. 123, Fig. 7, Scanning Microscopy International.

Chapter 37

- Figure 37.1: Courtesy of R.F. Egerton, modified from Egerton, R.F. (1996) *Electron Energy-Loss Spectroscopy in the Electron Microscope*, 2nd edition, Fig. 2.2, Plenum Press.
 Figure 37.2: Courtesy of Gatan Inc.
 Figure 37.3: Courtesy of D.C. Joy, from Joy, D.C. in Joy, D.C., *et al.* (Eds.) (1986) *Principles of Analytical Electron Microscopy*, Fig. 5, p. 259, reproduced by permission of Plenum Press.
 Figure 37.4: Courtesy of J. Bruley.
 Figure 37.5: Courtesy of Gatan Inc.
 Figure 37.6: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 7, reproduced by permission of the Venezuelan Society for Electron Microscopy.
 Figure 37.10: Courtesy of R.F. Egerton, from Egerton, R.F., *et al.* (1993) *Ultramicroscopy* **48**, 239, Fig. 2, reproduced by permission of Elsevier Science B.V.
 Figure 37.11: Courtesy of O.L. Krivanek, modified from Krivanek, O.L., *et al.* (1991) *Microsc. Microanal. Microstruct.* **2**, p. 315, Fig. 8.

Chapter 38

- Figures 38.1–3: Courtesy of J. Bruley.
 Figure 38.4: Courtesy of O.L. Krivanek, modified from Ahn, C.C. and Krivanek, O.L (1983) *EELS Atlas* p. iv, Gatan Inc.
 Figure 38.5: Courtesy of J. Bruley, modified from Joy, D.C. (1986) in Joy D.C., *et al.* (Eds.) *Principles of Analytical Electron Microscopy*, p. 249, Fig. 8, Plenum Press.
 Figure 38.6: Courtesy of J. Bruley.
 Figure 38.7: Courtesy of C.E. Lyman, from Lyman C.E. (1987) in Kirschner, J., *et al.* (Eds.) *Physical Aspects of Microscopic Characterization of Materials*, p. 123, Fig.

2, reproduced by permission of Scanning Microscopy International.

Figure 38.8: Courtesy of D.C. Joy, modified from Joy, D.C. in Hren, J.J., *et al.* (Eds.) (1979) *Introduction to Analytical Electron Microscopy*, p. 235, Fig. 7.6, Plenum Press.

Figure 38.9: Courtesy of M. Kundmann.

Figure 38.10: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 5, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 38.11: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 4, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 38.12: Courtesy of J. Bruley, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 6, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Table 38.2: Courtesy of R.F. Egerton, from Egerton R.F. (1996) *Electron Energy-Loss Spectroscopy in the Electron Microscope*, 2nd edition, p. 157, Table 3.2, reproduced by permission of Plenum Press.

Chapter 39

Figure 39.1: Courtesy of J. Bruley.

Figure 39.2: Courtesy of K. Sato and Y. Ishiguro, modified from Sato K. and Ishiguro Y. (1996) *Materials Transactions Japan Institute of Metals* **37**, 643, Figs. 1 and 7.

Figure 39.3: Courtesy of J. Bruley.

Figure 39.4: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 14, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 39.5: Courtesy of J.A. Hunt, from Williams, D.B. and Goldstein, J.I. (1992) *Microbeam Analysis* **1**, 29, Fig. 11, reproduced by permission of VCH.

Figure 39.6: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 17a, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 39.7: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 17b, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 39.8: Courtesy of D.C. Joy, from Joy, D.C. in Joy, D.C., *et al.* (Eds.) (1986) *Principles of Analytical Electron Microscopy*, p. 288, Figs. 6,7, reproduced by permission of Plenum Press.

Figure 39.9: Courtesy of R.F. Egerton, modified from Egerton R.F. (1993) *Ultramicroscopy* **50**, Fig. 6.

Figure 39.10: From Liu D.R. and Williams, D.B. (1989) *Proc.*

Roy. Soc. (London) **A425**, Fig. 7, reproduced by permission of The Royal Society.

Figure 39.11: Courtesy of J. Bruley.

Figure 39.12: Courtesy of D.C. Joy, from Joy, D.C. in Joy, D.C., *et al.* (Eds.) (1986) *Principles of Analytical Electron Microscopy*, p. 293, Fig. 10, reproduced by permission of Plenum Press.

Figures 39.13, 14, 15: Courtesy of J. Bruley.

Figure 39.16: Courtesy of J.A. Hunt, from Hunt, J.A. and Williams, D.B. (1994) *Acta Microsc.* **3**, 1, Fig. 16, reproduced by permission of the Venezuelan Society for Electron Microscopy.

Figure 39.17: Courtesy of R.F. Egerton, from Egerton, R.F. (1996) *Electron Energy-Loss Spectroscopy in the Electron Microscope*, 2nd edition, Fig. 1.11, reproduced by permission of Plenum Press.

Figure 39.18: Courtesy of O.L. Krivanek, modified from Krivanek, O.L., *et al.* (1991), *Microsc. Microanal. Microstruc.* **2**, 257, Fig. 5.

Chapter 40

Figure 40.4: Courtesy of N.J. Zaluzec, modified from Zaluzec, N.J. (1982) *Ultramicroscopy* **9**, 319, Fig. 3.

Figure 40.5A,B: Courtesy of J. Bruley.

Figure 40.5C: Courtesy of P.E. Batson, from Batson, P.E. (1993) *Nature* **366**, 727, Fig. 1, reproduced by permission of Macmillan Journals Ltd.

Figure 40.7: Courtesy of R. Brydson, modified from Hansen, P.L., *et al.* (1994) *Microsc. Microanal. Microstruc.* **5**, 173, Figs. 1, 2.

Figure 40.8: Courtesy of J. Bruley.

Figure 40.9: From Williams D.B. and Edington, J.W. (1976) *Acta Met.* **24**, 323, Fig. 7, reproduced by permission of Elsevier Science B.V.

Figure 40.9C: Courtesy of A.J. Strutt.

Figure 40.10A,B: Courtesy of J. Bruley.

Figure 40.10C: Courtesy of J.A. Hunt from Hunt J.A. and Williams, D.B. (1991) *Ultramicroscopy* **38**, 47, Fig. 11, reproduced by permission of Elsevier Science B.V.

Figure 40.11: Courtesy of J. Bruley, from Müllejans H., *et al.* (1993) *Electron Microscopy and Analysis—1993*, p. 62, Fig. 4, reproduced by permission of the Institute of Physics Publishing.

Figures 40.12, 13: Courtesy of J.A. Hunt.

Figure 40.14: Courtesy of J. Bruley and J. Mayer.

Figure 40.15: Courtesy of J.C.H. Spence and J. Mayer, from Mayer, *et al.* (1991) *Proc. 49th EMSA Meeting*, p. 787, Figs. 2, 3, San Francisco Press, reproduced by permission of MSA.

Table 40.1: From Williams D.B. and Edington, J.W. (1976) *J. Microsc.* **108**, 113, Table 1, reproduced by permission of The Royal Microscopical Society.