

Index

INDEX

A

Abnormal Development of the Nervous System 4-15
Malformations resulting from abnormalities in growth and migration
Anencephaly 4-17
Agenesis of corpus callosum 4-19,
Clinical Case 4-1: bilateral subcortical band heterotopias; double cortex 4-17.
Clinical Case 4-2: Agenesis of the corpus callosum 4-19
Heterotopias 4-15
Holoprosencephaly 4-19 4-17
Lissencephaly 4-18
Micropolygri 4-18 , 4-14
Macrogryia 4-18
Microcephaly 4-19
Porencephaly 4-19
Schizencephaly 4-19, 4-15
Cerebellar Agenesis 4-19
Malformations Resulting from Chromosomal Trisomy and Translocation 4-20
Malformations resulting from defective fusion of dorsal structures 4-20
Spinal Bifida 4-20
Cranial Bifida 4-20
Arnold Chiari 4-21

Acetylcholine,
basal ganglia 19-2, 19-5
Action Potential 5-12, 5-13
Ionic mechanisms 5-13, 5-12
Action potential cycle 5-18
Active Transport 5-8, 5-21
Agnosia, 24-15
Akinetic (atonic seizures), 29-12
Akinetic mutism, 29-2
Alcoholic cerebellar atrophy, 20-8
Alzheimer's disease, 30-12
and Down's syndrome, 30-15
and basal nucleus of Meynert, 30-18
cholinergic hypothesis ,30-18
clinical findings and course, 30-17
evaluation, 30-18
genetics, 30-15
hippocampus , 30-14
prevalence, 30-12
pathology, 30-13
treatment, 30-19

Amnesia
Amnesic-confabulatory syndrome, 30-5
Traumatic, 30-11

Amygdala 22-6, 22-8
Olfactory nuclei 22-6
Corticomedial
Basolateral

Limbic nuclei 22-6
Central
Basolateral
Ventral amygdalofugal pathway 22-7, 22-14
Amyotrophic lateral sclerosis, 9-19
Aneurysms, 13-7,26-26,26-27,26-28
Anticonvulsant medications
Choice of medication, 29-22
Molecular basis, 29-21
Pharmacologic properties, 29-21
Side effects, 29-19
Teratogenic effects, 29-19

Aphasia and related disorders, 24-3,24-3
Alexia without agraphia
anomic or amnesic or nominal aphasia,24-14
anterior type aphasia, 24-6
Broca's area and Broca's aphasia, 24-6
transcortical motor aphasia, 24-15
Clinical cases
Case 24-1, acute anterior (Broca's), 24-7
Case 24-2, chronic anterior (Broca's), 24-8
Case 24-3, chronic nonfluent & apraxia, 24-9, 24-9
Case 24-4, fluent, Wernicke's, 24-10
Case 24-5, fluent, disconnection,& Gerstmann's,24-12
Case 24-6, fluent, disconnection (conduction or repetition type), 24-13
Case 24-7, dyslexia due to AVM, 24-15
Fluent aphasias, 24-6
conduction type fluent aphasia, 24-11
disconnection type fluent aphasia,24-11
dominant inferior parietal type fluent aphasia, 24-11
dysgraphia, 24-12
dyslexia, 24-12
Gerstmann's syndrome, 24-12
pure word deafness, 24-10
transcortical sensory aphasia,24-15
Wernicke's area and Wernicke's type of fluent aphasia, 24-9
global aphasia, 24-14
isolation of speech areas aphasia, 24-14
mixed transcortical aphasia (isolation of speech areas),24-14
selective dyslexia (a type of disconnection),24-15
visual agnosia, 24-1

Apo E, 30-17
Apoptosis 4-4
Apraxia, 24-17
Arcuate fasciculus and role in language function, 24-5
Arsenic, 8-17, 27-28, and chapter 27 on CD ROM supplement

2 Index

Arteries

Vertebral 1-17

Basilar 1-17

Arterial supply 1-16, 1-19, table 1-13

Anterior circulation-Internal carotid,

Middle cerebral, anterior cerebral 1-16

Posterior circulation-Vertebral, Basilar,

Posterior cerebral 1-16

Circle of Willis 1-17 1-19

Arteriovenous malformations, 26-31

Ataxia of standing body posture, 20-10

Ataxia telangiectasia, 20-18

Atrophic changes 3-21

Autonomic Nervous System 16-10, 16-12

Cutaneous & deep vessels, glands and hair. 16-15

Dual Innervation of Specific Structures 16-14 to 16-15

The Eye 16-14

Lacrimal Glands 16-14

Salivary Glands 16-14

The Heart 16-14

The Lungs 16-14

Abdominal Viscera 16-15

Pelvis 16-15

Enteric Nervous System 16-11

Localization of preganglionic para- and sympathetic neurons 16-11

Parasympathetic Nervous System and the Cranial Nerves 16-11

Parasympathetic Nervous System and the Sacral Plexus 16-11

Postganglionic Neuron 16-10

Preganglionic Neuron 16-10

Sympathetic Ganglia

Cervical Sympathetic Ganglia 16-13

Lumbar Sympathetic Ganglia 16-14

Thoracic Sympathetic Ganglia 16-13

Autosomal dominant cerebellar ataxias (ADCA), 20-19

Autosomal recessive cerebellar ataxias, 20-17

Axon and Axon Origin 3-8

Axon hillock 3-8, 3-16

Axonal Guidance 3-24

Nerve Growth Factors 3-24

Azorean disease, 20-20

B

Babinski Response 7-22, 9-2

Basal ganglia, 19-1

anatomy, 19-1, 19-1

circuits, 19-1, 19-3, 19-1

Clinical cases

Case 19-1, Parkinson's disease, 19-12

Case 19-2, hemichorea, 19-16, 19-18

Case 19-3, hemiballismus, 19-17

Case 19-4, Huntington's disease, 19-20

Case 19-5, Huntington's disease, 19-21 (CD ROM)

Case 19-6, hepatolenticular degeneration, 19-22 (CD ROM)

direct pathway, 19-1, 19-2

indirect pathway, 19-1, 19-3

microanatomy of striatum, 19-4, 19-5

symptoms of dysfunction :akinesia , dyskinesia, 19-4

Syndromes of dysfunction, 19-7

chorea, 19-14

double athetosis, 19-21

dystonia, 19-22

familial paroxysmal dyskinesia, 19-24

generalized chorea, 19-17

hemiballismus, 19-15, 19-16, 19-19

hemichorea, 19-15, 19-16, 19-18

hepatolenticular degeneration, 19-21

Huntington's disease, 19-18, 19-19, 19-21

neuroleptic induced movement disorders, 19-23

Parkinsonian syndrome, 19-7, 19-4

Parkinson's disease, 19-7, 19-9

Parkinsonism plus syndromes, 19-14, 19-15

secondary Parkinsonism, 19-14

tics, 19-24

Wilson's disease, 19-21

transmitters, 19-1, 19-2, 19-1

Basal nucleus of Meynert, 30-18

Bacterial endocarditis, 26-30

Basilar artery syndromes, 13-13, 13-14, 13-15, 13-16

Beta amyloid, 30-15

Bladder, 9-2, 18-3

Autonomic bladder 16-16

Sensory paralytic bladder 16-16

Reflex bladder 16-16

Blood-Brain Barrier 3-24

Brain abscess, 27-22, 27-23, 27-24

Brain death, 29-2

Brain stem, 13-1 Brain stem 11-1 11-1, 11-2 mri

Brain stem and eye movements 11-30

Cases effecting eye movement 11-31

Case 11-1 tumor in pons 11-31

Case 11-2 pineal tumor 11-33

Tegmentum 11-1

Zones 11-2

Ventricular

Lateral

Medial

Central

Basilar

Clinical signs after lesions in

tegmentum of brain stem 11-29

Tectum 11-2

Medulla 11-3

- Level:
 Spinomedullary junction & motor decussation 11-4, 11-4
 Lower medulla at sensory decussation 11-4, 11-5
 Inferior olive, 11-7, 11-6
- Pons 11-10
 Level:
 Lower pons at Facial colliculus 11-10, 11-7
 Upper pons at motor and main sensory of V 11-13, 11-8
- Midbrain 11-15
 Level:
 Inferior colliculus 11-15, 11-9
 Superior colliculus and pontine basis 11-18, 11-18
 Cerebral peduncles 11-21 11-11
- Clinical cases in Brain Stem
 Case 13-1, platybasia, 13-7 (CD ROM)
 Case 13-2, total infarct PICA, 13- 11
 Case 13-3, lateral medullary infarct, 13-11 (CD ROM)
 Case 13-4, anterior inferior cerebellar artery territory infarct, 13-14, (CD ROM)
 Case 13-5, paramedian pontine infarct, 13-15, 13-16
 Case 13-6, Weber's syndrome, paramedian midbrain infarct, 13-17
 Case 13-7, extensive posterior cerebral artery infarct, 13-17, (CD ROM)
 Case 13-8, basilar artery thrombosis, 13-17, 13-15 (CD ROM)
 Case 13-9, brain stem glioma, 13-19, 13-24
 Case 13-10, brain stem glioma, 13-19 (CD ROM)
 Case 13-11, multiple sclerosis, brain stem-cerebellum predominant, 13-20, 13-21
- Brain tumors, 27-7 (see ependymomas, glioblastomas, gliomas, lymphomas, meningiomas, medulloblastomas, metastatic tumors, neoplasms)
- Brown Sequard syndrome, 9-2

C

- Ca Channels 5-9
- CASE HISTORY PROBLEM SOLVING
 CHAPTER 10: SPINAL CORD, NERVE ROOT, PERIPHERAL NERVE AND MUSCLE:
 Case 10-1, cervical 7 radiculopathy secondary to acute ruptured disc, 10-2
 Case 10-2, T3-4 spinal cord compression extrinsic tumor (meningioma) left lateral producing a partial Brown Sequard syndrome, 10-3

- Case 10-3, Guillain Barré syndrome, 10-4
 Case 10-4, Cervical spondylosis with C7 cord compression, 10-5
 Case 10-5, Combined system disease, B12 deficiency myelopathy and peripheral neuropathy, 10-5
 Case 10-6, Glioma of cervical spinal cord, 10-6
 Case 10-7, polymyositis, 10-7
 Case 10-8, syringomyelia, 10-8

CHAPTER 14: BRAIN STEM AND CRANIAL NERVES

- Case 14-1, Amyotrophic lateral sclerosis (classical), 14-2
 Case 14-2, Lateral (dorsolateral) medullary syndrome, 14-3
 Case 14-3, Pretectal-midbrain syndrome, lacunar, 14-4
 Case 14-4, brain stem infarct lower pons primarily territory of anterior inferior cerebellar artery (plus) due to vertebral basilar ischemia, 14-5
 Case 14-5, Cerebellar pontine angle tumor, vestibular Schwannoma, 14-6
 Case 14-6, Weber's syndrome with prior basilar vertebral TIA's and ischemia, 14-7
 Case 14-7, Myasthenia gravis, 14-8
 Case 14-8, Syringomyelia and syringobulbia. Coma due to CO₂ retention and low O₂ saturation

CHAPTER 25: CEREBRAL CORTEX: CORTICAL LOCALIZATION

- Case 25-1, Glioblastoma rt. occipital extending to right parietal, 25-1
 Case 25-2, Glioma right parietal, 25-2
 Case 25-3, Prefrontal/premotor metastatic tumor, 25-3
 Case 25-4, Embolus inferior division Rt. MCA, Non dominant syndrome, 25-4
 Case 25-5, Focal seizure Rt motor/sensory cortex secondary to metastatic tumor. Jacksonian march, and Todd's postictal palsy, 25-5
 Case 25-6, Right temporal lobe seizures simple and complex partial. Epidural hematoma at age 18 months, 25-6
 Case 25-7, Onset of seizures in left premotor cortex (tonic abduction of arm

4 Index

with head and eye turning). Stroke at age 9 months ? arterial occlusion, 25-7
Case 25-8, Glioma left orbital frontal-anterior temporal. Ictal aggression. 25-8

CHAPTER 28: DISEASES OF THE CEREBRAL HEMISPHERES:

Case 28-1, Posterior communicating aneurysm with subarachnoid hemorrhage, 28-3
Case 28-2, Carotid TIA's involving retina and carotid border zone, 28-4
Case 28-3, MCA aneurysm with SAH. Post op bacterial meningitis and focal seizures, 28-4
Case 28-4, Subacute right sided subdural hematoma, 28-6
Case 28-5, Glioma with seizures originating right Rolandic area, 28-7
Case 28-6, MCA lenticulostriate penetrating branch infarct left internal capsule. Pontine lacune is less likely. 28-8
 Contrast case #1 Carotid TIA's borderzone and retina 28-8
 Contrast case #2 cardiogenic embolus main stem MCA 28-9
Case 28-7, Brain abscess, left temporal plus left peripheral facial paralysis, 28-9
Case 28-8, Emboli left MCA and left arm, 28-10

CHAPTER 31 GENERAL CASE HISTORY PROBLEM SOLVING:

Case 31-1, Parkinson's disease, and dementia plus old polio, 31-1
Case 31-2, Pituitary adenoma with extrasellar compression of optic chiasm, post op diabetes insipidus, 31-2
Case 31-3, Carotid TIA's hemisphere and retinal, 31-3
Case 31-4, Idiopathic epilepsy (primary generalized epilepsy), 31-3
Case 31-5, Meningococcal meningitis with infarct right hemisphere and focal seizures, 31-4
Case 31-6, Alzheimer's disease, 31-5
Case 31-7, Hemichorea and hemiballismus, 31-6
Case 31-8, Left cerebellar metastatic tumor, 31-7
Case 31-9, Right temporal lobe mass with herniation: brain abscess, 31-8
Case 31-10, Huntington's chorea, 31-9

Case 31-11, Wernicke's encephalopathy, 31-10
Case 31-12, Multiple complications of alcoholism and diabetes: cerebellar degeneration and peripheral neuropathy, 31-12

CHAPTER 31 PART I GENERAL CASE HISTORY WITH ILLUSTRATION CORRELATION

Case 31A1, Acute intrinsic lesion of multiple sclerosis at left cerebellar inferior pontine angle, 31-A7
Case 31A2, Hydrocephalus (secondary to a pineal region tumor), 31A-7
Case 31A3, Multiple sclerosis right mid pons, 31A-8
Case 31A4, cerebellar atrophy due to hyperthermia, temporal lobe seizures, diabetic peripheral neuropathy, 31A-8
Case 31A5, hydrocephalus, peripheral neuropathy, inferior pontine tegmental infarct, 31A-9
Case 31A6, Ruptured lumbar disc ?L5-S1 31A-10
Case 31A7 cervical radiculopathy, Schwannoma, 31A-10
Case 31A8 porencephaly left Sylvian, 31A-11
Case 31A9 seizure disorder of focal origin right occipital, 31A-12

KEY TO THE PHOTOGRAPHS FOR CHAPTER 31

31-1 Ruptured disc L5-S1, 31A1
31-2 Enlarged LT cervical neuro foramina at C5-C7, probable Schwannoma 31A1
31-3 Schwannoma LT C6-C7, 31-A2
31-4 Multiple sclerosis, major lesion left pontine tegmentum, 31-A2
31-5 Multiple sclerosis Right mid pontine tegmentum and corpus callosum 31-A3
31-6 Pineal region tumor producing hydrocephalus, 31-A4
31-7 Hydrocephalus, possible aqueductal stenosis, 31-A4
31-8 Atrophy right occipital, 31-A5
31-9 Atrophy left peri sylvian, 31-A5
31-10 Cerebellar atrophy, 31-A6
31-11 Glioma (Glioblastoma) of right thalamus, 31-A6
31-12 Left frontal subdural hematoma, 31-A6

- Cell Membrane 5-1, 5-1
 - Chemical potential 5-2
 - Osmotic strength 5-2
 - Osmolarity 5-4
 - Osmotic Pressure 5-4
 - Diffusion 5-3
- Central Nerve Regeneration 3-23
- Cerebral Hemispheres 1-9 1-8, 1-9
 - Correlation of Structure and Function 17-10, 17-10, 17-11, 22-20
 - Frontal lobe 1-9 1-10
 - Motor Areas , 17-11
 - 4 17-11
 - 6 17-11
 - 8 17-13
 - 44 & 45 17-13
 - Lateral surface 22-21
 - Orbital surface 22-21
 - Clinical Case 22-4 Right frontal lobe tumor 22-4 , 22-24
 - Parasagittal lesions
 - Prefrontal 22-21
 - Prefrontal lobotomy 22-23 22-19
 - Parietal lobe 1-9 1-11, 17-14
 - Postcentral areas 3,1, 2 17-14
 - Functional localization
 - Temporal lobe 1-10 1-12
 - Temporal Lobe Overview 17-14
 - Cytoarchitecture 17-1
 - Study of Functional Localization
 - Stimulation 17-8
 - Ablation 17-9
 - Auditory Associational areas 42 & 22 17-14, 17-15
 - Wernicke's Areas area 22 17-15
 - Middle temporal area 21 17-14
 - Inferior temporal area 20 17-14
 - Posterior temporal area 37 17-14
 - Entorhinal areas 27, 28, 35 17-14
 - Lateral neocortical areas 22-14
 - Auditory and auditory association area 22-15 17-14, 17-15
 - Symptoms following stimulation of temporal lobe 22-17
 - Symptoms of disease of temporal lobe 22-15
 - Effects on hearing 22-19
 - Aphasia 22-19
- Visual defects 22-19
 - Klüver-Bucy Syndrome 22-19
 - Memory 22-21
- Psychiatric Disturbances 22-20, 22-26 (Table 22-6), Supplemental CD
 - Aggressive behavior 22-20
 - Clinical Cases from the temporal lobe:
 - Case 22-1 Simple and complex seizures from left temporal 22-17
 - Case 22-2 focal seizures originating in right temporal lobe 22-18
 - Case 22-3 Complex partial seizures 22-19 Occipital Lobe 17-16
 - Visual receptive (calcarine cortex) area 17 17-16
 - Visual associational areas 18, 19 17-16
 - Confirmation of Location of pathology 17-10
 - Occipital lobe 1-10 1-12
 - Anatomy
 - Functional localization
 - Cingulate gyrus 1-11 1-13
 - Anatomy
 - Functional localization
 - Insular Gyri 1-11 1-14
 - Basal nuclei 1-11 1-15
 - white matter
 - Association fibers 11-12
 - Commissural fibers 11-12
 - Subcortical fibers 11-12
 - Corticofugal 11-12
 - Corticopetal 11-12
- Cerebral Neuron types 17-2
 - Spiny neurons 17-2
 - Pyramidal 17-2, 17-2
 - Stellate 17-3 , 17-2
 - Smooth neurons 17-3
- Fundamental Organization
 - Homogenetic 17-4
 - Heterogenetic 17-4
 - 6-layered = molecular, external granular, external pyramidal, inner granular, inner pyramidal, multiform 17-4
- Von Economo Categories; Agranular, Homotypical, Midpoint, Polar, Granular 17-6, 17-5, 17-6
- Cerebrum Subcortical white matter
 - Associational 17-17
 - Short subcortical 17-17
 - U fibers

6 Index

- Long fiber bundles 17-18
 - Uncinate fasciculus
 - Superior longitudinal fasciculus
 - Cingulum
 - Inferior longitudinal fasciculus
 - Inferior frontal
- occipital fasciculus
- Choroid plexus 3-30; fig 3-35
- Cingulum 22-14
- Circadian rhythms 16-10
- Cordotomy 7-19
- Corticofugal efferent fibers-corticospinal, corticobulbar
- Corticopetal afferents –thalamocortical 17-16
- Cortical Commissural
 - Corpus callosum 17-17, 17-13, 17-14
 - Anterior commissure
 - Hippocampal
- Cortical Projectional 17-16
- CRANIAL NERVES
 - Components 12-2
 - Cranial Nerve I, Olfactory 12-2, 12-2
 - Cranial Nerve II, Optic 12-4, 12-3
 - Cranial nerve III, Oculomotor 12-4, 12-4
 - Clinical Case 12-1; 12-6 12-4
 - Cranial Nerve IV, Trochlear 12-7 12-4
 - Cranial Nerve V, Trigeminal 12-7, 12-7
 - Trigeminal 15-10
 - Ganglia
 - Descending/spinal nucleus
 - Chief sensory nucleus
 - Mesencephalic nucleus
 - Sensory nuclei
 - Taste solitary nucleus 12-20
 - General sensation 12-20
 - Lesions of Peripheral Branches of Vagus
 - Superior laryngeal 12-21
 - Recurrent laryngeal 12-21
 - Supranuclear lesion 12-21
 - Cranial Nerve XI, Spinal Accessory 12-21, 12-12
 - Cranial Nerve XII, Hypoglossal 12-22, 12-13
 - Dysfunction of cranial nerves
 - Motor 11-28
 - Sensory 11-28
 - Effects of Extrinsic Lesions on Cranial Nerves 12- Table 12-5 & Cases on CD
 - Cavernous Sinus syndrome
 - Case 12-6 on CD
- Cerebellopontine Angle Syndrome
 - Case 12-7 on CD
- Vestibular
 - Case 12-8 Vestibular
- Schwanoma
- Jugular Foramen Syndrome
 - Case 12-9 on CD
- Voluntary Control of Cranial Nerves
 - Corticobulbar-Voluntary Control of Cranial Nerves V, VII, IX-XII 12-23
 - Corticomesencephalic -Voluntary Control of Eye movements via Cranial nerves III, IV and VI 12-23
 - Motor nucleus
 - Clinical Case 12-2 ; Trigeminal Neuralgia 12-10
 - Clinical Case 12-3 Ophthalmic Herpes 12-11
 - Cranial Nerve VI, Abducens 12- 11 12-4
 - Cranial Nerve VII, Facial 12-11 12-6
 - Parasympathetic ganglia 12-13
 - Submandibular
 - Pterygopalatine
 - Clinical Case 12-5: Bell's Palsy 12- 14
 - Cranial nerve VIII,
 - Vestibuloacoustic 12-15, 12-7
 - Cochlear 12-15, 12-8
 - Olivocochlear bundle 12-16
 - Vestibular 12-17, 12-7
 - Vestibular nuclei 12-9
 - Cranial Nerve IX, Glossopharyngeal 12-18 12-10
 - Cranial Nerve X, Vagus 12-19, 12-11
 - Motor nuclei
 - Dorsal motor nucleus of X 12- 20
 - Ambiguous nucleus
 - of X 12-20
- Cranial Nerve Differentiation 4-10
 - Innervation of muscles of somite origin CN III, IV, VI, XII 4-9
 - Innervation of muscles originating in pharyngeal arches 4-9
 - First arch –trigeminal 4-10
 - Second arch – facial 4-10
 - Third arch - glossopharyngeal 4-10
 - Arches 4-6 vagus 4-10
 - Innervation of preganglionic parasympathetic smooth muscles 4-10
 - Cranial nerves III, VII, IX, X
 - Innervation of Special Sense organs 4- 10
 - Cranial nerves I, II, VIII

- Extrinsic syndromes, 13-2
 - Cerebellar pontine angle, 13-2
 - Developmental abnormalities at the foramen magnum, 13-7
 - Foramen magnum syndromes, herniations
- meningiomas, 13-7
 - Lateral cerebellum, 13-4
 - Midbrain, pretectal, pinealoma, 13-5
 - Midbrain, tentorial syndromes, herniations
- meningiomas, 13-5
 - Midline cerebellum, 13-3
- Intrinsic syndromes
 - Gliomas of brain stem, 13-19
 - Multiple sclerosis, 13-19, 13-20, 13-21
 - Pontine hemorrhage, 13-18
 - Vascular syndromes, 13-8
- Brain Stem Centers
 - Respiration 11-23
 - Cardiovascular 11-23
 - Coughing 11-25
 - Deglutition 11-24
 - Vomiting 11-24
 - Emetic 11-24
- CAG trinucleotide repeats
 - in Huntington's disease, 19-19
 - in spinocerebellar atrophy (SCA), 20-19
 - in x linked recessive bulbospinal neuronopathy, 9-18
- Carcinomatosis of the meninges, 27-18, 27-22
- Cataplexy, 29-26
- Caudate nucleus, 19-1
- Central pattern generators, 18-1
- Central pontine myelinolysis, 27-27, (see fig 13-28 on case history CD ROM)
- Cerebellar peduncles
 - Superior cerebellar peduncle 15-16
 - Middle cerebellar peduncle 15-16
 - Inferior cerebellar peduncle 15-16
 - Lesions of cerebellar peduncles 11-27
- Cerebellum, 20-1
 - anatomy, 20-1
 - afferents, 20-3
 - cytoarchitecture, 20-2
 - Dysfunction 11-26
 - efferents, 20-3
 - longitudinal divisions, 20-1
 - transverse divisions, 20-1, 20-2
- Cerebellum Clinical Cases
 - Case 20-1, medulloblastoma, floccular nodular syndrome, 20-7
 - Case 20-2, midline, metastatic, 20-7
 - Case 20-3, alcoholic cerebellar degeneration, 20-9, (CD ROM)
 - Case 20-4, anterior lobe syndrome, spinocerebellar degeneration, 20-9
 - Case 20-5, lateral hemisphere syndrome, hemangioblastoma, 20-5, (CD ROM)
 - Case 20-6, cerebellar infarct, (PICA), 20-16
 - Case 20-7, arteriovenous malformation, 20-16, CD ROM)
 - effects of disease, 20-5
 - functional correlations, 20-4
 - major syndromes, 20-6
 - alcoholic cerebellar atrophy, 20-8
 - anterior lobe, 20-8
 - atrophy related to fever and status epilepticus, 20-9
 - floccular-nodular lobe, 20-6
 - hemorrhage, 13-8
 - lateral cerebellar hemisphere, 20-10
 - midline cerebellar tumors, 20-7
 - nuclei, 20-1
 - neocerebellar or middle-posterior lobe, 10-10
 - paraneoplastic subacute cerebellar degeneration, 20-21
 - peduncles, 20-13
 - spinocerebellar degenerations, 20-9, 20-16
 - vascular syndromes, 20-14, 20-17
 - Topography of representation, 20-4
- Cerebellar ataxia with myoclonus, 20-17
- Cerebral dominance, 24-1
- Cerebral embolism, 26-20
- Cerebrospinal fluid,
 - content, 2-26
 - examination, (lumbar puncture), 2-26
- Cervical spondylosis, 9-4
- Chiari (Arnold Chiari) malformation, 9-15, 9-16
- Chorea, 19-14
- Clastrum (norepinephrine) 17-9
- Climbing fibers, 20-2, 20-3
- Cocaine, 27-27, 26-6, (see chapter 27 supplement on CD ROM)
- Colloid cyst of third ventricle, 27-18, 27-19, 27-20
- Columnar organization of cerebral cortex, 21-1
- Coma, 29-1, 29-28
 - Acute onset 29-27, 29-28
 - Care of comatose patient, 29-28
 - Prognosis, 29-28
 - Prolonged disturbance of consciousness, 29-28
- Compression fractures, 9-3
- Computerized axial tomography scanning, (CT scans), 2-13, 2-16, 2-17, 2-19, 2-28
 - Concept of level of lesion at spinal cord level, 2-3
 - Concept of extrinsic versus intrinsic, 2-8, 9-1, 9-10, 13-1, 13-2
- Confusion, 29-2
- Consciousness, 29-1
- Corpus callosum
 - Role in learning, 30-4

8 Index

- transfer of information, 24-18
- Cortical shock, 18-12
- Corticobasal degeneration (CBD), 19-14, 19-15
- Corticorubral spinal system, 18-16
- Craniopharyngioma, 27-18, 27-19
- Creutzfeldt-Jakob disease, 30-18, 30-20
- D**
- Decerebrate rigidity 11-27
- Deep tendon stretch reflexes, 2-4
- Degeneration 3-20
- Delayed or disordered motor development, 18-25
- Delayed response test and delayed alternation, 18-24
- Delirium, 29-2
- Dementia, 30-1, 30-11
 - Alzheimer's disease 30-12
 - Creutzfeldt-Jakob, 30-18, 30-20
 - Frontal-temporal, 30-20
 - General paresis, 30-19
 - Lewy body, 30-20
- Dentate gyrus 22-11
 - Cytoarchitecture 22-11, 22-12A
 - Pick's, 30-20
- Dermatomes – radicular patterns, 2-2, 2-4, 2-5, 2-6
- Dermoids, 27-18
- Development of Blood vessels in the brain 4-4
- Development /Differentiation 4-5, 4-4
 - of ventricular system 4-5
 - Spinal Cord 4-5
 - Mesencephalon 4-7
 - Prosencephalon 4-8 4-8, 4-9
 - Rhombencephalon 4-7
- Development of dominance, 24-2
- Development of motor function, 18-9, 18-25
- Development of speech, 24-3
- Diagnostic studies in neurology, 2-12
 - Angiography, (arteriography), 2-25
 - Cerebrospinal fluid examination, 2-26
 - Computerized axial tomography scanning, (CT scans), 2-13, 2-16, 2-17, 2-19, 2-28
 - Duplex scans, 2-26
 - Electroencephalography, (EEG), 2-21
 - Electromyography, (EMG), 2-13
 - Evoked potentials, 2-15, 2-17, 2-19, 2-25
 - F response or wave, 2-15
 - Functional MRI, 2-21
 - H reflexes, 2-15
 - Lumbar puncture, 2-26
 - Magnetic resonance angiography, (MRA), 2-26, 2-26, 2-27
 - Magnetic resonance imaging, (MRI scans), 2-13, 2-16, 2-18, 2-20
 - Myelography, 2-14
 - Nerve conduction velocity, 2-13, 2-14
 - Pneumoencephalography, 2-17, 2-19
 - Positron emission tomography (PET scan), 2-20, 2-22
 - Radioactive brain scans and flow studies, 2-20
 - Single photon emission computed tomography, (SPECT), 2-20, 2-21
 - Transcranial doppler, 2-26
 - Ventriculography, 2-18
 - X-rays, 2-13, 2-15
- Degenerations, 27-26, see each clinical chapter and chapter 27 on CD ROM supplement
- Devic's syndrome, 9-13
- DIENCEPHALON
 - Epithalamus 16-7
 - Metathalamus 15-8
 - Thalamus 15-3
 - Anterior nuclei 15-3
 - Anterior tubercle 15-4, 15-2
 - Medial nuclei 15-3
 - Magnocellular 15-4
 - Parvocellular 15-4
 - Midline nuclei 15-3, 15-4
 - Intralaminar 15-3, 15-5
 - Parafascicular 15-5
 - Lateral nuclei
 - Ventrobasal 15-3
 - Pulvinar 15-5
 - Medial division
 - Lateral division
 - Inferior division
- Differential diagnosis, 2-1
 - Clinical case
 - Case 2-1, amyloid angiopathy leg area 2-27
 - Location of lesion, overview 2-1
 - basal ganglia, 2-7
 - brain stem, 2-4
 - cerebellum, 2-8
 - cerebral cortex, 2-7
 - muscle, 2-1
 - nerve root, 2-2
 - neuromuscular junction. 2-2
 - peripheral nerve, 2-2
 - spinal cord, 2-2
 - Type of pathology, 2-8
- Disc disease, 8-21
 - Cervical, 8-19, 8-22, 9-4
 - Lumbar, 8-19, 8-20
- Diseases of Muscle
 - Muscular Dystrophies 6-11
 - Duchenne' Muscular Dystrophy 6-11 , 6-14, Case 6-1pp 6-5
 - Becker's Muscular Dystrophy 6-11
 - Myotonic Myopathies 6-13
 - Congenital Myopathies 6-14
 - Metabolic Myopathies 6-14
 - Periodic Disorders of Muscles

- Familial Periodic Paralysis 6-15, Case 6-2pp 6-15
 - Acquired Disorders of Muscle 6-16
 - Polymyositis 6-16, 6-15, Case 6-3 ; pp 6-17
 - Disease of the Neuromuscular Junction
 - Postsynaptic Disorders
 - Myasthenia gravis 6-17,Case 6-4; pp 6-20
 - Anti cholinesterases,
 - Thymectomy 6-20
 - Pharmacological & toxic 6-21
 - Reversible agents 6-21
 - Neurotoxic agents 6-22
 - pesticides organophosphates 6-22
 - snake toxins 6-22
 - Pre Synaptic Disorders 6-22
 - Eaton-Lambert 6-22
 - Botulism 6-23
 - Antibiotics 6-23
 - Spider venom (black widow) 6-23
 - Disorders of the Autonomic Nervous System
 - Eye – Edinger-Westphal nucleus,
 - Horner's, Argyll-Robertson pupil 16-15
 - Blood Vessels- Raynaud's 16-15
 - Heart & GI 16-15
 - Bladder 16-15 to 16-16
 - Micturition 16-16
 - Uninhibited bladder 16-16
 - Dissociated sensory loss in syringomyelia,9-14
 - Domoic acid, 30-10
 - Dopamine receptors, 19-1, 19-3
 - Dopaminergic systems, 19-2,19-3
 - Double athetosis, 19-21
 - Drop attacks, 29-12
 - Duplex scans, 2-26
 - Dysarthria, 24-1,20-13
 - Dyssynergia cerebellaris myoclonica, 20-17
 - Dystonia, 19-22
 - Dystrophic neurites, 30-14
- E**
- Early experience and brain development, 30-4
 - Effectors 3-15
 - Eye movements 11-30
 - Clinical Cases effecting eye movements 11-31
 - Case 11-1 tumor in pons 11-31
 - Case 11-2 pineal tumor 11-33
 - Electroencephalography, (EEG), 2-21
 - EEG normal, 2-21,2-22 and CD ROM supplement
 - EEG abnormalities, 2-21,2-22,2-23,2-24,29-3
 - Focal slow waves, 2-21,2-23
 - Focal spikes and sharp waves, 29-3,29-4,29-5
 - Focal voltage suppression, 2-21,2-23
 - Generalized slow wave activity, 2-22,2-24
 - Generalized seizure discharges, 29-4,29-7, 29-9,29-10,29-13,29-17,29-18,
 - Generalized burst suppression and isolated cortex , 17-20
 - Generalized suppression, see brain death and neocortical death
 - Electromyography, (EMG), 2-13
 - Encephalitis, 27-26,27-26 (see chapter 27 on CD ROM Supplement)
 - Encephalomalacia, (infarction), 26-3,26-4
 - Endocrine disorders affecting nervous system, 27-27(see chapter 27on CD ROM supplement)
 - Enteric Nervous System 16-11
 - Entorhinal region 22-10
 - Ependymal Cells 3-19, 3-27
 - Epidermoids, 13-3,27-18
 - Epilepsy and seizures , focal or partial, 29-4,29-5
 - Causes, 29-5
 - Multifocal discharges, 29-6
 - Pathophysiology, 29-5
 - Regional variations in capacity for discharge 29-5
 - Secondary epileptogenesis,29-6
 - Spread of discharge, 29-6
 - Epilepsy, management, 29-19
 - Use of and side effects of anticonvulsant medications, 29-19, 29-20,29-21 29-22,
 - Epilepsy, status, 29-19 ,29-22
 - Epilepsy, primary generalized or idiopathic, 29-7, 29-8
 - Classification 29-7
 - Childhood absence epilepsy, 29-8
 - Generalized tonic clonic, 29-12,29-14
 - Juvenile absence epilepsy, 29-9
 - Juvenile myoclonic epilepsy(JME),29-9
 - Overlap of syndromes, 29-15
 - Photosensitivity and genetics, 29-10,29-11
 - Molecular biology, 29-13,29-17
 - Neuropathology, 29-15
 - Pathophysiology, 29-15,29-16,29-18
 - Epilepsy, secondary or symptomatic generalized, 29-7
 - Ependymoma, 20-7,13-4,27-14
 - Epidural abscess, 9-7
 - Evoked potentials, 2-15,2-17,2-19, 2-25
 - Excitatory Postsynaptic Potential EPSP 7-8, 7-16, 7-17
 - Extracellular Space 3-25
 - Eye
 - Structure of Eye 23-1, 23-1
 - Outer tunic cornea and sclera
 - Middle tunic vascular and pigmented
 - Inner neural tunic 22-3
 - Photoreceptors 23-3 23-2

10 Index

- Rods – vision in dim light and night vision 23-4
- Cones - color vision 23-5
- Lens 22-3
- Pupil
 - Pupillary muscles 23-2
 - Pupillary reflexes 23-2
 - Light reflex
 - Accommodation
 - Fixed pupil
- F**
- Fetal Alcohol Syndrome 4-20
- F response or wave, 2-15
- Familial paroxysmal dyskinesia, 19-24
- Fixation system for eye movement, 18-20
- Fornix 22-13, 22-14
 - Fimbria 22-14
 - Portio alveus 22-14
 - Portio tenia 22-14
 - Portio corpus 22-14
 - Portio columnaris 22-14
- Fracture dislocations, 9-3
- Friedreich's ataxia, 20-17
- Frontal eye fields, 18-19, 18-21
- Functional MRI, 2-21
- G**
- Gait disorders of the elderly, 18-25
- Gamma System 7-12 to 7-14, 7-23, 7-24
- Generalized chorea, 19-17
- Glands Associated with the Brain ,Pineal and Pituitary 1-14
- Glia-Supporting cells of the CNS 3-16
 - Astrocytes 3-17, 3-23, 3-24
 - Oligodendrocytes 3-17, 3-23, 3-24
 - Endothelial cells 3-17
 - Ependymal Cells 3-19, 3-27
 - Microglia 3-18, 3-26
 - Ameboid microglia 3-18
 - Resting microglia 3-18
 - Activated microglia 3-18
 - Reactive microglia 3-18
 - Multinucleated cells 3-18, 3-31
- Mononuclear cells 3-18; table 3-10
- Monocytes 3-18
- Pericytes 3-18
- Golgi neuron method 3-1 3-1, 3-2
- Golgi Tendon Organs 7-14
- Golgi type I neuron 1-2, 3-1
- Golgi type II neuron 1-2, 3-2
- Gliomas and glioblastoma multiforme, 18-18, 27-10, 27-11, 18-19, 27-12, 27-13, 27-14
- Globus pallidus, 19-1
- Goldman Equation 5-7
- Golgi cells of cerebellum. 20-2
- Granule cells of cerebellum, 20-2
- Guidelines
 - Localizing disease in brain stem 11-25
- H**
- H reflexes, 2-15
- Hallervorden Spatz disease, 19-14
- Headaches, 27-8
 - Brain tumors, 27-8
 - Cluster, 27-8
 - Migraine, 27-8
 - Muscle tension, 27-8
 - Occipital/cervical neuralgia, 27-8
- Hemangioblastoma, 20-12, 20-13
- Hemorrhage, intra cerebral, 2-28, 13-18
- Hemiballism, 19-15, 19-16, 19-18
- Hemichorea, 19-15, 19-16, 19-18
- Hereditary spastic paraplegia, 9-21
- Herpes simplex
 - Encephalitis, 30-11
 - Sensory ganglion, 8-24
- Herpes zoster
 - Dorsal root ganglion, 8-23
- Hippocampus 22-8 22-10
 - Cytoarchitecture 22-11
 - And dementia
 - And memory, 30-7
 - Herpes simplex encephalitis, 30-11
 - Selective vulnerability, 30-10
 - Stimulation, 30-10
 - Vascular syndromes, 30-8
 - Vulnerability 22-11 and Memory 22-13 and Cingulate gyrus 22-13
- Histogenesis 4-2
 - Hensen's node 4-1
 - Primitive streak
 - Neuroblasts 4-1, 4-2
 - Neural plate 4-1
 - Neural tube 4-2
 - Spinal cord 4-3
 - Brain stem 4-5
 - Marginal zone 4-2
- Hormones & Releasing factors produced in Hypothalamus 16-7; table 16-2
 - Adrenocorticotrophic Hormone ACTH 16-7
 - Corticotropin releasing factor 16-7
 - Growth Hormone -Somatotrophic factor 16-7
 - Lactogenic Hormone (Prolactin) 16-7
 - Lactogenic inhibitory hormone 16-7
 - Leutinizing releasing factor 16-7
 - Melanocyte Stimulating Hormone 16-7
 - Melanocyte Inhibitory Hormone 16-7
 - MSH releasing factor 16-7
 - MSH inhibitory factor 16-7

- Thyrotropic releasing factor 16-7
- Hormones Produced in Hypothalamus
 - Vasopressin (supraoptic) anti ADH 16-6
 - Oxytocin (periventricular nucleus) 16-6
- Hormones Produced in Adenohypophysis
 - adenohypophysis 16-7; 16-11
 - Gonadotropins; leutinizing hormone LH 16-7
 - Follicle stimulating hormone 16-7
 - Growth hormone somatotropin(STH) 16-7
 - Thyrotropic Stimulating Hormone 16-7
 - Thyrotropic Inhibitory Hormone 16-7
- Intermediate/mantle zone 4-3
 - Subventricular zone 4-2
 - Ventricular zone 4-3
- Germinal Cells 4-3
- Growth Cone guidance 4-3
- Programmed Cell Death 4-4
- Huntington's disease, 19-18, 19-19, 19-21,
- Hydrocephalus 4-22, 4-19
- Hypothalamic nuclei
 - Anterior region: 16-2, 16-3
 - Preoptic,
 - Supraoptic
 - Pariventricular
 - Anterior
 - suprachiasmatic
 - Middle region: 16-2
 - Dorsomedial
 - Ventromedial
 - Lateral
 - Arcuate
 - Lateral zone
 - Lateral nucleus
 - Lateral tuberal nucleus
 - Posterior region
 - Posterior
 - Mammillary nuclei
- Hypothalamic-Hypophyseal tract 16-5, 16-8
 - Supraoptic andparaventricular origin 16-3
- Hypothalamic-Hypophyseal portal system 16-5, 16-10
 - Supraoptic nucleus of hypothalamus, and osmoregulation 16-5
 - ADH and vasopressin 16-3
 - Suprachiasmatic nucleus of hypothalamus and biological clock 16-3
 - Tuberal nuclei of the hypothalamus forms tuberoinfundibular pathway
 - Tuberoinfundibular pathway and releasing factors 16-5, 16-6
 - Ventromedial hypothalamic nuclei and feeding 16-3, 16-9
 - Hypothalamic Pathways
 - Medial forebrain bundle 16-4, 16-5
 - Dorsal longitudinal fasciculus 16-4
 - Retinohypothalamic fibers to suprachiasmatic nucleus 16-4
 - Fornix to mammillary nuclei 16-4
 - Periventricular system 16-4
 - Mammillothalamic tract 16-4
 - Hypophysiotrophic area 16-6
 - Hypothalamus and body temperature 16-8
 - Hypothalamus center for heat loss 16-8
 - Hypothalamus center for heat production and conservation 16-8
 - And Water Balance and Neurosecretion 16-9
 - And Food intake 16-9
 - And Sexual Behavior 16-9
 - And Sleep Cycle 16-9
 - and Emotions 16-9
 - and light levels 16-10
 - Clinical Case 16-1. Adenoma of pituitary gland with acromegalic features 16-1, 16-1
 - Hypothalamic dopaminergic system, 19-6
- I
- Imprinting, 30-1
- Inhibitory Postsynaptic Potentials IPSP 7-9, 7-16
- Infections of the cerebral hemispheres, 27-18
 - Clinical cases
 - Case 27-5, 27-22, subdural empyema (CD ROM)
 - Focal, 27-19, acute (See Brain abscess, subdural empyema)
 - Focal chronic 27-23
 - Diffuse ,generalized, 27-23 (See meningitis and encephalitis)
- Inhibitory surround (surround inhibition), 29-6
- Instinctive behavior, 30-1
- INTERNAL CAPSULE 15-5, 15-6
 - Anterior limb
 - Genu
 - Posterior limb
 - Retrolenticular 15-7
 - Sublenticular portion 15-7
 - Thalamolenticular portion 15-7
 - Thalamic radiations
 - Anterior radiations 15-8
 - Inferior radiations 15-8
 - Posterior radiations 15-8
 - Superior radiations 15-8

12 Index

Interrelation primary motor, premotor, prefrontal, 18-9

K

Kindling, 30-4

L

Lamination of major pathways 7-20

Language function evaluation, 24-4

Lateral (dorsolateral) medullary syndrome, 13-10

Lateral premotor area (PMA), 18-17

Lead toxicity, 8-17, 27-28 and chapter 27 on CD ROM supplement

Learning, 30-1

declarative (explicit), 30-1

non declarative (implicit), 30-1

Leptomeningeal anastomosis, 26-3

Leukodystrophies, See chapter 27 on CD ROM supplement

Lhermitte's sign, 9-29

Limbic system 22-1, 22-3, 22-4, 22-5

Lipidosis, See chapter 27 on CD ROM supplement

Localization of disease process, 2-1

Locked in syndrome, (pseudo akinetic mutism or pseudo coma), 29-2

Long term potentiation, 30-4

Lumbar puncture, 2-26

Lymphomas, primary central nervous system, 27-15

M

Machado-Joseph disease, 20-20

Magnetic resonance angiography, (MRA), 2-26

Magnetic resonance imaging, (MRI scans), 2-13, 2-16, 2-18, 2-20

Malformations

-characterized by excessive growth of ectodermal and mesodermal tissue affecting skin, nervous system and other tissues

Tuberous sclerosis 4-21

Neurofibromatosis 4-21

Cutaneous angiomatosis with associated

Malformations of the CNS 4-21

Sturge-Weber Syndrome 4-22

Malformations resulting from abnormalities in the ventricular system

Syringomyelia 4-22

Syringobulbia 4-22

Mammillothalamic pathway 16-4

Manganese toxicity producing Parkinsonian syndrome, 19-10

Medullary vascular syndromes, 13-10

Medulloblastoma, 13-3, 20-7, 13-4, 20-8, 27-10

Membrane Basis of Integration 7-8

Memory, 30-1

Clinical cases Effecting Memory

Case 30-1, Wernicke Korsakoff, 30-5

Case 30-2, transient global amnesia, 30-9

Case 30-3, temporal lobe seizures, 30-10 (CD ROM)

Case 30-4, Alzheimer's disease, 30-17

Case 30-5, general paresis, 30-19 (CD ROM)

Case 30-6, probable Lewy body dementia, 30-20 (CD ROM)

Case 30-7, thalamic dementia –glioblastoma, 30-18

Neurobiological mechanisms, 30-3

read out phase, 30-2

stages of human memory, 30-2

immediate –short term, 30-2

long term –labile stage, 30-2

long term –remote stage, 30-2

disorders, 30-4

recent memory, 30-4

Meningiomas, 27-15, 27-17, 27-16, 27-18

Cerebellar pontine angle, 2-18 13-3

convexity, 27-16

foramen magnum 13-6

intradural, ,compressing spinal cord, 9-8, 9-5

parasagittal, 1- , 18-13, 18-14, 18-15

tentorial, 13-5

Mental retardation, 30-1

Meningitis, bacterial 27-23,, 27-25, 27-26, 27-24

Meningitis, carcinomatous,, 27-18, 27-22

Meningitis, non bacterial, (see chapter 27 on CD ROM supplement)

Mercury, 27-28 and chapter 27 on CD ROM supplement

MERRF (myoclonus epilepsy with ragged red fibers), 20-18

Mesolimbic dopaminergic system, 19-5

Mesocortical dopaminergic system, 19-5

Metastatic tumors, 27-17, 27-20, 27-21, 27-22

Micturition 16-16

Midbrain vascular syndromes, 13-15, 13-16, 13-17

Mini-mental status examination (MMSE), 2-12

Mirror focus, 30-4

Mononeuropathies, 8-4, (see under nerve), (for cases see peripheral nerve)

Mossy fiber, 20-2

Motivational drives and learning, 30-3

Motor cortex, 18-9, 18-10

recovery of function after damage, 18-12

Motor development, 18-9

Motor Pathways in Spinal Cord 7-19

Upper Motor Neuron Syndrome 7-19

Babinski response 7-32

Lower Motor Neuron Syndrome 7-19

Motor system, 18-1

Clinical cases:

Case 18-1, focal seizures –parasagittal meningioma. 18-13

- Case 18-2, focal seizures-premotor-oligodendroglioma, 18-18
- Case 18-3, normal pressure hydrocephalus 18-21, (CD ROM)
- MPTP induced Parkinson syndrome, 19-10
- Multiple sclerosis
 - Spinal cord 9-27, 9-28, 9-29
 - Brain stem, 13-19, 13-20, 13-21
 - Cerebral hemispheres, 27-27, 27-27, 27-28 and CD ROM supplement for Chapter 27
- Multisystem atrophy (MSA), 19-15
- Myelography, 2-14
- Myelin sheath 3-9, 3-17, 3-28
- Myelination 3-9
- Muscle spindle 7-11, 7-20
- Myoclonus
 - Anatomical basis, 29-10
 - Etiological and prognostic classification, 29-10
- N
- Narcolepsy, 29-26
- Negative motor response, 18-23
- Neglect syndrome, 21-8
- Neocortical death, 29-3
- Neoplasms of the cerebral hemisphere, 27-7 (see gliomas, glioblastomas, meningiomas, metastatic tumors, oligodendrogliomas)
 - Clinical cases
 - Case 27-3, grade 2 astrocytoma, 27-11 (CD ROM)
 - Case 27-4, Glioblastoma multiforme, 27-14, 27-12, 27-13
- Nernst Equation 5-6
- Nerve conduction velocity, 2-13, 2-14
- Nerves
 - brachial plexus, 8-4
 - lateral femoral cutaneous nerve of thigh, 8-8
 - long thoracic, 8-7
 - lumbar plexus, 8-8, 8-9, 8-12
 - median, 8-7
 - obturator, 8-9
 - peroneal, 8-10, 8-14
 - radial, 8-8
 - sacral plexus, 8-8, 8-10, 8-13
 - sciatic, 8-9, 8-14
 - tibial, 8-11, 8-14
 - ulnar, 8-7
- Nerve Growth Factors 3-24
- Nerve Muscle Junction
 - Endplate 6-7, 6-10
 - Acetylcholine, Ach 6-8
 - Denervation sensitivity 6-9
 - Anticholinesterase, neostigmine, endrophonium, eserine 6-9
 - Reinnervation 6-10
- Nerve root, 8-19
- Neural Crest cells 3-20, 4-2
- Neurulation 4-1, 4-1
- Neurofibrillary tangles, 30-13, 30-14, 30-15
- Neurofibromatosis, (von Recklinghausen's disease), 9-10
- Neuroleptic induced movement disorders, 19-23
- Neurological history in diagnosis, 2-9
- Neurological examination, abbreviated, 2-12
- Neurological examination, detailed, 2-9
- Neuromyelitis optica, 9-13
- Neurosyphilis, 9-22, 9-23
- Neurofibrillar tangles. 3-8
- Neuron
 - Dendrites 3-2
 - Soma 3-2
 - Nucleus 3-7, 3-8, 3-9
 - Barr Body 3-9
 - Endoplasmic reticulum 3-4
 - Rough Endoplasmic reticulum/ Nissl Substance 3-10, 3-11, 3-12
 - Smooth endoplasmic reticulum 3-4 3-10
 - Lysosomes 3-4, 3-10, 3-11
 - Peroxisomes 3-5
 - Mitochondria 3-5, 3-10, 3-11, 3-12
 - Centrosomes 3-6
 - Inclusions 3-6 3-11A
 - Glycogen 3-6, 3-11B
 - Lipid Droplets 3-6, 3-11
 - Neurosecretory Granules 3-6, 3-13B
- Neuronal Cytoskeleton 3-7, 3-15
 - Microtubules 3-7
 - Microfilaments 3-7
 - Intermediate filaments 3-7
- Neuronal migration 4-14
- Neuronal Organelles 3-8
- Neuron types
 - Unipolar, Bipolar, Multipolar 1-1, 1-1
 - Pyramidal 17-2, 17-2
 - Smooth neurons 17-3
 - Spiny neurons 17-2
 - Stellate 17-3, 17-2
- Neurophysiology of Cerebral Cortex 17-21
 - Basis of EEG found on CD Rom for chapter 17
 - Activity of Isolated Thalamus 17-21
- Activity of Isolated Cerebral Cortex 17-21
 - Evoked Potentials 17-21, 17-17
 - Primary evoked response
 - Augmenting response
 - Recruiting response
 - Arousal 17-22
 - Capacity for Focal Discharge 17-24, 17-21
 - Capacity for Contralateral spread of discharge 17-25, 17-22

14 Index

- Capacity for bilateral synchronous discharge, experimental epilepsy 17-27 , 17-26, 17-27
- Neurotransmitters 3-15
- Nigral striatal dopaminergic system, 19-2
- Nociception and Pain 7-17 to 7-18
 - Receptors 7-17
 - Modulation of pain transmission 7- 18
 - Chordotomy to relieve pain 7-18, 7-29
- Nondominant hemisphere functions, 24-17,21-8
- Normal pressure hydrocephalus, 18-26
- Nucleus acumbens 22-5
- Nutritional disorders, 27-26,27,27 See chapter 27 on CD ROM Supplement
- 0**
- Olfactory system 22-2, 22-2
 - Hypothalamus
 - Mammillary nuclei 22-5
 - Mammillothalamic tract
 - Epithalamus 22-5
- Olivopontocerebellar atrophy (OPCA), 19-15
- P**
- Pain 15-15 15-11
 - From the body 15-15
 - From the head 15-11
 - Gate 7-14
 - Referred pain from the viscera 15-15
- Papez Circuit 15-15, 15-42, 2-13
- Parallel fibers, 20-2
- Paraneoplastic subacute cerebellar degeneration, 20-21
- Parietal lobe,21-1
 - Clinical cases
 - Case 21-1, focal sensory seizure in face secondary to a glioblastoma, 21-3,21-4,21-5
 - Case 21-2, metastatic tumor to postcentral gyrus with pain syndrome, 21-5
 - Case 21-3, metastatic to non dominant parietal lobe with nondominant syndrome ,21-8,21-9,21-10
 - Post central gyrus, 21-1,21-3,21-2
 - Parietal lobules, dominant, 21-7
 - Parietal lobules, non dominant, 21-8
- Parieto-occipital eye fields, 18-19
- Parkinsonian syndrome, 19-7, 19-4
- Parkinson's disease, 19-7
 - clinical symptoms and signs, 19-8
 - Clinical Case 1-1 parasagittal meningioma 1-17
 - differential diagnosis, 19-13
 - etiology, 19-9
 - management, 19-11
 - pathology, 19-8, 19-9 .
- Parkinsonism plus syndromes, 19-14, 19-15
- Parkinsonism-dementia –ALS complex, 19-14
- Patch Clamp 5-9
- Pathways
 - Basic organization of pathways 12-13
 - Cells of origin
 - Location of tract in the brain
 - Site of termination of pathway Function
 - Motor control of hand the corticospinal pathway 1-13
- Motor
 - Corticobulbar 15-9, effects of disruption 11-25
 - Corticonuclear 15-9)
 - Corticospinal 15-9 effects of disruption 11- 25
 - Descending autonemics 15-9
 - Dorsal longitudinal fasciculus 15-9
 - Medial longitudinal fasciculus (MLF)
 - Monoamine containing 15-19
 - Rubrospinal 11-9
 - Tectospinal 11-15
- Sensory-
 - Anterolateral 15-11
 - Auditory 15-17
 - Lateral lemniscus 15-17
 - Cuneocerebellar 15-16
 - Spinothalamic 15-15 15-11
 - Effects of disruption 11-27
 - Solitary tract
 - Dorsal spinocerebellar
 - Ventral spinocerebellar
 - Medial lemniscus 15-12 15-9
 - Effects of disruption 11-27
 - Pain 15-15 15-11
 - From the body 15-15
 - From the head
 - Referred
 - Posterior columns 15-12
 - Fasciculus gracilis 15-12
 - Fasciculus cuneatus 15-12
 - Trigeminal
 - Thalamic 15-14
 - Vestibular 15-17
 - Spinocerebellar 15-12
 - proprioception 15-12
 - tactile discrimination 15-12
- Hemiballismus 15-9
- Subthalamus 15-12
- Ansa lenticularis 15-12
- Subthalamic fasciculus 15-12
- Thalamic fasciculus 15-12
- Peripheral vs Central Nerve Structure 3-11, 3-19
 - Perineurium 3-11
 - Epineurium 3-11
 - Endoneurium 3-11
 - Sheath of Schwann 3-11
- Central Nerve Structure 3-12

Peripheral nerves and nerve roots, chapter 8

Clinical cases

- Case 8-1, brachial plexopathy, Pancoast tumor, 8-6
- Case 8-2, long thoracic nerve, 8-7, (CD ROM)
- Case 8-3, median nerve, carpal tunnel, 8-7
- Case 8-4, diabetic mononeuropathy, lumbar-sacral plexopathy, 8-12
- Case 8-5, Guillain Barré syndrome, 8-16
- Case 8-6, Charcot Marie Tooth disease, HMSN type I, 8-18, (CD ROM)
- Case 8-7, lumbar radiculopathy, 8-20
- Case 8-8, cervical radiculopathy, 8-22
- Disorders of, 8-1 (see mononeuropathies and polyneuropathies)

Distribution, compared to radicular segmental, 2-5, 2-6

Peripheral Nerve Regeneration 3-22, 3-34

Perfusion, 26-2

Pes cavus, 9-26

Physiology of Dendrites and cell body

Decremental conduction 5-22, 5-22

Calcium channels 5-22

Transient calcium channels 5-23

Long lasting calcium channels 5-23

Ligand gated calcium channels 5-24

Regulation 5-24, 5-24

Pineal body 16-10

Pinealoma, 13-5, 13-5

Pituitary tumors, 27-16, 23-10, 2-18

Plasticity of motor and sensory cortex, 18-12, 30-4

Pneumoencephalography, 2-17, 2-19

Poliomyelitis, 9-17

Polyneuropathies, 8-15, (for cases, see peripheral nerve)

Acrylamide, 8-17

Amyloid, 8-18

Antineoplastic, 8-17

Arsenic, 8-17

Charcot Marie Tooth disease, 8-18

Chronic inflammatory demyelinating , (CIDP)

Diabetic, 8-17

Diphtheritic, 8-17

Familial dysautonomia, 8-18

Guillain Barré syndrome, 8-15

Hereditary sensory motor, (HMSN), 8-18

Hexa carbon industrial solvents, and other agents, 8-17

HIV, 8-18 (see also chapter 27)

Isoniazid, 8-17

Miller Fisher variant or syndrome, 8-15

Lead, 8-17

Monoclonal gammopathy, 8-18

Nutritional deficiencies of B vitamins, 8-17

Porphyria, 8-17

Refsum, 8-18

Remote effect of malignancy, 8-18

Thalidomide, 8-17

Trichloroethylene, 8-17

Tri ortho cresyl phosphate, 8-17

Uremic, 8-17

Pontine vascular syndromes, 13-13, 13-14, 13-15, 13-16

Positron emission tomography (PET scan), 2-20, 2-22

Post central gyrus and sensory representation, 21-1, 21-2

Posterior inferior cerebellar artery syndrome, 13-10, 13-12

Posterior Root fibers 7-16

Potassium Channels

Chemically controlled 5-9, 5-10

Inactivation 5-16

Refractory Period 5-20

Equilibrium potential 5-5

Resting membrane voltage 5-5

Control 5-8, 5-4

Chemically controlled 5-9, 5-10

Threshold 5-15

Prefrontal cortex, 18-23

Premotor cortex, 20-16

Presenilin, 30-16

Primary motor cortex, 18-9, 18-10

Primary lateral sclerosis, 9-20

Progressive bulbar palsy, 9-20

Progressive muscular atrophy, 9-20

Progressive pseudobulbar palsy, 9-20

Progressive supranuclear palsy (PSP), 19-15

Proprioception 15-16

Purkinje cell, 20-2

Putamen, 19-1

Pyramidal tract, 18-14

R

Radiculopathies, 8-19, (for cases see peripheral nerve)

Radioactive brain scans and flow studies, 2-20

Receptors

Sensory endings 3-15

Free nerve endings 3-15

Encapsulated sensory endings 3-16

Meissner's corpuscles 3-16

Pacinian corpuscles 3-16

End Bulb of Krause and Golgi-Mason 3-16

Muscle and tendon spindles 3-16

Reciprocal Innervation of a Joint 7-7

Reflexes, 18-2

developmental changes, 18-8, 18-9

extension or extensor, 9-2, 18-2

flexion, 18-2, 18-3

grasp, 18-6

16 Index

- instinctive tactile avoiding reaction, 18-7, 18-8
- instinctive tactile grasp reaction, 18-6,18-7
- instinctive visual grasp and avoiding
- Reactions, 18-8
 - interlimb, 18-4,18-5
 - local sign in flexion reflexes, 18-3
 - mass reflex, 9-2, 18-2
 - optical righting, 18-5
 - placing reaction (visual and tactile), 18-6
 - righting, 18-4,18-5,18-6
 - stretch, 9-2,
 - tonic labyrinthine, 18-3
 - tonic neck, 18-2
- Reflexive Response to Pain 7-6
- Remote effects of malignancy, 20-21, 27-27,
(See chapter 27 on CD ROM supplement)
- Response of the Nervous System to Injury 3-20
- Reticular Formation 11-21
 - Non-cerebellar nuclei 11-21
 - Raphe
 - Central
 - Lateral
 - Cerebellar nuclei 11-21
 - Lateral of medulla
 - Paramedian of medulla
 - Tegmental of pons
 - Cholinergic nuclei 11-23
 - Monoamine nuclei Norepenephrine
 - Serotonergic 11-21
 - Pathways
 - Lateral reticulospinal 11-22
 - Medial reticulospinal 11-22
 - Central tegmental 11-22
 - Ascending reticular 11-22
- Retrograde changes 3-20, 3-30
- Rexed's Lamina of the Spinal Cord 7-17 , 7-18
- Rhinencephalon 22-1
- Romberg sign, 9-23
- S**
- Saccadic eye movements, 18-19
- Sacral sparing, 9-3
- Saltatory Conduction 5-20
- Schwannomas,
 - Intradural with spinal cord compression, 9-9,9-9
 - Nerve root, 8-23, 2-15,2-16,8-25
 - Neurofibromatosis, 9-10
 - Vestibular,13-2, 13-3,27-20
- Secondary Parkinsonism, 19-14
- Segmental sensory patterns,2-3,
- Segmental motor innervations, 2-3
- Segmental reflex innervation, 2-4
- Seizures and seizure disorders, 29-1 (refer to epilepsy)
- Senile plaques, 30-15, 30-14,30-16
- Senses
 - Aristotles five senses – balance, hearing, smell, sight, taste 1-2
 - General senses – pain, temperature, touch, pressure 1-2
 - Special senses - balance, vision, hearing, taste, smell 1-2
 - Sensory receptors 1-2
 - Sensory receptors and effectors in skin 1-3
 - Sensory modalities, primary compared to cortical/discriminative,21-2,21-3
 - Septum 22-5
 - Shy-Drager syndrome, 19-15
 - Single photon emission computed tomography, (SPECT),2-20,2-21
 - Skeletal muscles 6-1
 - Contraction 6-1
 - Molecular Architecture of Contraction 6-5
 - Muscle proteins 6-5
 - Actin 6-5
 - Myosin 6-5
 - Sarcomeres 6-2 6-4
 - Motor units 6-1, 6-1
 - Filaments 6-2
 - Excitation-Contraction Coupling 6-2
 - Filament interaction 6-5
 - Cross Bridges 6-5
 - Force Velocity 6-6
 - Active State 6-6
 - Reticular structures 6-2
 - t-SR coupling
 - T system 6-5, 6-5
 - Threshold 5-15
 - Toxins and local anesthetics 5-19
 - Sleep, 29-23
 - Anatomical basis, 29-23,29-24
 - Multiple sleep latency test, (MSLT), 29-29,29-27
 - Polysomnography, 29-14
 - Sleep stages, 29-23
 - Rapid eye movement stage (REM), 29-23,29-24
 - Slow wave, 29-23,29-24
 - Abnormalities of sleep
 - Excessive daytime sleepiness, 29-26
 - Insomnia, 29-25
 - Narcolepsy, and narcolepsy/cataplexy syndrome, 29-26
 - Sleep apnea, 29-25
 - Sleep paralysis and hypnagogic hallucinations, 29-27
 - Smooth pursuit eye movements, 18-20
 - Sodium Channels 5-7, 5-13
 - Sodium selectivity 5-14
 - Special Senses see CD
 - Vestiuloacoustic

- Visual
- Spinal cord, 9-1
 - Acute epidural abscess, 9-7
 - Amyotrophic lateral sclerosis (ALS), 9-19,9-16
 - Anterior horn cell disorders, 9-17
 - Anterior poliomyelitis, 9-17
 - Anterior spinal artery syndrome, 9-10
 - Brown Sequard hemisection syndrome, 9-2,9,3
 - Bulbospinal neuropathy, Kennedy's disease 9-18
 - Clinical cases,
 - Case 9-1, ruptured cervical disc with compression , 9-4,9-6
 - Case 9-2, epidural carcinoma with T4-T5 compression, 9-6
 - Case 9-3, Schwannoma with compression, 9-10, (CD ROM)
 - Case 9-4, transverse myelitis, 9-13, (CD ROM)
 - Case 9-5, syringomyelia, 9-16
 - Case 9-6, syringomyelia and syringobulbia, 9-16,9-17, (CD ROM)
 - Case 9-7, poliomyelitis in a non immunized adult, 9-18, (CD ROM)
 - Case 9-8, classical amyotrophic lateral sclerosis, 9-20
 - Case 9-9, tabes dorsalis, 9-22
 - Case 9-10, combined system disease, 9-25
 - Case 9-11, Friedreich's ataxia, 9-27, (CD ROM)
 - Case 9-12, multiple sclerosis with cervical myelopathy onset, 9-29
 - Case 9-12, multiple sclerosis, 9-13, (CD ROM)
 - Cervical spondylosis, 9-4
 - Compression, acute, 9-1,9-6
 - Compression, chronic, anterior midline, 9-2
 - Compression fractures and fracture dislocations, effects on, 9-3,9-4
 - Compression from epidural metastatic carcinoma and lymphoma, 9-5
 - Compression from vertebral tuberculosis, 9-7
 - Dissociated sensory loss, 9-11
 - Friedreich's ataxia, 9-25,9-26
 - Hematomyelia, 9-3
 - Hereditary spastic paraplegia, 9-21
 - HTLV associated progressive myelopathy, 9-13
 - Multiple sclerosis, 9-27,9-28,9-29
 - Neuromyelitis optica, Devic's syndrome, 9-13
 - Primary lateral sclerosis, 9-20
 - Progressive muscular atrophy,9-20
 - Spinal muscular atrophies,9-18
 - Spinal shock, 9-1,18-2,18-3
- Satellite Cells 3-19, 3-28
- Schwann Cells 3-19, 3-29
- Spinal Cord 7-1
 - Gross Anatomy 7-1, 7-2, 7-3, 7-5
 - Cross Section Anatomy 7-3, 7-6
 - Anterior Horn Cells 7-4, 7-8
 - Medial nuclear group 7-5
 - Lateral nuclear group 7-5
 - Preganglionic autonomic nuclei 7-5
 - Interneurons 7-14
 - Organization of Gray Matter –Rexeds 10 lamina 7-15 to 7-16, 7-28
 - Lamina in Spinal Cord gray matter after Spinal Cord Pathways Table 7-1 7-21
 - Synaptic Mechanisms 7-10
 - Slow Potentials 7-11
 - Stretch Receptors 7-11
 - Stria terminalis 16-4 ,22-14
 - Subacute combined degeneration, 9-23,9-24
 - Supporting cells of the CNS 3-16
 - Oligodendrocytes 3-17, 3-23, 3-24
 - Endothelial cells 3-17
 - Mononuclear cells 3-18;table 3- 10
 - Microglia 3-18, 3-26
 - Ameboid microglia 3-18
 - Resting microglia 3-18
 - Activated microglia 3-18
 - Reactive microglia 3-18
 - Multinucleated cells 3-18, 3-31
 - Astrocytes 3-17, 3-23, 3-24
 - Endothelial cells 3-17
 - Mononuclear cells 3-18;table 3- 10
 - Oligodendrocytes 3-17, 3-23, 3-24
 - Pericytes 3-18
 - Synapse 3-14 ;fig 3-17
 - Synaptic transmission 3-14
 - Synaptic Types
 - Electrical synapses 3-13
 - Chemical synapses 3-13
 - Synaptic Vesicles 3-14, 3-17, table 3-18
 - Syringomyelia, 9-14,9-16,9-17
 - Stretch reflexes, 7-6, 7-10, 7-11, 9-2
 - Stimulation of cerebral cortex: focal seizures
 - frontal eye fields, 18-21, 18-22
 - hippocampus or temporal lobe, 30-10,30-10
 - occipital eye fields, 18-21,24-16
 - post central gyrus, 21-2
 - premotor, 18-17, 18-17
 - primary motor, 18-10, 18-14, 18-15
 - speech areas, 24-5
 - Striatal –nigral degeneration, 19-15
 - Subarachnoid hemorrhage, 26-26
 - Substantia nigra, 19-1,19-2
 - compacta, 19-1, 19-2
 - reticularis, 19-1, 19-3
 - Subthalamic nucleus, 19-1, 19-3
 - Supplementary motor cortex (SMA), 18-17
 - Suppressor areas for motor activity, 18-23

- Ischemic occlusive, 26-1
 - Internal carotid artery syndromes, 26-5, 26-6, 26-7, 26-10, 26, 12
 - Intracerebral hemorrhage (ICH) 26-22, 26-23, 26-22, 26-24, 26-25
 - Lacunar /penetrating branch syndromes, 26-11, 26-13, 26-12, 26-13, 26-14
 - Middle cerebral artery (MCA) syndromes, 26-11, 26-12, 26-13, 26-14, 26-15, 26-16
 - Posterior cerebral artery (PCA) syndromes, 26-18, 26-19, 26-19, 26-20
 - Subarachnoid hemorrhage, 26-26, 26-27, 26-30, 26-31, 26-28, 26, 2, 26-32
 - Vascular supply, 9-10, 9-11
 - Vegetative state, persistent, 29-3
 - Ventriculography, 2-18
 - Vertebral artery syndromes, 13-9, 13, 10, 13-11,
 - Vertebral tuberculosis, 9-7
 - Visual System 23-1
 - Visual pathway 23-6
 - Lateral geniculate 23-11
 - Optic radiation 23-11
 - Occipital lobe
 - Area 17, 18, 19 23-12
 - Ocular dominance columns 23-12
 - Stimulation of areas 17, 18, 19 23-13
 - Occipital lobe and eye movements 23-15
 - Lesion in visual receptive striate area 17 23-16
 - Lesions of extrastriate areas 18 and 19 23-16
 - Effects of vascular lesions in calcarine cortex 23-20
 - Physiology of visual system 23-13
 - Simple cell 23-13
 - Complex cell 23-13
 - Hypercomplex cell 23-13
 - Watershed, 26-5
 - Lesions in visual pathway 23-8, 23-7
 - Clinical Cases in visual system
 - Clinical Cases 23-1 subfrontal meningioma compressing optic nerve 23-9
 - Case 23-2 pituitary adenoma compressing optic chiasm 23-10
 - Case 23-3 mass lesion in right occipital lobe 23-17
 - Case 23-4 seizures of focal origin left occipital 23-18
 - Vitamin B12, 9-23
 - Vitamin E deficiency and cerebellar ataxia, 20-18
 - Von Economo's encephalitis and Parkinson's disease, 19-11
- W**
- Wallenberg syndrome, 13-10
 - Wallerian Degeneration 3-21, 3-32, 3-33
 - Watershed, 26-5
 - Weber's syndrome, 13-19
 - Wernicke's encephalopathy, 30-5
 - Wernicke-Korsakoff syndrome, 30-5
 - Wilson's disease, 19-21
 - Working memory, 18-24
- X**
- X-rays, 2-13, 2-15,