

Index

- A3B5⁺/PSA-NCAM⁺ cells, 165
- Ablation studies, 78
- Acetylcholine (ACh), 295–296
- Acetylcholine esterase (AChE), 284
- Acetylcholine receptor (AChR) channels, 276
- Acetylcholine receptor inducing activity (ARIA), 294
- Acetylcholine receptors (AChRs), 273, 276, 278–281, 284, 290, 293, 309
 - distribution, 285
 - types of, 269, 271
- Achaete-scute* homologue *ash1*, 97
- Actin, retrograde flow of, 246
- Actin-binding protein filamin 1 (filamin- α), 225
- Active zones (AZ), 270, 275, 279–280
- Activin, 9, 10
- Adhesion, tactile, 377
- Adhesion proteins, synaptic, 300–305
- Adhesive cell-surface signals, 251
- Adrenoleukodystrophy, 173
- Age-related alterations in neurogenesis, developmental mechanisms
 - underlying, 354–357
- Age-related cytoarchitectural changes in nervous system, 350–351
- Age-related molecular changes in nervous system, 351
- Age-related neurodegenerative disorders, 361
 - brain regions affected in, 359
 - developmental mechanisms in, 358–361
- Aging
 - cellular and molecular changes during normal, 349–354
 - mechanisms that regulate nervous system development and, 350, 361
 - neural control of, 354
- Aging phenotype, inherited disorders with abnormal, 358
- Aggrin, 284, 291–294, 297, 298, 305–306
 - structure/function, 291
- Aggrin hypothesis, 292
- Aggrin-induced signaling pathways, 293
- Alcohol syndrome, fetal, 176
- ALD protein, 173
- Alkaline phosphatase (AP), 257
- Alzheimer's disease, 358
- Ameboid microglia, 371–372
- 4-Aminopyridine (4-AP), 180–181
- Amniotes, 80–81
- Amphibian embryos, 4; *see also Xenopus* embryo
- Amyloid precursor protein (APP), 358, 359
- Anamniotes, 81
- Anastomosis between peripheral nerve fibers, 389
- Anterior maintenance, 48
- Anterior neural plate border, preplacodal field at, 102–104
- Anterior-posterior (A-P) topography, mechanisms of, 260
- Anteroposterior (AP) pattern
 - early decisions, 44
 - first division, 44
 - head neural induction and maintenance, 45–46
 - trunk neural induction, 46–50
 - regional patterning, 50–57
- Antibodies that promote remyelination, 182
- Apaf-1, 322–323
- Apoptosis-inducing factor (AIF), 319
- Apoptosis pathway, 353
- Apoptotic cell death, 318, 319; *see also* Programmed cell death
- Ara-C (cytosine arabinoside), 205
- Architectonic maps, 396–397
- Astrocyte development
 - in cerebellum, 208
 - in forebrain
 - pathways of, giving rise to different types of astrocytes, 207–208
 - is not uniform across different regions of CNS, 199
 - in spinal cord, 208–209
- Astrocyte genesis, interplay of multiple pathways contributes to, 216
- Astrocyte lineages
 - model of, 212
 - in vitro*, heterogeneity within, 211
- Astrocyte precursor cells (APCs), 212–213
 - contrasted with NG2 cells, 209–210
 - radial glia as, 203–204
- Astrocyte progenitors, emigrate from SVZ along radial glial guides, 207
- Astrocyte-restricted precursors, 213
- Astrocyte specification
 - induced by alpha helical family of cytokines, 213
 - induced by TGF- β family of cytokines, 213–214
 - regulated by multiple signals, 213–216
- Astrocytes, 164–166, 171, 197, 217
 - cell culture studies reveal multiple lineages of, 210–211
 - defined, 197
 - directly descended from SVZ, 205–207
 - functions, 197
 - maintenance in adult brain, 209–210
 - by endogenous precursors, 209
 - subset that are direct descendants of ventricular zone, 200–205
 - and their developmental expression, molecular markers for, 200
 - types of, 197, 199, 211
 - in different regions, 197–199
 - type 1 lineage, 210–211
 - type 2 and the O-2A lineage, 211
 - in vivo*, 197–199
- Autism
 - mercury, vaccines, and, 177
- Autonomic nervous system, 95–96
 - structure, 95
- Autophagic cell death, 318–320; *see also* Programmed cell death
- Avian embryos, 46

- Axon and dendrite guidance, 256–257, 263
 key questions about, 242–243, 263–264
- Axon and dendrite guidance signals
 activities, 251
 cell-surface, 251
 cyclic nucleotides modulate responses to, 261
 diversity of, 250–251
 secreted, 251–252
- Axon guidance; *see also* Guidance
 approaches to studying, 249–250
 criteria for guidance molecules, 248
 culture assays for guidance molecules, 248–249
in vivo preparations for, 249
- Axon guidance receptors, domain structures of, 250, 251
- Axon guidance signals
 culture assays for, 248–249
 domain structures, 250, 251
- Axon shaft, 245
- Axonal development, 374–375
 developmental stages of a growing axon, 242, 243
 historical perspective, 375–382
- Axonogenesis, 243
- Axon(s)
 vs. dendrites, 241, 382
 developmental stages of a growing, 242
 target recognition and topographic projections, 243, 257–260
- B-cells, 89
- Baer, Karl Ernst von, 394
- Barker, L.F., 392
- Basal lamina (BL), 279, 283, 287, 288
 degradation of, as necessary for neural crest cell delamination, 76
- Basic helix-loop-helix (bHLH), 91–92, 98, 135–139
- Bax, 321–322
- Bcl-2, 320–321
- Bcl-X_L, 321
- Beard, John, 390–391
- Bergmann glia, 199, 205, 208
- Bernard, Claude, 382, 387
- BhoB, as essential for neural crest cell delamination, 77–78
- Bidder, F., 383
- Birthdates (of cells)
 defined, 131
 different classes of PNS neurons have distinct, 133
 temporal regulation of, 129, 134–135
- Birthdating, 130–131
- Blastocoel, 6
- Blastocyst, 6, 7
- Blastoderm, 4
- Blocking molecules and blocking factors, 339, 340
- BMP and Activin Membrane Bound Inhibitor (BAMBI), 9
- BMP inhibition, 45
 as sufficient for neural induction, 11–12
- BMP signaling, 213–214
 is required for neural crest cell delamination, 77
- BMP signaling pathway, 9–11
- BMPs (bone morphogenic proteins), 48, 57, 60–62, 72–73, 95, 106, 161, 164
 BMP2, 98–100
 BMP7, 114
 BMP4 induces BhoB, 77–78
 dendrite generation and, 262
 induce *Mash1* and *Phox2b* in sympathetic precursors, 98–99
 lens fiber differentiation and, 111–112
 and sympathetic vs. parasympathetic differentiation, 99
- Brain, proliferative populations in the developing, 21
- Brain-derived neurotrophic factor (BDNF), 252, 357
- Brodman, Korbinian, 394, 396
- Bungarus multicinctus*, 290
- Cadherin6B*, downregulation of
 and neural crest cell delamination, 76
- Cadherins, 300–301
- Caenorhabditis elegans* (*C. elegans*), 253, 319
- Cajal, Santiago Ramón y: *see* Ramón y Cajal
- Calcium, 261, 295–296
- Campbell, A.W., 396–397
- Canavan's disease (CD), 173
- Cancer treatments, neurotoxicity of, 177–178
- Cartilage, 85
- Cascade, 41
- Caspase-3, 322–323
- Caspase-9, 322–323
- Catecholamine biosynthesis pathway, 95, 96
- Catecholaminergic differentiation, floorplate-derived signals are required for, 99
- Caudal ganglionic eminence (CGE), 32
- Caudal sclerotome, 84
- Caudalization, 48
- cdc42*, 261
- Cell adhesion; *see also* Adhesion; Synaptic adhesion
 dual role of, 333, 335
- Cell-adhesion molecules (CAMs), 251; *see also* NCAM
- Cell-chain theory, 377
- Cell cycle, transition from G1 to S phase of, 78
- Cell cycle domains, 30, 32
- Cell death; *see also* Neuronal death; Programmed cell death
 regulation of cell proliferation and, 139
- Cell division, 367
 asymmetric vs. symmetric, 139–140
- Cell fate determination within lateral line neuromasts, 108
- Cell-fate specification
 intrinsic and extrinsic cues, 140–141
 mechanisms for CNS (extrinsic and intrinsic control), 141–143
 plasticity in fate (vertebrate CNS neurons), 143–144
 precision in, 141–142
- Cell membrane, 378
- Cell migration, 366; *see also* Neural crest migration
- Cell number, regulation of
 in early nervous system, 139–140
- Cell replacement, 344
- Cell theory, 365–366
- Cell transplantation: *see* Myelin destruction, repair of demyelinating damage
- Cellular competition and selection, 387–388
- Cellular organization of CNS, 382
- Cerebellar granule cell migration, 233
- Cerebellum, 52
 astrocyte development in, 208
 external granule cell layer of, 35–36
- Cerebral cortex; *see also* Cortical structures
 development, 129, 130
 histogenesis, 131–132
 organology, 396
 plasticity until final cell cycle, 143
- Chain migration, 233
- Chemospecificity hypothesis, 258
- Chemotherapy, 177–178
- Chick, fibroblast growth factors in, 12
- Chick embryo, 1, 4–6, 11, 73, 77

- CHO1/MKLP1, 262
 Choline acetyltransferase (ChAT), 292, 296
 Cholinergic transmission, 297
 Chondroitin sulfate proteoglycans (CSPGs), 251, 252, 338, 341
 Chordin, 10, 11
 Ciliary neurotrophic factor (CNTF), 211, 213
 Clutch hypothesis, 246–247
 Cocaine syndrome, fetal, 176
 Cockayne syndrome, 358
 Collagens, 283
 Collapsin: *see* Semaphorin 3A
comm, 255–256
 Compensation for CNS injury, 329
 Contact sensibility, 377
 Cortical maps and architectonics, 395–397
 Cortical plate (CP), 223–225, 227–230
 Cortical structures, histogenesis and morphogenesis of, 393, 395
 historical orientation, 393–398
 Cranial nerves, 52–53
 Cranial neural crest cells: *see* Neural crest cells
 Critical periods, 391, 400–401
 Cyclic AMP (cAMP), 261
 Cyclic GMP (cGMP), 261
 Cyclin-dependent kinases (CDKs), 139
 Cytoarchitectonic maps, 396–397
 Cytosine arabinoside (Ara-C), 205
- Darwin, Charles, 366, 387, 398
 DCC (Deleted in Colorectal Carcinoma)
 as attractive netrin receptor in vertebrates, 253–254
 UNC-5 proteins as repulsive coreceptors for, 254
 Deiters, Otto Friedrich Karl, 382, 384
 Dendrite development, initial, 262
 Dendrite outgrowth, control of, 262–263
 Dendrites, 262; *see also* Axon and dendrite guidance
 vs. axons, 241, 382
 generation of, 262
 historical and theoretical perspective on formation of, 382–388
 Dendritic form and function, history of concepts of, 384
 Dendritic tilting, 263
 Dendritic *vs.* axonal fate, 262–263
 Dentate gyrus, 34–35
 DGC (dystroglycan-associated glycoprotein complex), 281–282
 dHAND (HAND2), 96–97
 Diencephalon, 50
 Divergent differentiation, principle of, 396
Dlx3, 105
 Dlx transcription factors, 73
 DNA damage during aging, 352
 Dopamine β -hydroxylase (DBH) genes, 96
 Dorsal interneuron types (D1A, D1B, D2), 59
 Dorsal root ganglia (DRG), 89, 90, 133
 model for neurogenesis within, 93
 neurogenins as essential for formation of, 92–93
 Dorsal root ganglia (DRG) neurons, differentiation of
 depends on inhibition of Notch signaling, 93
 Dorsal root ganglia (DRG) satellite cells, differentiation of
 depends on Notch signaling and instructive gliogenic cues, 93–94
 Dorsal root gangliogenesis, 92–94
 Dorsolateral migration pathway, 83
 Dorsoventral (D-V) topography and bidirectional signaling, 260
 Dorsoventral (DV) pattern, 60
 dorsal patterning, 60
 at various AP levels, 60–62
 ventral patterning, 57–59
- Down's syndrome, 358
 Downstream genes, 41
Drosophila (fruit fly), 10–11, 53, 73, 306
 CNS neuroblasts, 142
 retina, 142–143
 ventral nerve cord screen, 254–255
 Duval, Mathias, 378
 Dystroglycan-associated glycoprotein complex (DGC), 281–282
- E-cadherin, 76
 Ear, inner; *see also* Otic placodes
 structure, 108–109
 Ecker, Alexander, 393
 Ectoderm, 57
 non-neural, involvement in neural crest induction, 74–75
 Ectodermal differentiation, developmental progression of, 45
 Ectodermal placodes, cranial, 101–102
 cell types and cells derived from, 101
 Edinger, L., 395
 Embryology, experimental, 373–374
 Embryology, history of, 366
En grappe nerve terminals, 280
En plaque nerve terminals, 280
 Endothelin3 (Edn3), 99
 Endplate, 276, 279
 Engrailed-2 (En2), 61, 62
 Entactin, 283
 Enteric nervous system, 96
 Enteric neurons, differentiation of, 99
 Ephrin-A/EphA, 260
 Ephrin-A/EphA signaling *in vivo*, 259–260
 Ephrin-Eph interactions, 81, 84, 339
 Epibranchial placode and neural crest-derived cells in gangliogenesis, 115
 Epibranchial placode derivatives, 113
 Epibranchial placodes, 101
 a common primordium for otic and, 114
 induction, 114
 neurogenesis in, requires *Ngn2*, *Phox2b*, and *Phox2a*, 114–115
 Epidermal growth factor (EGF) receptor, 294
 induces astrocyte specification, 215
 Epigenesis, 366
 Epithelial-mesenchymal transition, 76–78
 Epithelium and epithelial cells, 42, 389; *see also* Neuroepithelial cells
 ErbB, 201, 202
 Ernst, M., 391
 Eukaryotic translation initiation factor (eIF), 173
 Exogastrula, 8
 Experimental Embryology, Program of, 373–374
 Exploratory fibers, 378
 Expression pattern, 250
 External granule cell layer (EGL) of cerebellum, 35–36
 Extracellular matrix (ECM), 223, 228, 251–252
- F-spondin, 84
 Fetal alcohol syndrome, 176
 Fetal cocaine syndrome, 176
 Fibers, nerve: *see* Nerve fiber
 Fibroblast growth factors (FGFs), 12, 47–48, 51–52, 73, 74, 105, 110, 111
 FGF-8b as promoting astrocyte differentiation, 214–215
 Fibrous astrocytes, 197–199
 Filamin- α (FLNA), 225
 Filopodia, 245–246
 Fingers: *see* Filopodia
 Flemming, Walther, 367
 Floorplate, 252

- Floorplate-derived signals, catecholaminergic differentiation and, 99
- Flourens, Jean-Pierre-Marie, 394
- Folds, 278
- Follistatin, 9–11
- Forebrain, 50–51
- Forel, August, 383, 384
- Forward signaling, 259
- FoxD3
 - neural crest precursor formation and, 75–76
 - promotes neural crest cell delamination at all axial levels, 77
- Fruit fly: *see Drosophila*
- Fulton, John F., 388
- Functional differentiation, principle of, 395
- Functional effect, 250
- GABAergic neurons, 230
- Gain of function, 42
- Gain-of-Function experiment, 52
- Galactocerebroside (GalC), 155
- Gall, Franz Joseph, 394, 396
- Ganglia, autonomic, 89
 - differentiation of satellite cells in, 99–100
 - Phox2b* as essential for formation of, 96
- Gangliogenesis
 - autonomic, 95–100
 - dorsal root, 92–94
 - epibranchial placode and neural crest-derived cells in, 115
 - interactions between neural crest- and placode-derived trigeminal cells in, 113
- Ganglion cells, retinal, 343
- Ganglion development, spinal, 393
- Ganglion mother cells (GMCs), 133, 142
- Ganglionic eminence, 32, 160, 230, 231
- Gastrulation, 4, 7
- Gata3, 97
- Gene disruption, targeted, 320–323
- Gene manipulation, 342
- Genetic concepts of nature, 373
- Genetic disorders: *see* Inherited disorders
- Genetic screens, 249
- Gephyrin, 308
- Gerlach, Joseph von, 375–376, 382, 384
- Germinal cells, 21–23
 - histogenesis, lineages of nerve cells, and, 366–367
 - historical orientation, 367–368
- Glia; *see also* Neuroglia; Radial glia
 - Bergmann, 199, 205, 208
 - effects of trophic molecules on, 337–338
- Glia-derived signals, 308–309
- Glial cell line-derived neurotrophic factor (GDNF), 84, 99, 311
- Glial cells; *see also* Neuroglia
 - death, 325
- Glial-derived neurotrophic factor (GDNF), 84
- Glial fibrillary acidic protein (GFAP), 200, 206, 209–211, 213, 215, 216
- Glial restricted precursor (GRP) cells, 153–156
- Glial-restricted precursors (GRPs), 153–156, 167
 - can differentiate into oligodendrocytes or type 1 or 2 astrocytes, 212–213
- Glial scar, 332–333, 335–341
 - importance of, 335–341
- Gliogenesis, model for developmental switch from neurogenesis to, 214
- Globules, 382–383
- Glücksman, A., 391, 393
- Glutamate toxicity, 179–180
- Glutamine synthase (GS), 200
- Glycine receptor clustering, 308
- Golgi, Camillo, 368–370, 375, 376, 382, 384–386, 389
- Golgi epithelial cell, 199
- Gonadotropin-releasing hormone (GnRH), 105
- Granule cell migration, cerebellar, 233
- Granule cells, 35–36
- Green fluorescent protein (GFP), 154
- Growth cone cell biology, 244–247
 - actin dynamics, 246–247
 - control of cytoskeleton during guidance, 247
 - microfilament dynamics, 246–247
 - microtubule dynamics, 247
 - transport of components, 247
- Growth cones, 241–242
 - behavior, 245
 - filopodial and lamellipodial dynamics, 242
 - first published drawing of, 242
 - history of, 241, 242
 - classical experiments, 244
 - discovery, 244
 - modern experiments, 244
 - and recovery from injury, 337, 338
 - structure, 245–246
- Growth factors, 151–152
 - scar-associated, 337, 338
- Growth-influential molecules
 - with more than one function, 339–341
 - positive and negative functions, 333, 337, 338
 - positive regulators, 333, 335
 - that have altered expression following injury, 333, 334
- GTPase activating proteins (GAPs), 261
- GTPases, small, 261
- Guidance cues, 232
- Guidance molecules: *see* Axon guidance
- Hair cell specification, requires Notch inhibition and *Math1*, 110–111
- Hamburger, Victor, 393
- HAND2 (dHAND), 96–97
- Harrison, Ross G., 377, 378, 383
- Hartley, David, 388
- Head- and trunk-organizer, Spemann/Mangold, 46–47
- Head neural induction and maintenance, 45–46
- Held, H., 386
- Henle, J., 384
- Heparin sulfate proteoglycans (HSPGs), 251, 252
- Hepatocyte growth factor (HGF), 232
- Hindbrain, 52–54; *see also* Rhombencephalon
- Hippocampal neurons, development of cultured, 262, 263
- His, Wilhelm, 366–370, 372, 376–377, 383, 384, 389
- Histogenesis; *see also* Neurogenesis
 - in vertebrate nervous system, 131–133
 - birthdating, transplantation, and lineage analysis, 130–131
- Homeobox-containing (*Hom/Hox*) genes, 53, 55
- Hox* gene expression, 85, 86
- Huntington's disease, 358
- Hypothyroidism, 174
- Id proteins, 139
- Immune system, 89
- Inherited disorders with abnormal aging phenotype, 358
- Inhibitors of apoptosis protein (IAP), 319
- Inhibitory functions, 397

- Injury, 329, 344, 345; *see also* Regeneration
 changes in intrinsic properties of CNS neurons in response to, 343
 severity, 331
 stages of response to, 331, 332
- Instruction hypothesis (lineage segregation of neural crest), 86
- Insulin-like growth factor (IGF), 12
- Intelligence quotient (IQ), malnutrition and, 398–401
- Intermediate zone (IZ), 24
- Interneuronal synapses, 273
- Ionotropic transmission, 269
- Iro1* and *iro7*, 112
- Iron and oligodendrocyte generation, 175
- Iron deficiency, 174–175
- Isthmic organizer, 44
- Isthmus, 46, 51–52
- Jackson, Hughlings, 394
- Kappers, Ariëns, 388, 393, 395, 396
- Koelliker, R. Albert, 365–367, 377–378, 382, 384, 385, 387, 390, 395–397
- Kuhn, Thomas S., 381
- Kühne, Willy, 390
- Kupffer, C., 383
- “Labeled line” model for synaptic connectivity, 300
- Lagena, 109
- Laminins, 283–284, 287–289, 335
- Langley, J.N., 386–387
- Language development, 400
- Lashley, Karl, 381, 397
- Lateral ganglion eminence (LGE), 32, 160
- Lateral inhibition, 137–138
- Lateral line neuromasts, 107–108
 cell fate determination within, 108
- Lateral line placode derivatives, 106–107
- Lateral line placodes, 101, 107–108
 induction, 107
- Lateral line primordia, migration of, 107–108
- Le Douarin model, 90
- Lebert, H., 390
- Left-right asymmetry, 62
- Left-right (LR) patterning, 62
- Lenhossék, M. v., 370
- Lens fiber differentiation, 111–112
- Lens placode derivatives, 111
- Lens placode development, Pax6 and, 111
- Lens placodes, 101
 induction, 111
- Lesion repair: *see* Myelin destruction, repair of demyelinating damage
- Leukemia inducing factor (LIF), 213, 215
- Leukemia inducing factor (LIF) receptor beta, 213
- Leukodystrophy, 173
- Leukodystrophy, metachromatic, 173
- Lineage analysis, 131
- Lister, Joseph, 383
- Localization, cerebral, 394
- Lorente de No, R., 397
- Loss of function, 42
- Ludwig, Carl, 373
- Macroglial cells, 200
 in perinatal optic nerve, 210
- Maculae, 109
- MAG, 176, 341
- Malnutrition; *see also* Mineral deficiencies
 vulnerability of human brain to, 398–401
- Many-Banded Krait, 290
- Marginal zone (MZ), 24
- Markers, 42
- Mash1*, 97–99, 105
- Math1, 108, 110–111
- Mechanosensory lateral line system, 106–107
- Medial ganglion eminence (MGE), 32, 160
- MeHg, effects of, 177
- Melanocytes, 68, 89
- Membrane, cellular, 378
- Mental retardation, malnutrition and, 398–400
- Mercury compounds, organic
 effects of, 177
- Mesectoderm, 68
- Mesencephalic nucleus of trigeminal nerve (mesV), 70
- Mesencephalon, 44, 52
- Mesoderm, 3, 57–58
 paraxial, involvement in neural crest induction, 74
- Metabotropic receptors, 269
- Metachromatic leukodystrophy (MLD), 173
- Meynert, T., 395
- Microfilaments, retrograde flow of, 246
- Microglial cells, 371–372
- Microtubule-associated proteins (MAPs), 350, 351
- Mid-blastula transition (MBT), 2
- Midbrain, 50–52
- Midline, crossing
 Robo and Slit, 254–256
 silence of netrin after, 254
- Midline attraction, 252
 in *C. elegans*, 253
 in vertebrate spinal cord, 252–253
- Miescher, Friedrich, 367
- Mineral deficiencies, 174–176
- Mitotic divisions, 30
- Morphogen action, model of, 43
- Morphogens, 41, 58, 59
- Morphological concepts of nature, 373
- Motor end plate, 390
- Motor neuron/oligodendrocyte precursor (MNOP) cell, ambiguous case
 for a restricted, 157
- Motor neuron/oligodendrocyte precursor (MNOP) cell hypothesis,
 156–158
- Motor neurons, 58, 390
 LIM genes regulate subtype specificity in CNS, 145–146
- Motor unit, 274–275, 390
- Mouse embryo, 1, 6–8, 11
- Multiple sclerosis (MS), 179
- Muscle spindles, 390
- Muscles; *see also* Neuromuscular junctions
 development of nerve connections with, 388–390
- MuSK (muscle-specific receptor tyrosine kinase), 292–294, 296–297
- Myelin-associated glycoprotein (MAG), 176, 341
- Myelin basic protein (MBP), 152, 153, 170–172, 176
- Myelin components, functions of, 171–172
- Myelin destruction
 as an adult, 178–179
 repair of demyelinating damage, 180–183
- Myelin-related diseases
 genetic, 172–174
 nongenetic, 174–176

- Myelination, physiological insults associated with developmental abnormalities in, 176–179
- Myeloarchitectonic maps, 396, 397
- Myoarchitectonic maps, 396
- Myotubes, 285
- N*-acetylaspartate (NAA), 173
- N-cadherin, 76
- Narp (neuronal activity-regulated pentraxin), 307–308
- NCAM, 282, 289–290
- Neocortex, 27, 28
- Nerve fiber, 377, 383
end of a growing, 377
- Nerve growth factor (NGF), 317, 393
- Nerve terminal and axon, molecular differentiation between, 280, 281
- Nervous system
beginnings, 365
historical orientation, 365–366, 382
morphogenesis, 366
is made of cells, 365–366
theories of organization of, 382–385
historical evolution of, 385–388
- Nervous system development, principles in, 131
- Nervous system(s), 129
axes, 44
wiring complex, 241
- Netrin, 251
biochemical purification, 253
as repulsive signal, 254
silence of, after crossing midline, 254
structure and function, 253
- Netrin signaling, modulation of, 254
- Neural crest, 55–57, 60, 100–101
embryonic origin, 70–71
and its derivatives, 372
historical perspective, 372–374
- Neural crest cell differentiation in PNS, control of, 91–100
community effects alter fate decisions, 100
- Neural crest cells, 115
cranial
are not prepatterned, 86
migration pathways of, 79–81
delamination, 76–78
genes expressed in premigratory and migrating, 71–72
multipotent and fate-restricted, evidence for
from *in vitro* cloning, 88
from *in vivo* labeling, 87
Phox2b is required for Ret expression in subset of, 97–98
sensory-biased, in migrating population, 90
trunk
migration pathways of, 81–83
molecular guidance cues for, 83–84
postmigratory, restricted to forming sensory or autonomic lineages, 89–90
- Neural crest derivatives, 68, 70
at different axial levels, 68–70
diversity, 68
- Neural crest induction, 71–72, 78
steps in, 71–78
- Neural crest lineage diversification, 85, 86, 91
axial fate-restriction doesn't reflect restrictions in potential, 85–86
lineage segregation at same axial level, 86–89
molecular control of lineage segregation, 89
segregation of sensory and autonomic lineages, 89–90
- Sox10 as essential for formation of glial lineage, 90–91
- Neural crest migration, 71–72, 81–84, 90
evidence for heterogeneity in migrating neural crest, 87–88
experimental approaches, 78–81
migration arrest at target sites, 84
- Neural crest positional identity, 56
- Neural crest precursors, 87
exposed to differentiation cues within neural tube, 88–89
induction of, 72–76
- Neural crest stem cells, sensitivity to gliogenic cells, 94–95
- Neural crest streams, 80
and cranial skeleto-muscular patterning, 81
separation of first, second, and third, 80–81
separation of third and fourth, 80–81
- Neural Darwinism, 387
- Neural folds
formation of, 13, 15, 16
labeling, 78
- Neural groove, closure of, 15
- Neural induction, 1, 8, 12–13, 16, 48
default pathway, 8–11
model organisms for studying, 1–8
signals in, 12
- Neural information, convergence and divergence of, 272
- Neural plate, 44, 56
bending of, 13, 15
formation of, 13
shaping of, 13
- Neural plate border, establishment of, 72–73
- Neural plate induction, classical “default” model of, 72
- Neural precursor cells, 323–324
- Neural progenitors
are multipotent but become restricted in competence, 134–135
regulation of the number of, 137–138
- Neural tube, 44, 56
radial differentiation of, 24
- Neuregulin, 294–295, 297, 305–306
- Neuregulin-induced postsynaptic signaling, 294, 295
- Neuregulin1 (NRG1), 81, 94
- Neuregulin1 (NRG1) type III, as essential for Schwann cell formation, 94
- Neurexin, 302, 304–305
 α - and β -, 302–305
structure, 302, 303
- Neuroblasts, 21, 367
- Neuroectoderm, 48
- Neuroectoderm induction and patterning, models for, 48, 50
- Neuroepithelial cells; *see also* Epithelium and epithelial cells
are multipotent and have positional identity, 133–134
- Neuroepithelial precursors (NEPs), 212
- Neuroepithelial stem cells (NSCs), 154, 158
- Neuroepithelium and neuroepithelial (NEP) cells, 13–16
- Neurogenesis, 21, 129–130, 214; *see also* Histogenesis
in adult vertebrate nervous system, 146–147
in aging nervous system, 356–357
conserved role of timing in, 133
in developing adult nervous system, 355–356
developmental mechanisms underlying age-related alterations in, 354–357
POU genes control sensory, 144–145
- Neurogenetic interval (NI), 21, 25–31
- Neurogenetic operation, temporospatial domain of, 28–30
- Neurogenin1 (Ngn1), 92
- Neurogenin2 (Ngn2), 90, 92, 114–115
- Neurogenins, 92

- Neuroglia; *see also* Glia
 history of, 368–372
- Neuroglial ontogeny, 368–372
- Neuromasts, 107–108
- Neuromuscular junctions (NMJs), 273–274
 innervation and transmission in muscle, 274–275
 postsynaptic mechanisms, 276–277
 presynaptic mechanisms, 275–276
 single innervation of muscle fibers, 277–278
 synaptic efficacy at, 275
 synaptic scaffolds at, 281
 synaptic specializations at, 278–284
 molecular specialization, 281–282
 morphological specialization, 278–280
- Neuron-restricted precursor (NRP) cells, 154–156
- Neuron theory, 244, 375, 378–381, 385, 386
- Neuronal activity-regulated pentraxin (Narp), 307–308
- Neuronal apoptosis inhibitory proteins (NAIPs), 319
- Neuronal competition, 387–388
- Neuronal connectivity, 375–376
- Neuronal death; *see also* Cell death; Programmed cell death
 during development, history of, 390–393
 neurotrophic factors and, 390–393
- Neuronal differentiation, inhibition of, 139
- Neuronal fate specification: *see* Cell-fate specification
- Neuronal maturation: *see* Neurons, maturation
- Neuronal migration, 223; *see also* Neural crest migration; Radial migration; Tangential migration
 patterns of, 223–224
 structures displaying nonradial, 233
- Neurons
 historical orientation, 365–366
 maturation, 144–146
 ETS genes regulate target specificity, 146
 maturational changes in intrinsic properties of CNS, 342
- Neuroscience, history of, 365
- Neurospangium theory, 369–370
- Neurotransmission, 269–272, 380–381
 safety factor for, 275
 slow and fast, 269–272
- Neurotransmitter, 269
- Neurotrophic factor(s)
 brain-derived, 252, 357
 ciliary, 211, 213
 glial cell line-derived, 99
 glial-derived, 84, 311
 and neuronal death, 390–393
- Neurulation, 1, 13–16
 mouse development leading up to, 6, 7
 secondary, 16
Xenopus development leading up to, 2
- NG2 cells, 209–210
- Nieuwkoop model of Activation and Transformation, 47–48
- Noggin, 9, 11
Noggin, 77
- Noradrenergic differentiation
Mash1 as essential for, 98
 roles in sensory neurogenesis, 98
- Noradrenergic phenotype, *Phox2b* is required for development of, 96–97
- Notch activation, 94–95
 can promote astrocyte specification, 215–216
 leads to gliogenesis by neural crest stem cells, 94
- Notch inhibition, 110–111
- Notch signaling, 93–94, 113, 201–202, 359–360
- Notochord, 58, 160
- Nuclear migration, interkinetic, 21–23
- Numb, 93, 140
- Nutrition; *see also* Mineral deficiencies
 dependence of developing nervous system on, 398–401
- O-2A/OPC(s), 165–167
 adult and perinatal, 167–170
 bipotential, generation from tripotential GRP cells, 153–156
 GRP as ancestor of, 154–158
 novel properties of
 studies *in vitro* revealing, 167–168
 studies *in vivo* revealing, 168–170
 origin, 153–167
 as providers of growth factors, 170–171
 transplantation of, 181
- Occipitofrontal circumference, 400
- Olfactory bulb, structure of, 385
- Olfactory neurogenesis, 385–386
 bHLH transcription factor controlling, 105–106
- Olfactory placode derivatives, 104–105
- Olfactory placode formation, involves convergence of cellular fields, 105
- Olfactory placodes, 101, 105–106
 induction, 105
- Olig1* and *Olig2*, 157, 158
- Oligodendrocyte development in embryonic cortex, 163–164
- Oligodendrocyte lineage genes, cells expressing
 regional specialization of first appearance of, 158–161
- Oligodendrocyte precursor cells (OPCs), 151; *see also* O-2A/OPC(s)
 motor neuron/OPC hypothesis, 156–158
- Oligodendrocyte precursor migration, myelination of developing white matter as dependent on, 161–163
 guidance of glial precursor migration, 162
- Oligodendrocyte precursors
 in adult CNS, 167–172
 initial appearance of, regulated by local signals, 160–161
 as modulators of neuronal development and function, 170
 stop signals for, 162–163
 vulnerabilities, 179–180
- Oligodendrocyte-type-2 astrocyte (O-2A) progenitor cells, 151;
see also O-2A/OPC(s)
- Oligodendrocytes, 151
 E13.5 rat cortex contains A2B5⁺ cells that can generate, 164–166
 generation of, 164–166, 207
 nutrition and, 174–176
 from precursor cells, 151–153
 genetic diseases of, 172–174
 as modulators of neuronal development and function, 170
 as providers of growth factors, 170–171
 types of and pathways to, 166–167
 vulnerabilities, 179–180
- Oligodendroglial cells, 370–371
- Ophthalmic trigeminal (opV), 112
- Optic nerve, perinatal
 macroglial cells in, 210
- Organizers, 3, 4, 41
 as responsible for neural induction, 11
- Otic placode derivatives, 108–109
- Otic placode formation, involves cell movement and convergence, 109
- Otic placodes, 101, 110–111
 a common primordium for epibranchial and, 114
 induction, 109–110

422 Index

- Otic vesicle, neurogenesis in
 requires Neurogenin1 and Notch inhibition, 110
- Otx2, 50, 51
- Outgrowth theory, 377–378
- Oxidative damage during aging, 351–352
- PACAP, increases cAMP to induce astrocyte differentiation, 215
- Parasympathetic nervous system, 95–96, 99
- Parencephalon, 50
- Parkinson's disease, 358
- Patched (Ptc), 58, 59
- Pathfinding, 243
- Patterned layer of cells, 42
- Patterning, 62
 principles and mechanisms of, 41–42
 model organisms, 42–44
- Pax2, 114
- Pax3, 112
- Pax8, 110
- Pax/Six/Eya/Dach regulatory network, 103–104
- PDGFR⁺ cells, 155, 157–159
- PDZ, 302, 305, 308
- Pelizaeus-Merzbacher disease, 172
- Penfield, W., 371
- Pentraxin, neuronal activity-regulated, 307–308
- Perec, Georges, 372
- Peripheral nerves, connections made by
 history of ideas about, 388–390
- Peripheral nervous system neurons, classes of
 have distinct birthdates, 133
- Peripheral sense organs, development of nerve connections with,
 388–390
- Perlecan, 284
- Pharyngeal arches, 80
- Phosphotyrosine-binding domain (PTB), 360
- Phox2b*, 98–99
 autonomic ganglia formation and, 96
 noradrenergic phenotype development and, 96–97
 Ret expression in neural crest cells and, 97–98
- Phrenological theory, 396
- Placode formation, individual
 models of, in preplacodal domain, 104
- Placodes, 56, 57, 115
 epibranchial, 112–115
 sense organ, 104–112
 trigeminal, 112–113
- Plasma membrane, 245
- Plasmodesm theory, 377
- Plasticity: *see under* Cell-fate specification
- Platelet-derived growth factor AA homodimer (PDGF-A), 151
- Platelet-derived growth factor (PDGF), 162
- Polymerization, 246
- Popper, Karl R., 365
- Positional identity, 41, 134
- Positional information, 41
- Positional signals, 41
- Posteriorizing signals, 73
- Potassium (K⁺) channels, 170, 180
- Presynaptic ending, 386
- Pro-form of nerve growth factor (proNGF), 180
- Procháska, J., 392
- Progenitor cells, 21
- Progenitor pool, maintenance of a, 139–140
- Program of Experimental Embryology, 373–374
- Programmed cell death, 317, 325; *see also* Neuronal death
 aging and, 353–354
 developmental phases of, 323
 neural precursor cell, 323–324
 pre-synaptogenic, 324
 synapse dependent, 324–325
 historical perspective, 317
 molecular regulation of, 319–320
 morphological types of, 318–320
- Progressive construction, 391–392
- Proneural genes, 92, 135–137
- Prosencephalon, 44
- Proteases, 76
- Protein kinase A (PKA), 58
- Protein kinase C (PKC) signaling, inhibiting, 76
 promotes neural crest cell delamination, 76
- Proteolipid protein (PLP), 153, 171, 176
- Protocadherin diversity, genetic organization of, 303
- Protocadherins, 301–302
- Protoplasmic astrocytes, 197–199
- PSA-NCAM⁺ cells, 165
- Pseudostratified ventricular epithelium (PVE), 21, 25–31
 PVE clades in ventricular zone during neocortical development, 32, 33
- Purkinje, Jan Evangelista, 366, 384
- Purkinje cells, 35–36, 208
- R-smads, 9
- Rac, 261
- Radial glia
 are bipotential progenitors for neurons and astrocytes, 204
 arise from ventricular zone, 200–201
 express markers of immature astrocytes, 202
 persisting into adulthood, 205
 transform into astrocytes at end of neurogenesis, 203–204
- Radial glial cell identity, maintained by neuron-glia cell interaction,
 201–202
- Radial glial guides, 207
- Radial migration, 224–230
 initiation of, 224–225
 maintenance of, 225–229
 molecular cues affecting, 225–227
 termination of, 229–230
- Radiation therapy, 177–178
- Ramified microglia, 371, 372
- Ramón y Cajal, Santiago, 241, 242, 244, 286, 366–371, 377–380,
 383–384, 386–389
- Ranson, Walter, 389
- Rapsyn, 292, 308
- Realizators, 53
- Recovery, functional; *see also* Regeneration
 as recapitulation of development, 330
- Recruitment, 278
- Reflex inhibition, 397
- Regeneration, 329, 344–345
 CNS, 331–332
 cell replacement, 344
 extrinsic factors, 332–341
 intrinsic factors, 341–343
 PNS, 330–331
- Regeneration failure, contributions of specific molecules to, 341
- Regenerative repair vs. restoration of function, 329–330
- Remak, Robert, 366, 368, 382–384, 390
- Repulsive cell-surface signals, 251, 254
- Restitution/restitutive recovery, 329

- Retardation, malnutrition and, 398–400
Reticula nervosa diffusa, 376
 Reticular theory(ies), 244, 375, 376, 380–381, 385, 386
 Retina
 ephrin-A expression in, 260
 histogenesis, 132–133, 135
 Retinal ganglion cells (RGCs), 343
 Retinal progenitors, 135
 Retinoic acid (RA), 48, 49, 106
 Retinoids, 48
 Retinotectal topography *in vitro*, 258–259
 Retzius, G., 389
 Reverse signaling, 259
 Rhinencephalon, 396
 Rho, 261
 Rhombencephalon, 44, 53; *see also* Hindbrain
 Rhombic lip, 35–36
 Rhombomeres, 52–54
 Rio-Hortega, P. d., 370–372
robo, 255–256
 Rohon-Beard cells, 378, 390–391
 Rostral migratory stream (RMS), 233
 Rostrocaudal axial levels, 85
 Roux, Wilhelm, 373–374, 387, 392
 Ruffini, A., 390
- Sacculus, 109
 Safety factor for neurotransmission, 275
 Saxen and Toivonen model, 46–48
 Scar, glial, 332–333, 335–341
 Scar-associated growth factors, 337, 338
 Scar matrix, stability and crosslinking of, 335–336
 Schaper, A., 367, 368
 Schrödinger, E., 391, 393
 Schultze, Max, 375, 384, 385
 Schwann, T., 366, 375, 377–379
 Schwann cells, 282, 377
 differentiation, 94–95
 formation, 90–91
 NRG1 type III as essential for, 94
 SDF1, 108
 Secondary proliferative population (SPP), 21, 24, 25
 Segmentation, 53
 Selection hypothesis (lineage segregation of neural crest), 86
 Selective cellular attrition, 392
 Selectors, 53
 Selenium deficiency, 175–176
 Semaphorin 3A (Sema3A), 84, 232, 263
 isolation of, 256–257
 Semaphorin 3F (Sema3F), 232
 Semaphorin family of guidance molecules, 256–257
 Semaphorin (Sema) receptors, isolation of, 257
 Sensory-autonomic lineage restriction, model for, 90
 Sensory-autonomic lineage segregation, 89–90
 Sherrington, Charles Scott, 366, 374–375, 380–382, 386, 387, 390, 397
 Signal transduction, 260–261
 classical secondary messengers, 261
 Signal transduction pathway, 41
 Signaling pathways, alterations in
 during aging, 352–353
 Skeleto-muscular patterning, cranial
 neural crest streams and, 81
slit, 255, 256
- Slits, 232
Slug, 77
 neural crest precursor formation and, 75–76
 Smad Anchor for Receptor Activation (SARA), 9
 Smoothed (Smo), 58
Snail, neural crest precursor formation and, 75–76
 Snail family members, promote cranial neural crest cell
 delamination, 77
 SNARE complex, 275, 276
 Sodium (Na⁺) channels, 170, 180
 Sonic hedgehog (Shh), 58–61, 84, 160, 164
 Soury, J., 371
 Sox3, 114
 Sox9, 75
 Spatial patterning, 129
 Spemann/Mangold model, 46–47
 Spemann-Mangold organizer, 58
 Spencer, Herbert, 388
 Spinal cord, 44, 55, 58, 141, 159
 antigenic and morphological development leading to generation of
 oligodendrocytes in, 152
 astrocyte development in, 208–209
 compared with oligodendrocyte development in embryonic cortex,
 163–164
 Golgi's hypothetical diffuse nerve network in, 376
 histogenesis, 133
 lineage history of glia in rat, 155
 theoretical models of lineage specification in, 159
 ventral, generation of GRP and NRP cells in, 156
 Spongioblasts, 21, 23, 369–370
 Starvation, effects of, 400
 STATs, 216
 activation of, 213
 Steindler, A., 388
 Stem cells, 21, 354–356
 endogenous or transplanted, 344
 multipotent, 212–213
 generate astrocytes by generating more restricted
 precursors, 210
 neural crest, 94–95
 neuroepithelial, 154, 158
 radial glia as bipotential, 204
 Stereotropism, 377
 Sterzi, G., 378
 Stop-signals, 232
 Stricker, S., 396n
 Stripe assays, 249
 Substitution/substitutive recovery, 329
 Subventricular zone (SVZ), 21, 24–25, 31, 33, 132, 158, 199
 output of, 33–34
 regional variation in, 33
 subdivisions, 33
 dorsolateral portion (SVZdl), 33, 34
 Subventricular zone (SVZ) cells
 give rise to gray matter, protoplasmic astrocytes, 205–206
 models of migratory pathways of, 207, 208
 that generate astrocytes can produce neurons or oligodendrocytes, 207
 Subventricular zone (SVZ) descendants, postnatal, 205
 Subventricular zone (SVZ) precursors
 induced to become astrocytes from contact with blood vessels, 206
 that generate astrocytes are distinct from VZ-derived radial glia,
 206–207
 Sympathetic nervous system, 95, 99
 Sympathetic neuron development, transcription factors controlling, 97

- Synapse elimination, 309–311
 defined, 310
 molecular maturation, 312
 structural maturation, 311
- Synapse formation, 272, 284–286
 postsynaptic differentiation, 290–296
 extrinsic control of, 290–291
 intrinsic control of, 296–299
 presynaptic differentiation, 286
 factors in, 286–290
 signaling model of, 284–286
- Synapses, 269–270, 272–273, 380–381; *see also* Adhesion proteins
 cellular composition, 269, 270
 CNS, 299
 development, 300
 structure and function, 299–300
 competitive exclusion and elimination of, 387–388
 neuromuscular: *see* Neuromuscular junctions
 slow and fast chemical, 269–272
- Synaptic adhesion complexes, 301, 302
- Synaptic adhesion proteins, 300–305
- Synaptic basal lamina (BL): *see* Basal lamina
- Synaptic cleft, 283
 primary and secondary, 278
- Synaptic connections
 development of, 382
 historical and theoretical perspective on, 382–388
 specificity of formation of, 387
- Synaptic receptors, theories of, 386–387
- Synaptic signaling factors, 305–309
 mechanisms of postsynaptic specialization, 308
- Synaptic vesicles, 270
- Synaptogenic signals, 273
- Syncytial theory, 377
- Synencephalon, 50
- Tactile adhesion, 377
- Taiwan Banded Krait, 290
- Tangential migration, 224, 230
 of cortical interneurons, cellular and molecular substrates for, 231
 in forebrain, 230–233
 extracellular cues regulating, 231–232
 molecular cues affecting, 225–227
 pattern of, in rodents *vs.* humans, 232–233
- Tangentially migrating cells in forebrain, origin of, 230
- Tangentially migrating interneurons, cues controlling motility of, 232
- Tanyocytes, 205
- Target recognition, 243; *see also under* Axon(s)
- Target selection, 243
- “Targeting” of gene manipulation, 342
- Telencephalon and telencephalization, 393
- Temporal birth order of cells, 129, 134–135
- Tenascin, 340–341
- Tergast, P., 390
- Thimerosal, 177
- Thyroid hormone (TH), 174, 176
- TNF- α (tumor necrosis factor), 180
- Transcription factors, 41, 50–51, 53, 57–59; *see also* Neurogenin2
 AP2 α and SoxE involvement in earliest steps of neural crest precursor
 formation, 75
 downstream, 59
 expression in subregions of ganglionic eminence, 230
 snail family, 77
- Transforming growth factor-beta (TGF- β), 9, 10, 100,
 213–214
- Transplanting cells, 131
- Trigeminal cells, interactions between neural crest- and
 placode-derived, 113
- Trigeminal placode derivatives, 112
- Trigeminal placodes
 induction, 112–113
 neurogenesis of, requires *Neurogenin1* (*Ngn1*), 113
- Trophic action, 392
- Trophic molecules, effects on neurons and glia, 337–338
- Trophoblast, 6
- Trunk neural induction, 46–50
- “Tug-of-war” model, 262
- Tumor necrosis factor (TNF- α), 180
- Turning assays, 249
- Tyrosine hydroxylase, 96, 97
- Utricle, 109
- Vaccine preservatives, 177
- Vagal neural crest, 68
- Valentin, Gustav Gabriel, 384
- Vanishing white matter (VWM), 173–174
- Ventral migration pathway, 82
- Ventricular zone (VZ), 21–25, 130, 132
 cell cycle in, 25–26
 control of *P* and *Q* with symmetric and asymmetric
 cell divisions, 29, 31
 early conceptions of cellular organization of
 early, 21, 22
 influences in, affecting lineage size in single
 cell cycle, 31
 output from, 26–30
- Vertebrates, lower *vs.* higher, 1
- Vestibular apparatus, 109
- Virchow, Rudolf, 366, 368–369
- Vision: *see* Lens placodes
- von Gudden, Bernard A., 383
- Wagner, Rudolph, 382, 384
- Werner’s syndrome, 358
- White matter, generation of, 162
- Wilson, E.B., 375
- WNT signaling, 306–307
- Wnts, 12, 48, 51, 73, 74
- Wundt, Wilhelm, 381, 396
- Xenopus*, 8; *see also specific topics*
 BMPs, 72–73
 fibroblast growth factors, 12
 FoxD3 function, 75–76
 neural crest cells, 81, 82
slug expression, 73–75
- Xenopus* animal caps, 47
 neuralization of, 8, 9
- Xenopus* embryo, 1–3, 6, 8, 9, 11, 73
- Zebrafish, 83, 87, 112
- Zebrafish embryo, 1–5
- Zebrafish spinal cord, plasticity until axogenesis, 144
- Zygotic transcription, 2