

# Index

- acetylcholine, 26, 65, 76, 88, 104
- Activities of Daily Living, 49, 139, 147, 153, 165, 181, 215, 216, 222, 225
- acupuncture, 57
- advocacy, 176, 190, 196, 290
- agitated behavior scale, 97
- agitation, 20, 25, 82, 90, 97, 98, 99, 180, 243
  - assessment, 98
  - treatment, 99
- alcohol, substance abuse, 271
- Alzheimer's Disease, 104, 129, 243
- amantadine, 25, 99
- ambien, 59, 87
- amitriptyline, 56, 85, 99, 103
- amphetamines, 59
- anoxia, 9, 21, 256
- anticoagulation, 27, 28, 34
- anticonvulsants/antiepileptics, 54, 57, 84, 90, 99, 107, 156
- anti-depressants
  - mao-inhibitors, 86, 94
  - side-effects, 87
  - SSRI's, 86, 88, 93
  - tricyclics, 56, 85
- anti platelet agents, 51
- anti-spasticity medications, 26
- anxiety, 55, 90, 263, 267
- aphasia, 253–255, 282, 288
  - assessment, 253
  - treatment, 254
- apraxia, 21, 30, 40, 103, 136, 227, 240
- aricept, 25, 88
- arousal, 15, 25, 58, 68, 78, 82, 92, 100, 101, 102, 103, 107, 124, 126, 178
- Ashworth Scale, 25
- ataxia, 29, 30, 90, 94, 127, 225
- ativan, 87, 93
- attention, 100
  - assessment, 101
  - deficits, 101
  - treatment, 102
  - types, 102
- audiologic screening, 239
- augmentative/alternative communication, 241
- autonomic, 5, 10, 47, 93, 96
  - dysfunction, 29
  - function, 5, 6
- Babinski reflex, 40, 44
- baclofen, 26
- balance
  - assessment, 210
  - disorders of, 203, 204
  - treatment, 210
- behavior modification, 76, 100
- behavioral challenges, 133, 180, 260
- Behavioral Inattention Test, 25
- Benign Paroxysmal Positional Vertigo (BPPV), 205
- Berg Balance Scale, 210
- beta-blockers, 56, 57
- biofeedback, 26, 57, 60, 94, 153, 247
- Bobath approach, 32, 218
- body weight supported treadmill training, 33
- botulinum toxin, 26
- bowel and bladder dysfunction, 20, 21, 30, 50, 68, 179, 182, 185, 186
- brain anatomy, 4, 5, 7
- brain injury
  - acquired, 4–12
  - diffuse, 10, 21
  - focal, 8–10, 21, 28, 31
  - mild, 1, 9, 11, 22
  - moderate, 10, 11, 20, 21, 22, 24
  - primary, 10, 21

- brain injury (*cont.*)  
 secondary, 11  
 severe, 11, 12  
 traumatic, 14, 15, 20, 21, 39, 45, 46, 58
- brain physiology, 5–7
- brain tumors, 21, 42, 83, 89, 243
- brain-derived neurotrophic factor, 20
- Brunnstrom approach, 32
- buspar, 93
- bupirone, 93
- carbamazepine, 24, 48, 89, 94, 99
- carbidopa, 25, 87
- Carotid Doppler ultrasonography, 50
- carotid endarterectomy, 34, 51
- carotid stenosis, 50, 51
- catecholamines, 24, 29, 87
- celexa, 86
- central fever, 29
- cerebral salt-wasting syndrome, 30
- Cheyne-Stokes breathing, 10, 40
- chlorthalidone, 97
- citalopram, 86
- clozapine, 96, 97
- clozaril, 96
- cognitive rehabilitation, 14, 15, 134–137  
 assessment, 135  
 deficits, 135, 136  
 functioning, 134  
 compensatory, 134  
 computer-based, 137, 162  
 effectiveness, 134, 135  
 environmental modifications, 134  
 evidence-based, 136  
 restorative, 134
- cognitive-behavioral therapy, 57
- cognitive-communication disorders, 251–253
- coma, 8, 10, 12, 14, 15, 20, 22, 28, 30, 39, 53, 96, 124, 220, 286
- Coma Recovery Scale-Revised, 124
- Coma/Near Coma Scale, 124
- Community Integration Questionnaire, 138
- community reintegration, 31, 266, 289
- compensation, 132, 190, 197, 267
- Computerized Dynamic Posturography (CDP), 203, 204, 206
- Computerized tomography, 88
- concussion, 8, 14
- constraint induced movement therapy, 33
- contractures, 20, 21, 25, 28, 179, 219, 220
- contrast venography, 28
- coordination, 2, 6, 30, 32, 40, 42, 58, 64, 66, 71, 146, 168, 170, 179, 184, 188, 189, 190, 191, 202, 206, 207, 216, 217, 221, 229, 240, 243, 248, 249, 262, 269, 286, 291
- coping skills training, 100
- cranial nerves, 40, 101, 152, 154  
 examination, 101  
 impairments of, 101, 102, 104
- cryotherapy, 26
- cushing response, 11
- cystometry, 70, 73
- Dantrolene sodium, 26
- d-dimer serum assays, 28
- decerebrate posturing, 11
- decubitus ulcer, 22
- deep tendon reflex, 44
- deep vein thrombosis, 179
- delirium, 81, 94, 95, 96, 97, 98, 99, 104, 105
- dementia, 29, 50, 53, 69, 76, 82, 87, 95, 97, 103, 104, 129  
 assessment, 104, 105  
 treatment, 105, 106
- Dementia Rating Scale-2, 125
- depakote, 24, 48, 57, 89
- depression  
 assessment, 83–85  
 treatment, 85–88
- desipramine, 85, 103
- desyrel, 87
- diazepam, 26
- dilantin, 20, 48
- disability, 19, 20, 23, 33, 49, 50, 67, 71, 77, 130, 131, 138, 186, 188, 190, 197, 215, 241, 270, 289
- discharge planning, 194
- donepezil, 25, 88, 103, 105, 106
- dopamine, 24, 25, 29, 47, 66, 87, 96, 102
- driving, 31, 48, 49, 104, 129, 131, 138, 147, 148, 149, 191, 231, 234, 261, 263, 266, 286, 290  
 evaluation, 231–232  
 retraining, 231  
 return to, 231
- dysarthria, 21, 30, 240
- dysmetria, 44
- dysphagia, 21, 22, 30, 50, 127, 238, 239, 243, 244, 245, 246, 247, 249, 250, 251, 256  
 evaluation, 243–246  
 treatment, 247–249
- ecological validity, tests of, 131
- effexor, 86
- elavil, 56, 85
- electrical stimulation, 26, 33, 238, 249
- Electroconvulsive therapy (ECT), 86, 99

- Electroencephalography, 45
- Electromyography (EMG), 57, 70
- emotional challenges, 188, 260
- Encephalopathy, 52
  - anoxic/hypoxic, 53
  - herpetic, 53
- endocrine complications, 29
- environmental modifications, 127, 134, 190, 194
- epilepsy, 45, 46, 47
- Epworth sleepiness scale, 58
- eskalith, 90
- eszopiclone, 59, 60
- executive functions, 91, 216, 226
- exelon, 106
- extra-pyramidal symptoms, 96
  
- Falls, 55, 81, 90, 104, 180, 181, 200, 207, 209, 210, 212, 260
  - prevention, 27
  - risk factors, 201
- family
  - coping, 31, 193, 276, 277
  - sub-systems, 275, 278
  - training, 281, 282
- Family Needs Questionnaire, 276
- flaccidity, 32, 68
- flexible endoscopic evaluation of swallowing, 246
- flouxetine, 86, 93
- Full Outline of Unresponsiveness (FOUR), 39
- Functional Independence Measure, 25
- functional mobility, 220, 222, 223
  
- gabapentin, 24, 57, 90, 94, 99
- gait, 25, 33, 40, 44, 87, 127
- galantamine, 106
- Galveston Orientation and Amnesia Test, 124
- generalized anxiety disorder
- Glasgow Coma Scale, 11, 39, 54, 178
  
- handicap, 19
- headache, 14, 29, 48, 54, 55, 56, 57, 58, 78, 87, 163
  - cluster, 55
  - ideopathic, 57, 58
  - migraine, 55, 57, 58
  - occipital, 55
  - post-concussive, 55
  - post-traumatic, 55, 57
  - tension, 55, 58
- hematoma, 9, 20, 46, 88, 93, 100, 105, 205, 220
  - epidural, 8, 46, 88, 93
  - subdural, 9, 46, 100, 105, 205
- hemianopsia, 30, 31
- hemorrhage, 8, 9, 10, 14, 28, 29, 31, 45, 52, 54, 56, 90, 100, 124, 127, 129, 134, 138, 159, 220
  - intracerebral, 9, 13, 29
  - intraparenchymal, 9
  - intraventricular
  - ischemic
  - subarachnoid, 9, 14, 52, 100, 220
  - subdural, 9, 20, 46, 100, 105
- heparin, 27
- heterotopic ossification, 20, 25, 28, 218
- Home and community-based waiver services, 190, 191
- hydrocephalus, 28, 29
- hyperbaric oxygen therapy, 51
- hypertension, 9, 29, 34, 49, 51, 52, 67, 68, 86, 178
  - post-traumatic
- hyponatremia, 30, 90
- hypoxia, 9, 10, 52, 53
  
- impairment, 10, 11, 19, 20, 21, 23, 25, 29, 30, 33, 41, 58, 59, 67, 90, 92, 101, 104, 105, 109, 123, 125, 126, 127, 130, 131, 133, 136, 180, 181, 191, 201, 207, 208, 210, 211, 215, 220, 221, 239, 241, 245, 253
- impedance plethysmography, 28
- impulsivity, 27, 81, 89, 97, 129, 180, 181, 224, 243, 251, 265, 277
- incontinence, 27, 29, 31, 64, 66, 67, 68, 69, 70, 71, 74, 75, 76, 77, 78, 84, 179, 182, 185, 186, 223
  - bladder, 185, 186
  - bowel, 185, 186
  - treatment, 74–75
  - urinary, 73
- inferior vena cava filter, 27, 28
- insight/awareness, 149, 261
- insurance, 106, 128, 130, 176, 188, 189, 190, 191, 195, 196, 197
  
- lamictal, 24
- lamotrigine, 24, 48, 90, 94, 99
- language
  - expressive, 241, 251, 252, 253, 256, 262, 282
  - pragmatic, 252, 255–256
  - receptive, 252, 253
- levodopa, 25, 87, 102
- lithium, 90, 99
- lorazepam, 87, 93, 98

- luminal, 48  
 lunesta, 59
- Magnetic Resonance Imaging,**  
   105
- malingerer, 125  
   assessment of, 131–133
- mania, 81, 88, 89, 90  
   assessment, 89  
   treatment, 89, 90
- massed practice, 20
- mechanical force injuries, 7
- mellaril, 97
- menstrual irregularities, 30
- methylphenidate, 25, 29, 59, 86, 87,  
   98, 99, 102, 103
- metoclopramide, 24
- micturition, 64  
   neuroanatomy, 64
- Mini Mental Status Examination, 40 41,  
   124
- modafinil, 59, 87, 103
- modified barium swallow study, 246
- Moss Attention Rating Scale, 102
- motor**  
   examination, 43  
   weakness, 27, 50
- motor relearning program, 33
- motor speech disorders, 240
- nardil, 86
- nefazadone, 108
- neglect syndrome, 30
- Neurobehavioral Cognitive Status Examination,**  
   125
- Neurobehavioral Rating Scale,** 102
- neurodevelopmental treatment, 32
- neuroleptics, 24, 68, 96, 98
- neurological examination, 40
- neuronin, 24, 57, 90
- neuroplasticity, 2, 23, 46
- neuropsychological evaluation, 123–128  
   limitations, 130, 131  
   strengths, 129, 130
- neuropsychological treatment, 133
- Neuro-Rehabilitation Programs,** 122, 133, 137,  
   138  
   effectiveness, 137–138
- norepinephrine, 24, 85, 86, 87, 102, 108
- norpramin, 85
- nortriptyline, 56, 85
- nutrition, 7, 179, 181, 182, 183, 186, 245, 250,  
   251
- obsessive-compulsive disorder, 267
- Occupational Therapy,** 22, 162, 170, 215, 220,  
   225, 232  
   evaluation, 216–220  
   home evaluation, 230, 231  
   treatment, 216–225
- olanzapine, 96
- orthoses, 22
- outcome, 2, 14, 15, 20, 22, 31, 52, 57, 74, 96,  
   135, 138, 146, 154, 196, 262, 263, 276, 287
- Overt Agitation Scale,** 97
- oxcarbazepine, 48
- pain**  
   central, 54  
   myofascial, 56, 57  
   neuropathic, 54
- pain management, 183–185
- pamelor, 56, 85
- panic, 90, 91, 93, 267  
   attacks, 91, 93  
   disorder, 91
- paroxetine, 86
- paxil, 86
- pharmacological augmentation, 24
- phenelzine, 86
- phenobarbital, 48
- phenol, 26
- physiatry, 2, 20, 97
- pneumatic compression devices, 28
- post-discharge, 197, 265, 290, 291  
   challenges, 288–290  
   support, 290, 291
- post-traumatic amnesia, 22, 23, 54
- post-traumatic stress disorder, 91, 265, 267,  
   279
- pressure sores/ulcers, 20
- prisms, 146, 160, 161, 162, 165, 168, 169, 174
- prolactin, 30, 47
- proprioception, 40, 43, 44
- proprioceptive neuromuscular facilitation, 32
- provigil, 59, 87
- prozac, 86
- psychosis, 94, 95, 96  
   assessment, 94, 95  
   treatment, 95
- psychostimulants, 24, 102
- psychotherapy, 56, 86, 94, 100, 108, 127, 128,  
   136, 137, 138, 290
- pulmonary angiography, 28
- pulmonary embolus, 27
- quetiapine, 96

- Rancho Los Amigos Scale, 22  
 range of motion, 22, 26, 28, 179, 203, 206, 207,  
 215, 216, 217, 220, 240, 244  
 remynil, 106  
 Repeatable Battery for Assessment of  
 Neuropsychological Status, 125  
 reticular activating system, 25  
 rhizotomies, 26  
 Romberg's sign, 44  
 risperdal, 96  
 risperidone, 96  
 ritalin, 25, 59, 86  
 rivastigmine, 105  
 Rood approach, 33, 218
- seizures, 45, 46, 47, 48, 49, 52, 53, 81, 86,  
 87, 93, 97, 99, 101, 104, 107, 270,  
 283  
 complex, 47  
 focal, 47  
 generalized, 47  
 partial, 47  
 simple, 47  
 self-care, 77, 177, 185, 219, 220, 221, 222, 223,  
 226, 227, 228, 232  
 self-esteem/self-concept, 268  
 sensation, 32, 42, 43, 54, 55, 69, 70, 74, 91, 107,  
 179, 182, 205, 216, 221, 243, 244, 245,  
 247, 251, 278  
 sensorimotor approach, 33  
 sensorimotor functions, 151, 157, 158  
 sensory examination, 43  
 serial casting, 26  
 seroquel, 96  
 sertraline, 86, 93, 99, 105  
 serzone, 108  
 sexual dysfunction, 106, 107  
 assessment, 106  
 pathophysiology, 67  
 treatment, 107, 108  
 school re-integration, 290  
 sexuality, 67, 68, 106, 108  
 hypersexuality, 106, 107  
 hyposexuality, 106–108  
 shunt, ventricular, 29  
 sinemet, 25, 87  
 sleep, 39, 47, 58–60, 72, 82, 84, 87, 88, 92,  
 100, 103, 184, 185, 186  
 apnea, 40, 58  
 disorders, 58–60  
 studies, 58, 59  
 social/leisure involvement, 290  
 sonata, 59
- spasticity, 2, 14, 20, 25, 26, 28, 30, 32, 43, 212,  
 217  
 speech-language pathology, 225, 238, 239, 247  
 evaluation, 238–239  
 treatment, 240  
 splinting, 26, 219  
 dynamic, 26  
 strength  
 muscle, 23, 43, 178, 218–221  
 stress management, 260, 267  
 stroke, 49  
 embolic, 9,  
 hemorrhagic, 49  
 ischemic, 9, 10, 49–52  
 thrombotic, 49  
 swallowing  
 anatomy, 244–246  
 physiology, 244–246  
 symmetrel, 87  
 syndrome of inappropriate antidiuretic hormone  
 secretion, 30
- Tap test, 29  
 tardive dyskinesia, 96  
 tegretol, 24, 48, 89  
 tendon lengthening, 26  
 thioridazine, 97  
 thorazine, 97  
 Tissue plasminogen activator (TPA), 50  
 tone, muscle, 26, 28, 43, 178, 218, 219  
 topamax, 48, 57, 90  
 topiramate, 48  
 transcranial doppler, 45, 50  
 transesophageal echocardiogram, 50  
 transient ischemic attack, 34  
 Transurethral resection of the prostate (TURP),  
 73  
 traumatic brain injury, 45, 46, 52, 64, 81  
 trazodone, 87, 98, 99  
 tremor, 53, 57, 85, 90, 96, 99, 107, 221, 278  
 tripleptal, 48
- ultrasonography, 28, 50  
 urinary retention, 72, 73, 74  
 urodynamics, 69, 73, 77
- valproic acid, 24, 48, 89, 90, 94, 100  
 venlafaxine, 86, 93  
 venous thromboembolic disease, 27, 28  
 vestibular dysfunction, 158, 159  
 Vestibulo-Ocular Reflex (VOR), 158, 205,  
 210  
 Videonystagmography (VNG), 203, 204

- vocational re-integration
  - pre-vocational training, 233, 234
  - vocational training, 269, 270
  - volunteerism, 288
- vision
  - accommodation, 155, 156, 174, 175
  - binocular, 146, 151, 152, 154, 155, 166, 169
  - convergence, 152, 154, 166, 170, 174
  - diplopia, 147, 148, 154, 158, 162, 167, 175, 286
  - divergence, 152, 154, 166
  - monocular, 152
  - myopia, 149, 150, 168, 169
  - nystagmus, 153, 154, 166
- visual deficits, 179
- visual perceptual/visuospatial deficits, 27, 31, 135, 136, 146, 228
- voiding, 27, 64, 66–72, 74, 76, 78, 182
  - diary, 67, 69, 72, 76
  - dysfunction, 64–70
  - pathophysiology, 66
  - schedules, 72
  - treatment, 71, 72
- warfarin, 8, 27, 51, 73, 74
- World Health Organization, 130
- wound care, 182
- zaleplon, 59, 60
- zoloft, 86
- zolpidem, 59, 87
- zyprexa, 96