

References

- Barbraud C, Weimerskirch H (2006) Antarctic birds breed later in response to climate change. *Proceedings of the National Academy of Sciences of the USA* 103: 6048–6051.
- Bivand RS, Pebesma EJ, Gómez-Rubio V (2008) *Applied Spatial Data Analysis with R*. Springer, New York.
- Braun J, Murdoch DJ (2007) *A First Course in Statistical Programming with R*. Cambridge University Press, Cambridge.
- Chambers JM, Hastie TJ (1992) *Statistical Models in S*. Wadsworth & Brooks/Cole Computer Science Series. Chapman and Hall, New York.
- Claude J (2008) *Morphometrics with R*. Springer, New York.
- Cleveland WS (1993) *Visualizing Data*, Hobart Press, Summit, NJ, 360 pp.
- Crawley MJ (2002) *Statistical Computing. An Introduction to Data Analysis Using S-Plus*. Wiley, New York.
- Crawley MJ (2005) *Statistics. An Introduction Using R*. Wiley, New York.
- Crawley MJ (2007) *The R Book*. John Wiley & Sons, Ltd., Chichester.
- Cruikshanks R, Laursiden R, Harrison A, Hartl MGH, Kelly-Quinn M, Giller PS, O'Halloran J (2006) *Evaluation of the use of the Sodium Dominance Index as a Potential Measure of Acid Sensitivity (2000-LS-3.2.1-M2) Synthesis Report*, Environmental Protection Agency, Dublin, 26 pp.
- Dalgaard P (2002) *Introductory Statistics with R*. Springer, New York.
- Everitt BS (2005) *An R and S-Plus Companion to Multivariate Analysis*. Springer, London.
- Everitt B, Hothorn T (2006) *A Handbook of Statistical Analyses Using R*. Chapman & Hall/CRC, Boca Raton, FL.
- Faraway JJ (2005) *Linear Models with R*. Chapman & Hall/CRC, FL, p 225.
- Fox J (2002) *An R and S-Plus Companion to Applied Regression*. Sage Publications, Thousand Oaks, CA.
- Gentleman R, Carey V, Huber W, Irizarry R, Dudoit S, editors (2005) *Bioinformatics and Computational Biology Solutions Using R and Bioconductor*. Statistics for Biology and Health. Springer-Verlag, New York.
- Gillibrand EJV, Bagley P, Jamieson A, Herring PJ, Partridge JC, Collins MA, Milne R, Priede IG (2006) Deep Sea Benthic Bioluminescence at Artificial Food falls, 1000 to 4800 m depth, in the Porcupine Seabight and Abyssal Plain, North East Atlantic Ocean. *Marine Biology* 149: doi: 10.1007/s00227-006-0407-0
- Hastie T, Tibshirani R (1990) *Generalized Additive Models*. Chapman and Hall, London.
- Hemmingsen W, Jansen PA, MacKenzie K (2005) Crabs, leeches and trypanosomes: An unholy trinity? *Marine Pollution Bulletin* 50(3): 336–339.
- Hornik K (2008) The R FAQ, <http://CRAN.R-project.org/doc/FAQ/>
- Jacoby WG (2006) The dot plot: A graphical display for labeled quantitative values. *The Political Methodologist* 14(1): 6–14.
- Jolliffe IT (2002) *Principal Component Analysis*. Springer, New York.

- Keele L (2008) *Semiparametric Regression for the Social Sciences*. Wiley, Chichester, UK.
- Legendre P, Legendre L (1998) *Numerical Ecology* (2nd English edn). Elsevier, Amsterdam, The Netherlands, 853 pp.
- Lemon J, Bolker B, Oom S, Klein E, Rowlingson B, Wickham H, Tyagi A, Eterradossi O, Grothendieck G, Toews M, Kane J, Cheetham M, Turner R, Witthoft C, Stander J, Petzoldt T (2008) Plotrix: Various plotting functions. R package version 2.5.
- Loyn RH (1987) Effects of patch area and habitat on bird abundances, species numbers and tree health in fragmented Victorian forests. In: Saunders DA, Arnold GW, Burbidge AA, Hopkins AJM (eds) *Nature Conservation: The Role of Remnants of Native Vegetation*. Surrey Beatty & Sons, Chipping Norton, NSW, pp. 65–77.
- Magurran, AE (2004) *Measuring Biological Diversity*. Blackwell Publishing, Oxford, UK.
- Maindonald J, Braun J (2003) *Data Analysis and Graphics Using R* (2nd edn, 2007). Cambridge University Press, Cambridge.
- Mendes S, Newton J, Reid R, Zuur A, Pierce G (2007) Teeth reveal sperm whale ontogenetic movements and trophic ecology through the profiling of stable isotopes of carbon and nitrogen. *Oecologia* 151: 605–615.
- Murrell P (2006) *R Graphics*. Chapman & Hall/CRC, Boca Raton, FL.
- Nason GP (2008) *Wavelet Methods in Statistics with R*. Springer, New York.
- Oksanen J, Kindt R, Legendre P, O'Hara B, Simpson GL, Solymos P, Stevens MHH, Wagner H (2008) Vegan: Community Ecology Package. R package version 1.15-0. <http://cran.r-project.org/>, <http://vegan.r-forge.r-project.org/>
- Originally Michael Lapsley and from Oct 2002, Ripley BD (2008) RODBC: ODBC Database Access. R package version 1.2-4.
- Pinheiro J, Bates D, DebRoy S, Sarkar D and the R Core Team (2008) nlme: Linear and nonlinear mixed effects models. R package version 3.1-88.
- R-Core Members, Saikat DebRoy, Roger Iovleff and Others: See Copyrights File in the Sources (2008) Foreign: Read Data Stored by Minitab, S, SAS, SPSS, Stata, Systat, dBase, R package version 0.8-25.
- Lemon J, Bolker B, Oom S, Klein E, Rowlingson B, Wickham H, Tyagi A, Eterradossi O, Grothendieck G, Toews M, Kane J, Cheetham M, Turner R, Witthoft C, Stander J and Petzoldt T (2008). plotrix: Various plotting functions. R package version 2.5.
- Pinheiro J, Bates D (2000) *Mixed Effects Models in S and S-Plus*. Springer-Verlag, New York, USA.
- Quinn GP, Keough MJ (2002) *Experimental Design and Data Analysis for Biologists*. Cambridge University Press, Cambridge.
- R Development Core Team (2008) *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0, URL <http://www.R-project.org>
- Reed JM, Elphick CS, Zuur AF, Ieno EN, Smith GM (2007) Time series analysis of Hawaiian waterbirds. In: Zuur AF, Ieno EN, Smith GM (eds) *Analysing Ecological Data GM*. Springer, New York.
- Roulin A, Bersier LF (2007) Nestling barn owls beg more intensely in the presence of their mother than their father. *Animal Behaviour* 74: 1099–1106.
- Sarkar D (2008) *Lattice: Lattice Graphics*. R package version 0.17-2
- Shumway RH, Stoffer DS (2006) *Time Series Analysis and Its Applications with R Examples*. Springer, New York.
- Sikkink PG, Zuur AF, Ieno EN, Smith GM (2007) Monitoring for change: Using generalised least squares, non-metric multidimensional scaling, and the Mantel test on western Montana grasslands. In: Zuur AF, Ieno EN, Smith GM (eds) *Analysing Ecological Data GM*. Springer, New York.
- Spector P (2008) *Data Manipulation with R*. Springer, New York.
- Venables WN, Ripley BD (2002) *Modern Applied Statistics with S* (4th edn). Springer, New York. ISBN 0-387-95457-0

- Verzani J (2005) *Using R for Introductory Statistics*. CRC Press, Boca Raton.
- Vicente J, Höfle U, Garrido JM, Fernández-de-Mera IG, Juste R, Barralb M, Gortazar C (2006) Wild boar and red deer display high prevalences of tuberculosis-like lesions in Spain. *Veterinary Research* 37: 107–119.
- Wood SN (2006) *Generalized Additive Models: An Introduction with R*. Chapman and Hall/CRC, NC.
- Zar JH (1999) *Biostatistical Analysis* (4th edn). Prentice-Hall, Upper Saddle River, USA.
- Zuur AF, Ieno EN, Smith GM (2007) *Analysing Ecological Data*. Springer, New York, 680p.
- Zuur AF, Ieno EN, Walker NJ, Saveliev AA, Smith G (2009) *Mixed Effects Models and Extensions in Ecology with R*. Springer, New York.

Index

Note: Entries in **bold** refer to command/function/argument.

A

- abline** function, 146, 149, 160
- Acquiring R, 2–4
 - www.r-project.org, 2
- arrows** function, 149, 166
- Art of programming, 7–8
- as.factor** function, 72
- as.matrix** function, 186
- as.numeric** function, 72, 163
- as.vector** function, 186–187
- attach** function, 197–198
 - in accessing variable, 62–63
- attach** misery, common R mistake, 197–201
 - attaching a data frame and demo data, 199–200
 - attaching two data frames, 198–199
 - entering the same attach function twice, 197–198
 - making changes to a data frame, 200–201
- Axes limits change, in lattice package, 188–189
- axis** function, 148

B

- Bar chart, 131–136
 - avian influenza data example, 131–133
 - Cases variable, 132
 - stacked bar chart, 132
 - standard bar chart, 132
 - mean values with stacked bar chart, 132–135
 - tapply function, 133
- Barbraud, C, 10
- barplot** function, 166
- Base installation of R, packages included in, 16–19
 - See also under Packages

- Bates, D, 23, 200–201
- Bersier, LF, 101, 137
- Bioinformatics and Computational Biology Solutions Using R and Bioconductor*, 23
- Biplots, 181–182
- Bivand, RS, 24
- Books
 - Bioinformatics and Computational Biology Solutions Using R and Bioconductor*, 23
 - Data Analysis and Graphics Using R: An Example-Based Approach*, 23
 - Data Analysis Using Regression and Multilevel/Hierarchical Models*, 23
 - Extending the Linear Model with R*, 23
 - First Course in Statistical Programming with R, A*, 23
 - Generalized Additive Models: An Introduction with R*, 23
 - Handbook of Statistical Analysis Using R, A*, 23
 - Introductory Statistics with R*, 22
 - Lattice. Multivariate Data Visualization with R*, 24
 - Linear Models with R*, 23
 - Mixed Effects Models and Extensions in Ecology with R*, 23
 - Mixed Effects Models in S and S-Plus*, 23
 - Modern Applied Statistics with S, 4th ed.*, 22 on R, 22–24
 - R and S-Plus Companion to Applied Regression, An*, 23
 - R and S-PLUS Companion to Multivariate Analysis, An*, 23
 - R book, The*, 22–23
 - R Graphics*, 23

Books (*cont.*)

Semi-Parametric Regression for the Social Sciences, 23

Statistical Models in S, 22

Statistics. An Introduction Using R, 23

Time Series Analysis and Its Application. With R Examples — Second Edition, 23

Using R for Introductory Statistics, 23
using R, 22–24

Boolean vector, 64

box function, 149, 166

boxplot function, 13–14, 166

Boxplots, 137–141

conditional boxplot, 140

owl data example, 137–140

feeding protocol effect, 137

names function, 137

nestling negotiation, 138–139

sex of parent effect, 137

str function, 137

purpose of, 137

showing benthic data, 140–141

tapply function, 141

Braun, J, 23

bwplots function, 170, 173–174

C

c() Functions, 31–33

brackets in, 31

combining variables with, 34–38

Categorical variables, recoding, 71–74

as.factor function, 72

as.numeric function, 72

str function, 71

cbind function, 36

combining variables with, 34–38

cex option, 93

vector use for, 94–95

Chambers, JM, 22

Claude, J, 24

Cleveland, WS, 141

adding mean to, 143–144

dotchart function, 142–143

dotplot function, 170, 174–176

jitter.x option, 175

subset option, 175

for benthic data, 144

legend function, 144

tapply function, 144

cloud function, 170, 184

Code, designing, in loops, 104–105

col option, vector use for, 93

Colours

colour of 0, common R mistake, 203–204

in graphs, 88–95

changing, 92–93

Combining two datasets with common

identifier, 67–69

Combining types of plots, 164–166

grid package, 164

layout function, 165

matrix function, 165

Command, 8–9

? Command, 13

Command window, 5

Common identifier, combining two datasets
with, 67–69

Common R mistakes, 195–205

colour of 0, 203–204

difference between 1 and l, 203

log of zero, 202–203

mistakenly saved the R workspace,
204–206

non-**attach** misery, 201–202

problems importing data, 195–197

decimal point or comma separation,
195–197

directory names, 197

errors in the source file, 195

See also **attach** misery

Concatenating data with **c** function, 31–33

Conditional selection, 65

Conditioning variable, **coplot** using, 159

single conditioning variable, 157–160

two conditioning variables,
161–162

Console window, 5

Continuous conditioning variable, **coplot**
using, 159

contour function, 149, 184–185

contourplot function, 170

Contributed packages, downloading R, 4

Coplot(s), 157–163

abline function, 160

as.numeric function, 163

using continuous conditioning variable,
159

coplot function, 158–159, 167

jazzing up the, 162–163

panel function, 160

panel.lm function, 160

with a single conditioning variable,
157–160

with two conditioning variables, 161–162

CRAN link in downloading R, 3

Crawley, MJ, 2, 22–23
 Cruikshanks, R, 161
curve function, 149
cut function, 155

D

Dalgaard, P, 2, 22, 73, 136
Data Analysis and Graphics Using R: An Example-Based Approach, 23
Data Analysis Using Regression and Multilevel/Hierarchical Models, 23

data argument, 183
 in **plot** function, 60–61, 86–87
 Data entry into R, 29–56
 variables, accessing, 57–63
See also under Variables
See also Getting data into R
data.frame function, combining data with, 42–43

Default values for variables in function arguments, 115–116

densityplot function, 170

Description of R, 1–2
 initial impression, 4–7

detach function, 198, 200

dev.off functions, 125

Diversity indices, 117–118

Shannon index, 117, 121–122
 species richness, 117

total abundance per site, 117, 119–120

Documenting script code, 8–10

dotchart function, 142–143

Dotplots, *see* Cleveland dotplots

Downloading R, 2–4

base, 3–4
 contributed packages, 4

CRAN link, 3

homepage, 2

R startup window, 5

R-2.7.1-win32.exe file, 3, 5

www.r-project.org, 2, 4

E

Editors, 12–13

brackets in, 12

Microsoft word for Windows, 12

RWinEdt use, 13

Tinn-R text editor, 12–13

equal.count function, 171

Errors in R, *see* Common R mistakes

Everitt, BS, 23

Excel data, importing, 47–51

exporting data to a Tab-Delimited ascii File, 47–48

preparing data in excel, 47

read.table function, using, 48–51

Excel menu for pie charts, 11

Exporting data, 69–70

write.table function in, 69–70

expression function, 167

Extending the Linear Model with R, 23

F

factor function, 71–73

Faraway, JJ, 23

First Course in Statistical Programming with R, A, 23

First panel function, 177–179

fitted function, in adding smoothing line, 98

Font size

adjustment, 19

changing, plot function, 153

Fonts, changing, plot function, 153

Foolproof functions, 115–117

default values for variables in function arguments, 115–116

Fox, J, 23

Functions, 108–117

foolproof functions, 115–117

default values for variables, 115–116

misspelling, 116–117

with multiple arguments, 113–115

is.na function, 110

names function, 109

NAs, 108–113

positional matching, 110

principle of, 108

read.table function, 111

technical information, 110–111

zeros, 108–113

See also individual entries; if statement

G

Gelman, A, 23

General issues in R, 19–21

font size adjustment, 19

quitting R, 21

setting the working directory, 21

in using Tinn-R text editor, 19–20

‘hidden enter’ notation on the last line,

not copying, 19–20

Generalised linear mixed modelling

(GLMM), 16

Generalized Additive Models: An Introduction with R, 23

Generic plot function, 145

Gentleman, R., 22–24

cbind function, 34–38

c function, concatenating data with, 31–33

data.frame function, combining data with, 42–43

first steps, 29–46

typing in small datasets, 29–31

list function, combining data using, 43–46

matrix, combining data using, 39–41

rbind functions, 34–38

rep function, 35

vector function, combining data with, 39

See also Importing data

Gillibrand, EJV, 7

glmmPQL function, 16

Gonadosomatic index (GSI), 47

Graphical user interface (GUI), 6

Graphing facilities in R, 10–11, 85–88, 127–168

background image, 10

colours, 88–95

changing options, 92–93

vector use for *cex* option, 94–95

importing to Microsoft Word, 86

modifications to, 87

pie chart menu in Excel, 11

pixmap, 10

plot function, 10

plotting characters, changing, 88–92

pch option in, 88–89

vector use for *pch*, 90–92

saving graphs, in loops, 105–107

scatterplots, 86–88, 94

sizes, 88–95

altering, 93–95

cex option, 93

smoothing line, adding, 95–97

fitted function, 98

lines function, 95–97

loess function in, 96

order function, 97

symbols, 88–95

vector use for *col*, 93

See also Bar chart; Boxplots; Cleveland dotplots; Combining types of plots; Coplot; Pairplot; Pie chart; plot function; Strip chart

grid function, 149

grid package, 164

gstat package, 17–18

H

Handbook of Statistical Analysis Using R, A, 23

Hastie, TJ, 22, 95, 178

Head function, 32

Help files, 13–15

question mark, 13

Search Engine & Keywords links, 15

See also Newsgroups

Hemmingsen, 111(AQ: not listed in reference, please provide initial)

High-level lattice functions, 169–170

bwplots function, 170

cloud function, 170

contourplot function, 170

densityplot function, 170

dotplot function, 170

histogram function, 170

levelplot function, 170

panel.densityplot, 170

panel.histogram, 170

parallel function, 170

qqmath function, 170

spiom function, 170

stripplot function, 170

wireframe function, 170

xyplot function, 170

Hill, J, 23

histogram function, 170, 176–177

History, 22–24

Homepage, R website, 2

Hornik, K, 22

Hothorn, T, 23

I

Identifying points, plot function, 152–153

identify function, 153

if statement, 117–125

ifelse command, 117

importing and assessing the data (Step 1), 118–119

putting the code into a function (Step 6), 122–125

richness per site (Step 3), 120–121

Shannon index per site (Step 4), 121–122

total abundance per site (Step 2), 119–120

See also Diversity indices

- Importing data, 46–54
 - accessing a database, 52–54
 - accessing data from other statistical packages, 51–52
 - Excel data, 47–51
 - See also individual entry*
 - in loops, 102–103
 - problems with, 195–197
 - decimal point or comma separation, 195–196
 - errors in the source file, 195
- Installing R, 2–4
 - graphical user interface (GUI), 6
 - See also Downloading R*
- Introductory Statistics with R*, 22
- is.na** function, 143

- J**
- Jacoby, WG, 141
- Jazzing up the coplot, 162–163
- jitter.x** option, 175
- Jolliffe, IT, 181, 184
- jpeg** function, 106

- K**
- Keele, L, 23
- Keough, MJ, 150

- L**
- labels**, adding, in loops, 103–104
- lapply** function, 80–81
- Lattice package, 169–193
 - contour plots, 184–185
 - frequently asked questions, 185–191
 - axes limits change, 188–189
 - multiple graph lines in a single panel, 189–190
 - panel order change, 186–188
 - plotting from within a loop, 190–191
 - tick marks change, 188–189
 - updating a plot, 191
 - surface plots, 184–185
 - 3-D Scatterplots, 184–185
 - See also bwplot*; High-level lattice functions; Histogram; Cleveland dotplots; **panel** functions; **xyplot**
- Lattice. Multivariate Data Visualization with R*, 24
- layout** function, 165, 167
- legend** function, 149, 166
 - Cleveland dotplots, 144
- Legendre, L, 108, 183–184
- Legendre, P, 108, 183–184
- Legends, 150–152
- levelplot** function, 170
- Library function**, 16, 18
- Linear Models with R*, 23
 - adding extra lines in plot function, 148
 - lines** function, 148–149
 - in adding smoothing line, 95–97
- list** function, combining data using, 43–46
 - AllData* typing, 46
- Literature overview, 22–24
 - Use R! Series, 24
 - See also Books*
- Loading the R package, 18
- Local server page, 3
- locator** function, 155
- loess** function, in adding smoothing line, 96
- log function, 27
- log of zero, common R mistake, 202–203
- log10 function, 27
- Loops, 99–108
 - architectural design, planning, 102
 - constructing the loop (Step 6), 107–108
 - designing general code (Step 4), 104–105
 - importing the data (Step 1), 102–103
 - making scatterplots and adding labels (Steps 2 and 3), 103–104
 - saving the graph (Step 5), 105–107
 - dev.off** functions, , 125
 - jpeg** function, 125
- Loyn, RH, 150

- M**
- Magurran, AE, 117
- Maindonald, J, 23
- Manual download and install, 16, 17
- mar** option, 155
- MASS package, 16
- matplot** function, 155
- matrix** function, 42–43, 54
 - combining data using, 39–41
- mean function
 - adding to Cleveland dotplot, 143–144
 - tapply** function, 79–80
- Mendes, S, 154
- merge** function, 67–68
- mfrow** function, 155, 164
- Mistakes in R, *see* Common R mistakes
- Mixed Effects Models and Extensions in Ecology with R*, 23
- Mixed Effects Models in S and S-Plus*, 23

Modern Applied Statistics with S, 4th ed, 22

mtext function, 149

Multipanel scatterplots, 170–172

Murdoch, DJ, 23

Murrell, P, 10, 23, 191

N

names function, 111

NAs, 108

Nason, GP, 24

Newsgroups, 13–15

posting a message to, 15

nlme package, 201

Nominal variables, 71

Non-**attach** misery, 201–202

number argument, 162

O

Open DataBase Connectivity (ODBC),
52–54

order function, 74, 98

in adding smoothing line, 97

P

Packages, 16–19

in base installation of R, 16

loading, 18

library function, 18

manual download and install, 16, 17

websites for, 17

from within R, 17–18

quality of, 18–19

user-contributed packages, 16–19

MASS package, 16

Pairplot, 155–157

extended pairplot, 157

mar option, 155

mfrow function, 155

pairs function, 155

panel functions, 156–157

pairs function, 155, 167

panel functions, 156–157, 160, 177–184

data argument, 183

first panel function example, 177–179

panel.bwplot, 177

panel.grid, 178

panel.histogram, 177

panel.loess, 178

panel.xyplot, 177–178

princomp function, 184

second panel function example, 179–181

cut-off level, 180

third panel function example, 181–184

xlab argument, 183

xlim, 183

ylab argument, 183

ylim, 183

Panel order change, in lattice package,
186–188

panel.histogram, 170

panel.lm function, 160, 162

par function, 130–131, 166

mar option, 130

in pie chart, 129–131

drawback with, 130

parallel function, 170

paste function, 125

pch option in changing plotting characters,
88–89

vector use in, 90–92

persp function, 155

Pie chart, 127–131

avian influenza data example, 127–130

with clockwise direction of slices, 129

mar option, 130

menu in Excel, 11

par function, 129–131

with rainbow colours, 129

standard pie chart, 129

three-dimensional pie chart, 129

pie function, 166

pie3D function, 166

Pinheiro, J, 23, 200–201

plot function/function, 10, 85–88, 145–155

abline function, 146

benthic dataset, 145–146

data argument in, 86–87

font size, changing, 153

fonts, changing, 153

generic plot function, 145

identifying points, 152–153

legends, 150–152

lines, adding extra lines, 148

lines function, 148

log argument, 147

main argument, 147

options for, 146–148

pch option in, 88–89

points function, 148

points, adding extra points, 148

special characters, adding, 153–154

expression function, 153

text function, 148

- text, adding extra text, 148
 - type = “n”, using, 149
 - type** argument, 147
 - xlab** option, 87
 - xlim** option, 87, 147
 - ylab** option, 87, 147
 - ylim** option, 87, 147
 - See also* Graphs
 - plot.new** function, 155
 - Plotting characters, changing, 88–92
 - See also under* Graphs
 - Plotting tools, 85–98
 - points** function, 149, 166
 - Points, adding extra points in plot function, 148
 - polygon** function, 149
 - Positional matching, 110
 - princomp** function, 184
- Q**
- qqmath** function, 170
 - Quality of R package, 18–19
 - Quinn, GP, 150
 - Quitting R, issue in, 21
- R**
- R and S-Plus Companion to Applied Regression, An*, 23
 - R and S-PLUS Companion to Multivariate Analysis, An*, 23
 - R book, The*, 22–23
 - R Graphics*, 23
 - range** function, 155
 - rbind** functions, combining variables with, 34–38
 - read.table** function, 47, 48–51, 111, 195
 - in accessing variable, 57–58
 - Recoding categorical variables, 71–74
 - rect** function, 149
 - Reed, JM, 186
 - rep** function, 54, 186
 - Ripley, BD, 2, 16, 22, 199
 - Ross Ihaka, 22 (AQ: not listed in reference, please provide initial)
 - Roulin, A, 101, 137
 - rug** function, 149
 - RWinEdt, 13
- S**
- sapply** function, 80–81
 - Sarkar, D, 24, 169, 191–192
 - savePlot** function, 155
 - scales** option, 188
 - scan** function, in accessing variable, 57
 - Scatterplots, 86–88
 - in loops, 103–104
 - Script code, 7–10
 - art of programming, 7–8
 - documenting, 8–10
 - Search Engine & Keywords links, 15
 - segments** function, 149
 - Semi-Parametric Regression for the Social Sciences*, 23
 - Shannon index, 117, 121–122
 - shingle** function, 171
 - Shumway, RH, 23
 - \$ sign, in accessing variable, 61–62
 - Sikkink, PG, 77
 - Simple functions, 77–84
 - lapply** function, 80–81
 - mean per transect, calculating, 78–79
 - sapply** function, 80–81
 - summary** function, 81–82
 - table** function, 82–84
 - tapply** function, 77–80
 - Sizes, in graphs, 88–95
 - altering, 93–95
 - Small datasets, typing in, 29–31
 - Smoothing line, adding, 95–97
 - fitted** function, 98
 - lines** function, 95–97, 98
 - loess** function, 96, 98
 - order** function, 97, 98
 - Sodium Dominance Index (SDI), 161
 - Sorting, data, 66–67
 - Special characters, adding, plot function, 153–154
 - expression** function, 153
 - paste** function, 154
 - Species richness, 117
 - Spector, P, 24
 - split** function, 155
 - splom** function, 170
 - Squid** data frame
 - in accessing subsets, 63–66
 - in accessing variable, 57
 - Stacked bar chart, 132
 - Standard bar chart, 132
 - Standard deviations, bar chart showing
 - mean values with, 133–135
 - Standard pie chart, 129
 - Startup window, 5
 - Statistical Models in S*, 22
 - Statistics. An Introduction Using R*, 23
 - Stoffer, DS, 23
 - str** function, 74, 196
 - in accessing variable, 59–60

strip argument, 171
 Strip chart, 131–136
 for benthic data, 135–136
 arrow function, 136
 stripchart function, 136
stripplot function, 170
subset option, 175
 Subsets of data, accessing, 57–75
 combining two datasets with common
 identifier, 67–69
 merge function, 67–68
 exporting data, 69–70
 recoding categorical variables, 71–74
 sorting the data, 66–67
 order function, 66–67
 squid data frame, 63–66
 unique function, 63
summary function, 81–82
 Surface plots, 184–185
 Symbols
 # symbol, 58
 = symbol, 30
 in graphs, 88–95

T
 Tab-Delimited ascii File, exporting data to, 47–48
table function, 82–84
tapply function, 77–80, 133
 Cleveland dotplots, 144
 mean per transect, calculating, 78–79
 Text
 adding extra text in plot function, 148
 text function, 148–149, 166
 Three dimensional pie chart, 129
 Three dimensional scatterplots, 184–185
 cloud function, 184
 Tibshiranie, R, 95, 178
 Tick marks change, in lattice package, 188–189
*Time Series Analysis and Its Application.
 With R Examples — Second
 Edition*, 23
 Tinn-R file, in accessing variable, 58
 Tinn-R text editor, 12–13, 19–20
title function, 149, 167
 Total abundance per site, 117, 119–120
 Two conditioning variables, coplot with,
 161–162
 number argument, 162
 panel.lm function, 162
 Sodium Dominance Index (SDI), 161
type = "n", 149

U

unique function, 63
update function, 191
Using R for Introductory Statistics, 23

V

Variables of data, accessing, 57–63
 attach function, 62–63
 data argument in a function, 60–61
 detach function, 62
 read.table function, 57–58
 scan function, 57
 \$ sign, 61–62
 Squid data frame, 57
 str function, 59–60
 Tinn-R file, 58
vector function, combining data with, 39
 Venables, WN, 2, 16, 22, 199
 Verzani, J, 23
 Vicente, J, 54, 82, 142
 Visualizing the data, 10–11

W

Weimerskirch, H, 10
win.graph function, 155
windows function, 155
 Windows OS, editors for R in, 12
wireframe function, 170
 Wood, SN, 23, 95, 197, 200
 Working directory, setting issue in, 21
write.table function, in exporting data, 69–70

X

xlab option, 87, 183
xlim option, 87, 183
xyplot function, 20, 170–172
 data argument, 171
 equal.count function, 171
 shingle function, 171
 strip argument, 171

Y

ylab argument, 87, 183
ylim option, 87, 183

Z

Zar, JH, 136
 Zeros, 108–110
 Zuur, AF, 7–8, 10, 23, 55, 59, 83, 95, 97, 101,
 108, 117, 133, 137–138, 141, 150,
 161, 181, 184