

# Index

## A

- Aeolian erosion, *see* Ventifacts; Yardangs
- Aeolian erosion and landform hierarchies, 622–623
- Aeolian grooving, 621
- Aeolian inverted topography, 622
- Aeolian sediment transport
  - entrainment, 524–532
    - grain size, 527–528
    - processes, 525–526
    - Raupach model, 528–530
    - saltation intermittency, 526–527
    - surface roughness, 528–532
    - threshold, 524–525
  - sand transport, 533–548
    - bonding agents, 539–548
      - aggregated particles, 544
      - crusts, 544–547
      - moist particles, 539–543
    - measurement, 538–539
    - numerical simulation, 535
    - particle saltation, 533–534
    - prediction, 536–538
    - saltation cloud, 535
    - splash, 533–534
    - wind profile adjustments to saltation, 535–536
  - streets, 532
  - transport modes, 518–519
  - windflow, 519–524
    - displacement height, 521
    - measurement, 523–524
    - profile adjustments to saltation, 535–536
    - Reynolds stress, 522–523
    - roughness, 521–522
    - shear velocity, 520
    - vegetation, 520–521
- African Deserts, 634, 637, 696, 758, 764–766, 776–777
  - Kalahari, 12–13, 128, 132, 134, 454, 563–566, 581, 583, 585, 637, 760, 764–765, 786
  - Lake Chad, 637, 698, 745, 805, 811
  - Libyan, 9–10, 616, 644–645, 759, 773, 779–781, 805–806
  - Namib, 10–12, 40, 85, 129, 130, 135, 141–144, 190, 194, 563–565, 567, 571, 574, 576–577, 579–587, 600, 605, 612, 616, 618, 620, 622, 632–634, 638, 760, 765, 773, 800
- Sahara, 117, 195, 563–565, 567, 583–584, 613, 616, 618–620, 637, 640–641, 644, 680, 685, 690, 699–701, 714, 757–760, 765–766, 777–785, 801, 803–812
  - geomorphic history, 804–812
    - Cenozoic deep weathering, uplift and erosion, 806–807
    - Cenozoic volcanism, uplift and rifting, 807–808
    - late Cenozoic desiccation, 808–810
    - Palaeozoic and Mesozoic sedimentation, 805–806
    - Precambrian tectonic legacy, 804–805
    - Quaternary climatic fluctuations, 810–812
- Alluvial fans
  - active depositional lobe, 420
  - apex, 420
  - climate change, 444
  - conditions for development, 420–422
  - controls on fan processes, 444–451
    - adjoining environments, 447–449
    - catchment lithology, 444–445
    - catchment shape, 445–447
    - climate, 449–451
    - tectonics, 451
  - tributary channels, 443–444
  - as Evidence of Climatic Change
    - importance of high magnitude floods, 732–733
    - limitations, 723–729
      - dating methods, 725–748
      - lack of control, 728–729
      - sedimentology, 725
    - persistence in alluvial fan studies, 723
    - transition-to-drier-climate model, 729–730
  - evolution, 457–458
  - features, 415–420
    - cross profiles, 415–417
    - radial profiles, 415–417
  - feeder channel, 420
  - forms, 451–454
    - composite morphology, 452–453
      - cross profiles, 453
      - incised channels, 453
      - plan view, 453
      - radial profiles, 453–454
    - constituent morphology, 452
  - incised channel, 420

- intersection point, 420
  - morphometric relationships with catchments, 454–456
    - fan area vs catchment area, 454–455
    - fan slope vs catchment area, 455–456
  - primary processes, 422–438
    - colluvial slips, 427
    - debris flows, 427–432
    - earthflows, 425–426
    - incised channel floods, 434
    - non-cohesive sediment-gravity flows, 432
    - rock avalanches, 423–425
    - rockfalls, 423
    - rock slides, 423
    - sheetfloods, 434–438
  - secondary processes, 438–442
    - bioturbation, 440
    - groundwater, 440
    - neotectonics, 440
    - reworking by water, 438
    - reworking by wind, 438–439
    - soil development, 442
    - weathering, 440–442
    - wind deposition, 438–439
  - sieve lobes, 442
  - types, 456–457
    - bedrock deposits, 456
    - cohesive colluvial deposits, 456–457
    - non-cohesive colluvial deposits, 457
  - Alveolar weathering, 211
    - See also* Tafoni; Cavernous weathering
  - Arabian Desert, *see* Middle Eastern Deserts
  - Aridity
    - causes, 799–802
    - index, 4
  - Arroyos, 709–711
  - Asian Deserts, 616–617, 634, 637, 644–645, 696, 731–732, 746–749, 758, 761, 782, 800, 802
    - Gobi, 89, 306, 731, 802
    - Taklimakan, 15, 616
    - Tarim Basin, 15, 306, 620
    - Thar, 13–14, 583
  - Atacama Desert, *see* South American Deserts
  - Australian Deserts, 15–16, 81, 107, 109–110, 124–127, 129–133, 135–143, 162, 168, 190, 193–197, 287, 306–307, 319, 341, 352, 401, 581, 585, 616, 622, 636–641, 644, 646, 696, 700, 706–709, 717, 758, 761, 764–766, 786–787, 800, 803–804, 813–818
    - geomorphic history, 813–818
      - Cenozoic deep weathering, uplift and erosion, 814
      - late Cenozoic dessication, 814–815
      - Palaeozoic and Mesozoic sedimentation, 813
      - Precambrian tectonic legacy, 813
      - Quaternary climatic fluctuations, 815–818
  - Lake Eyre, 113, 363, 637, 708, 730–732, 745–746, 817–818
  - Simpson, 563–565, 585, 638, 761
  - Strzelecki, 563, 585, 761, 817
  - Tirari, 817
- B**
- Badlands
    - architecture, 274–284
    - evolution, 274–280
    - fluvial processes, 280–284
    - mass wasting, 269
    - modelling evolution, 284–285
    - piping, 271
    - rainsplash, 272
    - regolith, 266–268
    - runoff erosion, 272–274
    - wash processes, 270–271
    - weathering, 268
  - Barchans, *see* Crescentic dunes
  - Basin and Range, *see* North American Deserts
  - Biogeomorphology, 22
  - Bornhardts, *see* Inselbergs; Rock slopes
  - Boulder-controlled slopes, 233
    - See also* Rock-mantled slopes
- C**
- Calcrete, *see* Duricrusts
  - Cavernous weathering, 71, 213
  - Cenozoic climates in deserts, 802–804
  - Channel flow, 325–329
  - Channel gradient, 285, 363, 364, 703, 711
  - Chihuahuan Desert, *see* North American Deserts
  - Climate, 4–5
    - See also* Aridity; Desert climates; Precipitation
  - Climate change in deserts, 5, 444, 799–824
    - impact of climatic events on deserts, 818–819
    - impact on human activity, 776–789
    - in relation to
      - alluvial Fans, 723–742
      - archaeological record, 774–790
        - issues of scale, 774–776
      - dunes, 757–772
      - hillslopes, 75–94
      - lakes, 743–756
      - ivers, 695–721
    - See also* Layered rock slopes, Rock-mantled slopes
  - Closed lake basins, *see* Hemiarid lake basins
  - Colorado Plateau, *see* North American Deserts
  - Connectivity, 55
  - Coppice dune, *see* Nebkha(t)
  - Crescentic dunes, 562–563
  - Crusts, 48, 87, 102, 241, 544–547
    - microphytic, 48
  - Cyanobacteria, 48, 86
- D**
- Death Valley, *see* North American Deserts
  - Debris-covered slopes, 233
    - See also* Rock-mantled slopes
  - Debris flows
    - on alluvial fans, 427–432
    - on rock-mantled slopes, 257–258
    - use of rock varnish, 667
  - Debris slopes, 233
    - See also* Rock-mantled slopes
  - Desert Climates, 4–5

- See also* Aridity
- Desert depressions, 621–622
- Desert Geomorphology, 3–6  
 future research directions, 90–92, 175–178, 548, 587
- Desert pavement  
 gravel source, 116–117  
 morphology, 114–115  
 origins, 115–116  
 use of rock varnish, 663–666
- Desert soils, *see* Soils
- Desert varnish, *see* Rock coatings; Rock varnish
- Discontinuous gullies, 714
- Dry debris movement, 256, 257
- Dunes  
 airflow, 568–571  
 compound and complex dunes, 583  
 erosion and deposition patterns, 571–576  
 as Evidence of Climatic Change  
 Africa, 757–761, 764–766  
 Asia, 761, 764–766  
 Australia, 761, 764–766  
 North America, 761–764, 766–769  
 initiation, 567–568  
 long-term dynamics, 576–577  
 morphological controls, 577–581  
 sand supply, 580  
 sediment characteristics, 578  
 vegetation, 580–581  
 wind regimes, 578–580  
 orientation, 581–582  
 processes, 567–576  
 relict, 12  
 types, 15, 558, 562, 564–566, 577, 579, 580, 585, 587  
 Crescentic, 562–563  
 linear, 563–564  
 parabolic, 566–567  
 sand sheets, 567  
 star, 565–566  
 wind ripples, 559–561  
 zibars, 567
- Duricrusts  
 calcrete, 123–134  
 chemistry, 129–131  
 distribution, 123  
 intergrades to silcrete, 140–141  
 mineralogy, 131–132  
 morphology, 124–129  
 origin, 132–134  
 terminology, 123–124  
 gypsum crusts  
 chemistry, 142–143  
 morphology, 142  
 occurrence, 141–142  
 origin, 143–144  
 silcrete, 134–141  
 chemistry, 137–138  
 distribution, 135  
 intergrades to calcretem, 140–141  
 mineralogy, 138–139  
 morphology, 135–137  
 origin, 139–140  
 terminology, 134–135
- Dust  
 deposition, 641–649  
 factors, 642–644  
 loess, 89–90, 644–649  
 oceanic, 641–642  
 terrestrial, 642  
 emission  
 global emission, 634–636  
 global emission models, 636–637  
 meteorological conditions, 639–641  
 cold fronts, 639–640  
 depressions, 640  
 mountain winds, 640–641  
 thundery conditions, 640  
 sub-continental emissions, 637–639  
 particle characteristics, 629–631  
 production, 631–634  
 aeolian abrasion, 633  
 weathering processes, 632–633
- E**
- Ecohydrology, 22
- Ergs, *see* Sand seas
- Evaporation, 314–317
- Evolution, 3, 4, 17, 22, 42, 48, 54–57, 90–93, 101, 108, 109, 124, 138, 173, 189, 219, 274, 288, 588
- F**
- Flatirons  
 climatic thresholds, 689–690  
 lithological and structural controls, 686–689  
 mode of formation, 685–686  
 timescales for formation, 690–691
- G**
- Geoarchaeology, 773–774
- Gibber, 16
- Gobi Desert, *see* Asian Deserts
- Groundwater, 323–325  
 on alluvial fans, 440
- Gullies  
 erosional processes, 287–288  
 modelling evolution, 288–293  
 vegetation effects, 286–287
- H**
- Hamadas, 115
- Hemiarid Lake Basins  
 applied palaeolake studies, 507–511  
 changes, 475–477  
 as Evidence of Climatic Change  
 geomorphology of Palaeolakes, 746–748  
 palaeoclimatic reconstruction, 752–754  
 palaeolakes, 744–745  
 sedimentology and stratigraphy, 752  
 techniques, 749–752  
 hydrographic change, 480–485  
 hydrographic closure, 471–474

- hydrographic connections, 478–479  
hydrographic continuum, 479–480  
hydrographic fitness, 481  
hydrographic responsiveness, 481  
lakebed landforms, 496–501  
    aeolian deposition, 499–500  
    aeolian erosion, 499–500  
lakebeds, 489–490  
lakebed sediment sinks, 495–496  
lakebed sediment sources, 490–492  
lake shorelines, 668  
lakeshore sediment pathways, 492–495  
origins, 474–475  
palaeolake studies, 501–507  
topographic closure, 471–474  
Hillslopes, *see* Layered rock slopes; Rock slopes; Rock-mantled slopes; Badlands  
    as evidence of climate change  
    dry periods, 677–682  
    effects of slope type, 682–685  
    indicator potential, 676–677  
    resistance to change, 675–676  
    use of rock varnish, 666–668  
Hydrology, 303–329
- I**  
Indus, 13  
Infiltration, 43, 47–48, 240–243, 312–314  
Inherited landforms, 196–198  
Inselbergs  
    on pediments, 388–389  
    *See also* Rock slopes  
Islands of fertility, 32, 50
- K**  
Kalahari Desert, *see* African Deserts  
Karst, 86–88, 195–196  
Kthib, *see* Nebkha(t)
- L**  
Lake Basins, *see* Hemiarid lake basins  
Lake Bonneville, *see* North American deserts  
Lake Chad, *see* African Deserts  
Lake Eyre, *see* Australian Deserts  
Lake Lahontan, *see* North American Deserts  
Lake Lisan, *see* Middle Eastern Deserts  
Lake Manix, *see* North American Deserts  
Layered rock slopes  
    caprock, 205–206  
    caprock backslopes, 206–207  
    climate change, 213–218  
    evolution, 218–228  
    backwasting, 220–222  
    fluvial downcutting, 222–224  
    groundwater sapping, 224–227  
    planform, 219–220  
    hoodoos, 209–210  
    processes, 201–203  
    *See also* Evolution  
    rates of erosion, 203–206  
    sapping, 210–213, 224–227  
    scarp evolution, 200–201, 218–228  
    segmented scarps, 208–209  
Libyan Desert, *see* African Deserts  
Linear dunes, 563–564  
Loess, 89–90, 644–649  
Lunettes, 818
- M**  
Microtopography, 113–114  
Middle Eastern Deserts, 634, 639, 704, 777, 784–786  
    Arabia, 141, 198, 566, 583–585, 636, 641, 644, 685, 778, 784  
    Lake Lisan, 745, 747, 761  
    Negev, 40, 78, 169, 175, 240, 251, 268, 312, 319, 342, 346, 352, 357–358, 712, 716, 761  
Mojave Desert, *see* North American Deserts  
Mountain front, 382
- N**  
Namibian Desert, *see* African Deserts  
Nebkha(t), 40–41  
Negev Desert, *see* Middle Eastern Deserts  
North American Deserts, 16–17, 616, 696, 761–764, 766–769, 787–788  
    Basin and Range, 377, 385, 391–393, 420, 422, 451, 730, 745  
    Chihuahuan, 50, 131, 251, 306  
    Colorado Plateau, 17, 153, 159, 198, 200–203, 206–210, 213–217, 223–224, 362, 421, 436, 438, 440, 444–448, 451, 458, 482, 496, 600, 665–666, 668, 677–678, 681–682, 711  
    Death Valley, 85, 109, 124, 390–391, 727, 731, 734  
    Great Basin, 50  
    Lake Bonneville, 509–510, 745, 747  
    Lake Lahontan, 510, 745, 747  
    Lake Mannix, 764, 766  
    Mojave, 48, 50, 106–107, 131, 133, 169, 234–235, 237, 249, 258, 306, 315, 323, 383–387, 389, 391–410, 405, 544, 584, 600, 607–608, 611–612, 621, 638, 642–643, 666, 668, 677, 686–690, 730, 757, 763–764, 766–768, 787  
    Sonoran, 169, 237, 306, 315, 383–384, 389, 393, 398–400, 584, 666, 668, 733, 763–764
- O**  
Okovango Delta, 12  
Overland flow, *see* Runoff
- P**  
Parabolic dunes, 566–567  
Patterned ground  
    gilgai, 109–112  
    surface cracks, 112–113  
Pediment flatirons, *see* Flatirons  
Pediments  
    age, 398–399  
    alluvial boundary, 383  
    classification, 379–380  
    definitions, 378–379  
    development, 389–399

- climatic influences, 393
- lithological and structural influences, 389–391
- rates of downwearing and backwearing, 394–398
- tectonic influences, 391–393
- time, 393–394
- dissection, 385–388
- drainage, 385–388
- formation, 402–409
  - drainage basin development, 403–404
  - lateral planation, 402–403
  - range front retreat, 403
  - valley development, 403
- inselbergs, 388–389
- longitudinal slope, 383–385
- morphology, 380–382
- pediment association, 380
- processes, 399–401
  - subsurface weathering, 400–401
  - surface processes, 399–400
- regolith, 389
- regrading, 401
- suballuvial surface, 383
- transverse profile, 385
- Phytogenic mound, *see* Nebkha(t)
- Piedmont, 380
  - See also* Alluvial fans; Pediments
- Piedmont junction, 238–239, 382–383
- Pipes, 271
- Plants
  - canopy, 34–42
    - interception, 39, 311–312
    - roughness, 36–38
    - stemflow, 39
  - channel bank stability, 352–356
  - competition, 32
  - connectivity, 55
  - facilitation, 32
  - microclimates, 34
  - mounds, 40–41
  - pattern, 22–54
  - photosynthetic pathways, 27–32
  - phreatophytes, 317
  - responses to stress, 24–27
  - roots, 43–47
  - transpiration, 314–317
- Playa, *see* Hemiarid lake basin
- Prandtl-von Karman equation, 519
- Precipitation, 304–308
  - intensity, 308
  - magnitudes, 304–308
  - spatial variability, 310–311
  - temporal variability, 308–310
- Q**
- Quaternary
  - late Quaternary climates and human activity in deserts, 776–789
    - Africa, 776–784
    - Australia, 786–787
    - Middle East, 784–786
    - North America, 787–788
    - South America, 788–789
    - Southern Africa, 786
- R**
- Rainsplash, 252–255
  - on badlands, 272
- Raupach model, 528–530
- Rebdou, *see* Nebkha(t)
- Reg, 115
- Rehboub, *see* Nebkha(t)
- Riparian vegetation, 45
- Rivers
  - bank stability, 353–356
  - bed configuration and texture, 356–360
    - bedforms, 358
    - gravel-bed texture, 358–360
  - bedload transport, 342–349
  - channel gradient, 364–365
  - channel morphology, 349–360
    - cross-sectional form, 352–356
    - equilibrium, 350–352
    - formative events, 350–352
  - channel pattern, 360–364
  - dissolved load, 334–335
  - as Evidence of Climate Change
    - arroyo problem, 709–711
    - channel planform, 702–709
    - continental drainage, 696–700
    - deposits, 711–718
    - fluvial landform reconstruction, 700–702
  - longitudinal profile, *see* Channel gradient
  - sensitivity to climate change, 695–696
  - suspended bed material, 336–340
  - suspended load, 335–336
  - wash load, 340–342
- Rock coatings
  - as a Chronometric tool, 173–175
    - carbonate, 173–175
    - lithobionts, 175
    - oxalate, 175
    - rock varnish, 173
  - formation, 159–173
    - carbonate crusts, 172
    - fissuresol coatings, 159–160
    - iron films, 170–172
    - lithobionts, 160–164
    - oxalate crusts, 172
    - rock varnish, 164–166
    - salt crusts, 172–173
    - silica glaze, 166–170
  - geochemistry model of Development, 155–159
    - geomorphic controls, 156–157
    - habitability for lithobionts, 157
    - inheritance from the subsurface, 157
    - transport pathways, 157
      - barriers to transport, 157–159
- Rock-mantled slopes
  - climate change, 258–259
  - erosion by hydraulic processes, 248–256
    - concentrated runoff, 255–256
    - raindrop detachment and erosion, 252–255

- unconcentrated runoff, 248–255
- form, 233–238
- gravitational processes, 256–258
  - debris flows, 257–258
  - dry debris movement, 257
  - dry ravel, *see* Dry debris movement
- hydraulic processes, 239–248
  - concentrated runoff, 245–248
  - infiltration, 240–243
  - unconcentrated runoff, 243–247
- particle size, 233–238
- Rock slopes, *see also* Layered rock slopes
  - bornhardts, 193–195
  - etch processes, 196–198
  - inherited forms, 196–198
  - karst, 195–196
  - mass wasting, 192–193
  - rock mass strength, 189–190
  - sheeting, 191–192
  - structural influences, 190
- Rock varnish
  - as Evidence of Climatic Change
    - microlamination revolution, 658
  - uses
    - debris flows, 667
    - desert pavements, 663–666
    - hillslope processes, 666–667
    - hydraulic processes, 668
    - landslides, 666
    - palaeolake shorelines, 668
    - soil processes, 663–666
    - weathering processes, 662–663
- See also* Rock coatings
- Runoff, 272–274, 317–322
  - See also* Badlands; Rock-mantled slopes
- S**
- Sahara Desert, *see* African Deserts
- Sand seas, 583–590
  - dune patterns, 585–590
- Sand sheets, 567
- Scarps, *see* Layered rock slopes
  - and climate change, 677
- Sheetfloods, 434–438
- Silcrete, *see* Duricrusts
- Simpson Desert, *see* Australian Deserts
- Slopes, *see* Layered rock slopes; Rock slopes; Rock-mantled slopes; Badlands
- Soils
  - classification, 107–108
  - duripans, 106–107
  - gilgai, 109–112
  - horizons
    - argillic, 103
    - calcic, 105–106
    - cambic, 103
    - gypsic, 105–106
    - nitric, 104–105
    - salic, 104–105
    - vesicular, 102–103
  - landscape development, 108–109
  - surface cracking, 112–113
  - use of rock varnish, 663–666
- Sonoran Desert, *see* North American Deserts
- South American Deserts, 788–789
  - Atacama, 14–15, 40, 84, 141, 583, 647, 773, 778, 800
- Star dunes, 565–566
- Strzelecki Desert, *see* Australian Deserts
- T**
- Tafoni, 71, 78, 83, 85, 195, 211–213
- Taklamakan Desert, *see* Asian Deserts
- Talus flatirons, *see* Flatirons
- Tarim Basin, *see* Asian Deserts
- Tectonic events and deserts, 818–819
- Thar Desert, *see* Asian Deserts
- Transmission loss, 324–325
- Trigger-transfer-reserve-pulse model, 54–55
- Two-layer hypothesis, 54
- V**
- Vegetation, *see* Plants
- Ventifacts, 597–613
  - abradants, 605–608
    - dust, 605–606
    - sand, 606–608
  - environment of formation, 598–599
  - erosional forms, 600–605
    - abrasion-hardened surfaces, 605
    - etching and fretting, 603–604
    - facets, 601
    - flutes, 602
    - grooves, 602–603
    - helical forms, 604–605
    - pits, 601–602
    - scallops, 602
    - smoothing of rock surfaces, 601
  - formation, 608–612
    - characteristics of the particle, 610
    - height of abrasion, 609–610
    - magnitude of erosion, 608–609
    - rate of abrasion, 611
    - susceptibility of target, 610
    - topographic influences, 611–612
  - morphology, 600–605
    - lithological control, 600
  - processes of rock destruction, 605–608
  - use in determining palaeocirculation, 612–613
- W**
- Water balance, 322–323
- Weathering
  - albedo effects, 75–76
  - biochemical, 83–84
  - cavernous, 71
    - See also* Tafoni
  - chemical, 83–88
  - fog, 78
  - future directions, 90–92
  - karst, 86–88
  - loess, 89–90
  - mechanical, 76

- microclimate, 73
  - moisture effects, 77–83
    - fog, 78
    - precipitation, 78
    - salt, 80–83, 88
  - orographic effects, 77–78
  - tafoni, 83
  - salt, 76
  - simulations, 71
  - temperature effects, 70–77
  - thermal stress, 74–77
  - use of rock varnish, 662–663
  - See also* Cavernous weathering
  - Windflow, *see* Aeolian sediment transport
  - Wind ripples, 559–561
- Y**
- Yardangs, 613–621
    - factors affecting distribution, 616–617
    - form and scale relationships, 617
    - history of yardang research, 615–616
    - mega-yardangs and ridge systems, 613–615
    - meso-yardangs, 615
    - models of yardang development, 619–620
    - processes of formation, 617–619
      - abrasion, 617–618
      - deflation, 618
      - fluvial erosion, 618–619
      - mass movement, 619
      - weathering, 619
    - rates of formation, 620
    - wind-tunnel simulations, 621

**Z**

Zibars, 567