

---

## References

- Akaike, H. (1974). A new look at statistical model identification. *IEEE Transactions on Automatic Control*, 19:716–722.
- Bass, F. (1969). A new product growth model for consumer variables. *Management Science*, 15:215–227.
- Becker, R., Chambers, J., and Wilks, A. (1988). *The NEW S Language*. New York: Chapman & Hall.
- Beran, J. (1994). *Statistics for Long-Memory Processes*. New York: Chapman & Hall.
- Bozdogan, H. (1987). Model selection and Akaike’s Information Criterion (AIC): The general theory and its analytical extensions. *Psychometrika*, 52:345–370.
- Brohan, P., Kennedy, J., Harris, I., Tett, S., and Jones, P. (2006). Uncertainty estimates in regional and global observed temperature changes: A new data set from 1850. *Journal of Geophysical Research*, 111(D12106).
- Brown, R. (1963). *Smoothing, Forecasting, and Prediction of Discrete Time Series*. Englewood Cliffs, NJ: Prentice-Hall.
- Coleman, S., Gordon, A., and Chambers, P. (2001). SPC - making it work for the gas transportation business. *Journal of Applied Statistics*, 28:343–351.
- Colucci, J. and Begeman, C. (1971). Carcinogenic air pollutants in relation to automotive traffic in New York. *Environmental Science and Technology*, 5:145–150.
- Dalgaard, P. (2002). *Introductory Statistics with R*. New York: Springer.
- Dethlefsen, C. and Lundbye-Christensen, S. (2006). Formulating state space models in R with focus on longitudinal regression models. *Journal of Statistical Software*, 16(1):1–15.
- Enders, W. (1995). *Applied Economic Time Series*. New York: John Wiley & Sons.
- Holt, C. (1957). Forecasting trends and seasonals by exponentially weighted averages. *O.W.R. Memorandum no.52, Carregie Institute of Technology*.
- Hurst, H. (1951). Long-term storage capacity of reservoirs. *Transactions of the American Society of Civil Engineers*, 116:770–779.

- Iacobucci, A. and Noullez, A. (2005). A frequency selective filter for short-length time series. *Computational Economics*, 25:75–102.
- Ihaka, R. and Gentleman, R. (1996). R: A language for data analysis and graphics. *Journal of Graphical and Computational Statistics*, 5:299–314.
- Jones, P. and Moberg, A. (2003). Hemispheric and large-scale surface air temperature variations: An extensive revision and an update to 2001. *Journal of Climate*, 16:206–223.
- Kalman, R. and Bucy, R. (1961). New results in linear filtering and prediction theory. *Journal of Basic Engineering*, 83:95–108.
- Leland, W., Taqqu, M., Willinger, W., and Wilson, D. (1993). *On the self-similar nature of ethernet traffic*.
- Mahajan, V., Muller, E., and Wind, Y. (eds.) (2000). *New-Product Diffusion Models*. New York: Springer.
- Metcalfe, A., Maurits, L., Svenson, T., Thach, R., and Hearn, G. (2007). Modal analysis of a small ship sea keeping trial. *ANZIAM Journal*, 47:915–933.
- Mudelsee, M. (2007). Long memory of rivers from spatial aggregation. *Water Resources Research*, 43(W01202).
- Nason, G. (2008). *Wavelet Methods in Statistics with R*. New York: Springer.
- Perron, P. (1988). Trends and random walks in macroeconomic time series. *Journal of Economic Dynamics and Control*, 12:297–332.
- Pfaff, B. (2008). *vars: VAR Modelling*. R package version 1.3-7.
- Plackett, R. (1950). Some theorems in least squares. *Biometrika*, 37:149–157.
- Pole, A., West, M., and Harrison, J. (1994). *Applied Bayesian Forecasting*. New York: Chapman & Hall.
- Rayner, N., Parker, D., Horton, E., Folland, C., Alexander, L., Rowell, D., Kent, E., and Kaplan, A. (2003). Globally complete analyses of sea surface temperature, sea ice and night marine air temperature, 1871-2000. *Journal of Geophysical Research*, 108(4407).
- Rogers, E. (1962). *Diffusion of Innovations*. New York: Free Press.
- Romilly, P. (2005). Time series modelling of global mean temperature for managerial decision making. *Journal of Environmental Management*, 76:61–70.
- Said, S. and Dickey, D. (1984). Testing for unit roots in autoregressive moving average models of unknown order. *Biometrika*, 71:599–607.
- Siau, J., Graff, A., Soong, W., and Ertugrul, N. (2004). Broken bar detection in induction motors using current and flux spectral analysis. *Australian Journal of Electrical & Electronics Engineering*, 1:171–177.
- Thomson, W. (1993). *Theory of vibration with applications*, 4th Edition. London: Chapman & Hall.
- Trapletti, A. and Hornik, K. (2008). *tseries: Time Series*. R package version 0.10-14.
- Winters, P. (1960). Forecasting sales by exponentially weighted moving averages. *Management Science*, 6:324–342.

---

# Index

- acceleration series, 186
- `acf`, 35, 47, 73
- `adf.test`, 214
- `aggregate`, 7, 17
- aggregation, 7
- AIC, 41, **84**, 144
- air passengers, 4, 62
- aliasing, 180
- `ar`, 82, 84, 124, 218, 221
- AR model, 79
  - Exchange Rates, 84
  - Global Temperatures, 85
  - stationary, 79
- ARCH
  - definition, 147
- ARCH model, 145
- `arima`, 124, 138, 140
- ARIMA model, 137
  - definition, 139
  - fractional, 160
  - seasonal, 142
- `arima.sim`, 129, 140
- ARMA model, 127
- `as.vector`, 13
- Australian wine sales, 60
- autocorrelation, 33
  - function, 33
  - partial, 81
- autocovariance
  - function, 33
- autoregressive model, 79
- autoregressive moving average, 127
- backward shift operator, 71, 79
- bandwidth, 177
- bank loan rate, 166, 189
- Bass model, 51, 52
- Bayes's Theorem, 231
- beer production, 10, 141
- Bellcore Ethernet, 165
- bias correction, 115
- bivariate time series, 239
- bivariate white noise, 219
- bootstrapping, 68, 222
- `boxplot`, 7
- building activity, 46, 47
- business cycles, 6
  
- `cbind`, 11
- `ccf`, 48, 49, 220
- characteristic equation, 79, 142, 221
- chocolate production, 10
- `class`, 4
- climate change, 1, 16
- `coef`, 94
- cointegration, 216
- conditional heteroskedastic, 137, 147
- confidence intervals, 99
- `confint`, 96, 99
- `cor`, 30
- correction factor, 117
- correlation, 2, 13, 30, 33
  - autocorrelation, 33
  - causation, 13

- cross, 46
- population, 30
- sample, 30
- serial, 33
- correlogram, 35, 41
  - AR process, 81
  - partial, 81
  - residuals, 94
  - white noise, 69
- cov, 28, 30
- covariance, 28
  - of sums, 41
- cross correlation
  - function, 47
- cross covariance
  - function, 47
  - sample, 47
- cross-correlogram, 47
- cumsum, 52, 66
- cycle, 7, 100
- cycles, 6
  
- Daniell windows, 196
- Data
  - acceleration series, 186
  - air passengers, 4, 62
  - Australian wine sales, 60
  - bank loan rate, 166, 189
  - beer production, 10, 141
  - Bellcore Ethernet, 165
  - building activity, 46, 47
  - chocolate production, 10
  - electric motors, 183
  - electricity production, 10, 130
  - exchange rates, 14, 75, 84, 126, 129
  - Font Reservoir, 40, 43
  - global temperatures, 17, 43, 66, 85, 95
  - Herald, 29
  - Hewlett-Packard stock, 77
  - LAN, 165
  - Maine, 7
  - Morgan Stanley shares, 238
  - motor complaints, 56, 58
  - Murray River, 239, 241
  - Nile River, 164
  - overseas visitors, 156
  - Pacific decadal, 189
  - S&P500, 145, 150
  - southern oscillation, 188
  - southern temperatures, 152
  - stemp, 152
  - stockmarket data, 156
  - tugboat, 205
  - US economic, 222
  - US exchange rates, 213, 218
  - varnish, 42
  - VCR sales, 52
  - vineyard, 42
  - wave tank, 34, 133, 183
- data.frame**, 7
- decompose**, 22, 31, 38, 40, 48, 67
- decomposition, 19, 22
- diag**, 237, 240
- diff**, 77, 138
- difference operator, 72
- differencing, 93, 137
  - fractional, 159
- Discrete Fourier Transform, 190
- discrete white noise, 68
- discrete-time stochastic process, 2
  
- El Niño, 6, 121
- electric motors, 183
- electricity production, 10, 130
- end**, 5, 8
- ensemble, 30
- ergodic, 31
- erroneous values, 6
- Euler's formula, 191
- exchange rates, 14, 75, 84, 126, 129
- expectation, 27
- explanatory variables, 92
- exponential smoothing, 55
- expression**, 124, 186
- extrapolation, 6, 16, 17
  
- factor**, 100
- factorial function, 3
- FARIMA model, 160
- Fast Fourier Transform, 174, 191
- fft**, 175
- filtering, 22, 231
- Font Reservoir, 40, 43
- forecast, 19
- forecasting, 6
  - regression, 115
- Fourier series, 174

- `fracdiff.sim`, 161
- fractional differencing, 159
- `frequency`, 5, 9
- functional programming, 3
- fundamental frequency, 174, 182
  
- gain function, 202
- GARCH, 145
  - Nile River, 164
- `garch`, 149, 151
- GARCH model
  - definition, 148
  - forecasts, 155
  - S&P500, 150
  - simulation, 149
- Gaussian white noise, 68
- generalised least squares, 98, 111
- generic functions, 5
- global temperatures, 17, 43, 66, 85, 95
- `gls`, 98, 99, 108
  
- harmonic model, 101, 109
  - simulation, 102
  - temperature series, 105
- harmonics, 174
- `help.start`, 3
- Herald, 29
- hertz, 172
- heteroskedastic, 137
- Hewlett-Packard stock, 77
- historical time series, 2
- Holt-Winters Method, 55, 59, 75
- `HoltWinters`, 57
- Hurst parameter, 160
  
- integrated models, 137, 138
- invertible, 123, 127
- Irving-Fisher Price Index, 25
  
- Kalman filter, 229, 232, 234, 242
- `kfilter`, 234
- Kyoto Protocol, 1
  
- lag operator, 71
- LAN, 165
- Laspeyre formulation, 24
- `layout`, 7, 138
- lead time, 19
  
- leading variables, 45
- least squares, 94, 98
- linear, 92
- linear association, 28
- linear models, 92, 93
  - seasonal, 99
- linear operator, 201
- linear system, 201, 202
- `lm`, 94, 98
- log model, 20, 23
- log regression, 92
- log-normal residuals, 115
- logarithmic transformation, 109
- long-memory process, 160
- loops, 3
  
- Maine, 7
- `MASS library`, 145
- `mean`, 28
- `methods`, 5
- model
  - ARCH, 145
  - ARIMA, 137
  - ARMA, 127
  - decomposition, 19
  - dynamic linear, 230
  - FARIMA, 160
  - integrated, 138
  - logarithm, 20
  - moving average, 122
  - multiplicative, 20, 23
  - multivariate, 211
  - regression, 230, 236
  - state space, 229
  - vector autoregressive, 220
- Morgan Stanley shares, 238
- motor complaints, 56, 58
- moving average, 20
- moving average models, 122
- multiple time series, 10
- multivariate models, 211
- multivariate white noise, 219
- Murray River, 239, 241
  
- NA, 6
- natural frequency, 202
- negative values, 6
- Nile River, 159, 164
- `nlme`, 98

- nls, 52, 93, 113
- noise, 22
- non-linear least squares, 52
- non-linear models, 113
- non-linearity, 207
- Nyquist frequency, 181
  
- oscilloscope, 180
- outliers, 6
- over-fitting, 144
- overseas visitors, 156
  
- Paasche price index, 25
- pacf, 81
- Pacific decadal, 189
- padding, 196
- Parseval's Theorem, 174, 192
- partial autocorrelation, 81
- partial correlogram, 81
- periodic signals, 171
- periodogram, 175
- persistence, 160
- plot, 5
- plotting the data, 5
- po.test, 217
- polynomial regression, 92
- polyroot, 80, 221
- pp.test, 215
- predict, 62, 101, 115, 132, 141
- prediction, 115
- predictor variables, 92
- Price Indices, 24
- print, 48
  
- R commands
  - acf, 35, 47, 73
  - adf.test, 214
  - aggregate, 7, 17
  - ar, 82, 84, 124, 218, 221
  - arima, 124, 138, 140
  - arima.sim, 129, 140
  - as.vector, 13
  - boxplot, 7
  - cbind, 11
  - ccf, 48, 49, 220
  - class, 4
  - coef, 94
  - confint, 96, 99
  - cor, 30
  - cov, 28, 30
  - cumsum, 52, 66
  - cycle, 7, 100
  - data.frame, 7
  - decompose, 22, 31, 38, 40, 48, 67
  - diag, 237, 240
  - diff, 77, 138
  - end, 5, 8
  - expression, 124, 186
  - factor, 100
  - fft, 175
  - fracdiff.sim, 161
  - frequency, 5, 9
  - garch, 149, 151
  - gl, 98, 99, 108
  - help.start, 3
  - HoltWinters, 57
  - kfilter, 234
  - layout, 7, 138
  - lm, 94, 98
  - MASS library, 145
  - mean, 28
  - methods, 5
  - nlme, 98
  - nls, 52, 93, 113
  - pacf, 81
  - plot, 5
  - po.test, 217
  - polyroot, 80, 221
  - pp.test, 215
  - predict, 62, 101, 115, 132, 141
  - print, 48
  - rmvnorm, 219
  - rnorm, 68
  - set.seed, 69
  - smooth, 234
  - spectrum, 175, 189, 196
  - SS, 234
  - sspir, 234
  - start, 5, 11
  - step, 105
  - stl, 21
  - sum, 30
  - summary, 5, 94
  - time, 17, 96
  - ts, 5, 7
  - ts.intersect, 11
  - ts.plot, 46

- ts.union, 47
- tseries library, 149
- VAR, 224
- var, 71
- vcov, 94
- window, 8, 15, 17
- radians, 172
- random process, 23
- random variables, 2
- random walk, 15, 71, 138, 212
  - drift, 77
  - simulation, 73
- regression, 91–93, 99
  - spurious, 211
- rescaled range, 160, 169
- residual error, 68
- residuals, 23
- rmvnorm, 219
- rnorm, 68
- roots, 79
  
- S&P500, 145, 150
- sample
  - spectrum, 175
- sample covariance, 28
- sample estimates, 28
- sampling interval, 2
- SARIMA model, 142
  - definition, 142
- seasonal
  - ARIMA, 142
  - regression model, 99
- seasonal adjustment, 21
- seasonal ARIMA models, 142
- seasonal effect, 19, 21
- seasonal models, 99
  - harmonic, 101
- seasonal variation, 2, 6
- second-order properties, 33, 41
  - AR model, 80
  - ARMA, 128
  - random walk, 72
- second-order stationary, 47
- seed, 69
- set.seed, 69
- share market, 2
- signal processing, 3
- simulation, 68, 93
  - AR process, 81
  - random walk, 73
- sine waves, 171
- Singapore airlines, 1
- skew, 25
- skewness, 20, 33
- smooth, 234
- smoothing, 21, 233
- southern oscillation, 188
- Southern Oscillation Index, 187
- southern temperatures, 152
- spectral analysis, 171
- spectrum, 173, 192
  - AR( $p$ ), 203
  - derivation, 193
  - sample, 175
- spectrum, 175, 189, 196
- spread, 33
- spurious regression, 211
- SS, 234
- sspir, 234
- standard deviation, 28
- start, 5, 11
- state space models, 229, 230
- stationary, 31, 93
  - AR process, 79
  - ARMA, 127
  - strictly, 121
- stemp, 152
- step, 105
- stl, 21
- stochastic, 6
- stochastic process, 2
- stochastic trend, 6, 15, 16, 212
- stockmarket data, 156
- strictly stationary series, 121
- sum, 30
- summary, 5, 94
- survivor function, 64
- synthetic series, 68
  
- tapering, 197
- Taylor expansion, 25
- telecommunications, 3
- time, 17, 96
- time series, 2
  - model, 2
  - multiple, 11
  - regression, 93
- trend, 2, 5, 15, 19

deterministic, 91, 93  
estimating, 20  
`ts`, 5, 7  
`ts.intersect`, 11  
`ts.plot`, 46  
`ts.union`, 47  
`tseries` library, 149  
tugboat, 205  
  
unbiased estimators, 28  
unemployment rates, 7  
unit root, 80  
unit roots, 214  
US economic, 222  
US exchange rates, 213, 218  
  
VAR, 224

`var`, 71  
variance, 28, 32  
    sample, 32  
varnish, 42  
`vcov`, 94  
VCR sales, 52  
vector autoregressive, 220  
vibration, 201  
vineyard, 42  
volatility, 137, 147  
    climate, 152  
  
wave tank, 34, 133, 183  
wavelets, 197  
white noise, 68  
    bivariate, 219  
    multivariate, 219  
window, 8, 15, 17