

Index

- A**
A₃B ordered fcc, 262–263
Aberration, 6–7, 54, 61, 64, 81, 82, 91, 92, 98, 99, 103, 105, 106, 107, 108, 109, 110–111, 133, 141, 148, 150, 155, 158, 161, 162, 295, 372, 373, 485, 488, 493, 513, 522, 525, 590, 636, 663, 682, 683, 684, 691, 692, 696, 707, 735
aberration-free focus, 492
coma, 494, 498
function, 485, 495
See also Chromatic aberration;
Spherical aberration
Absorption, 241, 413–414, 654–656
absorption-free intensity ratio, 190
anomalous, 319, 413, 414, 416, 449
contrast, 374
correction, 601, 653, 654–656, 671
distance, 435
edge, 588, 607, 613, 645, 717, 736
of electrons, 118, 374
extrapolation techniques for correction, 671, 725, 726, 727, 728
parameters, 434, 458
path length, 655
of X-rays, 28, 294, 599, 600, 634, 641, 653, 656, 660, 671, 694, 717, 742, 751, 752
Accelerating voltage
calibration of, 149–150, 168–169
continuous kV control for CBED, 217–218, 341
effect on Bloch waves, 252–253
effect on EELS, 190, 681–682, 684
effect on Ewald sphere, 355
effect on X-rays, 615
Adaptive filter, 572, 573
Airy disk, 32, 33, 107, 109, 110
ALCHEMI, 517, 657–658, 669
Allowed reflections, 258, 259, 265, 287, 348, 349, 350
Amorphous
carbon, 35, 163, 183, 185, 295, 374, 551, 554, 612, 719, 722
See also Holey carbon film
germanium, 587–588
layer, 502, 571, 670, 751
materials, 197, 293–295, 373, 415, 502, 504, 528, 703, 741, 748
specimen, 377–378
Amplitude contrast, 106, 371–386, 411, 458, 504, 505
See also Contrast
Amplitude of diffracted beam, 223
Amplitude-phase diagrams, 31–32
Analog
collection, 102
to digital converter, 607
images, 115, 125
pulse processing, 591
Analog dot mapping, 617–618
Analytical electron microscopy (AEM), 7, 25, 53, 54, 62, 66, 75, 76, 80, 81, 82, 83, 97, 99, 103, 111, 121, 132, 133, 138, 143, 144, 150, 184, 185, 186, 352, 581, 584, 586, 588, 589, 590, 592, 593, 594, 595, 597, 598–600, 605, 606, 607, 608, 609, 611, 612, 613, 614, 615, 616, 617, 618, 625, 626, 627, 628, 630, 633, 634, 639, 647, 648, 651, 655, 663, 672, 674, 682, 690, 693, 694, 696, 706, 717
Angle, 26–27, 83, 685–688
See also Bragg; Collection semiangle;
Convergence semiangle; Incidence semiangle
Angle-resolved EELS, 755
Angular-momentum quantum number, 744
Annular condenser aperture, 157
Annular dark field (ADF), 122, 160, 161, 162, 329, 373, 376, 377, 379, 380, 384, 385, 635, 659
image, 161
See also Dark field (DF), detector
Anodic dissolution, 178
Anomalous X-ray generation, 641
See also Absorption
Anticontaminator, 130
Anti-phase (domain) boundaries (APB), 229, 263, 420, 426, 427, 428, 429, 434, 503
Aperture
alignment of C2, 147
condenser (C2), 111, 157, 493
differential pumping, 131, 683, 687
function, 485, 486, 488
objective, 101, 109, 111, 152, 154–158, 161, 162, 165, 167, 207, 278, 332, 372–373, 375, 376–379, 381, 382, 385–386, 389, 390, 396, 408, 411, 413, 448, 466, 489, 500, 511, 512–514, 516, 517, 519, 520, 521, 528, 529, 535, 539, 540, 551, 552, 573, 600, 670, 686–688, 691, 706, 721, 755
virtual, 152, 154, 491, 492
virtual C2, 152, 154
See also Diaphragm
Artifact
in EELS, 730
in image, 9, 10, 542
of specimen preparation, 190
X-ray peak, 605, 606–607, 613, 625, 628, 672
Artificial color, 124, 555
Artificial superlattice, 264, 265, 415
Ashby-Brown contrast, 456
Astigmatism
condenser, 162
intermediate, 163
objective, 162, 163, 164, 169, 466
Atomic
basis, 259, 260, 262
correction factor, 640, 650
number, 11, 16, 24, 26, 29, 30, 39, 41, 42, 57, 58, 59, 60, 122, 224, 237, 258, 284, 373, 378, 497, 635, 639, 640, 643, 650, 665, 672, 728, 729, 730
scattering amplitude, 40, 45, 49, 258, 261, 294, 336, 517, 669
scattering factor, 44–45, 223, 257, 378
structure, 48, 55, 380, 389, 493, 679, 741, 747, 752
Atomic-column EELS, 567, 735–736
Auger electron spectrometer (AES), 53, 55, 61, 62
Augmented plane wave, 748
Automated crystallography, 305
Automated orientation
determination, 305
Automatic beam alignment, 560
Automatic peak identification, 627–630
Averaging images, 554–556
Axis-angle pair, 303

- B**
- Back focal plane, 94, 95, 111, 152, 162, 204, 205, 373, 491, 573, 683, 685–688, 691
See also Lens
- Background
 extrapolation, 725, 726, 727, 728
 modeling, 643
 subtraction, 342, 550, 555, 641–644, 646, 650, 659, 725, 726–728, 729, 734
See also Bremsstrahlung
- Backscattered electron (BSE) detection, 115, 230
- Baking, Band gap (semiconductor), 709–710
 image, 710
- Bandwidth, 118, 119
- Bar, 128, 157, 188, 202, 517, 588, 594, 611
- Barn, 27
- Basal plane, 261, 449, 745
- Basis vectors, 563–565
- Beam-defining aperture, 122, 329, 380, 466, 599, 610, 615
- Beam (electron)
 blanking, 101
 broadening, 84, 87, 666, 673
 coherence, 533
 convergence, 538–540
See also Convergence semiangle
- current, 13, 65, 76, 78, 81, 82–83, 84, 87, 107, 110, 121, 149, 182, 592, 593, 596–597, 599, 601, 617, 640, 641, 653, 667, 668, 670, 672, 674, 694, 721
- damage, 10–11, 30, 53–68, 76, 86, 123, 164, 263, 556, 557, 632, 652, 673
- deflection, 398
- diameter, 82, 83–85, 107, 326, 329, 636, 664, 665, 666, 667
- diffracted, 17, 24, 40, 41, 47–49, 53, 155, 156, 157, 166, 198, 199, 201, 202, 204, 215, 216, 221–231, 235, 240, 257, 265, 271, 272, 273, 274, 280, 285, 296, 298, 305, 313, 337, 361, 371, 372, 381–382, 383, 385, 407, 408, 421, 444, 463, 469, 470, 471, 472, 488, 513, 517, 519, 525, 534, 535, 536, 537, 641, 701
See also Diffracted beam
- diffracted amplitude, 272, 413
- direct, 24, 25, 34–36, 48, 53, 116, 117, 152, 155–157, 159, 160, 161, 162, 166, 168, 169, 198, 202, 203, 204, 205, 215, 225, 229, 294, 317, 337, 349, 350
- direction, 26, 44, 45, 204, 216, 217, 248, 283, 288, 299, 300, 301, 302, 304, 312, 317, 318, 348, 349, 350, 543, 600, 614
- energy, *See* Accelerating voltage
- incident, 325, 384
- many-beam conditions, *See* Many-beam
- parallel, 92, 94, 141, 142–143, 145, 146, 147, 148, 152, 158, 163, 283–305, 311, 324, 325, 326, 339, 340, 352, 385, 386, 511, 721
- shape, 667
- splitter, 397, 525
- tilting, 147, 199, 285, 382, 467, 669, 755
- translation, 147
- two-beam conditions, *See* Two-beam approximation
- Beam-sensitive materials, 709
See also Beam (electron), damage
- Beam-specimen interaction volume, 323, 598, 663, 664, 665, 672, 735
- Bend contour, 352, 385, 386, 407, 411–412, 413, 415, 441, 493, 521, 641, 658, 733
- Beryllium
 grid, 609, 612
 oxide, 612
 specimen holder, 613
 window, 586, 587, 598, 607, 628, 633, 650, 651, 654
- Bethe cross section, 58
- Bethe ridge, 718
- Biprism, 77, 397, 398, 525
- Black level, 377, 528
- Black/white contrast, 449
- Bloch theorem, 237
- Bloch wall, 517
- Bloch wave
 absorption, 241
 amplitude, 252–253
 coefficient, 238
 kinematical condition, 221
- Body-centered lattice, 357
- Boersch effect, 683
- Bohr radius, 42, 63, 378, 705
- Bohr theory, 55
- Bolometer, 590, 591, 592, 594, 663
- Borrmann effect, 657, 658, 733
- Boundary, *See* Grain, boundary;
 Interface; Phase boundary
- Bragg
 angle, 34, 49, 83, 169, 200, 201, 202, 205, 222, 223, 229, 230, 312, 327, 339, 340, 353, 381, 408, 451, 680, 687, 721
- beam, 221, 230, 239, 245, 246, 247, 250, 254, 431, 492, 534, 536
See also Diffracted beam
- condition, 204, 207, 213–216, 227, 228, 241, 253, 272, 274, 294
- diffraction, 26, 201, 202, 211, 214, 222, 231, 311, 312, 320, 339, 373, 381, 699
- law, 199, 200–202, 211, 213–214, 217, 218, 319, 411, 488, 519, 590
- plane, 249, 319, 416
- reflection, 49, 157, 202, 208, 262, 305, 448, 492, 537
- Bravais lattice, 267, 347
- Bremsstrahlung, 40, 58, 60, 135, 168, 582, 598, 605, 606, 608–614, 618, 626, 632, 635, 641–643, 673
 coherent, 613–614, 626, 642
See also Background
- Bright field (BF)
 detector, 122, 159, 160, 161, 162, 326, 366, 373, 380, 384, 385, 521
- high-order BF, 521
- image, 155–159, 161, 163, 165, 166, 168, 169, 182, 230, 295, 304, 330, 331, 352, 362, 365, 372, 374–376, 379–381, 386, 407–409, 411, 412, 414, 415, 424, 425, 427, 428, 434, 444, 452, 455, 458, 468, 472, 473, 475–477, 512, 516, 521, 573, 599, 617, 669, 670, 687, 734
- in STEM, 304, 373, 376, 385, 600, 617, 670
- symmetry, 361, 366
- Brightness (gun), 79, 116, 150, 327, 375, 626
- Brillouin-zone boundary (BZBs), 245, 253
- Buckyballs, 743, 745
- Bulk holder, 135, 175
See also Specimen, holder
- Bulk modulus, 457
- Burgers vector, 278, 320, 339, 396, 402, 420, 441–444, 446–449, 456, 458, 469, 473–474, 476
See also Dislocation
- C**
- Calibration
 of accelerating voltage, 168–169
 of camera length, 165–166
 of focal increment, 169
 of illumination system, 149–150
 of image rotation, 100–101
 of magnification, 164–165
- Camera constant, 166, 355
- Camera length, 154, 155, 161, 162, 165–167, 197, 198, 217, 218, 284, 302, 317, 318, 326, 327, 328, 329, 336, 361, 373, 379, 398, 686, 687, 688, 721
- c/a* ratio, 259, 314
- Carbon
 amorphous, 35, 163, 183, 185, 295, 374, 551, 554, 612, 719, 722
- contamination, 586
- film, 86, 162, 163, 164, 173, 183–185, 374, 375, 397, 521, 554, 612, 722, 745, 751
- nanotube, 73, 81, 365, 366, 695, 745
See also Holey carbon film
- Cartesian-vector notation, 260
- Cathode-ray tube (CRT), 115
- Cathodoluminescence, 53, 62–63, 116, 122, 523–524
- Cauliflower structure, 583
- CCD-based WDS, 590

- Center of symmetry, 230, 236, 240, 358, 361, 435
- Centrosymmetric point group, 358
- Channel-to-channel gain variation, 689, 727
- Channeling, 230, 339, 366, 379, 646, 657–658, 733
- Characteristic length, 221, 222, 223–224, 225, 237, 478
See also Extinction distance
- Characteristic scattering angle, 63, 700, 705, 717, 719, 733
- Charge-collection microscopy, 62–63, 523–524
- Charge-coupled device (CCD) camera, 10, 116, 120–121
- Charge-density determination, 366
- Chemically sensitive images, 517
- Chemically sensitive reflections, 261, 262, 263, 519, 567
- Chemical resolution, 626
- Chemical shift, 746, 750–751
- Chemical wire/string saw, 176
- Chi-squared, 645
- Chromatic aberration, 6, 8, 9, 91, 103, 104–106, 108, 109, 148–149, 159, 334, 377, 491, 495–497, 533, 680, 681, 687–688, 690, 702, 703, 706, 711
See also Aberration
- Chromium-film standard (C film), 160, 189, 717
- Clamping ring, 132, 133, 135, 181
- Cleavage, 176, 187, 191, 414
- Cliff-Lorimer
equation, 640, 641, 646, 647, 648, 652, 656, 657, 673
k factor, 646
- Coherence, *See* Beam (electron), coherence; Bremsstrahlung, coherent; Spatial coherence
Foucault imaging, 516–517
Fresnel imaging, 516
interference, 31
particles, 456, 457
processing, 526
scattering, 39, 202, 319
- Coincident-site lattice (CSL), 500
- Cold FEG, 498
- Cold trap, *See* Anticontaminator
- Collection semiangle, 34
- Collimator, 598–599, 611
- Column approximation, 223, 229–230, 421, 423, 426, 433, 434–436, 443, 457, 478
- Coma-free alignment, 493, 498
- Comis, 433–436, 458
- Composition
measurement, 7, 667–668
profile, 616, 659, 667
- Compton scattering, 741, 755
- Computer simulation, 311, 351, 362, 365, 392, 414, 456, 492, 493, 539, 665
See also Image, simulation of
- Condenser 1 lens, 83, 84, 85, 142, 144, 145, 148, 149, 150, 158, 167, 326, 327, 334, 584, 721
- Condenser 2 lens, 83, 111, 116, 142–150, 158, 167, 207, 326, 327, 328, 330, 332, 584, 610, 615, 632, 721
aberration, 81, 82, 91, 92, 108, 111, 150, 373, 525, 725
alignment, 161–162
aperture, 101–102
calibration, 154
defocusing, 95–96
diaphragm, 101–102
See also Lens
- Condenser objective condition, 326
- Condenser-objective lens, 325, 326
- Conduction band, 59, 62, 64, 66, 117, 245, 585, 605, 709, 720, 742, 744–745
- Confidence limit, 632, 648
- Confocal microscopy, 4, 8
- Conical diffraction, 157, 291
- Conical scanning, 157
- Conjugate plane, 94, 152, 160, 161
- Constructive interference, *See* Interference
- Contamination, 62, 81, 99, 102, 106, 118, 124, 127, 130, 132, 135, 137, 138, 149, 161, 162, 181, 189, 190, 277, 324, 341, 494, 519, 523, 584–586, 588, 595, 609, 612, 615, 620, 626, 632, 636, 641, 647, 658, 670–671, 673, 751
- Continuum, 55, 238, 293, 443, 605, 606, 613, 642, 726, 742, 744, 754
See also Background; Bremsstrahlung
- Contrast
difference, 371, 372–373, 374, 376
Fresnel, 374, 389, 397, 399–402, 540–541
inside-outside, 448, 450, 476
minimum, 378, 492, 493, 497, 498, 561
minimum defocus, 498
topographic, 519, 521
transfer function, 17, 485, 487, 494, 506
See also Amplitude contrast; Diffraction, contrast; Phase contrast
- Convergence semiangle, 84
correction (Cs correction), 6–8, 10, 62, 68, 76, 82, 84, 104, 108, 124, 355, 597, 647, 659, 663, 668, 672, 674, 733, 735, 736
- Convergent beam
diffraction, 671
See also Higher-order Laue zone (HOLZ)
energy-filtered, 77
imaging (CBIM), 332, 334
- Cooling holder, 132, 134, 135–136, 324, 336
See also Specimen, holder
- Core-hole effect, 750
- Core-loss image, 715, 717, 719, 730, 731, 732, 741
- Coster-Kronig transition, 59, 745
- Coulomb force, 24, 36, 39, 40, 199, 221
- Count rate, 588–594, 596–599, 601, 607, 608, 616, 618, 625, 627, 630, 632, 636, 641, 658, 659, 667, 673, 717
- Coupled harmonic oscillator, 231
- Coupled pendulum, 477
- Critical energy, *See* Ionization
- Cross-correlating image, 561
- Cross-correlation function, 568
- Cross section
differential, 23, 27, 39, 41, 42, 44, 45, 63, 729
elastic, 27, 28, 44, 54, 58
experimental, 27–28
generalized, 433–434
modified Bethe-Heitler, 58
partial ionization, 723, 725, 728–730, 734
phonon, 63–64
plasmon differential, 63–64
relativistic Hartree-Fock, 545
Rutherford, 41–43
screened-relativistic Rutherford, 42–43
- Cross-section specimen preparation, 182
- Cross-tie wall, 517
- Cryogenic pump, 130
- Cryo-transfer holder, 136
See also Specimen, holder
- Crystal
A-face centered, 357
B-face centered, 357
cubic, 198, 241, 258, 260, 261, 273, 277, 289, 340, 356, 357, 394
diamond cubic, 289, 314, 420
high-symmetry pole, 341
I-centered, 357
imperfect, 386, 443, 534
low-index, 289
low-symmetry zone axis, 338, 356
non-centrosymmetric, 230, 236, 358, 435
orientation of, 304, 317–318, 435, 493, 755
orthorhombic, 213, 354, 357
perfect, 197, 224, 235, 236, 259, 279, 386, 392, 396, 397, 421–423, 426, 435, 441, 443, 445, 447, 459, 463, 471, 473, 478, 492, 505, 533, 534, 536, 537, 540, 542
plane, 9, 48, 49, 138, 204, 208, 286, 311, 336, 339, 657
pole, 287, 288
potential of, 230, 236, 238, 239, 240
primitive, 257–258, 267, 356
projected potential of, 534
simple cubic, 241, 258, 261, 273
tetragonal distortion of, 415
zone axis, 17, 204, 213
See also Lattice
- Crystal Kit, 267
- Crystallographic convention, 204, 230
- Crystallographic shear, 503

- Curie temperature, 429, 517
 Current, 74–79, 82–86
 See also Beam (electron)
 Current centering
 dark, 118, 689–690, 709, 711
 density, 162
 Curve fitting, 645, 726
 Cut-off angle, 700, 706
 Cyanide solution, 174
 Cyclotron radius, 99, 100
- D**
- Dark field (DF)
 annular, 85, 122, 161
 centered, 155–156
 detector, 160
 diffuse, 295
 displaced-aperture, 155, 156, 412
 external control for, 515
 focus of, 492
 high-angle annular, 122, 144, 379–381,
 386, 710, 735, 736
 image, 206, 332
 multiple, 206, 207
 STEM, 376–377
 through focus ($2\frac{1}{2}D$), 513
 tilt control, 382
 See also Weak-beam dark field
- Dead layer, 118, 585, 586, 595, 596,
 607, 651
- Dead time, 592–593, 596–598, 601,
 607–608, 611, 627, 630
- Debye-Waller factor, 336, 348, 435, 533
- Decision limit, 674
- Deconvolution, 630–632, 667, 688–689,
 694, 700, 701, 705, 706, 707, 715,
 721, 725, 728, 730, 731–733, 752, 753
- Defect
 computer modeling of, 432–433
 core, 421
 unit cell, 361–362
 See also Dislocation; Grain,
 boundary; Stacking fault; Twin
 boundary
- Defocus condition, 492, 513
- Defocused CBED patterns, 329–330
- Defocus image, 557
- Deformable-ion approximation, 435
- Delocalization, 390, 497, 498, 500, 735
- Delta (δ) fringe, 427–429
- Delta function, 731
- Density, 16, 27, 28, 29, 63, 65, 74, 75, 76,
 79, 81, 82, 115, 120, 124, 164, 174,
 176, 180, 190, 293, 362, 364, 365,
 371, 373, 378, 401, 442, 444, 448,
 450, 487, 495, 503, 514, 541, 563,
 590, 651, 653, 654, 655, 656, 665,
 676, 679, 706, 707, 709, 710, 721,
 741, 742, 743, 748
- Density-functional theory, 711, 748
- Density of states, 590, 721, 742, 743, 744,
 745, 747, 748, 749, 750, 751
- Depth
 distribution of X-ray production, 655, 665
 of field, 8, 91, 92, 101, 103, 110–111, 513
 of focus, 8, 91, 92, 101, 103, 110–111
 fringes, 426, 471
- Desktop Microscopist, 685
- Desk-Top Spectrum Analyzer (DTSA), 16,
 608, 628, 641, 652, 674, 730
- Detectability limits, 54, 475, 581, 589, 590,
 626, 631, 632, 663, 672, 673, 674,
 675, 715, 736
- Detection quantum efficiency (DQE), 116,
 118, 119, 121, 123
- Detector (electron), 10, 24, 27, 117–122,
 159, 372, 373, 389, 511, 523, 586
 depletion region of, 117, 118
 envelope function, 485, 491, 492, 494,
 495, 496, 497
 gain of, 118, 119
 STEM, 326, 366, 372, 385, 386, 511,
 528, 687
 See also Spectrometer (EELS)
- Detector (X-ray), *See* Spectrometer (X-ray
 energy-dispersive); Spectrometer
 (X-ray wavelength-dispersive)
- Determination limit, 674
- Deviation parameter, 216, 273, 297, 298,
 353, 371, 382–384, 415, 435, 496
 See also Excitation error
- Diamond-cubic structure, 420
- Diamond window, 187
- Diaphragm, 101–102, 122, 132, 144, 145,
 147, 148, 149, 153, 154, 155, 156,
 324, 326, 332, 333, 373, 375, 385,
 485, 502, 515, 521, 528, 594, 601,
 608, 609–611, 613, 621, 627
 self-cleaning, 102
 top-hat C2, 611, 621
 See also Aperture
- Dielectric constant, 42, 694, 701, 706,
 710, 711
 determination of, 705
 image, 705
- Dielectric response, 679, 699, 705
- Difference spectrum, 643, 690, 727, 733
- Differential hysteresis imaging, 165
- Differential pumping aperture, 131, 683, 687
- Differentiating the image, 556
- Diffacted beam, 47–49, 156, 166, 204,
 221–231, 265, 337, 383, 408, 519,
 534, 701
 amplitude of, 31–33, 371, 444
 intensity of, 47, 215, 273, 274
- Diffraction plane, 199, 201, 202, 204, 208,
 213, 246, 287, 289, 312, 318, 319,
 320, 332, 340, 371, 390, 396, 407,
 411, 412, 416, 441, 442, 444, 445,
 449, 452, 454, 463, 469
 See also Bragg, plane
- Diffraction
 camera, 165, 198–199
 center, 162
 contrast, 197–207, 313, 371–386
 convergent beam, *See* Convergent
 beam, diffraction
 from dislocations, 278–279
 double, 222, 296–298, 304, 394
 extra reflection, 264
 Fraunhofer, 30–31
 Fresnel, 30–31
 grating, 31–32, 164, 165, 273, 573, 590
 group, 365–366
 indexing, 213
 180° inversion of, 31
 mode, 116, 152, 153, 154, 161, 166, 167,
 206, 326, 330, 334, 466, 685, 687,
 688, 721, 735, 753
 multiple, 296, 364
 nanodiffraction, 283, 291, 323, 347,
 365, 366
 oblique-textured, 291
 pattern, 17, 49, 198, 204, 207, 372, 382,
 383, 384, 391, 394, 755
 ring, 155, 287, 293
 rocking-beam, 230
 rotation, 167–168
 scanning-beam, 365
 selected area, *See* Selected area
 diffraction (SAD)
 shell scattering, 749
 single-crystal, 168
 split spot in, 516
 spot spacing in, 336
 streak in, 254
 systematic absence in, 304
 systematic row in, 332
 vector (g), 201
- Diffraction coupling, 685
- Diffraction pattern, 17, 493, 551, 552–554, 555,
 560, 561, 574
- Diffuse scattering, 329, 711
 See also Scanning transmission
 electron microscope (STEM)
- Diffusion pump, 129, 130, 131, 180, 191
- Diffusion coefficient, 104
- Digital
 filtering, 643, 644
 image, 16, 117, 124, 155, 528, 556, 619
 mapping, 618–620
 pulse processing, 598, 635
 recording, 131, 434
- Digital Micrograph, 552, 560, 570, 573
- Dimpling, 177, 178, 191
- Diode array, 683
 saturation of, 691, 723
- Dipole selection rule, 744
- Direct beam, *See* Beam (electron), direct
- Discommensurate structure, 278
- Discommensuration wall, 503
- Disk of least confusion, 103
- Dislocation
 array, 278–279, 394, 450–451, 452, 455
 contrast from, 444–448
 core of, 402, 443, 448, 469

- density, 442
dipole, 448–450, 476
dissociated, 451, 463, 473–477
edge, 442, 444, 451, 452, 459, 469, 471, 475
end-on, 400, 401, 402
faulted dipole, 441, 476
faulted loop, 448
inclined, 458
interfacial, 453
intersecting, 458
line direction, 449
loop, 448–450
misfit, 448, 453, 455, 456
network, 448, 453
node, 448
ordered array of, 278
pair, 450
partial, 445–447, 450, 451, 463, 473–476
screw, 441, 442, 444, 447, 452, 454, 457, 458, 459, 470, 475
strain field of, 279, 371, 447, 451, 457
superlattice, 447
transformation, 453, 456
See also Burgers vector; Strain
- Disordered/ordered region, 263, 517–518
- Dispersion diagram
branches of, 247, 249, 250, 251, 253, 254
plane (of spectrometer), 246, 247, 249
relation, 250–251
surface, 247–250
- Displacement
damage, 67, 68, 86, 721
energy, 67
field, 433, 435, 441, 442, 443, 444, 447–448, 456, 458
vector, 348, 349, 350, 458
- Display resolution, 592, 614, 627, 630, 722
- Double-period image, 564
- Double-tilt holder, 134, 324
See also Specimen, holder
- Drift
correction, 617, 636
rate, 464, 498
tube, 681, 682, 684, 722
- Dwell time, 124, 636, 710, 722
- Dynamical
absence, 258
calculation of intensity, 364–365
condition, 362–363
contrast in CBED, 347
coupling, 239
diffraction, 203, 221, 222, 225, 274, 296, 297, 298, 329, 331, 358, 364, 641, 669
scattering, 30, 203, 221, 258, 265, 272, 298, 311, 319, 323, 342, 358, 558
See also Diffraction
- Dynamic experiments, 526–528
- E**
- Edge, *See* Ionization
- EELS advisor software, 730, 734
- EELS, *See* Electron energy-loss spectrometry (EELS)
- EELS tomography 755–757
- Effective EELS aperture diameter, 688
- EFTEM imaging, 685, 703, 733–735
- Elastic
coherent, 25
constant, 454, 457, 458
cross section, 41–43
mean-free path, 23
scattering, 25–26, 27, 28, 30, 39–49, 64, 199, 324, 329, 332, 339, 340, 373, 374, 378, 380, 381, 664, 665, 699, 702, 741
See also Scanning transmission electron microscope (STEM)
- Elasticity theory, 421, 448, 458, 474, 475
- ELD software, 559
- Electric-field potential, 236
- Electro-discharge machining, 176
- Electron
backscatter pattern (EBSP), beam, *See* Beam (electron)
beam-induced current (EBIC), 62, 136, 523
channeling, 366, 379, 733
charge, 523–524
crystallography, 47, 324, 558, 559
detector, *See* Detector (electron)
diffraction, 8–9, 34–36
dose, 65
See also Beam (electron), damage source, 73–87
- Electron-electron interaction, 40, 41, 42, 66, 683, 699
- Electron-hole pair, 62–63, 117, 118, 524, 585, 586, 587, 591, 592, 593, 595, 611
- Electronic-structure tools, 711
- Electron-spectroscopic imaging, 690
- Electropolishing, 178, 179, 183
- Electrostatic lens, 78, 80, 96
See also Lens
- ELP (energy-loss program), 16
- Empty state, 751
- EMS (electron microscope simulation program), 17, 127, 267, 287, 314, 491, 534, 571
- Enantiomorphism, 347, 363–364
- Energy
EELS, 715–736
spectrometry (EELS) resolution, 76
spread, 73, 74, 76–77, 79, 81, 82, 85–86, 105, 148–149, 496, 498, 693, 701
window, 635, 703, 734
X-ray, 590, 591–593
See also Electron energy-loss spectrometry (EELS)
- Energy-dispersive spectrometry, 7
See also Spectrometer (X-ray energy-dispersive)
- Energy filtering, 7, 8, 106, 334, 336, 342, 352, 366, 478, 696, 702, 703, 753, 755
- Energy-loss, *See* Electron energy-loss spectrometry (EELS)
- Electron energy-loss spectrometry (EELS)
angle-resolved, 755–756
collection efficiency of, 735–736
collection mode, 735
detectability limit of, 736
diffraction mode, 735
image mode, 755
imaging, 735–736
microanalysis by, 589
parallel collection, 681
serial collection, 685
spatial resolution of, 735–736
See also Spectrometer (EELS)
- Energy-loss spectrum
artifacts in, 688–689
atlas of, 720, 723
channeling effect in, 733
deconvolution of, 731–733
extended fine structure in, 743
extrapolation window in, 726, 727
families of edges in, 723
fine structure in, 736
gun, 693
See also Gun, holography interferometer, 398
lens, *See* Lens
microscope microanalyzer, 646
momentum, 741
near-edge structure in, 723
parameterization of, 730
phase, *See* Phase boundary
potential energy, 749
power-law fit, 726
rest mass, 700
scattering, *See* Diffraction, shell scattering
source, 735–736
See also Gun
structure factor, 567
See also Structure factor
velocity of, 700
wavelength of, 705
wave vector, 752
- Envelope function, 485, 491, 492, 494, 495, 496, 497
- Epitaxy, 138, 168, 296
- Errors in peak identification, 634
- Errors in quantification, 647–648
- Escape peak, 606, 612, 614, 628, 630, 656
- Eucentric
height, 151, 164, 165, 166, 169, 330, 515
plane, 100–101, 151, 167, 326, 327, 330, 333, 334, 599
specimen, 295
See also Goniometer
- Ewald Sphere, 214–218, 235, 241, 248, 249, 252, 271, 273–275, 279–281, 290–292, 298, 312, 318, 324, 336–338, 351, 355, 411, 430, 431, 447, 449, 464, 466, 467, 470, 478, 537, 559

- Excitation error, 216–217, 224, 227, 252, 318, 353, 463, 702
 effective, 228–229, 407, 464
See also Deviation parameter
- Exciton, 66, 750
- Exposure time, 123, 158, 207, 305, 337, 464, 466
- Extended energy-loss fine structure (EXELFS), 294, 717, 718, 741, 742, 751–754, 757
- Extended X-ray absorption fine structure (EXAFS), 294, 717, 751–753
- Extinction distance
 apparent, 435
 determination of, 435
 effective, 245, 252, 408, 467, 471, 669
- Extraction replica, 185, 191, 377, 378, 616, 724
- Extraction voltage, 80–81
- Extrinsic stacking fault, 473
- F**
- Face-centered cubic, 259
See also Crystal; Lattice
- Fano factor, 593
- Faraday cup, 82, 85, 101, 121–122, 596, 614, 653, 670
- Fast Fourier transform (FFT), 534, 536
- Fe⁵⁵ source, 593
- Fermi
 energy, 720, 742, 743
 level, 55, 720, 742, 743, 749
 surface, 63, 277, 278, 742
- FIB (Focused-ion beam), 11, 157, 186, 188–189, 373, 634
- Field-effect transistor (FET), 585, 586, 589, 591
- Field emission, 61, 73, 74–75, 80–81, 498
See also Gun
- Filtered image, 120, 434, 550, 572, 681, 683, 692, 694–696, 699, 702, 703, 709, 717, 722, 725, 734, 741, 751, 756
- Filter mask, 573
- Fine structure, *See* Electron energy-loss spectrometry (EELS)
- Fingerprinting, 704, 708, 744, 746–747, 751
- Fiori definition, 614, 673
See also Peak-to-background ratio
- First-difference spectrum, 727, 733
- First-order Laue zone, 351
See also Higher-order Laue zone (HOLZ)
- Fitting parameter, 645
- Fixed-pattern readout noise, 689
- Flat-field correction, 570
- Fluctuation microscopy, 294, 366, 528
- Fluorescence (light), 116
- Fluorescence (X-ray), 607, 609, 612, 613, 630, 632, 639, 640, 647, 653, 654
 correction, 656–657
 yield, 55, 59, 587, 605–606, 628, 650, 715, 721, 729
- Flux lines, 517, 526, 527
See also Magnetic correction, flux lines
- Focus, 110–111, 148, 151, 329–332, 399, 490–491, 682–683, 895–896
See also Lens; Overfocus; Underfocus
- Focused-ion beam, *See* FIB (Focused-ion beam)
- Focusing circle (WDS), 681
- Forbidden electron energies, 247
- Forbidden reflection, 258, 263, 265, 288, 296, 299, 300, 301, 349, 350, 366
See also Diffraction, pattern; Systematic absence
- Foucault image, 516
- Fourier
 analysis, 572
 coefficient, 17, 237, 240, 246
 component, 435
 deconvolution (logarithmic, ratio), 705
 fast (Fourier) transform (FFT), 534, 536
 filtering, 551, 571
 inverse transform, 536, 731, 732
 reconstruction, 551–552
 series, 237, 238
 transform, 485, 487, 536, 551, 568, 572, 573, 731, 732, 752–754
- Frame averaging, 464, 466, 478, 550, 555, 557
- Frame grabber, 551
- Frame time, 120, 121
- Free electron, 59, 61, 705, 708, 751
- Free-electron density, 63, 706, 707, 710
- Fresnel
 biprism, 77, 397–398
 contrast, 374, 389, 397–402, 540–541
 diffraction, 30–31, 229, 535
 fringe, 86, 87, 163, 389, 397, 400, 401, 402–403, 540–541, 575
 image, 403
 zone construction, 229
- Friedel's law, 358
- Full-potential linearized augmented plane wave (FLAPW), 748
- Full Width at Half Maximum (FWHM), 83, 84, 85, 149, 150, 593–595, 605, 628, 631, 632, 643, 644, 667, 683, 684, 693, 694
- Full Width at Tenth Maximum (FWTM), 84, 85, 86, 326, 594, 595, 643, 659, 664, 667, 668, 674
- FWTM/FWHM ratio, 595, 601
- G**
- Gas bubble, 399–400
- Gas-flow proportional counter, 590
- Gatan image filter (GIF), 681
- Gaussian
 curve fitting, 645
 diameter, 84
 image plane, 103–104, 106–110, 488, 664
 intensity, 83, 84, 85
 statistics, 647, 673
- Generalized-oscillator strength (GOS), 729
- Generated X ray emission, 600, 612, 628, 634
- Germanium detector, 587–588
See also Spectrometer (X-ray energy-dispersive)
- Ghost peak, 690, 691, 701, 723
- Glaser, 491, 494
- Glass layer, 278
- Glide plane (dislocation), 443, 444
- Glide plane (symmetry), 444
- Goniometer, 132, 133, 151, 285
See also Eucentric
- GP zone, 277
- Grain
 boundary, 6, 17, 216, 276, 278, 286, 302, 366, 380, 392, 395, 397, 400, 402, 409, 419, 420, 500, 502, 503, 517, 616, 659, 694, 747
See also Stacking fault; Twin
 boundary
 coincident-site lattice, 500
 high-angle, 402
 low-angle, 400, 402
 rotation, 430
 small-angle, 454
 size, 116, 123, 197, 283, 284, 290, 291, 293
 texture, 292
 tilt, 402
 twist, 455
- Gray level, 371, 555, 563
- Gray scale, 123, 570, 635, 636
- g·R** contrast, 443, 450
- Great circle, 286–287, 302
See also Stereographic projection
- Grid, 75, 77, 133, 134, 173, 174, 175, 182–185, 187, 188, 274, 458, 588, 594, 598, 599, 600, 609, 610, 611, 612, 621, 633
- Gun
 alignment of, 498
 brightness of, 498
 crossover, 80
 emission current, 79, 82
 field-emission, 80–81
 filament, 81, 493
 flashing of, 81
 holography, 81
 lanthanum hexaboride, 81–82
 saturation of, 81
 self-biasing, 78
 tungsten, 81
 undersaturated image of, 493
 Wehnelt cylinder, 77, 78
See also Electron, source; Field emission
- G vector, 204, 224–225, 238, 253, 314, 315, 351, 384, 393, 425, 433, 442, 453, 458, 669
See also Diffraction, vector (g)
- H**
- Handedness, 363, 364
- Hartree-Slater model, 729

- Heisenberg's uncertainty principle, 745
- Hexagonal close-packed crystal, 259, 267
See also Crystal
- Higher-order Laue zone (HOLZ)
 indexing, 348–352
 line, 351–352
 plane, 339, 340
 ring, 336, 337, 338, 341, 348, 351, 354,
 355–356, 361, 362, 363, 364
 scattering, 334, 336
 shift vector t , 357
 simulation of, 351, 362
See also Convergent beam, diffraction;
 Kikuchi diffraction, line
- Higher-order reflection, 202, 207, 289
- Higher-order waves, 48
- Higher-order X-ray lines, 57
- High-resolution TEM, 483–506
- High voltage, 6, 13, 75, 76, 77, 96,
 104–105, 108, 119, 179, 450, 451,
 490, 495, 522, 588, 608, 681,
 691, 722
- High-voltage electron microscope, 6
- History of the TEM, 5
- Holder, *See* Specimen, holder
- Hole-count, 608, 609
- Holey carbon film, 86, 162, 163, 183, 184
- Hollow-cone diffraction, 157, 291–293, 295
- Hollow-cone illumination, 157, 291,
 293, 381
- Hollow-cone image, 158, 295, 528
- Holography, 81, 397, 496, 524–526
- Howie-Whelan equations, 224–226, 407,
 413, 414, 421, 433, 434, 436,
 442–443, 457
- Hydrocarbon contamination, 138, 612
See also Contamination
- Hydrogenic edge, 717, 718, 719, 724, 731
- I**
- Ice, 595
- Illumination system, 75, 77, 78, 83, 93, 101,
 141, 142–150, 161, 163, 311, 334,
 584, 605, 608
See also Condenser 1 lens; Condenser 2
 lens
- Image
 analysis of, 453, 491
 calculation of, 17, 537
 contrast in, 24, 77, 109, 222, 384,
 469, 475
 coupling, 685
 of defects, 235, 409, 443
 delocalization in, 500, 735
 distance, 94, 95
See also Lens
 drift, 76
 of flux lines, 526
 formation, 92, 93
 lattice-fringe, 392, 502, 559
 matching, 436, 540
 plane, 94, 95, 96
See also Lens
 processing of, 16, 493, 549–556
 rotation of, 99, 167, 384
 simulation of, 15, 389, 429, 433, 458,
 533–545, 563
 of sublattice, 500
- Imaging system of TEM, 164–168
- Incidence semiangle, 34
See also Angle; Scanning transmission
 electron microscope (STEM),
 incoherent
- Incommensurate structure, 503
- Incomplete charge collection, 593, 595, 645
- Incomplete read-out, 690
- Inelastic, *See* Scanning transmission
 electron microscope (STEM),
 inelastic
- Information limit, 492, 495
- Information theory, 495
- Infrared sensors, 362
- In-hole spectrum, 610
- In-line holography, 524
- Inner potential, 235, 236, 238, 541, 545
 mean, 237
 scaled mean, 238
- Inner-shell ionization, *See* Ionization;
 Instrument response function
- In-situ* holders, 135
- In situ* TEM, 138, 526, 531
- Instrument response function, 731
- Instrument spectrum, 613
- Integration, 42, 273, 458, 470, 644
 total, 691
 window, 728
- Integration approach, 273
- Intensity, 371
See also Spectrum, electron energy-loss,
 X-ray
- Interaction constant, 486
- Interband scattering, 254, 466, 478
- Interband transition, 63, 66, 705, 709,
 710, 711
- Interface, 44, 275, 295, 430
 contrast, 667–668
 dislocation, 456
 interphase, 286, 302, 616, 617, 667
 semicoherent, 456
 strain at, 396
See also Grain, boundary; Phase
 boundary
- Interference, 13, 31, 40, 47, 48, 77, 185, 200,
 202, 203, 241, 394, 398, 526
 constructive, 33, 34, 45, 213, 214
 destructive, 48, 200, 203
 fringe, 77, 396, 397, 398
- Intergranular film, 402, 541
- Intermediate-voltage electron microscope,
 76, 323, 589, 600, 608, 616, 618, 626,
 635, 636, 668, 673, 675
- Internal-fluorescence peak, 612, 613, 630
- International Tables, 265–266
- Internet, 15–17, 117
- Intersecting chord construction, 465
- Inter-shell scattering, 749
- Interstitial atom, 277
- Intraband transition, 700, 709
- Intra-shell scattering, 749
- Intrinsic Ge detector, 585, 587–588
See also Spectrometer (X-ray
 energy-dispersive)
- Inversion domain boundary, 420, 503
- Invisibility criterion, 424, 445
- Ion beam blocker, 181
- Ionic crystal, 66
- Ionization, 57–59, 667, 715–721
 critical energy for, 55, 57, 58, 628, 682,
 717, 723, 742, 743, 750
 cross section for, 55, 57, 588, 599, 605,
 615, 650, 652, 717, 723, 725, 728, 734
 edge, 717, 723, 733–735
 integration of, 717
 intensity of, 715, 733
 jump ratio of, 722, 732
 onset of, 730
 shape of, 717
- Ion milling, 174, 178–181, 182, 186
- Ion pump, 130, 131, 137
- J**
- Jump-ratio image, 728, 734
- K**
- Kernel, 556
- Kikuchi diffraction, 311–320
 3g, 464, 465
 band, 313, 314, 318, 319, 325, 327, 339,
 340, 341, 348, 361, 512
 deficient, 313, 319, 340
 excess, 314, 318
 line, 311–313, 318, 327, 339–340, 366,
 382, 413, 464, 466
 map, 303, 313–318, 319
 pair, 313, 314, 317, 318, 340
 pattern, 303, 311, 312, 314, 315, 317,
 319, 325, 464–465
- Kinematical diffraction, 235, 280, 358, 362, 521
 approximation, 221, 463, 470, 472
 crystallography, 559
 equation, 464
 integral, 469, 470
 intensity, 294
- Kinematically forbidden reflection, 258,
 265, 296
See also Forbidden reflection;
 Systematic absence
- Kinetic energy, 14, 68, 230, 235, 236, 238,
 253, 477
- $K(k_{AB})$ factor, 640, 646
 calculation of, 648–652
 error in, 647–648
 experimental values of, 646–647
- Knock-on damage, 65, 66, 67, 68, 626, 646
See also Beam (electron), damage
- Kossel, 8, 323, 327, 336, 339, 348, 352, 354
 cone, 312, 313

- Kossel (cont.)
 pattern, 327, 328, 331, 332, 341, 355, 356, 361
- Kossel-Möllenstedt (K-M), 327, 328, 330, 336, 337, 342, 348, 352, 353, 354, 356, 361, 671
 conditions, 327, 330, 336, 342, 348, 354
 fringe, 352, 353, 361, 671
 pattern, 327, 328, 356, 361
- Kramers' cross section, 60
- Kramers-Kronig analysis, 705
- Kramers' Law, 606, 643, 645, 726
- k space, 534, 536, 752, 753, 754
- Kurdjumov-Sachs, 303
- k vector, 199, 200, 239, 246, 248, 249, 251, 313, 325, 432, 537
- L**
- L_{12} structure, 262, 427
- Laplacian filtering, 556
- Large-angle convergent-beam electron-diffraction patterns, 330–332, 412
- Lattice, 211–212, 257–258, 356–357, 361–363, 389–392, 400–402, 567–568
 centering, 338, 354, 356–357
 defect, 400–402, 407, 408, 422, 442, 454
See also Dislocation
 fringe, 389–392, 502, 525, 559, 573
 imaging, 393, 500, 517, 567–568
 misfit, 415, 454
 parameter, 363, 394, 396, 415, 420, 424, 427, 454, 456, 540
 point, 215, 216, 237, 257, 259, 262, 278, 336, 357, 470
 strain, 347, 361–363, 456
 vector, 200, 211, 212, 239, 297, 302, 420, 421, 424, 427, 428, 429, 485, 489
See also Crystal
- Leak detection, 131–132
- Least-squares refinement, 568
- Lens, 91–112, 145–146, 148–149, 150–152, 161–164, 681–684
 aberration of, 485, 488
See also Chromatic aberration;
 Spherical aberration
 astigmatism, 106, 162, 163
See also Astigmatism
 asymmetric, 682, 683
 auto-focusing, 151
 auxiliary, 116
 bore of, 97, 145
 condenser, *See* Condenser 1 lens;
 Condenser 2 lens
 condenser-objective, 142, 143, 145–146
 current, 97, 151, 164, 330, 496, 513, 560
 defects, 99, 103, 107, 148, 331, 494, 553
 demagnification, 95, 144, 145, 154
 focal length of, 104
 focal plane of, 91, 92, 94
 focus of, 163
See also Overfocus; Underfocus
 gap, 145
 hysteresis, 165
 immersion, 98
 intermediate, 152, 153, 154, 155, 162, 163, 164, 166, 167, 205, 206, 207, 330, 517, 683, 685, 687, 691
 low-field, 517
 mini-, 145
 Newton's equation, 95
 objective, *See* Objective lens
 octupole, 99, 104, 105, 106, 692
 optic axis of, 92, 93, 99, 104, 147
 pincushion distortion, 106, 165
 polepiece of, 143, 144, 599
 post-spectrometer, 683
 projector, 111, 131, 141, 162, 166, 167, 682, 683, 685, 686, 687, 691
 projector crossover, 682, 684, 686, 687
 ray diagram, 103, 325, 333
 rotation center of, 161–162, 163
 sextupole, 99, 683, 692
 snorkel, 98
 superconducting, 98, 99
 symmetric plane of, 151, 152
 thin, 92, 94, 95
 wobbling of, 148, 162
- Library standard, 645, 704
- Light element, 59, 61, 587, 590, 594, 595, 626, 679
- Line analysis, 651, 695
- Linear combination of atomic orbitals, 749
- Linear elasticity, 442, 448, 495
- Line of no contrast, 456, 457
- Liquid N_2 , 66, 129, 130, 132, 133, 180, 324, 363, 584, 585, 586, 595, 626
 dewar, 133, 584, 594
 holder, 132, 324, 336
- Lithography, 187
- Local-density approximation, 748
- Long-period superlattice, 264–265
- Long-range ordering, 279
- Lorentz force, 99, 100, 398, 516
 microscopy, 81, 398, 515–517
- Low-dose microscopy, 377, 556
- Low-loss, 680, 690, 693, 699–711, 722, 727, 732, 733, 744
 intensity, 725
 spectrum, 694, 701, 703–711, 730, 731, 732
See also Electron energy-loss
 spectrometry (EELS); Plasmon,
 fingerprinting
- M**
- Magnetic correction, 514–515
 domain wall, 514, 516
 flux lines, 517, 526
 induction, 516, 517
 prism spectrometer, 679, 681, 682, 716
 recording media, 514
 specimen, 514–517
- Magnification, 5, 7, 8, 11, 53, 76, 82, 86, 91, 95–96, 104, 106, 109, 110, 142, 143, 145, 147, 151, 153, 155, 161, 162, 164–165, 167, 168, 169, 206, 230, 264, 284, 327, 328, 330, 384, 389, 458, 466, 475, 493, 498, 512, 513, 518, 560, 562, 589, 599, 638, 670, 683, 686, 687, 688, 692
- Many-beam, 240, 245, 390, 391, 408, 409, 433, 435, 436, 473, 478, 534, 565
 calculation, 436
 conditions, 478, 565
 images, 390, 391, 470, 473, 534
- Mask, 174, 187, 324, 334, 336, 338, 342, 397, 476, 521, 523, 551, 556, 572, 573, 586, 631, 705, 723, 753
- Mass-absorption coefficient, 654
See also Absorption, of X-rays
- Mass-thickness contrast, 185, 371, 373–379, 381, 382, 384, 407, 511, 696, 702
See also Contrast
- Materials examples in text
 Ag, 59, 66, 258, 374, 420, 424, 527, 588, 608, 609, 611, 649, 651
 Ag_2Al , 314, 316
 Ag_2Se , 291
 Al, 35, 45, 54, 64, 67, 68, 82, 117, 118, 122, 166, 174, 205, 224, 258, 262, 263, 303, 352, 353, 372, 374, 385, 397, 420, 427, 429, 543, 583, 611, 618, 633, 651, 656, 704, 706, 708, 727, 733, 750, 752
 Al-Ag, 649
 $Al_xGa_{1-x}As$, 263, 264, 420, 517, 519, 568
 Al_2O_3 , 265, 266, 279, 296, 297, 298, 349, 379, 395, 410, 412, 413, 429, 519, 751
 Al_3Li , 262, 303, 383
 AlAs, 567, 568
 Al-Cu, 506
 Al-Li-Cu, 9
 Al-Mn-Pd, 504, 505
 Al-Zn, 618
 Au, 29, 35, 43, 45, 64, 68, 102, 117, 160, 166, 173, 224, 263, 374, 397, 400, 424, 452, 453, 492, 523, 553, 585, 610, 635, 651, 665
 Au_4Mn , 500, 501, 502
 B, 187, 587, 613, 689, 721
 $BaTiO_3$, 429
 Be, 59, 67, 173, 237, 258, 587, 588, 612, 633, 702, 732, 733, 752
 biotite, 644
 Bi-Sr-Ca-Cu-O, 504
 BN, 585, 590, 689, 705, 717, 719, 723, 732, 755
 Ca, 59, 258, 504, 505, 633, 634, 638, 646, 671, 728
 carbon, 35, 43, 59, 86, 163, 173, 183, 185, 207, 264, 295, 324, 365, 374, 375, 378, 397, 505, 521, 523, 528, 541, 551, 587, 612, 615, 633, 636, 670, 688, 695, 719, 722, 745, 751

- See also* Amorphous; Holey carbon film
carbon nanotube, 73, 81, 365, 366,
695, 745
catalyst particles, 4, 10, 617
CdTe, 181, 182
Co, 68, 258, 429, 457, 526, 630, 649, 651,
653, 732, 733
CoGa, 262, 395
Cr film, 518, 593, 612, 614, 615
CsCl, 262, 420
Cu, 29, 42, 43, 44, 59, 68, 173, 174, 187,
201, 237, 258, 263, 304, 305, 364,
385, 424, 429, 457, 466, 470, 471,
473, 475, 596, 611, 612, 618, 629,
633, 648, 665, 674, 675, 732, 743,
745, 746, 747, 751
Cu-Al, 649
Cu₃Au, 262, 263
CuAu, 420
CuCl₁₆PC, 557, 558
Cu-Co, 457
CuZn, 262
diamond, 173, 176, 178, 184, 224, 262,
289, 314, 401, 420, 585, 732, 743,
745, 751
Fe, 67, 68, 224, 258, 420, 502, 517, 630,
631, 632, 646, 652, 674, 732, 734,
744, 745
See also Materials examples in text,
stainless steel, steel
FeAl, 262
Fe₃Al, 262, 426
Fe₂O₃, 295, 296, 297, 298, 395, 503
Fe₃O₄, 521
Fe-Cr-Ni, 633
Fe-Cr-O, 631
Fe-Mo, 649
Fe-Ni, 515
ferrite, 456
ferroelectric, 429, 514
GaAs, 8, 175, 176, 177, 186, 187, 236,
258, 263, 289, 351, 414, 420, 428,
517, 519, 521, 567, 568
Ge, 59, 67, 168, 224, 237, 245, 262, 380,
381, 392, 424, 454, 503, 527, 538,
552, 553, 560, 566, 583, 588, 594,
607, 632, 649
glass
metallic, 293, 752, 753, 754
oxide, 633
silica, 583
silicate, 517
graphite, 164, 186, 342, 410, 448, 528,
554, 583, 743, 745, 755
See also Carbon
hematite, 296, 297, 298, 456
high-T_c superconductor, 99, 514
hydrofluoric acid, 173
icosahedral quasicrystal, 504
InAs, 392
K₂O·7Nb₂O₅, 558
latex particle, 374, 375, 376, 377
Mg, 57, 67, 258, 465, 607, 608, 629, 633,
646, 651, 654, 655, 672, 706, 733, 752
MgO, 68, 86, 176, 224, 261, 290, 317,
397, 409, 467, 468, 545, 655
Mo, 68, 101, 102, 264, 265, 277, 596, 608,
609, 610, 611, 617, 649, 659, 672
MoO₃, 167, 168
Na, 67, 258, 261, 293, 589, 627, 651, 653,
706, 725
NaCl, 176, 186, 261, 264
nanocrystals, 157, 283, 284, 290, 291,
293, 295
Nb, 67, 68, 506, 571, 572, 619, 620, 628,
649, 651, 653
Nb-Al, 649
Nb₁₂O₂₉, 539
Ni, 68, 173, 258, 262, 353, 394, 427, 449,
451, 502, 515, 586, 589, 593, 595,
596, 599, 619, 628, 633, 653, 655,
656, 657, 672, 680, 720, 726, 744,
746, 753, 754
NiAl, 262, 263, 420, 427, 503, 656
Ni₃Al, 258, 262, 263, 420, 427, 446, 473,
656, 746
Ni-Cr-Mo, 649
NiFe₂O₄, 420, 500
NiO, 175, 261, 394, 400, 402, 420, 426,
429, 453, 454, 455, 500, 501, 502,
513, 552, 593, 596, 599, 611, 614,
654, 720
nitric acid, 173, 174
ordered intermetallic alloy, 500
Pb, 66, 67, 375, 588, 598, 630, 649, 651
perchloric acid, 173, 174, 634
perovskite, 504
polymer, 3, 10, 30, 41, 60, 65, 66, 67, 86,
99, 109, 123, 124, 135, 138, 181, 184,
373, 375, 376, 377, 585, 587, 598,
702, 706, 709, 710
polystyrene, 710
polytype, 504
polytypoid, 504
Pt, 101, 102, 116, 173, 185, 188, 379,
506, 609
quantum-well heterostructure, 182
quartz, 10, 66
quasicrystal, 198, 504–505, 506,
543–544, 752
Sb, 629
Si, 120, 129, 181, 197, 528, 587, 588–589
SiC, 420, 429, 504, 695
Sigma (σ) phase, 729
Si/Mo superlattice, 264–265
Si₃N₄, 187, 188, 503, 695, 710
SiO₂, 65, 174, 177, 293, 376, 380, 381,
402, 566, 693, 710, 720, 746
SnSe, 452
SnTe, 396
spinel, 6, 217, 392, 401, 402, 420, 428,
454, 455, 456, 472, 493, 500, 501,
502, 513, 552
SrTiO₃, 6, 381, 706, 736
stainless steel, 174, 326, 341, 420, 424,
616, 633, 634, 657, 674, 724, 734
steel, 11, 378, 427, 514, 633, 659, 723
superconductor, 99, 173, 504, 505, 526
Ta, 68, 136, 137, 598, 627, 629
Ti₃Al, 420
Ti, 7, 67, 68, 130, 314, 629, 630, 631, 635,
651, 716, 723, 736, 744
TiAl, 262
TiC, 723, 724, 749
TiN, 723, 724
TiO₂, 428, 562, 563, 631, 635, 736
U, 487, 505, 506, 715
vanadium carbide, 264, 278, 500
wurtzite, 262, 420, 590
Y, 118
YBCO, 396, 397, 565
yttrium-aluminum garnet, 118
Zn, 68, 258, 447, 448, 449, 618, 627, 649,
651, 653, 708, 744
ZnO, 262, 348, 420, 541
ZnS, 116, 118, 237
Materials safety data sheet, 173
Mean-free path, 23
elastic, 39–50
inelastic, 53–69
plasmon, 63–64
Mean-square vibrational amplitude, 435
Mechanical punch, 176
Microanalysis, 132, 133, 589, 657
qualitative, 581
quantitative, 76, 364, 433, 434, 478
See also Spectrometer (EELS);
Spectrometer (X-ray energy-
dispersive); Spectrometer (X-ray
wavelength-dispersive)
Microcalorimeter, 590–591
Microdensitometer, 85, 371, 550, 551
Microdiffraction, 528
See also Convergent beam, diffraction
Microdomain, 517
Miller-Bravais notation, 260
Miller indices, 46, 49, 204, 212
Mini lens, 145, 146
Minimum contrast, 378, 492, 493, 497,
498, 561
detectability, 379, 497
detectable mass, 663, 674
detectable signal-to-noise ratio, 497
mass fraction, 663, 674
resolvable distance, 107
MINIPACK-1, 571
Mirror plane, 358, 360, 361
See also Point group; Symmetry
Mirror prism, 691
Modulated structure, 503, 504
Moiré fringes, 284, 298, 392, 393–397, 456
complex, 396–397
general, 393
rotational, 393, 394
translational, 393, 394
Molecular-orbital theory, 745

- Möllenstedt spectrometer, 352
Momentum transfer, 753, 755
Monochromator, 76, 86, 105, 106, 319, 681, 693–694, 701, 705, 707, 722
Monte-Carlo simulation, 523
Moore's Law, 362
Moseley's Law, 58
Muffin-tin potential, 748, 749
Multi-channel analyzer (MCA), 591
Multi-element spectrum, 644, 647, 654
Multi-phase specimen, 665
Multi-photon microscopy, 4
Multiple domains, 304
Multiple least-squares fitting, 645, 731, 732
Multiple scattering. *See* Scanning transmission electron microscope (STEM), multiple
Multislice calculation, 533, 534, 536, 543, 544, 571
Multivariate statistical analysis, 619, 620, 659
Multi-walled nanotube, 365, 366
Murphy's law, 123, 707, 731
- N**
Nanocharacterization, 4
Nanodiffraction, 283, 291, 323, 324, 347, 365, 366
Nanomaterials, 4, 174, 483, 694, 704
Nanoparticles, 4, 189, 271, 276, 302, 366, 400, 632, 635, 695
Nanostructured electronics, 362
Nanotechnology, 3, 4, 154, 323, 324
Nanotubes, 4, 73, 77, 81, 365, 366, 689, 694, 695, 705, 745
Nanowires, 4
Near-field calculation, 535
Near-field microscopy, 4, 30, 535
Near-field regime, 229, 397
Néel wall, 517
Nematode worms, 756
NIST, 14, 29, 44, 58, 304, 608, 631, 633, 646, 647, 652, 653, 654
 multi-element glass, 647
 oxide glass, 633
 Sandia/ICPD electron diffraction database, 304
 thin-film standard (SRM 2063), 631, 641, 654
Noise, 81, 115, 116, 118, 119, 121, 122, 124, 376, 380, 386, 464, 466, 478, 492, 495, 497, 498, 522, 528, 541, 549, 556, 557, 561, 562, 563, 565, 567, 570, 572, 586, 588, 591, 593, 594, 598, 608, 619, 620, 631, 659, 675, 688, 689, 709, 725, 732
 reduction, 556, 557, 565, 675
 See also Signal-to-noise ratio
- O**
Objective lens, 101, 111, 152, 154–158, 161, 162, 167, 207, 278, 332, 372–373, 375, 376–379, 382, 385–386, 389, 390, 396, 411, 413, 448, 466, 489, 500, 511, 512–514, 516, 519, 520, 521, 528, 529, 539, 540, 552, 573, 600, 670, 686–688, 691, 706, 721, 755
 aperture, 91, 101–102
 astigmatism, 106, 162, 163
 collection semiangle of, 34
 defocus, 162, 163, 331, 553, 565
 diaphragm, 156
 focal increment of, 169
 instability of, 466
 polepiece, 143, 144, 599
 rotation alignment of, 162
 transfer function of, 485, 486, 487–488, 490, 491, 492, 494, 495, 552, 560
 See also Lens
Oblique-textured electron DP, 291
Omega (Ω) filter, 681, 691–692
On-axis image, 297, 391, 559, 560
Optical bench, 92, 198, 549, 573–574
Optical system, 82, 386, 389, 483–484, 490, 495
Optic axis, 34, 75, 79, 92, 96, 99, 100, 101, 104, 106, 110, 131, 143, 144, 147, 149, 151, 155, 158, 161, 162, 198, 205, 248, 285, 305, 313, 317, 382, 384, 390, 397, 463, 466, 485, 493, 514, 515, 519, 533, 599, 688, 691, 701
 See also Lens
Ordering, 263, 264, 272, 277, 278, 279, 366, 427, 517
 long-range, 279
 short-range, 277, 278, 517
Orientation imaging, 319
Orientation mapping, 305
Orientation relationship, 204, 283, 289, 302–303, 305, 339, 500
 cube/cube, 303
 Kurdjumov–Sachs, 303
 Nishiyama–Wasserman, 303
 precipitate-matrix, 302
O-ring, 131, 132, 133
Overfocus, 96, 116, 143, 145, 147, 148, 149, 162, 163, 164, 165, 207, 325, 330, 331, 400, 485, 500, 514, 515, 517, 626
 See also Lens; Underfocus
Overvoltage, 57, 626
Oxide layer, 504, 519, 710
- P**
Parallax shift, 511, 512, 513
Paraxial ray condition, 100, 104
Particle on a substrate, 81, 396, 413
Pascal, 128
Passband, 492–493
Path difference, 31, 33, 48, 49, 200, 201, 202, 488
Path length, 33, 100, 599, 600, 609, 655, 656, 682
 See also Absorption, of X-rays
Pathological overlap, 628, 630
Pattern recognition, 561, 562–563, 569
Pauli exclusion principle, 744
Peak-to-background ratio, 614
Peak (X-ray characteristic), 469–470, 605–606, 614, 627–634, 644–646, 701–702
 deconvolution of, 630–632
 integration of, 644–646, 650, 727, 729
 overlap of, 589, 590, 597, 627, 630
 visibility of, 632–634
Periodic continuation method, 542
Phase boundary, 191, 419, 420, 429, 447, 502, 503
 distortion function, 488
 of electron wave, 31, 47
 factor, 191, 419, 420, 429, 447, 502, 503
 grating, 534, 535, 536
 negative, 487
 object approximation, 486
 reconstructed, 557
 shift, 46, 471, 486, 488, 491, 526, 753
 transformation, 136, 456, 526
 See also Contrast, difference; Interface
Phase contrast, 77, 86, 106, 163, 164, 169, 371, 373, 380, 381, 389–403, 411, 487, 488, 490, 492, 493, 494, 495, 505, 511, 515, 543, 545, 557, 668, 696, 703
Phasor diagram, 31, 32, 421, 426, 470–473
Phonon, 59, 63–64, 336, 680, 700, 701, 702
Phosphorescence, 116
Photo-diode array, 683
 See also Diode array
Photographic dodging, 550
Photographic emulsion, 66, 122–124, 197, 464, 561
Photomultiplier, 117, 118–120
 See also Scintillator-photomultiplier detector
p-i-n device, 586
Pixel, 120, 121, 123, 124, 159, 305, 496, 497, 556, 562, 563, 564, 567, 568, 569, 571, 590, 618, 619, 620, 636, 658, 675, 685, 694, 727, 734, 736
Pixel-clustering, 734
Planar defect, 250, 254, 263, 275–277, 286, 302, 347, 419–436, 452, 472, 503, 504, 600, 616, 669, 670
 inclined, 250, 431, 669
 See also Grain, boundary; Stacking fault; Twin boundary
Planar interface, 275, 503, 600, 694, 748, 749
Plane normal, 213, 287, 288, 299, 300, 301, 302, 303, 317, 419, 458, 519, 538, 670, 682
Plane wave, 31, 32, 33, 40, 45, 46, 48, 49, 200, 237, 245, 249, 250, 748
 amplitude, 239–241
Plasma cleaner/cleaning, 132, 137, 138, 189, 626
Plasmon, 63–64, 109, 680, 682, 693, 700, 703, 705–708, 710, 717, 719, 720, 722, 726, 731, 732, 752, 756

- energy, 63, 64, 109, 706, 709
excitation, 54, 63, 700, 717
fingerprinting, 704, 708
frequency, 63
loss, 682, 702, 706, 707, 708, 709, 711, 717, 718, 719, 731, 732
See also Low-loss, spectrum
mean-free path, 63–64
peak, 63, 680, 701, 703, 704, 705, 706, 707, 708, 709, 710, 717, 720, 722, 723, 726, 730, 752
Plural elastic scattering, 741
See also Elastic, scattering; Scanning transmission electron microscope (STEM), elastic
p-n junction, 62, 117, 118, 523
Point analysis, 354
Point defect, 65, 277, 278, 448, 502
See also Interstitial atom; Vacancy
Point group, 9, 332, 347, 354, 358, 359, 361, 364, 366
determination of, 358
symmetry of, 237, 358, 361
two-dimensional, 354, 486, 511
Point-to-point resolution, 493, 506
Point-spread function, 483, 593, 630, 688–689, 701, 753
Poisson's ratio, 444, 457
Poisson statistics, 593
Polepiece, *See* Lens
Polycrystalline material, 290–291, 293, 319, 452, 613
Polymer, 3, 10, 30, 41, 60, 64, 65, 66, 67, 86, 99, 109, 123, 124, 132, 135, 138, 181, 183, 184, 373, 375, 376, 377, 585, 587, 588, 598, 702, 706, 709, 710
Polytype, 504
Polytypoid, 504
Position-tagged spectrometry, 620, 659
Post-specimen lens, 85, 110, 161, 326, 329, 342, 379, 683, 686
See also Lens
Potential
inner, 235, 236, 237, 238, 239, 240, 397, 399, 400, 402, 540, 541, 545
periodic, 236, 237, 254
projected, 486, 487, 511, 534, 537, 538, 541, 557, 563, 565
well, 120, 402, 541, 542, 720, 721, 749
Precession CBED, 342
Precession diffraction, 147, 158, 284, 285, 293, 295
Precision ion milling, 181
Precision ion polishing, 181
Primitive great circle, 286, 287
See also Stereogram
Primitive lattice, 257–258, 356, 357
See also Crystal; Lattice
Principal quantum number, 744
Probability map, 536
Probe, 8, 9, 48, 81, 82, 95, 98, 103, 111, 124, 135, 144, 146, 148, 149, 150, 158, 161, 189, 291, 325, 339, 340, 362, 377, 402, 496, 522, 584, 589, 590, 610, 611, 612, 614, 615, 616, 618, 625, 635, 636, 647, 659, 668, 672, 673, 680, 694, 733, 735, 750
current, 84, 85, 110, 124, 143, 149, 150, 610, 612, 614, 616, 617, 618, 626, 627, 641, 653, 668, 683, 733
size, 82, 84, 85, 86, 144, 145, 148, 149, 150, 326, 523, 590, 614, 626, 627, 636, 640, 641, 659, 668, 673, 733, 735
See also Beam (electron)
Processing HRTEM image, *See* Image, processing of
Propagator matrix, 423
Pulse processing, 591, 592, 596, 598, 635, 636
Pump, vacuum, 127–138, 178, 180, 181, 184, 189, 586, 683, 687
cryogenic, 130
diffusion, 129, 130, 131, 180, 191
dry, 189
ion, 130, 131, 137
roughing, 128–129, 130
turbomolecular, 129–130
Q
Quadrupole, 98, 99, 104, 105, 683, 692
See also Lens
Qualitative mapping, 635
Qualitative microanalysis, 581
Quantifying HRTEM images, 549–575
Quantitative chemical lattice imaging, 517, 567–568
defect contrast imaging, 411, 422, 470
HRTEM, 567
image analysis, 561–562
mass-thickness contrast, 373–379, 381, 382, 384, 696, 702
microanalysis, 132, 133, 589, 657
Quantitative mapping, 658, 659, 671
QUANTITEM, 563–567
Quantum-mechanical convention, 230
Quantum number, 744
Quasicrystal structure, 198, 504–505, 506, 543–544, 752
R
Racemic mixture, 636
Radial-distribution function (RDF), 293, 294, 373, 703, 741, 752, 753, 755
Radiation damage, 6, 10, 53, 64, 65, 66, 68, 119, 448
See also Beam (electron), damage
Radiolysis, 64, 65, 66, 68, 646
See also Beam (electron), damage
Ray diagram, 91, 92–94, 100, 101, 102, 103, 104, 105, 111, 143, 147, 152, 154, 156, 157, 198, 295, 325, 326, 327, 328, 330, 333, 610, 692
Rayleigh criterion, 5, 84, 107, 108, 490
Rayleigh disk, 108, 484
Real space, 211, 212, 213, 226, 236, 258, 262, 264, 265, 271, 279, 286, 302, 319, 332, 355, 356, 410, 412–413, 427, 485, 492, 534, 536, 542, 572, 748
approach, 534, 536, 563, 572
crystallography, 412–413
patching method, 542
unit cell, 262
vector, 236
Reciprocal lattice, 200, 202, 211–212, 213–216, 235, 254, 258, 259, 260, 262, 271, 273, 278, 280, 289, 290, 292, 297, 336, 337, 348, 356, 357, 430, 431, 435, 470, 489, 538, 552
formulation of, 535
origin of, 215
point, 202, 215, 216, 253, 258, 262, 278, 290, 336, 351, 357, 470, 552
rod, 214, 273, 337
See also Relrod
spacing, 338, 538
vector, 200, 211, 212, 213, 235, 239, 290, 297, 302, 485, 489
See also Diffraction, vector (g)
Reciprocity theorem, 94, 381, 386, 521
Recombination center, 524
Reference spectra, 701, 723, 732, 733
Reflection electron microscopy, 420, 519–520
Reflection high-energy electron diffraction, 519
Refractive index, 5, 225, 230, 238, 239, 358
Relative-transition probability, 650
Relative transmission, 670
Relativistic effect, 6, 14, 41, 42, 700
Relrod, 214, 215, 216, 249, 271–277, 279, 280, 281, 289, 336, 337, 338, 410, 430, 431, 441
See also Reciprocal lattice, rod
Replica, 164, 165, 185, 377, 378, 616, 724
Resolution, 5–7, 91–112, 483–507, 589, 663–676, 735
atomic level, 381
limit, 4, 6, 103, 104, 109, 323, 490, 492, 493, 494, 594, 701, 703, 730
theoretical, 107–108, 594
Resolving power, 5, 33, 106, 107, 124
Reverse-bias detector, 585
Richardson's Law, 74
Right-hand rule, 99
Rigid-body translation, 420
Rose corrector, 494
S
Safety, 10, 102, 173–174, 175, 176, 178, 189
Scan coil, 147, 149, 157, 158, 159, 165, 293, 295, 305, 326, 366, 753
Scanning image, 101, 115, 116, 118, 122, 124, 159, 161, 376
INDEX.....

- Scanning transmission electron microscope (STEM), 8, 158–161, 326, 372–373, 376–377, 384–386, 528
annular dark-field image, 161
bright-field image, 122, 159–161
coherent, 373, 379
cross-section, 158, 168
dark-field image, 161
detectors in, 326, 366, 372–373, 385, 386, 511, 528, 687
diffraction contrast in, 384–386
digital imaging, 618
elastic, 373
factor, *See* Atomic, scattering factor
forward, 122, 735
image magnification in, 165
incoherent, 39, 43, 106, 107, 378, 379, 381
inelastic, 319
inter-shell, 749
intra-shell, 749
mass-thickness contrast in, 377
matrix, 185, 374
mode, 124, 151, 159, 166, 326, 584, 626, 632, 685, 721, 733, 734, 735, 755
multiple, 493, 699, 748, 753
multiple-scattering calculations, 753
nuclear, 42, 45
plural, 493, 699, 700, 721
post-specimen, 110, 161, 326, 342
Rutherford, 41–44, 161, 373, 374, 378
semiangle of, 84, 378
single, 29, 43
strength, 83, 135, 326, 354, 584
thermal-diffuse, 64, 336, 338
Z contrast, 44, 379–381, 506, 543, 545, 567, 746
See also Angle; Coherent; Elastic; Z contrast, scattering
- Scherzer, 490–491, 492, 494, 495, 498, 500, 553
defocus, 490–491
- Schottky, 62, 73, 74, 75, 81, 82, 117, 497, 498, 617, 683, 693
diode, 117
See also Detector (electron)
emitter, 75, 498
- Schrödinger equation, 46, 222, 230, 235, 236, 237, 238, 239, 748
- Scintillation, 116
- Scintillator-photomultiplier detector, 118–120
- Screw axis, 543, 544
See also Space Group; Symmetry, screw axis
- Secondary electron, 24, 53, 54, 60–62, 115, 118, 188, 373, 522, 709
detector, 373
fast, 705
imaging of, 522–523
slow, 605, 606
types of, 522
- Segregation to boundaries, 659
- Selected area diffraction (SAD), 141, 152–155, 156, 157, 160, 166, 167, 204–207, 283, 284–285, 289, 295, 311, 313, 323, 324, 325, 326, 330, 332, 333, 334, 339, 342, 347, 348, 352, 365, 376, 411, 412, 413, 493, 498, 505, 525, 551, 680, 688
aperture, 152, 154, 155, 158, 166, 167, 205, 206, 332, 339, 376, 411, 493, 525, 551, 688
error, 498
pattern exposure, 154, 157, 160, 205, 206, 283, 284, 412
- Selection rules, 257, 258, 267, 289, 302, 744
- Semiangle, *See* Angle; Bragg; Collection semiangle; Convergence semiangle; Incidence semiangle
- Semiconductor detector, 117–118, 119, 122, 161, 523, 581, 585–589, 594, 607
- Semi-quantitative analysis, 723
- Shadowing, 185, 374, 375, 377, 378, 541
- Shape effect, 271, 273, 290, 559, 572
- Short-range ordering, 277, 278, 517
- Side-entry holder, 132, 133, 134, 135, 150, 285
See also Specimen, holder
- SIGMAK(L) program, 729
- Signal-to-background ratio (jump ratio), 703, 722, 728, 732, 734, 736
- Signal-to-noise ratio, 116, 118, 124, 497, 498, 556, 570, 688
- Signal processing, 376, 377, 572, 589, 590, 594, 606
- Silicon-drift detector, 588–589
- Silicon dumbbells, 391, 575
- Si(Li) detector, 585, 586, 587, 588, 591, 594, 595, 606, 607, 626, 628, 630, 638, 651
See also Spectrometer (X-ray energy-dispersive)
- Simulated probe image, 668
- Single-atom detection, 663, 715
- Single-atom imaging, 54, 378, 663, 674, 679, 715, 736
- Single-electron counting, 700, 709
- Single-electron interaction, 709
- Single-period image, 564
- Single scattering, *See* Scanning transmission electron microscope (STEM), single
- Single-sideband holography, 524
- SI units, 14, 65, 128, 654, 665
- Slow-scan CCD, 478, 553, 559, 570, 692
See also Charge-coupled device (CCD) camera
- Small-angle cleaving, 186
- Small circle, 262, 287, 428
See also Stereogram
- Smearing function, 483, 487
See also Point-spread function
- Space group, 9, 17, 47, 266, 267, 296, 347, 354, 358, 361, 540, 558
- Spatial coherence, 77, 398, 491, 498
- Spatial resolution, 8, 29, 54, 62, 76, 77, 85, 87, 148, 323, 324, 325, 329, 347, 348, 352, 362, 490, 523, 581, 589, 619, 625, 626, 640, 647, 658, 659, 663–676, 688, 705, 721, 730, 733, 735–736, 752, 753, 755
- Specimen
90°-wedge, 186, 187, 414
artifacts in, 541
bulk, 25, 44, 135, 136, 284, 520, 589, 599, 607, 608, 617, 635, 639, 640, 643, 646, 647, 650, 655, 674
cooling of, 10
damage to, 10, 24, 64, 636, 673, 680, 753
See also Beam (electron), damage
density of, 656
double-tilt, 134, 135
drift of, 136, 376, 466, 495, 496, 584, 616, 620, 641, 647, 658, 668, 673
EBIC, 136, 523
heating, 64, 65–66
height of, 101, 150, 151, 327, 512, 683
See also z control
holder, 10, 11, 82, 97, 121, 127, 132–133, 134, 135, 150, 151, 169, 175, 187, 207, 512, 514, 612, 613, 653, 655
low-background, 135, 324, 584, 600, 626
multiple, 134, 135
orientation of, 238, 323, 494, 614, 630, 721, 733, 755
preparation of, 11, 134, 173–192, 416, 503, 616, 626, 633, 669, 671
quick change, 134
rotation of, 285
self-supporting, 173, 174, 175
single-tilt, 134, 135, 324
single-tilt rotation, 324
spring clips for, 133
straining, 136, 137
surface of, 61, 62, 65, 136, 158, 179, 275, 395, 411, 433, 448, 455, 522, 523, 599, 633, 707
thickness of, 11, 29, 63, 109, 110, 111, 164, 197, 323, 329, 352, 402, 466, 487, 565, 595, 627, 654, 655, 656, 669, 671, 675, 679, 702, 705, 708, 721, 726, 727, 730
See also Thickness of specimen
tilt axis, 169
tilting of, 134, 181, 187, 228, 274, 285, 289, 382, 394, 430, 447, 511, 515, 671, 755
top-entry, 133, 134, 136, 169
transmission function, 485
vibration, 495
wedge-shaped, 274, 408, 410, 564, 565
- Spectrometer (EELS)
aberrations of, 682, 683, 684
artifacts in, 689–690

- calibration of, 684
- collection semiangle of, 685–688
- dispersion of, 683
- entrance aperture of, 681, 682, 684, 686, 687, 688
- entrance slit of, 294
- focusing of, 682–683
- object plane of, 683, 685
- post-spectrometer slit, 683
- resolution of, 683–684, 722
- See also* Electron energy-loss spectrometry (EELS)
- Spectrometer (X-ray energy-dispersive), 7, 581
 - artifacts of, 689–690
 - Au absorption edge, 613
 - Au contact layer, 651
 - automatic shutter, 611
 - clock time, 593, 596, 597
 - collection angle of, 101, 598–599
 - contamination of, 132
 - dead layer, 585, 586, 595, 596, 651
 - dead time, 592, 593, 596, 597, 598
 - efficiency of, 715, 721
 - escape peak, 606, 607, 612, 614, 628, 630, 656
 - incomplete-charge collection, 59
 - internal-fluorescence peak, 612, 613, 630
 - leakage current of, 593, 689, 690, 691
 - live time, 593, 596, 614
 - performance criteria for, 688
 - residuals in, 645
 - shutter, 594, 595, 600, 611
 - sum peak, 607, 608, 628, 630, 632
 - system peaks, 613, 627, 628, 632
 - take-off angle of, 614, 654, 655
 - time constant, 593, 596, 597, 598, 627, 630
 - window, 702, 703, 725
- Spectrometer (X-ray wavelength-dispersive), 589–591
- Spectrum
 - electron energy-loss, 680–681
 - X-ray, 26, 57, 60, 175, 591, 605–621, 643, 699
- Spectrum imaging, 605, 619–620, 659, 680
- Spectrum-line profile, 616, 617, 620, 695, 733
- Sphere of projection, 286
 - See also* Stereographic projection
- Spherical aberration, 6, 84, 100, 103–104, 108, 148, 205, 331, 488, 490, 494, 610, 635, 703
 - broadening, 84
 - coefficient, 84, 104
 - error, 108
 - See also* Aberration
- Spinodal decomposition, 504
- Spinorbit splitting, 744
- Spin quantum number, 744
- Spot mode, 144, 149, 326, 584, 615–616
- Spurious peak, 628
- Spurious X-ray, 608, 609, 611, 635, 655
- Sputtering, 65, 66, 68, 178, 180, 181, 646, 721
- Stacking fault, 67, 250, 275, 279, 419, 420, 421, 422, 424–427, 441, 446, 447, 448, 458, 471, 472, 473, 475, 476, 503, 524
 - contrast, 424, 425, 426
 - energy, 446, 448, 458, 473, 476
 - fringes, 402
 - inclined, 472
 - intrinsic, 475
 - overlapping, 426–427
 - See also* Planar defect
- Stage, 24, 34, 62, 68, 81, 98, 101, 115, 118, 119, 121, 122, 123, 127, 130, 131, 132–133, 136, 137, 138, 150–152, 154, 169, 177, 188, 197, 214, 223, 224, 327, 330, 347, 374, 466, 512, 515, 522, 523, 540, 584, 586, 587, 589, 598, 599, 605, 611, 612, 614, 616, 650, 655, 673, 753
- Staining, 66
- Standard Cr film, 518, 593, 612, 614, 615
- Standard specimen, 164, 168, 305, 362, 599, 652, 744
- Stationary-phase method, 470
- Statistical criterion, 632, 673, 674
- Statistically significant peak, 632
- Stereogram, 286, 287, 303, 359
- Stereographic projection, 286–287, 288, 302, 311, 315, 317, 348, 358
- Stereology, 512
- Stereomicroscopy, 285, 442, 450
- Stigmators, 106, 149, 162, 163, 164
 - See also* Astigmatism
- Strain, 127, 135, 136, 278, 279, 339, 347, 361–363, 394, 396, 399, 400, 415, 441–442, 443, 444, 447, 448, 451, 452, 456, 457, 468–469, 476, 526
 - analysis of, 362
 - contrast, 399, 456, 457
 - field, 279, 371, 394, 399, 400, 441–459, 468–469, 476
 - lattice, 347, 361–363, 456
 - measurement of, 347, 352, 361–363
- Strain engineering, 362
- Straining holder, 136, 137, 551
 - See also* Specimen, holder
- Strain-layer superlattice, 362
- Stress, 74, 81, 133, 134, 136, 182, 189, 324, 341, 375, 441, 477, 486, 495, 504, 527, 625
 - field, 136, 441
- Strong-beam image, 382, 421, 424, 425, 467, 474, 476
- Structure correlation, 294
- Structure factor, 46–47, 223, 224, 257, 258–259, 260, 261, 262, 267, 272, 274, 284, 290, 332, 336, 347, 351, 356, 364–365
- Structure-factor determination, 261, 364–365
- Structurefactor-modulus restoration, 559
- Student *t* value, 648
- Substitutional atom, 277, 657
- Substitutional site, 658
- Substrate, 4, 81, 186, 187, 296, 302, 379, 393, 394, 395, 396, 397, 413, 452, 518, 519, 583, 751
- Summation, 84, 108, 223, 239, 272–273, 569, 654
- Sum peak, 592, 606, 607, 608, 628, 630, 632, 633, 638
- Superlattice, 262–265, 277, 362, 415, 420, 427, 447, 504, 517
 - dislocation, 447
 - reflection, 262–265, 427, 517
 - See also* Ordering
- Surface barrier detector, 117, 118
 - diffusion, 527
 - dislocation, 452, 453
 - faceting, 392
 - groove, 540–542, 751
 - imaging, 519–521
 - layer, 81, 117, 182, 187, 380, 451, 452, 453, 519
 - plasmon, 707
 - reconstruction, 519
 - relaxation, 363, 458, 517, 527
 - of specimen, 61, 62, 65, 136, 179, 275, 395, 411, 433, 448, 455, 511, 522, 523, 599, 633, 707
- Symmetry
 - bright-field projection, 155, 159–161, 361
 - determination of, 295, 340, 354, 357–361, 366
 - elements of, 266, 287, 305, 357, 358, 359, 361
 - glide plane, 442, 443, 444, 449
 - inversion, 359, 360, 365
 - projection-diffraction, 361
 - rotational, 360, 361
 - rotation axis, 358, 360, 412
 - screw axis, 543, 544
 - three dimensional, 364
 - translational, 504, 544
 - whole-pattern (WP), 361
 - zone-axis, 348, 352, 380, 383, 412, 458
 - See also* Mirror plane; Point group; Space group
- Systematic absence, 259, 260, 290, 304, 348, 354, 356, 357
 - See also* Forbidden reflection
- Systematic row, 202, 205, 230, 249, 332, 411, 435, 457, 458, 464, 465, 466, 657
 - See also* Diffraction, pattern
- System peaks, 613, 627, 628, 632
- T**
- Template, 305, 396, 397, 562, 563, 564, 567, 568, 569, 570, 572, 573, 659, 693
- Temporal coherence, 76–77, 85
 - See also* Spatial coherence

- Texture, 283, 284, 290, 291, 292, 319, 557
See also Grain
- Thalidomide, 363
- Thermal-contraction coefficient, 363
- Thermal-diffuse scattering, 64, 338
- Thermionic gun, 74, 77–80, 82, 144
See also Gun
- Thickness of specimen, 703
dependence, 538, 567
determination of, 352–354, 361, 415, 670, 671, 730
effect on contrast, 373–379
effective, 337, 415
fringe, 389, 407, 408–411, 413, 414–415, 424, 426, 430, 432, 446, 452, 456, 467, 468, 472, 521, 669
image, 731
simulation of, 414
- Thin-foil criterion, 640, 654
See also Cliff-Lorimer
- Thin-foil effect, 217–218, 273–274
See also Shape effect
- Threshold energy, 67, 750
See also Beam (electron), damage
- Through-focus dark-field, 513
See also Dark field (DF)
- Through-focus image, 402, 493, 506
- Tie line, 248, 249, 250, 251, 252, 254, 413, 431, 432
See also Dispersion diagram, surface
- Tilted-beam condition, 390
- Tomography, 10, 135, 442, 511–512, 741, 755–757
- Top bottom effect, 297, 298
- Top-hat filter function, 643, 644
- Topotaxy, 296
- Torr, 128, 129, 130
- Trace element, 625, 632, 634, 659, 672, 732
- Transfer function, 485, 486, 487–488, 490, 491, 492, 494, 495, 552, 560
effective, 491
See also Contrast, transfer function
- Translation boundary, 419
- Transmission electron microscope, 3–18
- Tripod polisher, 177, 178
- TV camera, 111, 118–120, 141, 326
See also Charge-coupled device (CCD) camera
- Twin boundary, 6, 169, 207, 217, 276, 402, 419, 420, 427, 454, 455, 472, 503
See also Grain, boundary; Stacking fault
- Twin-jet apparatus, 178
- Twin lens, 145, 146
- Two-beam approximation, 224, 227, 390, 424, 435, 478
calculation, 457
condition, 224, 230, 296, 352, 381–382, 383, 384, 385, 422, 444, 658, 669, 733
- Two-photon microscopy, 4
- Two-window method, 643
- U**
- Ultrahigh vacuum, 13, 55, 128, 129–130
- Ultramicrotomy, 180, 183–184, 634
- Ultra-soft X-rays, 590
- Ultrasonic cleaning, 176, 182, 184
- Ultra-thin window, 586, 587, 588
See also Spectrometer (X-ray energy-dispersive)
- Uncollimated electrons, 610
- Underfocus, 96, 142, 143, 145, 147, 148, 149, 154, 162, 163, 164, 165, 198, 205, 207, 229, 330, 381, 382, 400, 466, 492, 500, 514, 515, 516, 517, 553
See also Lens; Overfocus
- Unfilled states, 55, 742, 743, 744, 746
- Unit cell, 46, 47, 212, 223, 257, 258, 261, 262, 264, 272, 273, 274, 324, 338, 347, 354–357, 421, 427, 435, 447, 500, 540, 542, 544, 558, 563, 567, 571, 655, 665, 669, 748
determination of, 354–357
image, 567
scattering amplitude from, 258
volume of, 28, 65
See also Crystal; Lattice
- V**
- Vacancy, 66, 67, 277, 449, 528
loop, 449
See also Dislocation, loop
ordered array, 264, 278, 542
- Vacuum
backing valve, 131
high, 128, 129–131, 523, 752
low, 128
pumps, 127
rough, 128
tweezers, 175, 189
ultrahigh, 129–131
wave vector in, 249
- Vacuum level, 742
- Valence-electron density, 365, 709
- Valence state image, 679, 743, 744, 745, 747, 748
- Valence-ultraviolet spectrum, 705
- Végard's law, 363
- Video image, 550
See also Charge-coupled device (CCD) camera
- Viewing screen, 5, 11, 26, 75, 76, 82, 85, 97, 115, 116–117, 119, 124, 141, 143, 144, 146, 148, 149, 151, 152, 153, 154, 155, 156, 162, 166, 199, 224, 371, 372, 681, 682, 685, 686, 691, 694, 696
- Visible-light microscope, 5, 86, 91, 198
- Void, 374
- Voltage centering, 162, 493
- Von Laue, 48, 49, 358
condition, 199, 214, 216, 271
equations, 48, 49, 201, 203, 213–214
groups, 49
X-ray pattern, 218
- zone, 216, 217, 289, 290, 311, 323, 335–338, 349, 351, 355, 356, 357, 458, 614
See also Higher-order Laue zone (HOLZ); Zero-order Laue zone
- W**
- Wafering saw, 176
- Water vapor, 124, 127, 132, 136, 189, 586, 587, 595
- Wave
diffracted, 48, 199, 200, 259, 536
equation, 235–236, 247, 495, 728
function, 33, 222, 224, 227, 236, 237, 241, 252, 399, 486, 487, 535, 728, 748, 753
incident, 34, 36, 48, 199, 215, 216, 486
matching construction, 248
total amplitude of, 31
total function, 222, 224, 227–228, 236, 252
vector, 45, 199, 200, 215, 216, 222, 224, 227, 238, 239, 241, 245, 246, 248, 249, 251, 399, 432, 435
- Wavefront, 30, 31, 32, 45, 103, 199, 200, 223
- Wavelength-dispersive spectrometer (WDS), 589–591
See also Spectrometer (X-ray wavelength dispersive)
- Weak-beam dark field, 463–479
3g reflection, 464, 466
condition, 453
of dislocation, 469–470
thickness fringes in, 467
See also Dark field (DF)
- Weak phase-object approximation, 486
- WEBEMAPS, 350, 351
- Wedge specimen, 186, 187, 249, 250, 275, 279, 408, 414, 430, 431, 446, 472, 641
- Wehnelt, 75, 77, 78, 79, 132
bias, 75, 78, 79
cylinder, 77, 78
See also Gun; Thermionic gun
- Weighting factor, 258
- Weiss zone law, 204, 289, 335, 348
- White line, 463, 723, 728, 729, 736, 744, 745, 746, 748
- White noise, 497, 572
- White radiation, 198, 215
- Wien2k code, 711
- Wien Filter, 693
- Windowless (X-ray energy-dispersive spectrometer) detector, 587, 630, 723
- Window polishing, 183
- Window (X-ray energy dispersive spectrometer), 586–587
- Wobbling (lens), 148, 162
- Work function, 74
- World Wide Web, 15
- Wulff net, 286, 287, 302

X**X-ray**

absorption of, 28, 294, 599, 600, 634, 641, 653, 656, 671, 694, 717, 742, 751, 752
See also Absorption, of X-ray
 absorption near-edge structure, 742
 atomic-number correction, 640, 650
 bremsstrahlung, 40, 55, 60, 135, 598, 605, 606, 608, 609, 610, 611, 613, 635, 643
 characteristic, 653
 count rate, 589, 598, 599, 616, 625, 641, 658, 673
 depth distribution of, 654, 655, 665
 detector, *See* Spectrometer (X-ray energy-dispersive)
 diffraction, 5, 30, 197, 198, 215, 290, 545
 emission of, 55–60, 61, 63, 650, 654, 657, 658, 669, 715, 733, 735
 energy of, 7, 55, 58, 60, 581, 582, 585, 587, 588, 591, 593, 594, 595, 605, 606, 626, 629, 641, 643, 652, 653

energy-dispersive spectrometry (XEDS),

See Microanalysis; Spectrometer (X-ray energy-dispersive)

families of lines, 605, 628, 629
 fluorescence, 612, 721
 image, 605, 616–620, 634, 636, 658, 755
 interaction volume, 663, 664, 665, 672, 674, 735
 map, 381, 550, 567, 584, 588, 616, 617, 618, 619, 658–659, 672
 peak-to-background ratio, 673
 scattering factor, 435
 spectra, 87, 581, 590, 605–621, 645, 647, 653, 688, 717, 723, 742, 751
See also Microanalysis; Spectrometer (X-ray energy-dispersive); Spectrometer (X-ray wavelength-dispersive)

Y

YAG scintillator, 685, 688, 691
 Young's modulus, 457
 Young's slits, 13, 30, 31, 279

Z

ZAF correction, 639
 Z contrast, 44, 161, 379–381, 506, 543, 545, 567, 746
 scattering, 379, 380
 z control, 151, 327, 330, 332, 512
 Zero-energy strobe peak, 631
 Zero-loss, 630, 671, 680, 683, 690, 691, 699, 701–703, 707, 725, 730, 731, 753
 integral, 729
 peak, 701–703
 Zero-loss filter, 703
 Zero-order Laue zone, 216, 289
 Zero-order wave, 48
 Zeta-factor, 652–654, 656
 z-factor, 641, 646, 653, 654, 656, 659, 671, 672, 675
 Zone axis, 348, 352, 380, 383, 412, 458
 high-symmetry, 338, 356
 image, 537
 low-symmetry, 338, 356
 orientation, 348, 380, 614
 pattern, 216, 303, 319, 412
 symmetry, 338, 356