

# Index

## A

- ABSplus material, 159–160
- Accuracy improvements
  - error sources, 406–407
  - machining strategy, 408–412
  - model pre-processing, 407–408
- ACES scan pattern, 87–91
- Acoustic softening. *See* Blaha effect
- Acrylate photopolymer systems, 98
- Adaptive raster milling, 408–410
- Additive manufacturing (AM)
  - advantages, 8–9
  - basic principle, 1–2
  - classification
    - discrete particle systems, 30
    - hybrid systems, 33–34
    - layered manufacturing (LM)
      - processes, 28
    - liquid polymer systems, 29
    - metal systems, 32
    - molten material systems, 30–31
    - new schemes, 31–32
    - solid sheet systems, 31
  - vs. CNC machining
    - accuracy, 11
    - complexity, 10
    - geometry, 11
    - materials, 9–10
    - programming, 11–12
    - speed, 10
  - future aspects, 37
  - historical development, 34–35
  - hollowing out parts, 54
  - identification markings/numbers, 56
  - interlocking features, 55
  - layers usage, 26–27
  - materials handling issues, 52–53
  - motivation, 283–284
  - part count reduction, 56
  - part orientation, 53
  - processes
    - application, 5–6, 47
    - CAD, 4, 42–44
    - conversion to STL, 4, 44–45
    - machine setup, 5, 45
    - part building, 5, 46
    - parts removal, 5, 46
    - post-processing, 5, 46–47
    - software, 58
    - transfer to AM machine and STL file manipulation, 5, 45
  - removal of supports, 53–54, 404
  - technology
    - computer aided design (CAD), 20–23
    - computer aided engineering (CAE), 13–14
    - computer numerically controlled (CNC) machining, 25–26
    - computers, 17–20
    - haptic-based CAD, 14–15
    - lasers, 23–24
    - materials, 25
    - molten material systems, 49–50
    - photopolymer-based systems, 48
    - powder-based systems, 48–49
    - printing technologies, 24

- programmable logic controllers (PLCs), 24–25
  - reverse engineering (RE) technology, 12–13
  - solid sheets, 50
  - undercuts inclusion, 54–55
  - unique capabilities
    - functional complexity, 292–294
    - hierarchical complexity, 291–292
    - hierarchical structures, 297–299
    - industrial design applications, 299–300
    - material complexity, 295–296
    - part consolidation and redesign, 296–297
    - shape complexity, 290–291
    - world-wide companies, 35–36
  - Advanced Information and Communication Technologies (aICT), 439–445
  - Aerospace industry, 369
  - Aesthetic improvements, 412–413
  - Align Technology, 363–365
  - Applied energy correlations and scan patterns, 135–138
  - Assassin model soccer shoe, 367–368
  - Automated fabrication (Autofab), 6
  - Automated powder removal machine, 402–403
  - Automotive industry, 369, 432
- B**
- Banerjee, R., 257
  - Basaran, O.A., 187, 188
  - Beam deposition (BD) processes
    - benefits and drawbacks, 256–258
    - differential motion, 239
    - laser-based metal deposition (LBMD) process, 239–240
    - materials and microstructure
      - brittle intermetallic phase, 251
      - ceramic materials, 248–249
      - CoCrMo LENS deposit, 250, 251
      - ductility, 252
      - metallic materials, 248
      - microstructural advantages, 250
      - multi-material combination, 249, 250
      - optical methods, 250
      - powder feedstock, 249
      - TiC LENS deposit, 251
    - microstructure, 238–239
    - multi-axis deposition head motion, 240
    - parameters, 247
    - powder feeding
      - co-axial feeding, 242–243
      - dynamic thickness benefits, 242
      - energy density, 241–242
      - extrusion-based process, 241
      - 4-nozzle feeding, 243
      - single nozzle feeding, 243
      - versatile feedstock, 240
      - z-offset, 241
    - processing-structure-properties relationships
      - cooling rate, 253
      - 3D Rosenthal solution, 252–253
      - low-and high-powered systems, 255, 256
      - normalized melting temperature, 254
      - solidification microstructure, 252
      - solidification velocity, 256
      - thermal gradient, 254
    - representation, 237, 238
    - systems
      - AeroMet machine, 246
      - CO<sub>2</sub> laser system, 245
      - Controlled Metal Buildup (CMB), 247
      - Direct Metal Deposition (DMD), 245
      - Electron Beam Freeform Fabrication (EBF<sup>3</sup>), 247
      - laser consolidation process, 246–247
      - Laser Engineered Net Shaping (LENS) system, 244–245
      - POM machines, 245
      - welding/plasma-based technologies, 247–248
      - wire feeding, 243–244
  - Bernard, A., 319
  - Beuth, J., 252
  - Binary deflection continuous system, 184–185
  - Binder printing, 201
  - Biocompatible materials, 138
  - Bioextrusion
    - gel formation, 162
    - melt extrusion, 162–164
    - scaffold architectures, 164
  - Blaha effect, 219

- Blaha, F., 219
- Blazdell, P.F., 185
- Blended multiple materials processes, 429–431
- Bluestone material, 433
- Bonding, 151–152
- Bontha, S., 252, 256
- Boothroyd, G., 285
- Breakaway supports, 404
- Build time model, 376–379
- Burns, M., 6
- Business opportunities and future directions
  - digiproneurship
    - advantages, 445
    - creation facilities, 444–445
    - definition, 437–438
    - distributed conceptualization and propagation, 442–443
    - Freedom of Creation, 443
    - Google SketchUp, 443
    - representation, 442
    - research and development priorities, 444
    - Spore game and Spore Creature Creator, 443
  - new types
    - employment, 440–442
    - products, 439–440
- C**
- Cationic photopolymerization, 67
- Ceramic parts creation approaches, 119–120
- Ceramics, 178–179
- Certification, 372
- Chemically-induced sintering, 108
- Childs, T.H.C., 136
- Computer aided design (CAD) technology
  - accuracy, 22
  - binary/ASCII format, 342–343
  - cantilever beam, 312–313
  - challenges, 301–302
  - complexity, 22
  - direct slicing, 357
  - 3D Systems, 341
  - engineering content, 22
  - file creation, 343–344
  - image, layer thickness, 2
  - limitations, NC machining, 20–21
  - model, 23
  - non-applicative areas
    - architectural models, 58
    - medical modeling, 57–58
    - reverse engineering data, 58
  - promising technologies
    - implicit modeling, 305–309
    - proposed DFAM system, 304–305
  - realism, 21
  - search and synthesis methods
    - design structures, 308
    - Gauss–Newton methods, 311
    - genetic algorithm (GA), 310
    - geometric complexity, 308
    - Levenburg–Marquardt (LM) algorithm, 310, 311
    - Michell truss layout, 310
    - one-piece structure, 309
    - swarm, cognitive behavior, 311
    - wagon wheel structure, 310
  - slice profile calculation
    - cutting plane, 345
    - discrete scenarios, 346
    - triangle and line intersection, 346–348
    - vectors, 2D profile, 348, 349
    - Z value, 346
  - solid-modeling CAD systems
    - cooling channels, 302
    - geometry-related capabilities, 303
    - hybrid CSG-BRep, 302
    - ISO STEP standard, 303
    - issues, 303, 304
  - speed, 22
  - STL file format, 22–23
  - systems, 3
  - technology specific elements
    - hatching pattern, 351, 352
    - patterned vector scanning, 350, 351
    - raster scanning, 350
    - support structure, 349–350
    - usability and user interface, 22
- Computer aided engineering (CAE), 13–14
- Computer-Aided Manufacturing of Laminated Engineering Materials (CAM-LEM), 211–212
- Computerized tomography (CT) scanner, 386

Computer numerical controlled (CNC) machining, 25–26, 214, 215  
 Concept Laser GmbH, Germany, 125  
 Conceptualization, 440, 442–445  
   and CAD, 42–44  
   definition, 437–438  
 Continuous mode (CM) deposition, 184–185  
 Contour crafting, 165  
 Cost estimation  
   build time model, 376–379  
   cost model, 374–376  
   stereolithography example, 379–380  
 Cost model, 374–376  
 Covas, J.A., 146  
 Cure model, 95–96

## D

Defense Advanced Research Projects Agency (DARPA), 259–260  
 De Gans, B.J., 187, 192–194  
 Deglin, A., 319  
 Deposition, printing process  
   ceramics, 178–179  
   metals, 179–181  
   polymers, 176–178  
 Derby, B., 193  
 Design for additive manufacturing (DFAM)  
   aircraft duct, 286, 287  
   assembly and manufacturing costs, 286  
   camera spool, 286  
   complex and customized geometry, 288  
   conventional DFM constraint  
     elimination, 289  
   definition and classification, 284  
   injection molding tools, 285, 286  
   integrated assemblies, 288–289  
   integrated flow vanes, 287  
   objectives and guidelines, 287  
   product development process, 284–285  
   software tools, 285  
 Design tools, 434  
 Dewhurst, P., 285  
 Digiproneurship  
   advantages, 445  
   creation facilities, 444–445  
   definition, 437–438

distributed conceptualization and propagation, 442–443  
 Freedom of Creation, 443  
 Google SketchUp, 443  
 representation, 442  
 research and development priorities, 444  
 Spore game and Spore Creature Creator, 443  
 Digital entrepreneurship, 438  
 Digital record, 372  
 Direct digital manufacturing (DDM)  
   adding/editing screen, 334, 335  
   Align Technology, 363–365  
   AM vendors and applications  
     researchers, 435  
   applications, 370–372  
   build times and costs, 329, 334  
   cost estimation  
     build time model, 376–379  
     cost model, 374–376  
     stereolithography example, 379–380  
   custom soccer shoes and other examples, 367–370  
   database maintenance, 334  
   drivers, 370–372  
   flowchart, 330  
   future aspects, 382–383  
   layout of parts, 333  
   life-cycle costing, 380–382  
   manufacturing vs. prototyping, 372–374  
   negative spacing values, 333  
   part data entry screen, 330, 331  
   preliminary selection, 330, 332  
   qualitative assessment question screen, 330, 331  
   qualitative assessment results, 330, 332  
   Siemens and Phonak, 365–367  
   SinterStation Pro 140, 334  
 Direct printing, 182–183  
 Direct write (DW) technologies  
   applications  
     fractal and MAPLE-DW printed antenna, 279  
     materials and substrates  
       combination, 278  
     remote sensing, 280  
     sensor fabricator, 279  
     thermal and strain sensors, 280

- beam deposition
    - electron beam CVD, 275
    - FIB CVD, 274–275
    - laser chemical vapor deposition (LCVD), 272–274
  - beam tracing approach
    - additive/subtractive DW, 276
    - electron beam tracing, 277
    - focused ion beam tracing, 277
    - laser beam tracing, 277–278
    - micro-/nanodiameter beams, 277
  - categories, 260
  - Defense Advanced Research Projects Agency (DARPA), 259–260
  - definition, 259
  - hybrid technologies, 278
  - ink-based DW
    - aerosol, 266–267
    - continuous and droplet dispensing, 261
    - inkjet printing process, 265–266
    - ink types, 260
    - material properties, 261
    - nozzle dispensing process, 261–264
    - quill-type process, 264–265
    - rheological properties, 260, 261
  - laser transfer
    - ablation, 268, 269
    - benefits and drawbacks, 270
    - high-energy laser beam, 267
    - MAPLE DW process, 269
    - sacrificial transfer material, 268, 269
    - spallation, 269
    - thermal expansion, 268
  - liquid-phase direct deposition, 275–276
  - thermal spray techniques
    - aperture system, 271–272
    - characteristics, 270
    - general apparatus, 270, 271
    - multilayer devices, 272
    - splats, 270
  - Discrete multiple materials processes, 424–427
  - Discrete particle systems, 30
  - Distributed conceptualization and propagation, 438, 442, 444
  - 3D-Micromac AG, Germany, 125–126
  - 3D printing (3DP). *See* Printing processes
  - Drill guides, 392
  - Droplet formation methods, 183–184, 187–188
  - Droplets deposition control, 182
  - Drop-on-demand (DOD) mode deposition, 186–187
  - 3D Systems
    - ACES scan pattern, 87
    - computer-aided design system, 22
    - 3D printing, 172
    - EOS, 35
    - hot melt deposition, 193
    - laser-based systems, 120–124
    - MakeTray, 365
    - ProJet printers, 173
    - selective laser sintering (SLS), 30, 120
    - SinterStation Pro, 382
    - SLA Viper Si2 machine, 367
    - SLA-250, 63
    - stereolithography (SL), 7, 29, 34, 61, 71–74, 94, 341, 357, 379, 432
    - Thermojet, 31
    - UV-curable printing materials, 194
    - V-Flash machine, 95
    - WINDOWPANE procedure, 81
  - DuPont, J.N., 251
- ## E
- Edirisinghe, M.J., 194
  - Elastomeric thermoplastic polymers, 138
  - Electrochemical liquid deposition (ECLD), 275–276
  - Electron beam melting (EBM)
    - Arcam’s EBM system, 368
    - metal systems, 54
    - vs. SLM, 126–130
  - Electronic spare parts, 372
  - Embedded component AM, 431–432
  - Engineering training, 397
  - Entrepreneurship, 438, 442
  - Envisiontec Bioplotter, 393
  - EOS GmbH (Germany), 123–124
  - EOSint laser sintering, 122–123
  - Equipment maintenance, 51–52
  - Exposure, 77–78
  - Extrusion-based systems
    - basic principles
    - bonding, 151–152

- extrusion, 146–149
  - liquification, 145–146
  - positional control, 150–151
  - solidification, 149–150
  - support generation, 152–153
  - bioextrusion
    - gel formation, 162
    - melt extrusion, 162–164
    - scaffold architectures, 164
  - fused deposition modeling (FDM),
    - Stratasys
      - ABSplus material, 159–160
      - limitations, 160–161
      - machine types, 157–159
    - other systems
      - contour crafting, 165
      - FDM of ceramics, 166–167
      - nonplanar systems, 165–166
      - Reprap and Fab@home, 167–168
    - plotting and path control, 153–156
- F**
- Fab@home, 167–168
  - Factory 2.0, 442, 444, 445
  - fcubic processes, 132–133
  - Feng, W., 177
  - Figure-Prints company, 370
  - Figureprints model, 58
  - Focused ion beam chemical vapor
    - deposition (FIB CVD), 274–275
  - Form, Fit and Function (3 Fs), 3
  - Freedom of Creation, 443
  - Freeform fabrication (FFF), 7. *See also*
    - Additive manufacturing
  - Free-radical photopolymerization, 65
  - F&S Stereolithographietechnik GmbH,
    - Germany, 124
  - Fukumoto, H., 188
  - Full melting, 117
  - Fused deposition modeling (FDM)
    - machines
      - DDM example, 369
      - limitations, 160–161
      - types, 157–159
    - Stratasys
      - ABSplus material, 159–160
      - of ceramics, 166–167
    - limitations, 160–161
    - machine types, 157–159
- G**
- Gaming industry, 370
  - Gao, F., 76, 87
  - Gel formation, 162
  - Genetic algorithms (GAs), 310
  - Gibson, I., 428
  - Gluing/adhesive bonding
    - adhesive-backed paper, 207
    - bond-then-form process
      - decubing, 208
      - LOM advantages and limitations, 209–210
      - support material strategy, 209
      - tiles/cubes, 208
    - classification, 207
    - form-then-bond process
      - advantages, 211
      - CAM-LEM process, 211–212
      - ceramic microfluidic distillation
        - device, 212
      - Offset Fabbbing system, 210–211
      - Stratoconception approach, 212
  - Google SketchUp, 443
  - Grossman, B., 14
- H**
- Haptic-based CAD, 14–15
  - Hearing aids, 365–367
  - He, Z., 276
  - High speed sintering (HSS), 132
  - Himmer, T., 213
  - Hirowatari, K., 91
  - Hole drilling, 412
  - Hot melt deposition, 193
  - Hull, C.W., 61
  - Hybrid systems, 33
- I**
- Ikuta, K., 91
  - Inkjet printing, 171
  - Insurance, 397
  - Interpenetrating polymer network
    - formation, 69–70

Investment casting patterns, 414  
 InVision LD 3D-Modeler, 209  
 Irradiance model, 76–77, 95–96

## J

Jacobs, P.F., 63  
 Janaki Ram, G.D., 32, 218, 225,  
 227–229, 432  
 Jujups company, 370

## K

Keeney, R.L., 321  
 Khoshnevis, B., 428  
 Khuri-Yakub, B.T., 187  
 Klingbeil, N., 252  
 Kolosov's constant, 230  
 Kruth, J.P., 109

## L

Labor cost, 376  
 Laminated object manufacturing (LOM),  
 31, 34, 207, 208, 402, 423  
 advantages, 209–210  
 limitations, 210  
 Laser-based systems  
 low-temperature processing, 120–123  
 metals and ceramics, 123–126  
 Laser chemical vapor deposition (LCVD)  
 advantages and disadvantages, 274  
 Georgia Tech's development, 273–274  
 vs. microthermal spray, 274  
 multimaterial and gradient structures, 272  
 resolution, 273  
 LaserForm ST-100 green parts, 418  
 Laser-resin interaction, 78–81  
 Laser sintering. *See* PBF laser-based  
 systems  
 Lasers technology, 23–24  
 Layer-based build phenomena and errors, 83  
 Layer-based manufacturing, 7  
 Layered manufacturing (LM) processes, 28  
 Lee, E., 188  
 Le, H.P., 171  
 Levenburg–Marquardt (LM) algorithm,  
 310, 311  
 Life-cycle costing, 380–382

Line-wise and layer-wise processing  
 mask projection photopolymerization  
 processes  
 commercial MPLS systems, 94–95  
 MPLS modeling, 95–96  
 SL technology, 92–93  
 PBF-based line-wise and layer-wise  
 processes  
 fcubic, 132–133  
 high speed sintering (HSS), 132  
 selective inhibition sintering (SIS)  
 process, 132–133  
 selective mask sintering (SMS)  
 technology, 130–132  
 sintering aid, 132  
 Lipson, H., 426  
 Liquid-phase sintering (LPS) and partial  
 melting  
 distinct binder and structural materials  
 coated particles, 111–112  
 composite particles, 110–111  
 separate particles, 110  
 indistinct binder and structural materials,  
 112  
 Liquid polymer systems, 29  
 Liquification, 145–146  
 Liu, Q., 179, 186  
 Liu, W., 251  
 Luce, R.D., 322

## M

Machine purchase and operations  
 costs, 375  
 Machining strategy  
 adaptive raster milling, 408–410  
 hole drilling, 412  
 sharp edge contour machining, 410–411  
 MakeTray software, 365  
 Mask projection stereolithography (MPLS)  
 commercial systems, 94–95  
 modeling, 95–96  
 technology, 92–93  
 Material cost, 375  
 Materials development, 435  
 Materials technology, 25  
 Mavroidis, C., 293  
 Meacham, J.M., 188

- Medical applications
- categories
    - manufacturing, 390
    - prosthetics development, 389–390
    - surgical and diagnostic aids, 387–388
    - tissue engineering and organ printing, 390–391
  - computerized tomography (CT)
    - scanner, 386
  - further development
    - approvals, 396–397
    - engineering training, 397
    - insurance, 397
    - location of technology, 398
    - service bureaus, 398
  - limitations
    - accuracy, 395
    - cost, 394–395
    - speed, 394
  - materials, 395–396
  - software tools, 392–393
- Melt extrusion, 162–164
- Melt flow index (MFI), 117
- Metal deposition technology. *See* beam deposition (BD) processes
- Metal parts creation approaches
- full melting, 117
  - indirect processing, 119
  - liquid-phase sintering, 117–119
  - pattern methods, 119
- Metal systems, 32
- accuracy, 51
  - beam deposition process
    - controlled metal buildup (CMB), 247
    - intermetallic formation, 242
    - laser-based metal deposition (LBMD), 239
  - energy density, 50–51
  - Laser-Engineered Net Shaping (LENS), 32
  - powder bed fusion process, 113, 117–119
  - laser-based systems, 123
    - ProMetal process, 133
    - proprietary metal powder, 139
    - structural metal powder, 112
  - sheet metal clamping, 214
  - substrates usage, 51
  - weight and speed, 51
- Michell, A.G.M., 309, 310
- Microstereolithography. *See* Vector scan microstereolithography
- Modeling, printing process, 188–192
- Molten material systems, 30–31
- Monomer formulations, 69
- Morgenstern, O., 322
- Multi-axis systems, 434
- Multiple material approaches
  - blended type, 429–431
  - commercial applications, 432–433
  - discrete type, 424–427
  - embedded component, 431–432
  - future directions
    - analysis, 434
    - applications, 435
    - design tools, 434
    - materials development, 435
    - multi-axis systems, 434
  - porous type, 427–429
  - purposes, 424
- N**
- Nakajima, N., 91
- Natural support post-processing, 402–403
- Nonplanar systems, 165–166
- Non-thermal post-processing techniques, 416–417
- Nozzle dispensing direct write processes
  - differentiating factors, 262
  - drawback, 263
  - materials, 264
  - Micropen company, 262
  - nScript system, 262, 263
  - pump/syringe mechanism, 261
  - scaffold deposition, 262
- O**
- Obikawa, T., 213
- Orme, M., 179, 180, 185, 186, 193
- Orthodontic treatment devices, 363–365
- P**
- Paper Lamination Technology (PLT), 209
- Partial melting, 110–112
- Particle swarm optimization (PSO)
  - algorithm, 310, 312, 313

- Pattern replication methods, 415–416
- PBF laser-based systems, 120–123
- Percin, G., 187
- Perfactory machine, 94–95
- Pham, D.T., 28
- Phenix Systems, 125
- Phonak Hearing Systems, 365–367
- Photoinitiator system, 68
- Photopolymerization processes
  - approaches, 62
  - mask projection stereolithography (MPSL)
    - commercial systems, 94–95
    - modeling, 95–96
    - technology, 92–93
  - materials
    - photopolymer chemistry, 65–67
    - resin formulations and reaction mechanisms, 67–70
    - UV curable photopolymers, 63–65
  - reaction rates, 70–71
- SL resin curing process
  - irradiance and exposure, 76–78
  - laser-resin interaction, 78–81
  - photospeed, 81–82
  - time scales, 82
- SL scan patterns
  - ACES, 87–91
  - layer-based build phenomena and errors, 83
  - STAR-WEAVE, 85–87
  - WEAVE, 83–84
- two-photon SL (2p-SL), 96–98
- vector scan microstereolithography, 91–92
- vector scan stereolithography
  - machines, 72–75
  - process overview, 71–72
- Photospeed, 81–82
- Plotting and path control, 153–156
- Poisson's ration, 230
- Polymers, 176–178
- Polystyrene-based materials, 138
- Porous multiple materials processes, 427–429
- Positional control, 150–151
- Post-processing
  - accuracy improvements
    - error sources, 406–407
    - machining strategy, 408–412
    - model pre-processing, 407–408
  - aesthetic improvements, 412–413
  - pattern for metal part creation
    - investment casting, 414
    - other replication methods, 415–416
    - sand casting, 414–415
  - property enhancements
    - non-thermal techniques, 416–417
    - thermal techniques, 417–420
  - support material removal
    - naturally-occurring by-product, 402–403
    - synthetic supports, 403–405
  - surface texture improvements, 405–406
- Powder bed fusion (PBF) processes
  - applied energy correlations and scan patterns, 135–138
  - capabilities and limitations, 140
  - ceramic parts creation approaches, 119–120
  - electron beam melting (EBM)
    - vs. SLM, 126–130
  - fusion mechanisms
    - chemically-induced sintering, 108
    - full melting, 112–113
    - liquid-phase sintering (LPS) and partial melting, 108–112
    - solid-state sintering, 105–108
  - laser-based systems
    - low-temperature processing, 120–123
  - metals and ceramics, 123–126
  - line-wise and layer-wise type
    - fcubic, 132–133
    - high speed sintering (HSS), 132
    - selective inhibition sintering (SIS) process, 132–133
    - selective mask sintering (SMS) technology, 130–132
    - sintering aid, 132
  - materials, 138–140
  - metal parts creation approaches
    - full melting, 117
    - indirect processing, 119
    - liquid-phase sintering, 117–119
    - pattern methods, 119

- powder handling
  - challenges, 113–115
  - recycling, 116–117
  - systems, 115–116
- process parameters, 133–135
- selective laser sintering (SLS), 103–105
- Powder delivery system, 114–115
- Powder feeding systems, 115–116
- Powder fusion mechanisms
  - chemically-induced sintering, 108
  - full melting, 112–113
  - liquid-phase sintering (LPS) and partial melting, 108–112
  - solid-state sintering, 105–108
- Powder handling
  - challenges, 113–115
  - recycling, 116–117
  - systems, 115–116
- Preliminary selection decision support problem (PS-DSP), 320–321
- Prepolymer deposition, 194–195
- Priest, J.W., 179
- Printing indicator, 191
- Printing processes
  - deposition, research achievements
    - ceramics, 178–179
    - metals, 179–181
    - polymers, 176–178
  - evolution
    - advantages, 174
    - commercial machines, 172–175
    - historical development, 172
    - inkjet printing, 171
  - inkjet printing, 171
  - material modification methods
    - hot melt deposition, 193
    - prepolymer deposition, 194–195
    - solution-and dispersion-based deposition, 193–194
  - modeling, 188–192
  - printing technologies, 24
  - technical challenges
    - continuous mode (CM), 184–185
    - direct printing, 182–183
    - droplets formation and deposition control, 182
    - drop-on-demand (DOD) mode, 186–187
    - operational considerations, 183
    - other droplet formation methods, 187–188
    - resolution, 183
    - three-dimensional fabrication, 182
- three-dimensional printing (3DP)
  - binder printing, 201
  - commercial machines, 196–199
  - other materials, 199–200
  - technology, 195–196
- Prior 2 Lever (P2L) company, 367
- Process selection guidelines
  - approaches to determining feasibility
    - feasible material/machines, 320
    - knowledge-based system, 319
    - PS-DSP, 320–321
    - reasoning methods, 319
    - web-based AM selection system, 320
  - approaches to selection
    - attribute rating, 322
    - identify step, 321–322
    - probability density function, 323
  - Rate step, 322
  - standard selection decision support problem (s-DSP), 321, 322
  - utility curve, 323
  - word formulation, 321
- capital investment decision
  - alternatives evaluation, attributes, 326, 327
  - caster wheel model, 324, 325
  - customization process, 324
  - merit values and rankings, 326, 328
  - ratio and interval scale, 325
  - relative importances, 326
  - weighting scenarios, 325–326
- challenges
  - conventions and exhibitions, 328
  - costs vs. benefits, 326
  - expert systems, 329
  - SL and FDM machines, 328–329
  - SLS machine, 328
  - ZCorp machine, 329
- DDMS
  - adding/editing screen, 334, 335
  - build times and costs, 329, 334
  - database maintenance, 334
  - flowchart, 330

- layout of parts, 333
- negative spacing values, 333
- part data entry screen, 330, 331
- preliminary selection, 330, 332
- qualitative assessment question screen, 330, 331
- qualitative assessment results, 330, 332
- SinterStation Pro 140, 334
- decision theory, 318–319
- open problems, 338–339
- process planning support, 318
- quotation support, 318
- rapid prototyping, 317
- service bureaus (SBs)
  - decision support software system, 335
  - part building, 337
  - post-processing, 337–338
  - preprocessing, 336–337
  - production planning, 336
- Programmable logic controllers (PLCs)
  - technology, 24–25
- ProMetal injection molding tool, 419
- Propagation, 437–438, 440, 442–445
- Prosthetics development, 389–390

## Q

Qu, X., 410

## R

- Raiffa, H., 321, 322
- Rapid prototyping (RP), 1, 8
  - vs. direct digital manufacturing, 372–373
  - hearing aids, 37
- Reaction rates, 70–71
- Recycling of powder, 116–117
- Reis, N., 176, 187, 193
- Reprap, 167–168
- Resin formulations and reaction
  - mechanisms
    - interpenetrating polymer network formation, 69–70
    - monomer formulations, 69
    - photoinitiator system, 68
- Retirement costs, 381
- Reverse engineering (RE) technology, 12–13
- RTV molding, 416

## S

- SAAB Avitronics, 369
- Sand casting patterns, 414–415
- Savage, L.J., 322
- Scaffold architectures, 164
- Scan/deposition time, 376
- Selective area laser deposition vapor infiltration (SALDVI), 274
- Selective inhibition sintering (SIS) process, 132–133
- Selective laser sintering (SLS), 103–105
- Selective mask sintering (SMS) technology, 130–132
- Service and tooling costs, 381
- Shapiro, V., 306
- Sharp edge contour machining, 410–411
- Sheet lamination processes
  - gluing/adhesive bonding
    - adhesive-backed paper, 207
    - bond-then-form process, 208–210
    - classification, 207
    - form-then-bond process, 210–212
  - laminated object manufacturing (LOM), 207, 208
  - sheet metal clamping, 214
  - thermal bonding, 212–213
  - ultrasonic consolidation (UC)
    - additive-subtractive process, 215
    - automated support material approach, 216
    - bond quality, 216, 218
    - CNC milling, 214, 215
    - defects, 222–224
    - definition, 214
    - fiber embedment, 233
    - fundamentals, 216–219
    - honeycomb structure, 216, 217
    - internal features, 231–232
    - material flexibility, 232
    - mechanical properties, 225–226
    - microstructures, 224–225
    - modeling, 226–231
    - parameters and optimization, 220–222
    - smart structures, 233–234
    - sonotrode, 215
- Shimoda, T., 187, 193, 194
- Shrinkage, 407
- Siemens Hearing Instruments, Inc., 365–367

- SinterStation Pro systems, 121–122, 334
- Sirringhaus, H., 187
- Skin addition, 407
- SLA-7000 vat, 377
- SLA Viper Pro parameters, 379
- SLA Viper Si2 machine, 333, 334
- SLM dental framework, 404–405
- Soccer shoes, 367–370
- Software tools, medical applications, 392–393
- Solid freeform fabrication (SFF), 7. *See also*  
 Additive manufacturing
- Solidification, 149–150
- Solidimension, 209
- Solid sheet systems, 31
- Solid Slicing Manufacturing (SSM), 208–209
- Solid-state sintering, 105–108
- Solution-and dispersion-based deposition, 193–194
- Sonin, A.A., 76, 87
- Spore game and Spore Creature Creator, 443
- Standardization, 374
- STAR-WEAVE, 85–87
- Stereolithography (SL), 7, 379–380  
 binder printing, 201  
 commercial machines, 196–199  
 other materials, 199–200  
 resin curing process  
 irradiance and exposure, 76–78  
 laser-resin interaction, 78–81  
 photospeed, 81–82  
 time scales, 82  
 scan patterns  
 ACES, 87–91  
 layer-based build phenomena and errors, 83  
 STAR-WEAVE, 85–87  
 WEAVE, 83–84  
 technology, 195–196
- Stereolithography (STL) file format  
 additional software, 359–360  
 CAD model preparation  
 3D Systems, 341  
 binary/ASCII format, 342–343  
 file creation, 343–344  
 slice profile calculation, 345–349  
 technology specific elements, 349–351  
 color models, 357–358  
 degenerated facets, 353–354  
 direct slicing, CAD model, 357  
 leaks, 353  
 machining use, 358–359  
 manipulation  
 cut cylinder, 354, 355  
 on AM machine, 356–357  
 triangle-based definition, 354  
 viewers, 355–356  
 multiple materials, 358  
 unit changing, 351–352  
 vertex to vertex rule, 352
- Stevens, M.J., 146
- Stratasys, 30, 34, 35, 58, 144, 157–161, 165, 369
- Stucker, B.E., 32, 410
- Support generation, 152–153
- Support material removal  
 naturally-occurring by-product, 402–403  
 synthetic supports, 403–405
- Surface texture improvements, 405–406
- Surgical and diagnostic aids, 387–388
- Sweet, R., 188
- Synthetic support removal  
 build materials, 404–405  
 secondary materials, 405
- T**
- Takagi, T., 91
- Tape casting methods, 209
- Tay, B., 194
- Thermal post-processing techniques, 417–420
- Thermochemical liquid deposition (TCLD), 275
- Tissue engineering and organ printing, 390–391
- Tseng, A.A., 185
- Two-photon stereolithography (2p-SL), 96–98
- U**
- Ultrasonic consolidation (UC)  
 additive-subtractive process, 215  
 automated support material approach, 216  
 bond quality, 216, 218

- CNC milling, 214, 215
  - defects, 222–224
  - definition, 214
  - fiber embedment, 233
  - fundamentals
    - plastic deformation, 219
    - SEM microstructures, Al 3003/SS
      - mesh, 218
    - solid-state bonding, 219
    - thermal welding process, 217
    - ultrasonic metal welding (UMW), 216, 217
  - internal features, 231–232
  - material flexibility, 232
  - mechanical properties, 225–226
  - microstructures, 224–225
  - modeling
    - dwelling duration, 230–231
    - equation of motion, 229, 230
    - free body diagram, 229
    - interfacial plastic deformation, 226
    - linear welding density (LWD), 231
    - metal foil deposition, 227, 228
    - SEM microstructures, Al 3003/SiC, 226, 227
    - single cycle energy, 231
    - threshold ultrasonic energy, 227
    - total energy, 231
  - parameters and optimization
    - normal force, 220–221
    - oscillation amplitude, 220
    - preheat temperature, 221–222
    - sonotrode travel speed, 221
  - smart structures, 233–234
  - sonotrode, 215
  - UV curable photopolymers, 63–65
- V**
- Varadan, V.K., 93
  - Vector scan microstereolithography, 91–92
  - Vector scan stereolithography
    - machines, 72–75
    - process overview, 71–72
  - Vertical integration, 373
  - V-Flash machine, 95
  - VisCAM viewer, 355
  - von Neumann, J., 322
- W**
- Wang, J., 389
  - WEAVE, 83–84
  - Web 2.0, 438, 439, 444, 445
  - Wimpenny, D.I., 213
  - Windform material, 433
  - Wohlers, T.T., 7, 317, 395
  - Working curve, 80–82
- Y**
- Yamaguchi, K., 181, 187
  - Yamasaki, H., 213
  - Yardimci, M.A., 151
  - Yi, S., 213
  - Young's modulus, 230
- Z**
- ZCorp.,
    - binder printing machines, 402–403
    - color models, 357, 358
    - digiproneurship, 443
    - vs. Dimension FDM machine, 329
    - discrete particle system, 30
    - 3D printing (3DP) process, 172, 185, 370, 388, 427
    - high resolution 24-bit color printing machine, 174
    - LCVD, 274
    - low-cost technology, 35
    - powder-based system, 49
    - starch, 414
    - ZPrinter 310 Plus, ZPrinter 450, and Spectrum Z510, 198
  - Zhao, X., 194
  - Zippy RP Systems, 209