

---

# Index

## A

Access, 23, 29, 36, 46, 61, 136, 186, 202, 203, 218, 269, 287, 299  
ACID, 25, 26, 39, 95, 98, 99, 101–103, 132, 165, 168, 184, 188, 190  
Actor, 77  
Aggregation, 176, 191  
Alert Log, 54  
Amazon, 3, 11, 16, 33, 150, 202, 212, 296, 297  
Analytics, 137, 138, 141, 142, 148, 159, 193, 196  
Application server, 205, 207  
Architecture, 36, 41, 47, 97, 98, 117, 121, 150, 203, 205, 207, 208, 216, 218, 226  
Atomicity, 25, 102  
Attribute, 28, 38, 39, 69, 72, 74, 77–79, 82, 83, 88, 93, 94, 104, 106, 164, 167, 171, 172, 174, 176–178, 247  
Audit, 286, 293, 294  
Availability, 7, 10, 17, 25, 41, 61, 63, 64, 96, 99, 117, 140, 150, 214, 217, 221, 222, 226–231, 237–239, 283, 295  
Azure, 141, 215

## B

B-tree indexes, 252, 253, 254  
Backed up, 284  
Backup, 5, 15, 16, 34, 46, 54, 141, 184, 187, 222, 226, 229–233, 235, 237–239, 248, 258, 286, 295, 296, 298  
BASE, 103, 132  
Batch jobs, 243  
Benchmarking, 259  
Big Data, 15, 16, 32, 33, 39, 63, 98, 135–142, 145–149, 151, 158, 159, 190, 201, 202, 218, 238  
Big data analytics, 147  
Binary XML, 59  
Bind variables, 244, 293  
Bitmap Index, 253  
BLOB, 42, 86, 161, 163

Block, 13, 41, 50–52, 57, 186, 187, 245, 253, 254, 256, 265, 269  
Boolean, 42, 85  
Bring Your Own Device, 217, 238  
Browser, 59, 99  
Buffer, 13, 43–46, 53, 188, 190, 244, 265, 292–294  
Buffer cache, 44, 244

## C

C++, 30  
Cache, 43, 44, 185–187, 190, 197, 243, 244  
CAP theorem, 101, 102  
Cartesian join, 93  
Cassandra, 100, 104, 106, 107, 109–112, 115–117, 119, 120, 124, 132, 215  
CBO, 250, 277  
Check constraints, 86, 290  
Checkpoint, 46, 53  
Chen, 83, 85, 96  
Cisco, 135  
Client-server, 203, 204  
Client/server, 204, 222, 241  
CLOB, 86, 162, 249  
Cloud, 16, 32, 33, 40, 63, 97, 98, 132, 134, 137, 138, 140, 141, 150, 159, 205, 209, 216, 217, 219, 221, 222, 227, 235, 237, 238, 261, 296, 297  
Cloud computing, 16, 33, 201, 296  
Cloud providers, 227  
COBOL, 13, 24, 27, 28  
CODASYL, 24, 290  
Codd, 28, 39, 40, 69, 70, 75, 96, 249  
Code injection, 292  
Column-based, 104, 132, 183  
Column-based database, 100  
Comma Separated Variable, 58  
Command-line, 59, 99, 100, 243  
Commit, 25–27, 37, 39, 46, 53, 57, 58, 238  
Compression, 104, 190, 191  
Computer memory, 15, 39

Concurrent users, 201, 202, 205, 207, 218, 248  
 Consistency, 25, 26, 57, 63, 101–103, 184,  
     211, 224, 238, 244, 286  
 Constraint, 86–90, 94, 95, 143, 172, 222, 251,  
     255, 290  
 Constructor orthogonality, 164, 165  
 Control file, 53  
 Control files, 46, 229, 237  
 Cost based one, 250  
 CRUD, 42  
 CRUDing, 25, 89, 95, 169  
 CSV, 58, 59, 61, 116, 117, 130, 133, 134, 139,  
     142  
**D**  
 Dashboard, 228, 232  
 Data, 3, 11–13, 15–17, 22, 28, 30–34, 40, 44,  
     47, 50, 52, 58, 61, 69, 90, 93, 96, 99,  
     101, 107, 112, 122, 125, 127, 130, 134,  
     137, 139–143, 145, 147, 148, 150, 151,  
     158, 161, 164, 167, 187, 196, 207, 237,  
     238, 242, 245, 249, 258, 269, 286, 296,  
     301  
 Data storage, 3, 12, 15, 16, 28, 33, 42, 75, 98,  
     103, 132, 140, 142, 185, 190, 209, 213,  
     247  
 Data warehouse, 16, 30–32, 184, 185, 191,  
     246, 273  
 Data warehousing, 33, 151, 158, 243  
 Data-block, 50–53  
 Database management system, 26, 28, 29,  
     34–37, 42, 47, 87, 169, 180, 187–190,  
     192, 195, 223, 225, 290, 293  
 Database privileges, 286  
 Database server, 45, 123, 141, 205, 207, 210,  
     238, 243  
 Datafile, 46, 230, 232  
 Datasets, 33, 99, 140, 143, 158, 211, 216, 245  
 DBA, 45, 55–57, 61, 99, 101, 206, 211, 213,  
     222–224, 226, 228, 230, 232, 239, 243,  
     245, 248, 249, 251, 252, 255, 258, 259,  
     261, 275, 277, 299  
 DBMS, 43, 49, 62, 103, 104, 106, 185, 278,  
     280, 281  
 De-normalised, 31  
 Deadlock, 57, 64  
 Decision Support, 103, 104, 224, 228, 241  
 Direct access, 23, 34  
 Disaster recover, 211  
 Disaster recovery, 63, 140, 221, 222, 235, 239  
 Distributed, 11, 21, 36, 40, 61–63, 213, 237  
 Distributed database, 5, 26, 62, 63, 131  
 Distributed DBMS, 62  
 Document type definition, 37

Document-based, 100, 120, 122  
 Document-based database, 100  
 Document-centric, 121  
 Durability, 25, 26, 184, 188, 247

**E**

E-commerce, 207, 209, 214, 218, 224, 243  
 Embedded systems, 246  
 Encapsulation, 162–164, 177, 180  
 Encryption, 295  
 Entity modelling, 69, 76, 81, 86, 96  
 Equijoin, 91  
 ER diagram, 80, 86  
 Export, 60  
 Extensibility, 164, 165, 167

**F**

Fat client, 205, 206  
 Fifth Normal Form, 76  
 First Normal Form, 71  
 Flashback, 222, 229  
 Flashback technology, 224  
 Foreign key, 29, 71, 72, 74, 78, 79, 82, 86,  
     88–91, 94, 95, 164, 165, 172, 181, 211,  
     251  
 Forget phase, 26  
 Fourth Normal Form, 75  
 Full Outer Join, 92

**G**

G-Cloud, 16  
 Gartner Hype Cycle, 32, 33, 40, 296  
 GFS, 63, 98, 215  
 Google, 3, 41, 63, 65, 98, 148, 151, 210, 215

**H**

Hadoop, 63, 64, 135, 148–151, 158, 210, 211,  
     215, 238  
 HANA, 183, 190, 191, 193–197, 247  
 HBase, 98  
 HDD, 42, 44, 47, 51, 53, 137, 186, 187, 209,  
     212, 213, 225, 227, 228, 233, 235, 246,  
     247, 249, 253, 254  
 HDFS, 63, 149, 150, 158  
 Header, 46, 50, 130  
 ‘Heavy’ entities, 78, 81  
 Hierarchical database, 27  
 Hierarchy, 24, 52, 78, 79, 82, 83, 162, 165,  
     168, 169, 174, 175, 287, 288  
 High availability, 150, 222, 237  
 Horizontal scaling, 100, 106, 210, 215–217  
 HTML, 38, 166

**I**

I/O, 183, 185, 187, 190, 195, 211, 243, 245, 246, 253  
 IBM, 13, 15, 16, 22–24, 27, 36, 136, 145, 148, 165, 214, 287, 288, 301  
 Impedance mismatch, 162, 166  
 Import, 60, 61  
 IMS, 24, 27  
 In-memory, 15, 33, 34, 35, 39, 43, 76, 142, 183–190, 192–197, 212, 246, 247  
 In-memory databases, 15, 33, 35, 76, 183, 184, 188, 192, 193, 195, 196  
 Index, 12, 44, 52, 70, 101, 111–113, 115, 118, 119, 122, 129, 133, 165, 180, 185, 190, 211, 216, 241, 250–256, 269–277, 280, 281, 294  
 Indexing, 129, 189, 251  
 Inheritance, 174, 178  
 Inner Join, 91  
 Instance, 17, 39, 45–47, 53, 54, 56, 121, 131, 152, 163, 169, 172, 173, 176, 231, 237, 261, 264  
 Isolation, 25

**J**

Java, 30, 100, 116, 148, 151, 162, 166, 177, 180, 192, 291, 292  
 JavaScript, 122, 123, 125  
 Joins, 28, 30, 36, 44, 70, 76, 91, 92, 94, 99, 103, 162, 164, 165, 172, 213, 214, 216, 249, 256, 289

**L**

Late binding, 164, 165  
 Left Outer Join, 91  
 LINUX, 36  
 Locking, 57  
 Locks, 203, 243  
 Log, 26, 46, 53, 54, 56, 102, 188, 190, 218, 226, 249, 261, 293–295

**M**

Magnetic tape, 13, 15, 23, 141, 233  
 Mainframe, 13, 27, 36, 99, 204, 290  
 Maintenance, 4, 28, 55, 56, 167, 211, 228, 232, 248, 257, 287, 298  
 Map-reduce, 151, 152  
 Mean Time Between Failure (MTBF), 225, 228, 231, 239  
 Mean Time To Recover (MTTR), 231, 232, 239  
 Memory management, 212  
 Memory structure, 43, 44  
 Method overriding, 165

Microsoft, 29, 36, 74, 87, 96, 141, 167, 168, 202, 215, 247, 291, 292, 294, 296  
 Mobile, 17, 195, 217, 238, 246, 283, 286, 289, 295, 296, 300  
 MongoDB, 52, 120–122, 124, 125, 127, 129–132, 134, 149–152, 156, 158, 202, 215  
 Monitor, 45, 228, 258, 299  
 Multi-user databases, 57, 203  
 MySQL, 36, 40, 97, 120, 131, 237, 241

**N**

Network, 7, 24, 27, 33, 37, 62, 101, 102, 193, 205, 206, 211, 221, 236–238, 255, 258, 269, 290, 292, 296, 297, 299, 301  
 Network database, 24, 27, 28  
 No access, 287  
 Node, 26, 63, 101–103, 117, 121, 150, 213–215, 237, 251  
 Nodes, 26, 37, 63, 98, 99, 101, 103, 106, 117, 121, 148, 150, 158, 188, 210, 211, 213–215, 217, 237, 238  
 Normalisation, 69, 70, 76, 86, 93, 96, 103, 249, 277  
 Normalised data, 120  
 NoSQL, 35, 36, 40, 42, 76, 97–103, 116, 132, 134, 148, 149, 185, 192, 215, 217, 238, 249  
 Not null, 86

**O**

Object class, 163, 169, 181  
 Object identity, 164  
 Object instance, 163, 171–173, 181  
 Object notation, 122  
 Object oriented, 30, 35, 36, 39, 76, 82, 161–166, 170, 172, 177, 179, 183, 195  
 Object oriented database, 30, 36, 161, 168, 192  
 Object Query Language, 35, 100, 164, 165  
 Object relational, 30, 82, 168, 172, 180  
 OLAP, 184, 185, 193, 196  
 OLTP, 58, 121, 141, 183–185, 192, 193, 195, 196, 212, 213, 216, 228, 231, 241, 245, 277  
 One to many relationship, 29, 38, 77, 172, 176  
 Open source, 97  
 Operating system, 36, 47, 115, 203, 212, 228, 229, 243, 245, 288, 289, 294  
 Optimisation, 104, 185, 189, 195, 242, 244, 250  
 Oracle, 26, 28, 29, 34, 35, 38, 42–47, 49–54, 56, 57, 59, 60, 63, 64, 70, 79, 85, 87, 89–91, 93, 96, 97, 115, 147, 148, 151, 163, 168, 171, 180, 182, 183, 188, 189,

192, 195–197, 202, 203, 210–214,  
222–226, 228–232, 237, 239, 241,  
245–252, 254, 255, 257, 261–263, 265,  
266, 269–272, 277, 285, 288, 291–294,  
298, 301  
Organisational asset, 3, 17, 21, 30  
OS, 50–52, 242, 245, 247, 248  
Overloading, 164, 165, 178

**P**

Parallel processing, 62, 63, 121, 214, 243, 246,  
247  
Parameter, 47, 49, 50, 54, 59, 60, 128, 130,  
152, 165, 178, 231, 255, 293  
Parameters, 56, 125, 152, 245, 248, 258  
Partitioning data, 213  
Password, 123, 284, 286, 292, 295, 296, 299,  
300  
Peer-to-peer, 203–205  
Performance, 34, 37, 41, 44, 62–64, 70, 76, 98,  
99, 101–104, 106, 120, 121, 129, 131,  
132, 145, 150, 162, 183, 184, 186–188,  
190, 192, 195, 201–203, 205, 206, 208,  
210, 212–214, 216, 218, 222, 226, 227,  
230, 231, 241–243, 245–259, 261, 266,  
271, 276, 282, 288, 291, 293–295, 297  
Permanency, 97, 225, 245  
Persistent, 30, 163, 165, 168, 181, 194  
Physical resources, 217  
Physical security, 283–285, 298, 301  
Pointer, 27, 44, 52, 101, 119, 131, 172–174,  
189, 196  
Pointers, 24, 27, 30, 104, 165, 169, 189, 190,  
297  
Polymorphism, 177, 178  
PostgreSQL, 169, 182, 292  
Primary key, 28, 57, 69, 71–74, 78, 79, 86–89,  
91, 95, 122, 164, 171, 172, 181, 250,  
251, 256, 269, 271  
Privacy, 3, 16–19  
Privilege, 286, 287  
Privilege abuse, 286, 288, 292, 298, 300  
Protocol, 294, 297  
Pseudocolumn, 44, 49

**Q**

Quantum computers, 41  
Query, 26, 29, 30, 35, 43, 44, 63, 70, 89, 96,  
100, 101, 107, 112, 129, 130, 138, 141,  
151, 161, 164–166, 168, 173, 188–190,  
192, 207, 210, 211, 214–216, 241–244,  
250–253, 255, 256, 261–263, 265, 266,  
268, 269, 271–274, 277, 289, 292, 293

**R**

RAID, 213, 222, 225, 227, 228, 237, 239, 246  
RAM, 42, 43, 47, 99, 100, 185, 186, 192,  
205–207, 210, 212, 216, 217, 226, 238,  
242, 243, 245–248, 258, 262, 265, 266  
Random access, 15, 39, 161, 186, 190, 233  
RDBMS, 42, 43, 45, 52, 97–99, 101–104, 106,  
110–112, 120–122, 124, 127, 132, 135,  
137, 139, 189, 206, 210, 212–215, 228,  
229, 238, 241–245, 248, 251, 258, 259  
Record, 4, 6, 7, 10, 12, 15, 22–24, 27–29, 31,  
34, 58, 60, 61, 69–71, 74, 82, 89, 90,  
92–95, 104, 168, 169, 173, 174, 178,  
185, 189–191, 225, 253, 287, 293  
Recovery, 15, 16, 34, 45, 53, 141, 187, 188,  
211, 221, 222, 225–228, 231–233, 236,  
237, 283, 295, 298  
Redo log, 46, 54, 226, 248  
Redo logs, 46, 53, 54, 64, 211, 226  
Relation, 35, 39, 148  
Relational, 21, 25, 28–31, 34–36, 39, 42, 52,  
62, 69, 76, 82, 90, 94, 97, 98, 100, 103,  
104, 106, 111, 124, 127, 132, 139, 141,  
142, 148, 161–163, 166, 168, 169,  
172–174, 176, 179, 180, 183, 184, 188,  
189, 195, 202, 210, 217, 222, 249  
Relational algebra, 29, 69  
Relational databases, 28, 30, 69, 161  
Right Outer Join, 92  
RMAN, 229, 232, 233  
Rollback, 25, 26, 54, 57, 211, 224

**S**  
SAP, 63, 147, 151, 183, 190–197, 247  
Scalability, 100, 121, 141, 201, 202, 204–206,  
208, 209, 212, 213, 216–218  
Scaling out, 215, 216  
Scaling up, 210, 213, 215  
Schema, 31, 32, 38, 167, 242, 249  
SCN, 46, 53, 225, 229, 231  
Second Normal Form, 72  
Security, 5, 16, 25, 34, 37, 63, 87, 102, 227,  
283–286, 291, 293, 294, 296–301  
Segment, 52  
Self join, 80, 92  
Semantics, 166  
Sequential, 15, 22  
Server, 11, 16, 26, 29, 43, 45–47, 58, 62, 64,  
96, 99, 106, 109, 116, 123, 188, 194,  
196, 202–208, 211–214, 217, 221, 223,  
226, 232, 237, 238, 242–245, 247, 248,  
253–255, 259, 262, 266, 267, 274, 275,  
283, 285, 286, 288, 297, 299  
Sharding, 121, 132, 215, 216, 218

- Shared memory, 57, 187, 188
  - SHUTDOWN, 56, 57, 228, 229
  - Sixth Normal Form, 76
  - Snowflake schemas, 31
  - Software engineers, 223
  - Software upgrades, 205
  - Solid state drives, 233
  - Spatial databases, 35
  - Spreadsheet, 36, 116, 133, 134, 288
  - SQL, 29, 30, 35, 43, 44, 47, 49, 51, 56, 59, 62, 70, 87, 89, 90, 96, 99, 100, 110, 115–119, 134, 148, 151, 161, 162, 164, 165, 168, 171, 176, 177, 180, 190, 192, 202, 207, 210, 212, 228, 232, 233, 242–245, 247–250, 253, 256, 258, 265–267, 271, 275, 279, 286, 288, 289, 291–294, 300, 301
  - SQL injection, 292
  - SQLServer, 27, 203, 212
  - SSD, 186, 187, 209, 233
  - Star schema, 31
  - Starcounter, 183, 192, 195
  - Starflake schema, 31
  - Startup, 228
  - Storage, 3, 15, 18, 23, 24, 33, 35, 41, 42, 46, 47, 52, 62, 70, 72, 97, 103, 104, 106, 110, 116, 121, 124, 137, 138, 140, 141, 158, 168, 183–188, 190, 191, 195, 196, 208, 210, 212, 213, 217, 224, 226, 227, 232, 235, 238, 246, 247, 249, 253, 254, 256, 257, 283, 284, 293
  - Storage as a service, 222, 227, 235
  - Structured Query Language, 69
  - Subclass, 162, 165, 169, 175, 176, 178
  - Superclass, 82, 162, 165, 175, 176, 179
  - System change number, 46, 53, 225
  - Systems testing, 224
  - 225, 229, 250–252, 254–258, 261, 270, 272, 273, 276, 277, 280, 281, 287, 289, 290, 292, 300
  - Tablespace, 46, 47, 52, 213, 226, 228–230, 232, 253, 256, 258
  - Thin client, 205, 217, 218, 296
  - Third Normal Form, 73, 75
  - Timestamp, 106, 110, 225
  - TimesTen, 34, 183, 188–190, 192, 195–197
  - Transaction, 3, 4, 10, 11, 21, 23–26, 31, 34, 37, 38, 53, 95, 106, 121, 136, 183, 184, 191, 192, 194, 196, 224, 259, 293
  - Transaction Processing Council, 259
  - Transcription error, 290
  - Transposition errors, 290
  - Tuning, 206, 241, 243, 255, 258, 259, 261, 265, 266
  - Tuple, 39, 69, 95
  - Two phase, 27, 37, 39
  - Two-phase commit, 26
- U**
- UML, 76, 82–84, 170, 179, 182
  - UNDO, 54, 224
  - Unix, 106, 107, 122, 247
  - Use case, 76, 77, 179, 180
  - Use case analysis, 81
- V**
- Vertical scaling, 210
  - View, 30, 37, 76, 90, 106, 137, 141, 163, 180, 189, 193, 194, 213, 231, 242, 275, 286, 289, 290
  - Virtual machines, 150
  - Virus, 291, 300
  - Volatile data, 104, 245
- X**
- XML, 37, 38, 59, 139, 142, 162, 166–168, 249
  - XPath, 38, 168
  - XQuery, 38, 168, 249
  - XSLT, 38, 168