

Index

- A**
Abbreviations, xxiii–xxiv
ABS-polymers, 254, 362
Acid number, 268–269
Acrylamide, 168
 polymerization, 168, 169
Acrylonitrile, 238–239
 polymerization, 170–171
Addition polymerization, 33, 313–314
Additives, 349–356
AH salt, 286–287
Amphiphilic block copolymers, 376
Anion exchanger, 341–342
Anionic polymerization, 183, 190–195
Antioxidants, 350
Atactic, 11
Atactic polystyrene, 378
Atom transfer radical polymerization, 176
Azo compounds, 162–166
- B**
Bioactive polymers, 376
Biodegradable polymers, 376
Block copolymers, 246–252
Boyer-Beaman rule, 112, 138
Brinell test, 135
Brownian motions, 18
Butadiene, 217–219
 polymerization, 217–219
Butyl acrylate, 174–175
 polymerization, 174–175
- C**
 ϵ -Caprolactam, 208
 polymerization, 208
Carbon black, 388
Carbon nano-tubes, 388
Carboxymethylcellulose, 335
Cation exchanger, 340–341
Cationic polymerization, 183, 187–190
Cellulose
 acetylation, 334–335
 derivatives, 381
 triacetate, 334
Chain growth polymerizations, 33–35,
 149–257
Chain transfer, 149
Chain transfer constant, 154
Charpy method, 135
Chemical gels, 377
Chemically crosslinked gel, 377
4-Chlorostyrene, 237–238
 copolymerization, 237–238
Cholesteric, 29
Click reaction, 180
Coil, 13
Coil volume, 15
Compatibilizer, 362
Condensation equilibrium, 262
Condensation polymerization, 259–313
Constitutional repeating unit, 7
Contour length, 14
Controlled radical polymerization, 175–182
Copolymer, 6, 7
 architectures, 6
 random, 7
Copolymerization, 227–257
 alternating, 230
 azeotropic, 230
 diagram, 229
 equation, 228
 parameters, 228
Copolymers, 6, 8, 79, 141–142
 composition, 79–80
 nomenclature, 8
 properties, 141–142
 relationships, 141–142
 structure, 141–142
Critical micelle concentration, 55

- Critical solution temperature, 16
Crosslinking, 5, 336–343
Crystalline state, 23–27
Crystallinity, 112
Crystallites, 24
Crystallization temperature, 114
Cyclic acetals, 200–204
 polymerization, 200–204
Cyclic amides, 206–208
 polymerization, 206–208
Cyclic ethers, 199–200
 polymerization, 199–200
Cyclocondensation, 307
Cyclodextrin host-guest
 complexes, 173–175
Cyclopentene, 225–226
 polymerization, 225–226
- D**
Degradable polymers, 379
Degradation, 343–349
 chemical, 345
 hydrolytic, 345
 oxidative, 347–348
 thermal, 344
Degree of conversion, 330
Degree of crystallinity, 24
Degree of polymerization, 4
Degree of swelling, 378, 380, 381
Dendrimers, 270
Depolymerization, 346
Differential scanning calorimetry, 117–119
Dilactide, 204–206
 polymerization, 204–206
Dilatometer, 61
Dilatometric measurements, 164
Disproportionation, 151
1,4-Divinylbenzene, 240–241
 polymerization, 240–241
Dynamic-mechanical
 measurements, 133–135
- E**
Elastomeric state, 22
Elastomers, 20
Electro-luminescence, 384
Electron transfer, 186
Emulsion polymerization, 54
End-group analysis, 85–86
Epoxy number, 321
Epoxy resins, 318–321
- Ethylene, 213–215
 polymerization, 213–215
Extrusion, 144
- F**
Fillers, 349, 353–356
Flash polymerization, 188
Flory-Huggins equation, 105
Fluorescence spectroscopy, 78
Folded lamella, 24
Formaldehyde, 197–198
 polymerization, 197–198
Fox-Flory relation, 138
Fractional extraction, 107
Fractional precipitation, 106
Fractionation, 105–109
Free radical, 375
Fringed micelle model, 24
Functional polymers, 375, 376
- G**
Gel effect, 153, 165–166
Gel permeation chromatography, 102–105
Gels, 376
Glass transition temperature, 18, 112–113
Glassy state, 18, 22–23
Graft copolymers, 252–257
Grafting from, 253
Grafting onto, 254
Graphenes, 388
- H**
Hardness, 135–136
Head-to-head structure, 10
Head-to-tail structure, 10
Heat distortion temperature, 114
Helix, 26
Hexamethylene bisacrylate, 172–173
 polymerization, 172–173
High impact polystyrene, 364
Homopolymers, 6, 136–141
 properties, 136–141
 relationships, 136–141
 structure, 136–141
Hooke's law, 131, 132, 140
Hybrid materials, 376
Hydrogels, 379–381
Hydroxy number, 269
Hyperbranched polymers, 270–271
Hysteresis, 20

I

Impact strength, 135
Incubation time, 156
Induction period, 156
Inhibitors, 155
Initiators, 149
Injection molding, 144
Interfacial polycondensation, 51, 276–278, 287
Intrinsically conducting polymers, 388
Intrinsically electron-conducting polymers, 376
Intrinsic viscosity, 98
Ion-exchange capacity, 340–341
Ion exchanger, 338–342
Ionic polymerization, 182, 195–198
Ionization mass spectrometry, 92
IR spectroscopy, 74–77
Isobutylene, 189
 polymerization, 189
Isobutyl vinyl ether, 189–190
 polymerization, 189–190
Isomerization polymerization, 183
Isoprene polymerization, 171, 194–195
Isotactic, 11
Izod method, 135

K

Kinetic chain length, 153
Kuhn length, 14

L

Lactams, 206–208
Light-emitting diodes, 383
Light scattering, 89–91
Light stabilizers, 351
Limiting viscosity number, 98
Liquid-crystalline polymers, 389
Liquid crystallinity, 28
Living polymerization, 186, 246
Lower critical solution temperature, 380
Lubricants, 349
Lyotropic liquid crystals, 29
Lyotropic mesophases, 389

M

Macromolecules, 1, 5–11
 classification, 5
 nomenclature, 6–11
Macromonomers, 253
Macroradicals, 149

MALDI-MS, 92
Maleic anhydride, 239
 copolymerization, 239
Mark-Houwink-Kuhn equation, 82, 98
Martens number, 114
Mass distribution function, 107
Mass spectrometry, 91–93
Matrix-assisted laser desorption, 92
Melamine-formaldehyde resins, 297–299
Melt index, 115
Melt-spinning, 145
Melt viscosity, 115–116
Mesogen, 28
Mesophases, 28
Metal-catalyzed polymerization, 210–227
Metallocene catalysts, 219–221
Metathesis polymerization, 225–226
Methacrylic acid, 162
 polymerization, 162
Methyl methacrylate, 165–166
 polymerization, 165–166, 178–180, 194
 α -Methylstyrene, 191–193
 polymerization, 191–193
Micelles, 376
Microencapsulation, 290–291
Miniemulsion, 178–180
Modulus of elasticity, 132
Molecular imprinting, 380
Molecular weight, 4, 80–84
 determination, 84–85
 distribution, 105–109
 methods, 84–85
Monomer, 3–4, 6, 58–59
 purification, 58–59
 storage, 58–59
Monomer unit, 9

N

Nanocomposites, 375
Nano-composites, 389
Nanofillers, 376
Nematic, 29
Network structures, 336
Newtonian flow, 19
Nitroxy-mediated radical polymerization, 176
Nomenclature, 6–11
Nonlinear optical, 389
Novolaks, 292
Nuclear magnetic resonance (NMR) spectroscopy, 70
Nucleation, 216
Number-average molecular weight, 81–82

O

Occlusion, 65
OFET. *See* Organic field-effect transistor (OFET)
OLED. *See* Organic light emitting diode (OLED)
Oligomers, 4
(Opto)electronic, 383–394
Optoelectronic properties, 376
OPV. *See* Organic photo voltage (OPV)
Organic field-effect transistor (OFET), 386
Organic light emitting diode (OLED), 383
Organic photo voltage (OPV), 383
Organic solar cell (OSC), 383
Osmometry, 86–87
 membrane, 86–87
 vapor pressure, 87–89
Ostwald viscometer, 100, 101
Oxazolines, 208–210
 polymerization, 208–210

P

Penultimate effect, 228
Peroxo compounds, 157–162
Peroxisulfates, 158
Responsive polymers, 380
Responsive smart polymers, 376, 379–383
Phase contrast microscopy, 121–122
Phenol-formaldehyde resins, 291–294
 acid-catalyzed, 294
 base-catalyzed, 292–293
Phillips-catalysts, 210
Photoactive polymers, 376
Photoconductors, 388
Photocrosslinking, 379
Photodegradation, 379
Photolabile compounds, 171–173
Photolithography, 172
Photopolymerization, 171, 379
Photoresins, 375, 379, 380
Photoresists, 172, 375, 379
Photovoltaics, 383
pH-sensitive gels, 381
Physical gels, 377, 378
Physically crosslinked gel, 377
Piezoelectric, 390
Plasticization, 241–242
Plasticizers, 349, 352–353
Polarization microscopy, 122–124
POLEDs. *See* Polymer based organic light emitting diode (POLEDs)
Poly(alkylene sulfide)s, 299–300
Poly(arylene ether)s, 300–301
Poly(arylene ether ketone)s, 305–307

Poly(arylene ether sulfone)s, 303–305
Poly(arylene sulfide)s, 303
Poly(benzimidazole)s, 309–310
Poly(phenylene ether)s, 301–302
Poly(vinyl acetate), 327
 saponification, 327
 transesterification, 331–332
Poly(vinyl alcohol), 327
 esterification, 330
Poly(vinyl chloride)
 dehydrochlorination, 352
 stabilization, 351
Poly(vinylbutyral), 332
Polyacetals, 202
Polyacrylamide, 168–169
 fractionation, 168–169
Polyadditions, 35, 36
Polyamides, 281–284
 preparation, 284
Polyaramides, 282
Polycondensation, 35, 36, 259–313
 exchange reactions, 263
Polydispersity index, 83
Polyelectrolytes, 17–18, 101, 376, 380
 viscosity, 101
Polyester, 265–281
 alkyd resins, 266
 branched, 267
 curing, 279
 thermotropic, 265
 unsaturated, 278–281
Polyimides, 308, 380
Polylactide, 376
Polymer alloy, 357
Polymer-analogous reactions, 37
Polymer based organic light emitting diode (POLEDs), 383
Polymer blends, 323, 356, 357
 industrial, 358
 preparation, 359
 properties, 357
Polymer films, 144–145
 preparation, 144–145
Polymeric additives, 375, 376
Polymeric carrier resins, 376
Polymeric compatibilizers, 375
Polymeric photoconductors, 388
Polymeric stabilizers, 375, 376
Polymerization, 158
Polymer mixture, 357
Polymers, 6, 37, 389
 abbreviations, xxiii–xxiv
 characteristics, 67–69
 constitution, 70–80
 density, 111–112

- drying, 65
- foaming, 367–373
- functional, 6
- isolation, 63–65
- melting range, 114
- miscibility, 356
- modification, 37
- oxidation, 344
- polymer-analogous, 323
- processing, 144–147
- properties, 130
- purification, 65
- reactions, 323
- solubility, 323
- stretching, 367–373
- structural, 6
- Polyoxazoline
 - hydrolysis, 339–340
- Polyphenylenes, 300
- Polyreactions
 - in bulk, 48–50
 - in dispersion, 52
 - in emulsion, 53–57
 - in solution, 50–51
 - in suspension, 52–53
- Polysiloxanes, 310–313
 - equilibration, 312
- Polystyrene foam, 369–370
- Polyurethane foam, 371–373
- Polyurethanes, 248, 314–318
 - decomposition, 315
 - elastomeric, 316
 - linear, 315–316
 - segmented, 249
- Polyvinylchloride, 378
- Prepolymerization, 59
- Pressing, 144, 145
- Propylene, 215–216
 - polymerization, 215–216, 220–221
- PSC, 383
- Pyrrrole, 174
 - polymerization, 175
- Q**
- Q,e* scheme, 232
- R**
- Radical polymerization, 149
- Rate of polymerization, 152
- Reaction vessels, 59–61
- Reactive extrusion, 362
- Reactivity ratios, 228, 232, 233
 - determination, 232, 233
- Redox polymerizations, 167
- Redox systems, 166–171
- Refractometry, 78–79
- Reinforced polymers, 323
- Reinforcing materials, 349, 353–356
- Resites, 292
- Resols, 292
- Reversible addition-fragmentation
 - termination, 176
- Ring-opening polymerization, 198–210
- Ring-opening polymerization, 376
- S**
- Scanning electron microscopy, 124–125
- Scanning probe microscopy, 126–129
- Schotten-Baumann-reaction, 51, 287
- Semi-conducting polymers, 385
- Shape-anisotropy, 389
- Shape memory effect, 381
- Shape-memory polymers, 381
- Silicone elastomer, 313
- Single site catalysts, 220
- SI units, xxi–xxii
- Size-exclusion chromatography, 102–105
- Smart gels, 378
- Smectic, 29
- Softening point, 113–114
- Solar cells, 383
- Solution spinning, 146
- Spacer, 29
- Spherulites, 26
- Spray-type separator, 64
- Stabilizing additives, 376
- Staudinger index, 98
- Step-growth polymerization, 35–37, 375
- Stepwise addition polymerization, 248
- Stereospecific polymerization, 187
- Stress-strain measurements, 130–133
- Styrene, 240–241
 - polymerization, 158–160, 163, 165, 216–217
- Superabsorbent polymers, 377
- Superabsorbents, 342–343
- Svedberg method, 94–95
- Swelling, 16
- Syndiotactic, 11

T

Tacticity, 10, 71
Telomerization, 154
Termination, 34, 149
Terpolymerizations, 234
Tetrahydrofuran, 200
 polymerization, 200
Thermogravimetry, 116–117
Thermoplastic elastomers, 249
Thermoplastics, 19, 381
Thermoresponsive hydrogel, 381
Thermo-responsive polymers, 376, 380
Thermo-reversible gel, 378
Thermo-sensitive gel, 378–379
Thermoset, 381
Thermotropic liquid crystals, 29
Thermotropic mesophases, 389
Theta-conditions, 14
Theta-temperature, 100
Tie molecules, 25
Torsion modulus, 133
Transesterification, 273–275
Transfer, 34
Transmission electron microscopy, 125–126
Trioxane, 240
 polymerization, 202–204, 240
Trommsdorff-Norrish effect, 153, 165–166

U

Ultracentrifuge measurements, 93–96
Upper critical solution temperature, 380

Urea/formaldehyde foam, 370–371
Urea-formaldehyde resins, 294–296
UV-absorbers, 351
UV-vis spectroscopy, 77–78

V

Vicat temperature, 113
Vinyl acetate, 160–161
 polymerization, 160–161
Viscose, 324
Viscosity, 96–102
Viscosity-average molecular weight, 82
Viscosity measurements, 100, 102
Vulcanization, 337–338

W

Weight-average molecular weight, 82

X

X-ray scattering, 120–121

Y

Young's modulus, 112, 132, 140

Z

Ziegler-Natta catalysts, 210–219