

---

## About the Authors

**Jean-Michel Marin** is Professor of Statistics at Université Montpellier 2, France, and Head of the Mathematics and Modelling research unit. He has written over 40 papers on Bayesian methodology and computing, as well as worked closely with population geneticists over the past 10 years.

**Christian P. Robert** is Professor of Statistics at Université Paris-Dauphine, France. He has written over 150 papers on Bayesian Statistics and computational methods and is the author or co-author of seven books on those topics, including *The Bayesian Choice* (Springer, 2001), winner of the ISBA DeGroot Prize in 2004. He is a Fellow of the Institute of Mathematical Statistics, the Royal Statistical Society and the American Statistical Society. He has been co-editor of the *Journal of the Royal Statistical Society, Series B*, and in the editorial boards of the *Journal of the American Statistical Society*, the *Annals of Statistics*, *Statistical Science*, and *Bayesian Analysis*. He is also a recipient of an Erskine Fellowship from the University of Canterbury (NZ) in 2006 and a senior member of the Institut Universitaire de France (2010–2015).

---

## References

- Agresti, A. (1996). *An Introduction to Categorical Data Analysis*. John Wiley, New York.
- Besag, J. (1974). Spatial interaction and the statistical analysis of lattice systems. *J. Royal Statist. Soc. Series B*, 36:192–326. With discussion.
- Brockwell, P. and Davis, P. (1996). *Introduction to Time Series and Forecasting*. Springer Texts in Statistics. Springer-Verlag, New York.
- Cappé, O., Moulines, E., and Rydén, T. (2004). *Hidden Markov Models*. Springer-Verlag, New York.
- Carlin, B. and Louis, T. (1996). *Bayes and Empirical Bayes Methods for Data Analysis*. Chapman and Hall, New York.
- Casella, G. and Berger, R. (2001). *Statistical Inference*. Wadsworth, Belmont, CA.
- Chambers, J., Cleveland, W., Kleiner, B., and Tukey, P. (1983). *Graphical Methods for Data Analysis*. Chapman and Hall, New York.
- Chen, M., Shao, Q., and Ibrahim, J. (2000). *Monte Carlo Methods in Bayesian Computation*. Springer-Verlag, New York.
- Chib, S. (1995). Marginal likelihood from the Gibbs output. *J. American Statist. Assoc.*, 90:1313–1321.
- Christensen, R. (2002). *Plane Answers to Complex Questions: The Theory of Linear Models*. Springer Texts in Statistics. Springer-Verlag, New York.
- Congdon, P. (2001). *Bayesian Statistical Modelling*. John Wiley, New York.
- Congdon, P. (2003). *Applied Bayesian Modelling*. John Wiley, New York.
- Crawley, M. (2007). *The R Book*. John Wiley, New York.
- Cressie, N. (1993). *Statistics for Spatial Data*. John Wiley, New York.
- Dalgaard, P. (2002). *Introductory Statistics with R*. Springer-Verlag, New York.
- Del Moral, P., Doucet, A., and Jasra, A. (2006). Sequential Monte Carlo samplers. *J. Royal Statist. Soc. Series B*, 68(3):411–436.
- Dupuis, J. (1995). Bayesian estimation of movement probabilities in open populations using hidden Markov chains. *Biometrika*, 82(4):761–772.

- Flury, B. and Riedwyl, H. (1988). *Multivariate Statistics, A Practical Approach*. Cambridge University Press, Cambridge.
- Frühwirth-Schnatter, S. (2006). *Finite Mixture and Markov Switching Models*. Springer-Verlag, New York, New York.
- Gaetan, C. and Guyon, X. (2010). *Spatial Statistics and Modeling*. Springer-Verlag, New York.
- Gelfand, A. and Dey, D. (1994). Bayesian model choice: asymptotics and exact calculations. *J. Royal Statist. Society Series B*, 56:501–514.
- Gelman, A., Carlin, J., Stern, H., and Rubin, D. (2013). *Bayesian Data Analysis*. Chapman and Hall, New York, second edition.
- Gelman, A., Carlin, J., Stern, H., Dunson, D., Vehtari, A. and Rubin, D. (2013). *Bayesian Data Analysis*. Chapman and Hall, New York, New York, third edition.
- Gelman, A. and Meng, X. (1998). Simulating normalizing constants: From importance sampling to bridge sampling to path sampling. *Statist. Science*, 13:163–185.
- Geman, S. and Geman, D. (1984). Stochastic relaxation, Gibbs distributions and the Bayesian restoration of images. *IEEE Trans. Pattern Anal. Mach. Intell.*, 6:721–741.
- Gill, J. (2002). *Bayesian Methods: A Social and Behavioral Sciences Approach*. CRC Press, Boca Raton, FL.
- Gouriéroux, C. (1996). *ARCH Models*. Springer-Verlag, New York.
- Green, P. (1995). Reversible jump MCMC computation and Bayesian model determination. *Biometrika*, 82(4):711–732.
- Hastie, T., Tibshirani, R., and Friedman, J. (2001). *The Elements of Statistical Learning*. Springer-Verlag, New York.
- Hjort, N., Holmes, C., Müller, P., and Walker, S. (2010). *Bayesian Nonparametrics*. Cambridge University Press, Cambridge.
- Hoff, P. (2009). *A first course in Bayesian statistical methods*. Springer-Verlag, New York.
- Holmes, C., Denison, D., Mallick, B., and Smith, A. (2002). *Bayesian Methods for Nonlinear Classification and Regression*. John Wiley, New York.
- Hurn, M., Husby, O., and Rue, H. (2003). A Tutorial on Image Analysis. In Møller, J., editor, *Spatial Statistics and Computational Methods*, volume 173 of *Lecture Notes in Statistics*, pages 87–141. Springer-Verlag, New York.
- Lebreton, J.-D., Burnham, K., Clobert, J., and Anderson, D. (1992). Modelling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs*, 62(2):67–118.
- Liu, J. (1996). Peskun's theorem and a modified discrete-state Gibbs sampler. *Biometrika*, 83:681–682.
- Lunn, D., Jackson, C., Best, N., Thomas, A., and Spiegelhalter, D. (2012). *The BUGS Book: A Practical Introduction to Bayesian Analysis*. Chapman and Hall/CRC, London, UK.

- Marin, J. and Robert, C. (2010). Importance sampling methods for Bayesian discrimination between embedded models. In Chen, M.-H., Dey, D., Müller, P., Sun, D., and Ye, K., editors, *Frontiers of Statistical Decision Making and Bayesian Analysis*. Springer-Verlag, New York.
- Marin, J.-M. and Robert, C. (2007). *Bayesian Core*. Springer-Verlag, New York.
- McCullagh, P. and Nelder, J. (1989). *Generalized Linear Models*. Chapman and Hall, New York.
- McDonald, I. and Zucchini, W. (1997). *Hidden Markov and other models for discrete-valued time series*. Chapman and Hall/CRC, London.
- Meyn, S. and Tweedie, R. (1993). *Markov Chains and Stochastic Stability*. Springer-Verlag, New York.
- Møller, J., Pettitt, A. N., Reeves, R., and Berthelsen, K. K. (June 2006). An efficient markov chain monte carlo method for distributions with intractable normalising constants. *Biometrika*, 93(2):451–458.
- Murrell, P. (2005). *R Graphics*. Chapman and Hall, New York.
- Nolan, D. and Speed, T. (2000). *Stat Labs: Mathematical Statistics through Applications*. Springer-Verlag, New York.
- Pole, A., West, M., and Harrison, J. (1994). *Applied Bayesian Forecasting and Time Series Analysis*. Chapman and Hall, New York.
- Pritchard, J., Seielstad, M., Perez-Lezaun, A., and Feldman, M. (1999). Population growth of human Y chromosomes: a study of Y chromosome microsatellites. *Mol. Biol. Evol.*, 16:1791–1798.
- Ripley, B. (1988). *Statistical Inference for Spatial Processes*. Cambridge University Press, Cambridge.
- Robert, C. (2007). *The Bayesian Choice*. Springer-Verlag, New York, paperback edition.
- Robert, C. and Casella, G. (2004). *Monte Carlo Statistical Methods*. Springer-Verlag, New York, second edition.
- Robert, C. and Casella, G. (2009). *Introducing Monte Carlo Methods with R. Use R!* Springer-Verlag, New York.
- Rue, H. and Held, L. (2005). *Gaussian Markov Random Fields: Theory and Applications*, volume 104 of *Monographs on Statistics and Applied Probability*. Chapman & Hall, London.
- Särndal, C., Swensson, B., and Wretman, J. (2003). *Model Assisted Survey Sampling*. Springer-Verlag, New York, second edition.
- Spector, P. (2009). *Data Manipulation with R*. Springer-Verlag, New York.
- Tanner, M. (1996). *Tools for Statistical Inference: Observed Data and Data Augmentation Methods*. Springer-Verlag, New York, third edition.
- Tomassone, R., Dervin, C., and Masson, J.-P. (1993). *Biométrie: Modélisation de Phénomènes Biologiques*. Masson, Paris.
- Tufte, E. (2001). *The Visual Display of Quantitative Information*. Graphics Press, second edition.
- Venables, W. and Ripley, B. (2002). *Modern Applied Statistics with S*. Springer-Verlag, New York, fourth edition.

- Whittaker, J. (1990). *Graphical Models in Applied Multivariate Statistics*. John Wiley, Chichester.
- Zellner, A. (1971). *An Introduction to Bayesian Econometrics*. John Wiley, New York.
- Zellner, A. (1984). *Basic Issues in Econometrics*. University of Chicago Press, Chicago.

---

# Index

- Accept–reject algorithm, *see* Algorithm
- Acceptance rate, 113
- airquality, 128
- Algorithm
  - accept–reject, 47, 156, 157
  - Arnason–Schwarz Gibbs, 165
  - basic Monte Carlo, 47
  - capture–recapture Gibbs, 148
  - down-the-shelf, 109
  - EM, 181, 182, 189, 243
  - finite–state HMM Gibbs, 240
  - generic Metropolis–Hastings, 109
  - Gibbs sampler, 86, 90, 91, 169
    - assessment, 260
    - failure to converge, 189
    - for variable selection, 96
    - Metropolis within, 115, 221
    - two-stage, 87, 88
    - warning, 90
  - importance sampling, 51
  - Ising Gibbs, 257
  - MCMC, 85
  - Metropolis–Hastings, 88, 108–111
    - random walk, 190
    - unconstrained, 192
  - mixture
    - Gibbs sampler, 183
  - pivotal reordering, 196
  - Potts Metropolis–Hastings, 261
  - probit Metropolis–Hastings, 116
  - reversible jump AR( $p$ ), 222
  - reversible jump MA( $q$ ), 231
    - reversible jump MCMC, 202
    - Swendsen–Wang, 282
- Allocation variable, 176, 180
- Amine bases, 238
- Annealing, *see* Simulated annealing
- ANOVA (analysis of variance), 129
- Approximate Bayesian computation (ABC), 252, 267
- AR model, *see* Model
- ARMA model, *see* Model
- Arnason–Schwarz model, *see* Model
- Autocorrelation, 112
- Autocovariance, 212, 227
- Auxiliary variable, 48
  
- bank, 104
- Baum–Welch formulas, 243
- Bayes
  - formula, 29
  - theorem, 29
- Bayes factor, 41, 82, 92
  - approximation, 52
  - computation, 119, 126
  - for mixtures, 202
- Bayesian
  - decision procedure, 33, 92
  - estimation, 33
  - model choice, 39, 225
    - using ABC, 269
  - posterior, *see* Posterior
  - prior, *see* Prior
  - regression output, 121
- Bayesian regression output, 83

- bayess, 4
- Belief, 29
- Bertillon, Alphonse**, 176
- Binomial model, *see* Model
- Blurring of images, 273
- Bonferroni fallacy, 60
- Boxplot, 57
- Bridge sampling, 53
- BUGS, 3, 6, 91, 255
- Burn-in, 112
  
- caterpillar, 66
- Causality, 212, 215
- Classification, 177
- Clique, 256
- Clustering, 177
- Cohort, 161
- Complex numbers, 216
- Conditional distribution, 66, 87
- Conditional mean family, 122
- Confidence interval, 37
- Conjugacy, 34
- Conjugate prior, 34, 35
  - for mixture of distributions, 184
- Constant
  - normalizing, 45, 159, 220
  - for the Ising model, 257
  - for the Potts model, 273
  - prior, 36
  - Zellner's  $G$ , 76
- Contingency table, 127, 128
- Correlation, 86
- Covariate, 66
- CRAN, 8
- Credible set, 38
- Critical value, 260, 262
- Curse of dimensionality, 192
  
- Darroch model, *see* Model
- Data augmentation, 182
- Data-dependent prior, 76
- datha, 174
- De-noise, 279
- de Finetti, Bruno**, 122
- Dependence, 211
- Detailed balance, 110
- Dichotomous data, 104, 128
- Distribution
  - beta, 176
  - beta-Pascal, 145
  - binomial, 116, 142
  - Dirichlet, 246
  - hypergeometric, 146
  - inverse gamma, 30
  - mixture, 176
  - nonstandard, 156
  - normal, 26
  - Poisson, 128
  - predictive, 59, 84, 99
  - stationary, 88
  - Student  $t$ , 31, 62, 78
  - Weibull, 62
- DNA, 238
- Dnadatastet, 238
  
- Effective sample size, 112, 213
- Elicitation, 122
- EM algorithm, *see* Algorithm
- Empirical Bayes analysis, 76
- Entropy, 196
- Equation
  - backward, 244
  - detailed balance, 110
  - forward, 244
  - forward-backward, 243
- Ergodicity, 86
- Estimation
  - of mixture parameters, 196
  - versus testing, 201, 226
- eurodip, 141
- European dipper, 141
- Eurostoxx50, 210
- Explanation vs. interpretation, 2
- Explanatory variable, 66
  
- Factor, 69
- Fisher information, 116
- Forward-backward formulas, 243
- Function
  - beta, 145
- Fundamental theorem of simulation, 156
  
- Galaxy dataset, 204
- Generalized linear model (GLM), *see* Model
- Gibbs sampler, *see* Algorithm

- GLM, *see* Generalized linear model  
 Goodness of fit, 39
- Harmonic mean, 57  
 Heteroscedasticity, 235  
 Hidden Markov model, *see* Model  
 HIV, 238  
 HPD region, 38, 79  
 Hyperparameter, *see* Prior  
 Hypothesis  
   point null, 41  
   testing, 38, 71, 82  
   versus estimation, 201
- Identifiability, 69, 130, 194, 241  
**Illingworthh, K.K.**, 27  
 Image, 252  
   noisy, 273  
 Imaginary observations, 122  
 Importance sampling, 49, 50  
   for marginal approximation, 119  
 Independent, identically distributed (iid), 28  
 Intercept, 69  
 International Whaling Commission, 140  
 Invariance  
   by permutation, 221  
 Invariance under permutations, 193  
 Irreducibility, 86, 88  
 Ising model, *see* Model
- JAGS, 3, 6  
**Jeffreys, Harold**, 36  
 Jeffreys' scale of evidence, 41  
 Jeffreys–Lindley paradox, 42, 44, 95
- Kalman filter, 232
- Label switching, 192–197, 200, 241, 274  
   and Chib's method, 203  
 Lag, 213  
 Launchedata, 253  
 Lattice, 252, 253  
 Least squares estimate, 72  
 Lexicographical ordering, 180  
 License, 197  
 Likelihood, 28  
 likelihood, -free inference, 261
- Link, 106  
   canonical, 107  
   log, 108  
   logit, 107  
   probit, 108  
 Local versus global variables, 20  
 Loch, 273  
 Log-linear model, *see* Model  
 Log-odds ratio, 107  
 Logit model, *see* Model  
 Loss function, 37, 279
- MA model, *see* Model  
 MAP, *see* Maximum a posteriori  
 Marginal distribution, 38, 79  
   approximation, 119  
 Marginal likelihood, 55, 203  
 Marginal posterior mode (MPM), 279  
 Markov  
   kernel, 85, 87  
   random field, 254, 255  
   switching, 247  
 Markov chain, 85, 109, 217, 218, 253  
   definition, 210  
   hidden, 161  
   homogeneous, 210, 237  
   slow mixing, 258  
 Markov Chain Monte Carlo (MCMC), 47, 85  
   birth-and-death, 220  
 Maximum a posteriori, 33, 195, 279  
**Menteith, 278**  
**Menteith, 273**  
 Metropolis–Hastings algorithm, *see* Algorithm  
 Michelson–Morley experiment, 27  
 Military conscripts, 176  
 Missing variable, 153  
 Mixture, *see* Distribution  
 Mixture model, *see* Model  
 Model  
   ANOVA (analysis of variance), 129  
   AR(1), 215  
   AR( $p$ ), 216  
   ARCH( $p$ ), 235  
   ARMA, 232, 234  
   Arnason–Schwarz, 160–168  
   averaging, 93  
   binomial, 142

- capture–mark–recapture, 143, 210
  - Darroch, 146
  - dynamic, 210
  - full, 93
  - generalized linear, 16, 106
  - hidden Markov, 174, 237–250
  - hypergeometric, 146
  - Ising, 256, 258
  - latent variable, 108
  - log-linear, 127
  - logit, 107, 124
  - MA, 226
  - MA( $q$ ), 227, 233
  - Markov, 228
  - Markov–switching, 247
  - mixture, 176
  - Potts, 252, 256, 260, 275
    - inference on, 270
  - probit, 115
  - regression, 67
  - saturated, 128
  - stochastic volatility, 235
  - temporal, 210
  - $T$ -stage capture–recapture, 148
  - two-stage capture, 147
  - variable dimension, *see* Variable dimension
- Model choice, 38–58, 130
- Monte Carlo
  - estimate, 49
  - methods, 3
- MRF, *see* Markov random field
- Multimodality, 26
  
- Noise, 273, 279
  - white, 215, 236
- Normal distribution, *see* Distribution
- normaldata, 27
- Normalizing constant, 62, 261–264
- Numerical quadrature, 265
  
- Occam’s razor, 91
- Optimality, 38
- Outcome, 66
- Outlier, 60
- Overfitting, 91
  
- Parameter
  - common to several models, 40
  - interest, 142
  - nuisance, 142, 274
- Parsimony, 42, 91, 234
- Partition, 179
- Path sampling, 264
- Phase transition, 260, 262
- Pilot run, 90
- Pivot, 196
- Plug-in, 126
- Polynomial
  - lag, 219
  - root, 220
- Population
  - closed, 144
  - sub, 176
- Posterior, 29
  - proper, 73
- Potts model, *see* Model
- Prediction
  - filter, 244
- Prior
  - construction of, 122
  - elicitation, 122
  - flat, 36, 124
  - hyper-, 35
  - hyperparameter, 34
  - improper, 35, 37, 43, 73
  - index, 36
  - Jeffreys, 36, 219
  - noninformative, 35
  - selection, 34
  - subjective, 29
- Probit model, *see* Model
- Process
  - Dirichlet, 202
  - future-independent, 215
  - invertible, 227
  - nonstationary, 214
  - stationary, 212
  - stochastic, 210
- Proposal, 109
  - choice, 113
- $p$ -value, 71

- R, 5
  - airquality, 128
  - apply, 13
  - arma, 231
  - array, 11
  - as.matrix, 129
  - bayess, 4
  - color, 156
  - combinat, 205
  - contour, 178
  - data, 128
  - depository, 19
  - dump, 21
  - factor, 11
  - function, 19
  - glm, 131
  - graphical commands, 19
  - help, 5
  - image, 178, 207
  - integrate, 266
  - intToBits, 94
  - is.matrix, 129
  - jitter, 156
  - list, 14
  - lm, 16, 69, 83
  - matrix, 11
  - mnormt, 32, 121
  - morley, 27
  - packages, 8
  - plot, 16
  - probability distributions, 16
  - programming, 19, 20
  - quit, 21
  - rm, 21
  - scan, 21
  - solve, 99
  - stat, 183
  - vector, 9
- Random field, 254
- Random number generator, 156
- Random walk, 111, 190, 248
- Rankin, Ian**, 1
- Rao–Blackwellization, 281
- Recurrence, 86
- Regression model, *see* Model
- Reordering MCMC output, 196
- Reparameterization
  - root, 219, 228, 234
  - weight, 192
- Response, 66
- Reversible jump MCMC, *see* Algorithms
- Rkwards, 7
- Saddle point, 186
- Satellite image, 273
- scale, 69
- Scotland, 273
- Sequential Monte Carlo sampler, 233
- Significance, 71
- Simulated annealing, 199, 207, 281
- Simulation, 47
- Skewness, 26
- Slice sampler, 170
- SMC, 233
- State–space representation, 212, 232, 233, 237
- Stationarity
  - constraint, 214
  - lack of, 216
  - second–order, 212, 213
  - strict, 212
- Statistics, 3, 210
  - nonparametric, 16, 198
  - semiparametric, 177
- Step
  - E and M, 181
- Stochastic volatility model, *see* Model
- Stock market, 210
- Stopping rule, 88
- Sufficiency, 29
- Survey, 140
- Target, 109
- Tempering, 199
- Test
  - Schur–Cohn, 249
- Testing
  - versus estimation, 226
- Theorem
  - Gauss–Markov, 70
  - Hammersley–Clifford, 256, 281
  - Rao–Blackwell, 203
- Tolerance (for ABC), 268
- $T$ -stage capture–recapture model, *see* Model
- Two-stage capture model, *see* Model
- Unit circle, 216

Variable

categorical, 127

control, 66

dummy, 69

latent, 108, 235

Variable-dimension model, 225

Volatility, 210

Volume, 38

White noise, *see* Noise

**Zellner, Arnold**, 76