
Index

Symbols

A-law, 148, 152, 166

compander, 232

μ -law, 148, 152, 166, 435

compander, 232

2D mesh, 375

geometry coding, 376

motion coding, 378

object coding, 375

2D object animation, 379

3D model-based coding, 381

3D percept, 130

3D polygon mesh, 383

3D video and TV, 130

3G, 582, 583, 589

G3G (Global 3G), 583

4G, 584, 589

A

AC (Alternate Current), 236

Access network, 486, 489, 494, 564

Access point (AP), 576, 586–588, 608

Access time, 545

Active pixel, 118

Active video line, 118

AD (analog-to-digital) converter, 149, 175

Adaptive compression algorithms, 196

Adaptive Huffman coding, 196

Adobe Director, 42

3D Sprite, 47

animation, 44

control, 44

Imaging Lingo, 43

Lingo, 43

Lingo script, 46

object, 47

tweening, 44

Adobe Flash, 47

animation, 50

symbol, 49

window, 48

Adobe Flash Video, 619

Adobe Photoshop, 41

alpha channel, 41

magic wand tool, 42

Adobe Premiere, 39

timeline window, 39

ADPCM (adaptive differential pulse code modulation), 165, 175, 435–437

Affine transform, 380

Alias, 142–144

Amazon web services (AWS), 14, 649, 657, 659

Amazon EBS, 652

Amazon EC2, 647, 650, 660

Amazon machine image (AMI), 651

Amazon S3, 645, 647, 649, 660

AWS region, 649, 651

Cloudfront, 657

AMPS (advanced mobile phone system), 577

Anaglyph 3D, 132

Analog display interface, 126

Analog video, 115

Animation, 18

Autodesk 3ds Max, 19

Autodesk Maya, 19

Autodesk Softimage, 19

DirectX, 18

- Java3D, 18
 - OpenGL, 18
 - Anti-aliasing, 143
 - filter, 143
 - APC (adaptive predictive coding), 176
 - Application-layer multicast, 506, 553
 - end-system multicast (ESM), 555
 - multi-tree overlay, 556
 - single tree overlay, 555, 556
 - Arithmetic coding, 205, 372
 - adaptive arithmetic coding, 215, 216
 - basic algorithm, 206
 - binary arithmetic coding, 214, 413, 415
 - integer implementation, 214
 - scaling and incremental coding, 210
 - tag, 208, 210
 - Aspect ratio, 118, 123, 125
 - ATM (asynchronous transfer mode), 496, 511
 - ATV (advanced TV), 348
 - Audio compression standard
 - G.711, 437, 523
 - G.721, 436
 - G.722, 523
 - G.723, 436
 - G.723.1, 447, 449
 - G.726, 436, 437
 - G.727, 436
 - G.728, 436, 450
 - G.729, 436, 447, 450
 - Audio filtering, 150
 - Autostereoscopic display device, 135
 - lenticular lens, 135
 - parallax barrier, 135
 - AVC (advanced video coding, also see H.264/AVC), 395
 - AVCHD (advanced video coding high definition), 18
 - AVI (audio video interleave), 39
- B**
- BAB (binary alpha block), 370
 - Bag of words (BoW), 694
 - Band-limited signal, 143
 - Band-limiting filter, 151
 - Band-pass filter, 151, 158, 166
 - Bandwidth, 151, 166, 489, 512, 531, 566, 577, 618, 628, 645, 652, 662, 670
 - Base station (BS), 576, 579, 585, 608
 - BCH (Bose-Chaudhuri-Hocquenghem) codes, 595
 - Bi-level image compression standards, also see JBIG, 309
 - Bilinear interpolation, 346, 355
 - Binary tree, 190
 - Bitmap, 58
 - Bitplane, 59
 - Bitrate, 151, 195, 225, 267, 270, 317, 325, 332, 430, 507, 509, 551, 590
 - Block codes, 594
 - Block-based coding, 359, 363
 - Blu-ray, 14
 - Bluetooth, 589
 - BMP (bitmap), 75
 - Broadcast, 503, 550
 - Buffer management, 514
 - peak bitrate, 515
 - prefetch buffer, 515
- C**
- C-BIRD, 680
 - search by color, 680, 682
 - search by illumination invariance, 685
 - search by object model, 686
 - search by texture, 683
 - CABAC (context-adaptive binary arithmetic coding), 396, 419
 - Cable modem, 486, 492
 - Cable TV network, 489, 492
 - CAE (context-based arithmetic encoding), 370
 - Camera system, 85
 - CAVLC (context-adaptive variable length coding), 396
 - CBIR (content-based image retrieval), 675, 680, 703
 - 3D shapes and objects, 677
 - early CBIR systems, 678
 - histogram intersection, 678
 - human activity, 700, 703
 - key technologies, 692
 - quality-aware, 706
 - quantifying search results, 688
 - video retrieval, 679, 697
 - CCIR (consultative committee for international radio), 122
 - CCITT (international telegraph and telephone consultative committee), 168, 325
 - CDMA (code division multiple access), 578, 609
 - cdma2000, 583
 - WCDMA (wideband CDMA), 582, 609
 - CELP (code excited linear prediction), 444

- adaptive codebook, 445
 - LSF (line spectrum frequency), 448
 - LSP (line spectrum pair), 447
 - LTP (long time prediction), 445
 - stochastic codebook, 448
 - STP (short-time prediction), 445
 - Checksum, 498, 500, 591
 - Chroma subsampling, 122, 407, 417, 419
 - Chromaticity, 90
 - diagram, 89
 - Chrominance, 106
 - CIF (common intermediate format), 123
 - Circuit switching, 495
 - Client/server, 531, 532, 540, 567
 - Cloud computing, 645
 - cloud gaming, 667
 - computation offloading, 661
 - infrastructure as a service (IaaS), 647
 - platform as a service (PaaS), 648
 - private cloud, 647
 - public cloud, 647
 - software as a service(SaaS), 648
 - Cloud gaming, 665
 - Gaikai, 15, 668
 - Onlive, 668
 - Clustering, 67
 - CMY, 102
 - CMYK, 103
 - Codec, 186, 477
 - Coder mapping, 165
 - Codeword, 186
 - Coding efficiency, 430
 - Color
 - camera-dependent, 100
 - cycling, 65
 - density, 682
 - histogram, 64, 680
 - HSV, 101
 - layout, 682
 - lookup table (LUT), 67
 - monitor specification, 93
 - multi-ink printers, 104
 - multisensor cameras, 100
 - palette, 65
 - palette animation, 65
 - picker, 65
 - primaries, 88
 - sRGB, 101
 - subcarrier, 119
 - Color science, 81
 - light and spectra, 81
 - spectra sensitivity of the eye, 83
 - visible light, 82
 - Color-matching function, 88, 89
 - Commission internationale de L'eclairage (CIE), 89
 - Compression
 - lossless, 62, 74, 186
 - lossy, 62, 74, 186, 282
 - ratio, 74, 186
 - speech, 166
 - Compressor function, 231
 - Cones, 83
 - Constant bit rate (CBR), 501, 515, 546
 - Content delivery network (CDN), also see content distribution network (CDN), 539
 - Content distribution network (CDN), 506, 539, 541, 542, 565, 629, 657
 - Akamai, 506, 542, 660
 - Context modeling, 305
 - Continuous Fourier Transform (CFT), 247
 - Continuous Wavelet Transform (CWT), 252, 256
 - Convolutional codes, 596
 - Coordinated live streaming and storage sharing (COOLS), 638
 - CPU (central processing unit), 651, 652, 661, 662, 665
 - CRC (cyclic redundancy check), 488, 592
 - CRT (cathode ray tube), 86, 116
 - CSS (cascading style sheets), 11
- ## D
- DA (digital-to-analog) converter, 149
 - Datagram, 498
 - DB (decibel), 144
 - DC (Direct Current), 236
 - Decoder mapping, 165
 - Deinterlacing, 116
 - Delaunay mesh, 377
 - Dictionary-based coding, 200
 - Difference of Gaussian (DOG), 693
 - Differential coding, 168, 218
 - Differentiated service (DiffServ), 513
 - diffServ code (DS), 513, 514
 - per-hop behavior (PHB), 513, 514
 - Digital audio, 16
 - Adobe Audition, 16
 - coding of, 165
 - quantization and transmission, 164
 - Sound Forge, 16

Digital display interface, 128
 Digital library, 185
 Digital subscriber line (DSL), 491
 ADSL (asymmetrical DSL), 486, 491, 493, 564
 Digitization of sound, 139
 Discrete Cosine Transform (DCT), 234, 236, 241
 1D, 235, 236
 2D, 234, 235, 281
 2D basis function, 244
 2D matrix implementation, 245
 2D separable basis, 244
 basis function, 236, 242
 comparison to DFT, 247
 DCT-matrix, 246, 400, 424
 Discrete Fourier Transform (DFT), 247
 Discrete Sine Transform (DST), 419, 425
 Discrete Wavelet Transform (DWT), 252, 259
 Disparity, 131
 gradient, 136
 manipulation, 136
 mapping, 136
 range, 136
 sensitivity, 136
 velocity, 136
 Dispersion, 82
 Distortion measure, 225
 MSE (Mean Square Error), 226
 PSNR (Peak Signal-to-Noise Ratio), 226
 SNR (Signal-to-Noise Ratio), 226
 Dithering, 59, 66
 dither matrix, 60
 ordered dither, 61
 DM (delta modulation), 174
 adaptive, 175
 uniform, 175
 DMT (discrete multi-tone), 491
 Domain name system (DNS), 496
 DPCM (differential pulse code modulation), 165, 168, 171, 289
 Dropbox, 645
 DV video (digital video), 122
 DVB (digital video broadcasting), 544
 DVB-MHP (multimedia home platform), 544
 DVD, 9, 348, 349, 475, 479, 658
 Dynamic adaptive streaming over HTTP (DASH), 480, 565, 660
 media presentation description (MPD), 565
 Dynamic range, 168

E

EBCOT (Embedded block coding with optimized truncation), 270, 295, 298, 301, 303
 EDTV (enhanced definition TV), 126
 End-to-end argument, 503
 Entropy, 186, 187
 coding, 187, 189
 Epidemic model, 634
 Error concealment, 500, 603
 Error detection, 590
 Error-resilient coding, 597
 Error-resilient entropy coding (EREC), 600
 Ethernet, 488
 CSMA/CD (carrier sense multiple access with collision detection), 489
 Euler's formula, 247
 Excited purity, 93
 EXIF (exchangeable image file), 76
 Exp-Golomb code, 215, 409, 410, 413
 Expander function, 232
 Extended Huffman coding, 194
 EZW (Embedded Zerotree Wavelet), 270–273

F

F-score, 711
 Facebook, 14, 617, 619
 Fax standards
 G3, 309
 G4, 309
 FDMA (frequency division multiple access), 577, 578, 580
 Firewall, 486, 502, 503
 First person shooter (FPS) game, 666
 FM (frequency modulation), 152, 154
 Forward error correction (FEC), 593
 Fourier transform, 251
 Frame buffer, 59, 100
 Frame-based coding, 359, 363
 Free rider, 564
 Frequency, 236
 frequency response, 236, 244
 frequency spectrum, 236
 spatial frequency, 236, 244
 Frequency hopping (FH), 589
 FTTH (fiber-to-the-home), 493
 FTTN (fiber-to-the-neighborhood), 493
 FTTN (fiber-to-the-node), 493
 Fundamental frequency, 140

G

Gamma correction, 86, 96, 100
Gamut, 94
 printer, 103
Gaussian distribution, 277
Generalized Markup language (GML), 10
GIF (graphics interchange format), 69
 color map, 71
 GIF87, 72
 GIF89, 72
 interlacing, 72
 screen descriptor, 69
GIF(graphics interchange format)
 animation, 19
Global motion compensation, 374
Gossip algorithm, 558, 560
GPRS (general packet radio service), 580
GPS (global positioning system), 589
GPU (graphics processing unit), 652, 661, 666
Granular distortion, 229
Graphics, 17
 fireworks editing, 17
 freehand editing, 17
Gray-level
 image, 219
 intensity, 188
Grayscale, 73
Group of pictures (GOP), 399
GSM (global system for mobile communications), 578, 579
GSTN (general switched telephone network), 523

H

H.261, 317
 bitstream, 330
 block layer, 332
 encoder and decoder, 328
 formats supported, 326
 GOB (group of blocks) layer, 331
 inter-frame (P-frame) coding, 327
 intra-frame (I-frame) coding, 326
 macroblock layer, 332
 picture layer, 331
 quantization, 328
 step size, 328
H.262, 348
H.263, 317, 332, 619
 motion compensation, 333
 optional coding mode, 334
 PB-frame, 335

H.263+, 336
H.263++, 336
H.264, 395, 620, 668
 CABAC, 409, 413
 CAVLC, 409, 411
 entropy coding, 409
 group of pictures (GOP), 399
 hierarchical prediction structure, 399
 in-loop deblocking filtering, 407, 408
 integer transform, 401
 intra coding, 404
 intra spatial prediction, 404
 motion compensation, 396
 multiple reference frame, 399
 MVC (multiview video coding), 417
 profiles, 415
 baseline profile, 415
 extended profile, 416
 high 10 profile, 417
 high 4:2:2 profile, 417
 high 4:4:4 predictive profile, 417
 high profile, 417
 main profile, 416
 quantization, 402
 quarter-pixel precision, 397
 scaling, 403
 SVC (scalable video coding), 417
 transform coding, 396, 399
 variable block-size motion compensation, 396
H.264/AVC (or H.264/MPEG-4 AVC), 395
H.265, 418, 419, 567
 CABAC, 428
 discrete sine transform (DST), 425
 entropy coding, 428
 in-loop deblocking filtering, 419, 427
 integer transform, 424
 integer transform matrix, 424
 intra coding, 425
 motion compensation, 419
 profiles, 429
 main 10 profile, 429
 main profile, 429
 main still picture profile, 429
 quadtree prediction structure, 419
 quantization, 425
 quarter-pixel precision, 421
 SAO (sample adaptive offset), 419, 427
 slice, 420, 598
 special coding modes, 429
 I_PCM, 429

- lossless, 429
 - transform skipping, 429
 - tile, 420
 - transform coding, 419, 420, 424
 - variable block-size motion compensation, 419
 - wavefront parallel processing (WPP), 420
 - H.26L, 395
 - Half-pixel precision, 334
 - Halftone printing, 60
 - Hamming codes, 594
 - Hamming distance, 594
 - Handoff (Handover), 577, 606, 608
 - soft handoff, 609
 - vertical handoff, 610
 - Harmonic, 140
 - Hartley's law, 186
 - HDTV (high definition TV), 124, 126, 417, 430
 - HEVC (high efficiency video coding), 418
 - Hidden terminal problem, 586
 - Hierarchical JPEG, 291, 513
 - Homogeneous coordinate system, 380
 - Horizontal parallax, 131
 - Horizontal retrace, 116
 - HPLabs media server, 621, 628
 - HTML (HyperText Markup Language), 10, 52, 69
 - HTTP (HyperText Transfer Protocol), 486, 502, 516, 564, 649
 - HTTP-based streaming, 563
 - Huffman coding, 192, 599
 - optimality, 193
 - prefix property, 192
 - procedure, 196
 - tree, 198
 - Human vision, 83
 - Hybrid coding, 318, 342, 395, 396, 419
 - Hybrid excitation vocoder, 450
 - MBE (multiband excitation), 450
 - MELP (multiband excitation linear predictive), 447, 452
 - Hypermedia, 9
- I**
- IDCT (Inverse Discrete Cosine Transform), 235
 - 1D, 235
 - 2D, 235
 - 2D matrix implementation, 246
 - IETF (Internet Engineering Task Force), 494, 501, 504
 - IGMP (Internet Group Management Protocol), 504
 - Image
 - 24-bit, 62
 - 8-bit, 63
 - data type, 62
 - descriptor, 680
 - fireworks editing, 17
 - formation, 84
 - high bit-depth, 62
 - histogram, 188
 - hyperspectral, 63
 - monochrome, 57
 - multispectral, 63
 - Photoshop editing, 17
 - quality, 703
 - resolution, 58
 - retrieval, 675
 - Image processing, 64, 236
 - Information theory, 186
 - Integer transform, 399, 401, 424
 - Integral imaging, 135
 - Intellectual property management and protection (IPMP), 390
 - Interaction delay, 666, 670
 - Interactive TV (ITV), 544
 - Interlaced scanning, 115
 - Internet, 13, 485, 494, 516
 - Internet protocol TV (IPTV), 37
 - Internet telephony, 522
 - IP (Internet Protocol), 496, 516
 - IP address, 496–498, 501, 503, 520, 521, 540, 559, 606, 647, 668
 - IPv4 (IP version 4), 496, 497, 503
 - IPv6 (IP version 6), 501, 503
 - packet fragmentation, 496
 - IP multicast, 503, 551, 553
 - MBone, 505
 - ISDN (integrated services digital network), 579
 - ISP (Internet service provider), 486, 490, 542
 - ITU (international telecommunication union), 325, 436, 437, 440, 523, 582, 583, 585, 598
 - ITU-R (radiocommunication sector), 122
 - ITU-T (telecommunication standardization sector), 122, 325, 395, 418, 490
- J**
- Jamming, 580

- JBIG (joint bi-level image experts group), 310
 JBIG2, 310
 Jitter, 508, 538, 652
 JPEG (joint photographic experts group), 9,
 73, 281, 283, 513
 baseline, 289
 DCT, 283
 entropy coding, 289
 main steps, 281
 mode, 290
 zigzag scan, 288
 JPEG-LS, 305
 JPEG2000, 293
- K**
- KLT (Karhunen-Loève transform), 234
- L**
- LAB color model, 97
 LAN (local area network), 486, 489, 495
 Latency, 508, 585
 Layered multicast, 551
 multicast enhanced loss-delay based
 adaptation (MLDA), 553
 receiver-driven layered congestion control
 (RLC), 553
 receiver-driven layered multicast (RLM),
 551
 Line-of-sight (LOS) communication, 573
 LOCO-I (low complexity lossless compression
 for images), 305
 Lookup table (LUT), 63, 65, 67
 Lossless image compression, 218
 Lossless JPEG, 219, 293
 encoder, 220
 predictor, 220
 Lossy image compression, 225
 Low-pass filter, 151
 LPC (linear predictive coding), 442, 449
 LPC-10, 442
 LTE (long term evolution), 15, 585
 Luminance, 106
 LZW (Lempel-Ziv-Welch), 69, 72, 76, 200
- M**
- Macroblock, 318, 395, 396, 419, 597–600,
 602, 603
 Macrocell, 577
 Mean absolute difference, 320
 Mean average precision (MAP), 690, 697
 Media-on-demand (MoD), 543, 544
 Median-cut algorithm, 67
 Medium access control (MAC), 488
 Memory, 589, 594, 596, 651, 652, 661, 666
 Microcell, 577
 MIDI (musical instrument digital interface),
 154
 banks, 157
 channel, 155
 channel messages, 160
 channel mode, 162
 channel pressure, 161
 conversion to WAV, 164
 key pressure, 161
 keyboard, 156
 MIDI machine control (MMC), 158
 patch, 157
 sequencer, 156
 system messages, 160, 163
 tone modules, 156
 velocity, 157, 161
 voice messages, 160
 MiniDV, 119
 MMR (modified modified read) algorithm, 370
 Mobile IP, 606
 access router (AR), 606
 correspondent node (CN), 607
 foreign agent (FA), 606
 hierarchical mobile IP (HMIP), 608
 home address (HoA), 606
 home agent (HA), 606
 mobile node (MN), 606
 Mobile visual search, 703, 705
 Mobility management, 605
 global mobility, 606
 interdomain mobility, 606
 intradomain mobility, 606
 macromobility, 606
 micromobility, 606
 Model-based coding, 311
 MOS (mean opinion score), 431
 Motion compensation (MC), 318, 363
 backward prediction, 319
 forward prediction, 319
 Motion estimation, 318, 662
 Motion JPEG, 291
 Motion vector, 319, 604
 2D logarithmic search, 321
 hierarchical search, 322
 sequential search, 320
 MPEG (moving picture experts group), 341,
 435

- MPEG audio compression, 457
 - bark, 463
 - bit allocation, 471
 - bit reservoir, 474
 - critical band, 462
 - equal-loudness curves, 458
 - frequency masking, 458, 460
 - MDCT (modified discrete cosine transform), 473
 - MNR (mask-to-noise ratio), 471
 - MP3, 9, 466, 473, 474
 - MPEG layers, 466
 - Layer 1, 466
 - Layer 2, 466, 473
 - Layer 3, 466, 473
 - psychoacoustics, 458
 - scale factor band, 474
 - SMR (signal-to-mask ratio), 471
 - SNR (signal-to-noise ratio), 471
 - temporal masking, 464
 - threshold of hearing, 460
- MPEG working model
 - SM (simulation model), 385
 - TM (test model), 385
 - VM (verification model), 385
 - XM (experimentation Model), 385
- MPEG-1, 8, 341
 - B-frame, 342
 - bitstream, 346
 - block layer, 348
 - D-frame, 347
 - differences from H.261, 344
 - Group of pictures (GOPs) layer, 347
 - I-frame, 342
 - macroblock layer, 348
 - motion compensation, 342
 - P-frame, 342
 - performance of, 346
 - picture layer, 347
 - prediction, 342
 - quantization, 344
 - sequence layer, 346
 - slice, 344
 - slice layer, 347
 - transform coding, 342
- MPEG-2, 348
 - alternate scan, 352
 - data partitioning, 358
 - differences from MPEG-1, 358
 - hybrid scalability, 357
 - interlaced video, 349
 - level, 349
 - modes of prediction, 350
 - profile, 348, 349
 - program stream, 358
 - spatial scalability, 355
 - temporal scalability, 355
 - transport stream, 358
- MPEG-2 AAC (advanced audio coding), 475
 - low complexity profile, 475
 - main profile, 475
 - PQF (polyphase quadrature filter) bank, 476
 - scalable sampling rate profile, 475
 - TNS (temporal noise shaping) tool, 475
- MPEG-4, 359, 362, 532, 567, 599, 668
 - audio and visual objects, 360
 - BAPs (body animation parameters), 383
 - BDPs (body definition parameters), 383
 - BIFS (binary format for scenes), 361
 - binary shape, 370
 - body object, 381, 382
 - face object, 381
 - FAP (face animation parameter), 382
 - FDP (face definition parameter), 382
 - grayscale shape, 370
 - group of video object plane (GOV), 362
 - level, 383
 - media objects, 360
 - part 10, also see H.264, 360, 383, 395
 - part 2, 360, 383
 - profile, 383
 - static texture coding, 373
 - synthetic object coding, 375
 - texture coding, 368
 - uniform mesh, 376
 - video object (VO), 362
 - video object layer (VOL), 362
 - video object plane (VOP), 362
 - video object-based coding, 362
 - video-object sequence (VS), 362
 - video-object-based coding, 360
 - wavelet coding, 373
- MPEG-4 AAC (advanced audio coding), 476
 - BSAC (bit-sliced arithmetic coding), 476
 - DAB+ digital radio, 476
 - digital multimedia broadcasting, 476
 - digital radio Mondiale, 476
 - high definition advanced audio coding (HD-AAC), 476
 - high efficiency advanced audio coding (HE-AAC), 476
 - perceptual coders, 476

- perceptual noise substitution, 476
 - SAOL (structured audio orchestra language), 477
 - SNHC (synthetic/natural hybrid coding), 477
 - structured coder, 477
 - TTS (text-to-speech), 477
 - MPEG-7, 384
 - description definition language (DDL), 390
 - description scheme (DS), 387
 - Descriptor (D), 385
 - MPEG-7 audio, 479
 - MPEG-J, 361
 - MPEGlet, 361
 - Multi-rate multicast, 550
 - Multicast, 503, 550
 - Multimedia, 3
 - history of, 5
 - subjects, 20
 - tools, 15
 - Multimedia authoring, 19
 - Director, 19
 - Dreamweaver, 20
 - Flash, 19
 - tools, 39
 - Multimedia cloud computing, 652
 - Multimedia messaging service (MMS), 580
 - Multimedia presentation, 26
 - graphics style, 26
 - sprite animation, 29
 - video transition, 29
 - Multimedia production, 35
 - flowchart phase, 36
 - prototyping and testing, 36
 - storyboard, 35
 - Multipath fading, 574
 - Gilbert-Elliott model, 575
 - rake receiver, 576
 - Rayleigh fading model, 575
 - Rician fading model, 575
 - Multiple input/multiple output (MIMO), 584, 585, 588
 - Multiresolution analysis, 252, 253
 - Multisampling, 158
 - Munsell color naming system, 99
 - MUSE (multiple sub-nyquist sampling encoding), 124
 - Music sequencing, 16
 - Cakewalk Pro Audio, 16
 - Finale, 16
 - Sibelius, 16
- N**
- Netflix, 15, 645, 658
 - Netpbm format, 76
 - NetTube, 631
 - Network
 - application layer, 486
 - connection-oriented, 497
 - connectionless, 499
 - data link layer, 486
 - network layer, 486
 - physical layer, 485
 - presentation layer, 486
 - session layer, 486
 - transport layer, 486
 - Network address translation (NAT), 501, 564
 - NMT (nordic mobile telephony), 577
 - Non line-of-sight (LOS) communication, 575
 - NTSC (National Television System Committee), 87, 93, 342
 - Nyquist
 - frequency, 143
 - rate, 143, 166, 175
 - theorem, 142
- O**
- Octave, 140
 - OFDM (orthogonal frequency division multiplexing), 584, 587
 - Online social network, 540, 618, 632
 - free-rider, 634
 - ordinary user, 634
 - spreader, 634
 - ONU (optical networkunit), 492
 - Orthogonal, 242
 - Orthonormal, 243
 - basis, 259
 - OSI (open systems interconnection), 485, 486, 494
 - Out-of-gamut color, 94
 - Overlay network, 506, 554
- P**
- Packet interleaving, 597
 - Packet switching, 495
 - datagram, 495
 - virtual circuit, 495
 - Padding, 365
 - extended padding, 367
 - horizontal repetitive padding, 366
 - vertical repetitive padding, 366
 - PAL (phase alternating line), 93, 121, 342

- Parity checking, 590, 593
- Partial, 140
 - fundamental frequency, 140
 - harmonic partial, 140
 - overtone, 140
- Path loss, 573
- PBM (portable bitmap), 76
- PCM (pulse code modulation), 130, 165–167, 435, 436, 513
- PDF (portable document format), 76
- Peer-to-peer, 14, 506, 557, 631, 656, 657
 - BitTorrent, 14, 557, 649
 - buffer map, 560
 - chunkspread, 562
 - CoolStreaming, 14, 558
 - data-driven overlay, 557
 - hybrid tree and mesh overlay, 562
 - mesh overlay, 557, 631
 - PPLive, 558
 - PPStream, 558
 - PPTV, 657
 - tree overlay, 638
 - UUSee, 558
- Perceptual nonuniformity, 149, 178, 462, 509
- Pervasive computing, 586
- PGM (portable graymap), 76
- Pitch, 140, 156
- Pixel, 57
- Pixel clock, 119
- PNG (portable network graphics), 74
 - alpha*-channel, 75
 - interlacing, 75
- Polyphony, 157
- Post compression rate-distortion (PCRD), 300
- Postscript, 76
- POTS (plain old telephone service), 522, 579
- PPM (portable pixmap), 76
- Precision, 688
- Predictive coding
 - lossless, 168
 - lossy, 168
- Profile, 383
- Progressive JPEG, 291, 513
- Progressive scanning, 115
- Proxy caching, 532, 629
 - hit-ratio, 629
 - prefix caching, 535
 - rate-split caching, 536
 - segment caching, 535
 - sliding-interval caching, 533
- PSNR (Peak Signal-to-Noise Ratio), 226, 305, 430
- PSTN (Public Switched Telephone Network), 495, 523
- PTM (polynomial texture mapping), 77
- ## Q
- QA paradigm, 696
- QAM (quadrature amplitude modulation), 491, 492
- QCIF (Quarter-CIF), 123
- QP (quantization parameter), 402, 404, 408, 425
- QPSK (quadrature phase-shift keying), 492
- Quadrature modulation, 119
- Quality
 - objective assessment, 430
 - quality factor, 284
 - subjective assessment, 431
 - video quality assessment, 430
- Quality of service (QoS), 500, 506, 507, 509, 510, 513, 519, 531, 566, 662
- Quality-of-experience (QoE), 666–668
- Quantization, 142, 283
 - dead-zone, 228, 296, 404
 - decision boundary, 165
 - distortion, 172
 - error, 145, 172
 - linear format, 147
 - noise, 145
 - nonuniform, 147
 - nonuniform quantizer, 231
 - companded quantizer, 231
 - Lloyd–Max quantizer, 231
 - reconstruction level, 165
 - uniform, 147
 - uniform scalar quantizer, 228
 - midrise, 228
 - midtreed, 228, 404
 - vector quantization, 232, 694
 - codebook, 232
- Quantizer
 - backward adaptive, 437
 - Jayant, 438
 - Lloyd–Max, 171
- Query expansion, 695
- ## R
- Random graph, 623
- Rate-distortion, 226, 404
 - rate-distortion function, 226

- RCPC (rate compatible punctured convolutional) codes, 596
 Real time strategy (RTS) game, 667
 Recall, 688
 Receiver operating characteristic (ROC), 691, 692
 Reed–Solomon (RS) codes, 595
 Reference frame, 319, 399, 599, 600, 603, 605, 662
 Region of interest (ROI), 294, 303
 Regular graph, 623
 Relevance feedback, 694
 Retina, 83
 RFC (request for comments), 494
 RGB, 31, 100, 386
 RGB to CMY, 102
 RLC (run-length coding), 189
 Rods, 83
 Role playing game (RPG), 666
 Round trip time (RTT), 501, 553, 556
 RSVP (Resource ReSerVation Protocol), 511
 RTCP (RTP Control Protocol), 519, 521, 522, 531, 533, 564
 RTP (Real-time Transport Protocol), 518, 522, 531, 533, 564
 RTSP (Real-Time Streaming Protocol), 520, 522, 531, 533, 564
 Run-length encoding (RLE), 75, 288
 RVLC (reversible variable-length code), 599
- S**
- SA-DCT (shape-adaptive DCT), 368
 Sampling, 140
 alias frequency, 144
 fixed rate, 143
 folding frequency, 144
 frequency, 141
 nonuniform, 142
 rate, 142
 true frequency, 144
 uniform, 142
 SAP (Session Announcement Protocol), 524
 SDP (Session Description Protocol), 524
 SDTV (standard definition TV), 125
 SECAM (système électronique couleur avec mémoire), 93, 121
 Sequencer, 159
 Sequential JPEG, 291
 Set-top box (STB), 126, 544
 Shannon–Fano algorithm, 189
 Shape coding, 370
 binary shape coding, 370
 grayscale shape coding, 372
 SIF (source input format), 342
 SIFT (scale invariant feature transform), 692
 canonical orientation, 693
 descriptor, 693
 key point, 693
 Signal processing, 151, 236
 SIP (Session Initiation Protocol), 523
 Skype, 14
 Small world, 623
 Smart TV, 544, 545
 SMPTE (society of motion picture and television engineers), 87, 93
 SMPTE-170M, 87
 SMS (short message service), 579
 SNR (signal-to-noise ratio), 144, 491
 Social media, 617, 619, 623, 628, 629
 Social network, 617, 618
 Sound
 card, 154
 digitization, 140
 wave, 139
 Spatial
 domain, 218
 frequency, 73, 107
 redundancy, 282, 318
 Spectral power distribution (SPD), also see spectrum, 82
 Spectrophotometer, 81
 Spectrum, 82
 locus, 91
 SPIHT (Set Partitioning in Hierarchical Trees), 270, 277
 Spread spectrum, 580
 Sprite, 373
 coding, 373
 SQNR (signal to quantization noise ratio), 145
 SRGB (standard RGB), 88
 Standard Generalized Markup Language (SGML), 10
 Stereopsis, 131
 Stream replication, 550
 Streaming media, 507, 531, 532, 540, 542
 Structural similarity (SSIM), 431, 669, 707
 Subband, 262
 Support Vector Machine (SVM), 696, 705, 706, 708
 Surface spectral reflectance, 84
 Susceptible-infectious-recovered (SIR) model, 634

Sync skew, 508

Synthesizer, 156, 159

Synthetic sound, 152

T

TACS (total access communication system), 577

Target frame, 319

TCP (Transmission control protocol), 497
 acknowledgement (ACK), 498
 additive increase and multiplicative decrease (AIMD), 499, 553
 port number, 498, 501, 525, 564
 retransmission timeout, 499
 window, 497

TDMA (time division multiple access), 578

Television systems

NTSC (National Television System Committee), 118, 127

PAL (phase alternating line), 121

SECAM (système électronique couleur avec memoire), 121

Temporal redundancy, 318

Texture

analysis, 684

layout, 683

TIFF (tagged image file format), 75

Timbre, 156

Transducer, 140

Transform coding, 233, 399, 424

Tristimulus values, 90

Twitter, 15, 619

tweets, 619

vine, 619

Two-sided geometric distribution (TSGD), 309

U

U-law (also see μ -law), 148, 149, 152

Ubiquitous computing, 573, 586

UDP (User Datagram Protocol), 499, 501, 502, 520, 525, 526, 531, 564, 668
 port number, 500

UHDTV (ultra high definition TV), 126, 419, 429

Unicast, 503

URI (Uniform Resource Identifier), 517

URL (Uniform Resource Locator), 496, 517, 523, 540, 566, 580

User-generated content (UGC), 618

V

Variable bit rate (VBR), 507, 515, 522, 536, 539

Variable-length coding (VLC), 185, 189, 335

Vergence-accommodation conflict, 133, 134

Vertical retrace, 116

VESA (video electronics standards association), 128–130

Video broadcasting, 545

batching, 545

harmonic broadcasting, 547

pyramid broadcasting, 546

staggered broadcasting, 546

stream merging, 549

Video card, 59

Video conferencing, 325, 332, 415, 504

Video display interfaces, 126

Video editing, 17

after effects, 18

final cut pro, 18

Premiere, 17

Video quality assessment (VQA), 430, 431

Video signals, 126

Video transitions, 40

Video-on-demand (VoD), 507, 543–545

Vocoder, 439

CELP (code excited linear prediction), 444

channel vocoder, 439

formant vocoder, 441

LPC (linear predictive coding), 442

phase insensitivity, 439

Voice-over-IP (VoIP), 493, 507, 522

W

W3C (World Wide Web Consortium), 13, 390

WAN (wide area network), 495

Wave table, 152

data, 158

file, 154

synthesis, 153

Wavelength dominant, 93

Wavelet, 251

admissibility condition, 257

analysis filter, 261

basis, 259

biorthogonal, 261

compact support, 261

mother wavelet, 258

synthesis filter, 261

Weber's law, 147

White point correction, 95

- WiMAX, [585](#)
 - Wireless LAN (WLAN), [488](#), [577](#), [586](#)
 - carrier sense multiple access with collision avoidance (CSMA/CA), [586](#)
 - IEEE 802.11, [586](#)
 - IEEE 802.11a, [587](#)
 - IEEE 802.11ac, [588](#)
 - IEEE 802.11b, [587](#)
 - IEEE 802.11g, [587](#)
 - IEEE 802.11n, [588](#)
 - Wi-Fi, [488](#), [586](#), [610](#)
 - WMF (windows meta file), [75](#)
 - Words, [694](#)
 - visual words, [694](#)
 - Work-ahead smoothing, [536](#)
 - WWW (World Wide Web), [69](#), [359](#)
 - Web 2.0, [14](#), [617](#)
- X**
- XML (Extensible Markup Language), [12](#), [384](#), [390](#)
 - XYZ to RGB, [96](#)
- Y**
- YCbCr, [109](#), [122](#), [282](#), [386](#), [419](#)
 - YIQ, [105](#), [107](#)
 - YouTube, [14](#), [36](#), [551](#), [617](#), [618](#), [655](#)
 - insight analytics, [626](#)
 - partner program, [625](#)
 - YUV, [105](#)
- Z**
- Zipf's law, [633](#)