

# Index

- acceleration coefficients, 229
- acceptance probability, 269, 272
- ACO, *see* ant algorithms
- adaptive
  - heuristics, 221, 224
  - immune system, 186–208
- ADF, *see* automatically defined functions
- adjacency matrix, 331, 690
- affinity measure, 194–196
- agents, 393
- Alice, 387
- alldifferent constraint, 373, 383
- alleles, 93, 97, 99
- amplitude spectrum, 692
- ancillary tests, 329
- ant algorithms, 214–227
  - candidate lists, 226
  - changing  $\alpha$ ,  $\beta$  values, 226
  - lookahead, 226
  - lower bounds, 226
  - moving direction, 226
  - repelling pheromone, 226
  - stagnation recovery, 226
- antibody, 188–201
- antigen, 188–194, 196–198, 204, 206
- aperiodic, 272
- approximate evaluation, 107
- approximate rule, 563
- approximation algorithms, 639–679
- approximation scheme, 327, 641
- approximation strategies, 643–668
- APX, 641, 670–671
- arc consistency, 371, 375, 377
- architecture, 370, 393, 492, 495, 498, 509
- architecture-altering operations, 147, 150, 152, 157
- artificial immune systems, 186–211
  - auto-immune attacks, 191
  - B-cells, 188–190
  - cellular, 188
  - cellular immunity, 190
  - encoding, 193
  - immune network theory, 191
  - immunological memory, 191
  - initialization, 193
  - innate, 187
  - self cells, 191
  - T-cells, 188–190
- artificial intelligence, 3
- aspiration criteria, 250, 257
- association rules, 571, 600
- asymmetric, 591
- asymmetric distance measure, 688
- asymmetric matrix, 691
- attributes, 481, 485, 510, 557, 560–567, 571, 580, 588, 597, 599, 600, 602
- autocorrelation, 696
- automatically defined functions, 156
- auxiliary objectives, 254
- axes of a search space, 681
  
- B-cells, 196, 202
- backpropagation algorithm, 490
- backtrack search, 25, 28–31, 374–375, 377, 387, 398, 672
  - complete backtrack search, 672
  - complete randomized, 672
  - intelligent, 375
- backtrack-free, 378
- backtracking, 59
- backward recursion, 38, 60
- base formulation, 77
- basin of attraction, 684, 689, 698, 700
- batch mode of training, 490

- Bayesian learning, 478, 484–486, 511
- Bellman's principle, 36
- best improvement, 250, 317, 333, 684
- best-bound search, 87
- best-first strategy, 35, 59, 459
- best-of-generation, 154
- big-M model, 75, 79
- bin packing, 639, 650, 669
- binary variables, 72–76, 78–85
- bioinformatics, 370, 384
- bird flocking, 213, 227
- bloat, 160, 169, 628
- blossom algorithm, 55
- Boltzmann
  - constant, 268
  - distribution, 269, 273
- Boolean satisfiability, 453, 615
- boosting, 508
- bottom-up learning, 483
- bounding argument, 71
- branch and backtrack, 25
- branch and bound, 19, 24–35, 41, 51, 59, 68, 71, 72, 76, 80, 83, 85, 379
  - parameters, 86
- branch and price, 85, 86
- branching strategy, 25, 26, 28, 59
- breadth-first search, 25, 87
- Bron and Kerbosch algorithm, 29, 34
- Brown's algorithm, 29
- building blocks, 102–104, 107
  - exchange, 104
  - identification, 104
- C4.5, 482, 486
- candidate list, 226, 251, 291
- candidate solutions, 144
- cantilever plate design, 430
- Cartesian inner product of fuzzy sets, 526
- certain rules, 558
- chess, 376, 479
- chromosome, 93–101, 109, 496
- Cigol, 484
- classical set, 521
- classical techniques, 19–65
- classification, 199, 208, 478–482, 508, 519, 545, 559–574, 600, 602
  - tree, 481–482
- clique, 29, 31–35, 81
- clonal selection, 190–192, 196
- closure, 461
- CLP, 388
- co-domain, 454–457, 459, 463
- co-evolutionary learning, 492
- collapsed matrix, 692
- combinatorial optimization, 287, 340, 348, 683–685
- competent GAs, 95, 101, 104, 105
- competition complexity, 103
- complement  $A'$ , 525
- complementarity property, 565, 576
- complementary slackness, 46, 330
- complex systems theory, 519
- complexity theory, 451–476
- computer programs, 143
- computer security problems, 204
- condition attributes, 567
- condition profile, 572
- connection weights, 495
- constraining structures, 157
- constraint, 5, 67–89
  - databases, 392
  - explicit, 83
  - generation, 86
  - hard, 5
  - implicit, 83
  - logic programming, 387
  - matrix, 42
  - programming, 368–401
  - propagation, 380–385
  - satisfaction problems, 369–372, 393, 672
  - soft, 5
- constraints and graphics, 391
- construction method, 215
- constructive heuristic, 8, 109
- constructive method, 24
- continual improvement, 94
- continuous
  - diversification, 253
  - function, 228–229, 314, 481
  - optimization, 228–229, 255, 683
- control parameter, 146, 269–273, 276–280, 454
- convex
  - function, 326
  - hull, 385
- cooling schedule, 279
- cooperative swarms, 235
  - CPSO optimizer, 235
  - split swarm, 235
- crossover, 56, 57, 96–99, 108, 131, 143, 147, 150, 493, 495, 685, 687, 693–695
- $k$ -point, 97
- cycle, 99
  - one-point, 96, 99, 693, 698
  - order-based, 98
  - partially matched, 99, 131
  - two-point, 96, 693
  - uniform order-based, 97

- crowded tournament selection, 423
- crowding distance metric, 423
- curse of dimensionality, 511
- cuts, 34, 78–80, 330
- cutting and packing, 4, 611
- CX, *see* crossover
- cyclic network, 46
  
- danger theory, 202–204
- Darwinian
  - evolution, 171
  - selection, 150, 155
- data mining, 192–194, 198, 207, 479, 571, 600
- decision
  - attributes, 567, 573–574, 602
  - classes, 558, 563, 567, 602
  - making, 437
  - problem, 452, 520, 557, 672
  - profile, 572
  - rules, 582–585
  - tree, 25–33, 452, 453, 478, 482, 486, 510, 511, 571
  - variable, 67, 93, 381, 683
  - variable space, 406
- decomposition, 102, 163, 327, 544, 694
  - principled efficiency-enhancement technique, 95
- defuzzification unit, 533–535
  - center of sums technique, 534
  - centroid method, 540
  - centroid technique, 533
  - mean of maximum technique, 533
- degree of certainty, 566
- delete-all, 101
- denial-of-service attacks, 192
- density estimation, 479
- depth-first, 25, 59, 87, 153, 374
- design innovation, 432
- deterministic, 6
  - polynomial, 452
- differential calculus, 683
- direct encoding of neural networks, 496
- direction of branching, 87
- discrete
  - function, 455
  - binary PSO algorithm, 231
  - function, 490
- distance-to-target diagrams, 315
- distinct eigenvalues, 692
- distributed processing, 393
- distribution of neighborhoods, 329
- diversification, 252, 255–257, 292, 333
  - generation method, 119, 122–125
- dominance, 570, 585, 598, 600
  - cones, 575–581
    - relation, 413, 559, 573, 589, 592–594
    - without degrees of preference, 594
- dominance-based rough set approach, 559, 589
- domination, 412
  - definition, 412
- doubtful region, 565, 578, 593, 602
- DRSA, 559, 589
- DSATUR, 31
- dual variables, 46
- duality, 330
  - dual value, 84
  - dual problem, 61
  - dual simplex, 87
- dynamic
  - programming, 487
  - cooling schedules, 280
  - heuristics, 382
  - programming, 19, 36–42, 51–53, 57, 58, 60, 488, 653
- ECLiPSe, 387
- elementary sets, 558
- elitism strategy, 220
- elitist solutions, 220–221, 255
- EMO
  - a posteriori approach, 437
  - a priori approach, 437
  - cantilever plate design, 430
  - GPU computing, 439
  - interactive approach, 437
  - many objectives, 438
  - non-evolutionary approaches, 438
  - parallel implementation, 439
  - post-optimality studies, 435
  - redundant objectives, 440
  - research challenges, 437
  - spacecraft trajectory design, 427
  - theoretical studies, 440
- ensemble learning, 500
- entropy, 482
- enumeration, 24, 56, 60, 317, 456
- Euclidean distance, 128
- evaluation
  - difficulty of a problem, 316
  - function, 5
  - performance of previous algorithms, 316
  - performance of previous heuristics, 316
  - relaxation, 107
  - search algorithms, 470
- evolution, 93, 109, 170, 268
  - connection weights, 495–497
  - of architectures, 496

- of learning rules, 498
  - strategies, 100, 492
- evolutionary
  - fuzzy logic systems, 492
  - learning, 478
  - neural networks, 492, 507
  - programming, 492
- exact algorithm, 316
- exact methods, 10
- exchangeable
  - attribute, 562
  - criteria, 580, 588
- exhaustive search, 7
- expanded formulation, 77
  
- facility location, 68–71, 75, 77, 80, 87
- fail first, 375
- feasible solution, 4
- financial decision support system, 370
- finite element method, 430
- finite-state machines, 492
- firewall, 192
- first improvement strategy, 684
- fish schooling, 227
- fitness, 5
  - function, 107
  - inheritance, 107
  - landscapes, 680–705
    - an example, 683
    - empirical studies, 697
    - mathematical characterization, 686
    - practical applications, 699
  - measure, 145, 147, 148, 152
  - of a neural network, 495
  - proportionate selection, 95, 154
- fixed charge, 74, 247
- flow-augmenting chains, 43–49, 54
- Floyd's shortest path algorithm, 52
- Ford–Fulkerson algorithm, 43–45, 50
- forward recursion, 37
- fully polynomial time approximation scheme, 641, 652, 668–670
- fuzzy
  - adaptive control schemes, 541–543
  - CSPs, 379
  - implication, 529
  - inference system, 531–535
    - defuzzification unit, 531–534
  - logic, 511, 520–521, 524
  - measures, 580
  - relation, 527
  - set composition, 528
  - set operations, 525
  - sets, 519–547
  - similarity measures, 530–531
  - systems
    - modeling, 543
    - stability, 544
- fuzzy reasoning, 518–556
  
- GA, *see* genetic algorithm
- gene
  - deletion, 143
  - duplication, 143
- generalization test, 480, 492
- generation probability, 272–274
- genes, 93, 98–99, 698
- genetic algorithm, 93–117, 131, 143, 193, 195, 198, 199, 201, 207, 231, 246, 376, 493, 684
  - relaxation, 255
- genetic programming, 142–185
  - developmental, 159
  - probabilistic, 159
  - theory, 167
- genotype, 199, 496
- global constraints, 383
- global optimum, 6, 698
- globally Pareto-optimal set, 416
- Gomory–Chvátal procedure, 78
- GP, *see* genetic programming
- gradient descent algorithm, 490
- granulation, 558
- granules of knowledge, 560, 593
- graph
  - algorithms, 53
  - bipartite, 55, 646
  - coloring, 29–33, 81, 324, 369, 639
  - complete, 32
  - eigensystem, 692
  - partitioning, 266, 698
  - problem, 42
  - representation, 690
  - theory, 28, 58, 255, 331, 454, 519, 700
- GRASP, 122, 129, 286–303
- Gray code, 466, 685
- greedy, 125
  - algorithms, 288
  - approximation algorithms, 644
  - construction, 123
  - heuristic, 319, 324
  - knapsack, 648
  - MAX-CUT, 647
  - MAX-SAT, 646
  - solution, 295
  - vertex cover, 645
- grow initialization method, 147

- H-means, 320
- HAL, 387
- Hamming
  - distance, 128, 194, 330, 687
  - landscape, 687, 693
- Heaviside function, 489
- Hebbian learning rule, 489
- hedge, *see* transformation operator
- heuristics, 8–9, 613
  - generation, 616, 619, 622
- hill climbing, 9
- homogeneous, 42, 51, 272, 279
- Hopfield networks, 491
- human-competitive, 170
- hyper-heuristics, 11, 610–638
  - hybrid, 614
- hypervolume, 439
  
- ideal point, 410
- idiotypic networks, 200–201
- inclusion property, 565, 576
- incomplete search technique, 397
- independent variables, 145
- indicator function, 687
- indirect encoding of neural networks, 497
- indiscernibility relation, 558, 559, 564, 569, 573
- indispensable
  - attribute, 562, 563, 566
  - criteria, 580, 588
- inductive learning, 480–484, 568
- inductive logic programming, 478, 482–484
- inertia weight, 229
- infeasible solutions, 4
- inference methods, 371–372
- inference rules, 520, 529
- infix notation, 145
- information
  - gain, 481
  - theory, 477, 481
  - transfer, 219
- inhomogeneous algorithm, 274
- initial random population, 150, 151, 155
- initial solution, 8
- initialization, 94, 147, 196, 234, 329, 495
- innovation, 94, 102
- innovization, 431
  - automated procedure, 431
- integer programming, 66–92
- integer quantities, 73
- intensification, 216, 225, 252, 256–257, 292, 333
- interchangeability, 372
  
- interior point, 87
- intermediate vectors, 698
- intermediate-term memory, 252
- interpolation, 479
- intersection, 381, 521, 525, 558, 560, 562, 567, 576, 578, 594
- intractable, 105, 378, 639
- invariant, 104, 331
- inverse consistency, 372
- inverse problem, 530
- irreducible, 272
- iterative improvement, 266, 269
  
- job shop scheduling, 207, 222, 244, 247, 253, 266, 651
  
- K-means, 320
- kilter
  - diagram, 46
  - line, 46, 54
- knapsack
  - binary knapsack problem, 55
  - bounded knapsack problem, 55
  - maximum fraction, 649
  - maximum integer, 649, 655
  - minimum integer, 655
  - problem, 29, 40, 60, 83, 128, 642, 648, 650
  - unbounded, 37, 55
  
- Lagrangian relaxation, 34
- Laplacian matrix, 691
- learning
  - algorithms, 471, 480–508
  - Bayesian, 484–486
  - bottom-up, 375, 483
  - chess play learning, 479
  - classifier systems, 207, 493
  - decision-tree, 483
  - element, 477
  - methods, 502–507
  - reinforcement, 486–488
  - robot learning, 479
  - sample, 570
  - sequence of actions, 479
  - top-down, 483
- level of confidence, 568
- limited discrepancy search, 375
- linear propagation, 385
- linear relaxation, 69–71, 76
- linearly separable, 489
- Lisp S-expressions, 144, 169
- local optimum, 6

- local search, 9, 109, 120, 125, 127, 290, 341
- locally Pareto-optimal set, 416
- logic programming, 387
- logical constraints, 75
- long-term memory, 253
- look-ahead, 375
- lower approximation, 558, 561, 593
- lower bound, 26–31, 34, 41, 46–49, 53–55
  
- machine learning, 477–517
- makespan, 244, 699
- Markov chains, 271–274, 279
- matching function, 193, 197, 200
- matching problem, 55
- matheuristics, 11
- mating pool, 95
- MAX-Ak-SAT, 668
- max-closure, 378
- max-CSP problem, 379
- MAX-CUT problem, 128, 343, 647
- MAX-SAT, 646, 668, 670
- maximum
  - diversity problem, 129
  - flow problem, 43–45
  - weighted independent set, 85
- McCulloch–Pitts neurons, 488
- MCDM, 437
- mean square error, 490, 496
- membership function, 521–528, 566
  - $\Pi$ , 523
  - Gaussian, 524
  - monotonically decreasing, 522
  - monotonically increasing, 522
  - trapezoid, 522
  - triangular, 522
- memetic algorithm, 106, 109
- metaheuristics, 10–11
- Metropolis algorithm, 268, 702
- min-conflicts heuristic, 376
- minimal domain size, 374
- minimum
  - cost flow problem, 45–50
  - job scheduling, 651
  - sum-of-squares clustering, 329
  - vertex cover, 642, 645, 658
- mixed integer programming, 255
- modern heuristics, *see* metaheuristics
- modifier, *see* transformation operator
- MOEAs, 421
- Monte Carlo, 268, 332, 487
- MOOP, *see* multi-objective optimization problem
  
- multi-attribute, 557, 602
- multi-objective optimization, 403–443
  - $\epsilon$ -constraint approach, 420
  - classical approach, 409
  - differences from single-objective optimization, 405
  - ideal approach, 407
  - preference-based approach, 409
  - principles, 406
  - weighted-sum approach, 419
- multi-objectivization, 439
- multicriteria, 557–559, 571, 585–590, 599, 600
- multigraded dominance, 592–594
- multilayer feedforward neural networks, 490
- multimodal landscapes, 689
- multistage programming, 36
- mutation, 57, 94, 99, 107, 143, 147, 150, 191, 198, 493, 495, 497
  - probability, 100, 109
  
- nadir point, 411
- negative dominance cone, 574
- negative selection, 191, 196–197, 205
- neighbor, 266, 683
- neighborhood, 266
  - graph, 267
  - search, 313
  - very large scale, 339–364
  - structure, 247, 686–688
- network
  - flow, 50, 54, 56, 391
  - flow programming, 19, 42–51, 58, 60
  - management, 370
  - simplex algorithm, 50
- neural networks, 488–492, 494–497
- no free lunch, 450–476
- node potentials, 46
- non-dominated
  - front, 417
  - set, 414
  - solutions, procedure to identify, 416
  - sorting, 418
- non-parametric estimates, 697
- NP-complete, 51, 453
- NP-hard, 245, 265, 378, 452, 639, 641, 673
- NSGA-II, 422
  
- objective
  - function, 5
- objective normalization, 412
- objective space, 406
- off-policy, 487–488
- on-policy, 487–488

- online, 488, 650
- operational research, 4
- operations research, 4
- OPL, 88, 388
- optimal solutions, 6, 613
- optimization, *see* combinatorial optimization,
  - 50, 83, 86, 93, 199, 207, 226, 234, 237, 390, 492, 646
  - algorithm, 105, 266
- ordinal selection, 96
- out-of-kilter, 46–50, 53, 56
- outranking, 559, 574, 590, 593
  
- P, 451
- P*-boundary, 564
- P*-dominated set, 574
- P*-lower approximation, 564, 576
- P*-rough set, 564, 565
- P*-upper approximation, 564, 576
- p*-median, 319, 321, 333
- parallel, 188, 452, 488, 651
  - algorithm, 393
  - search strategy, 170, 255
- parallelization, 61, 105
- parameter
  - calibration, 258
  - optimization, 453–455
- parental solutions, 94
- Pareto, 137, 571
  - optimal solutions, 403, 405, 410
- partial order, 414
- partial solutions, 24–31, 34, 57, 389
- particle swarm optimization, 137, 214, 227–236
  - adaptive PSO, 231
  - advanced features, 231
  - controlling diversity, 233
  - convergence enforcement, 232
  - maximum velocity, 232
  - neighborhood best velocity update, 231
  - PSO algorithm, 228–229
  - queen particle, 232
  - simplified PSO, 232
  - stagnation recovery, 234
- partitioning, 24, 29, 35, 319, 324, 650, 669
- path
  - consistency, 372
  - relinking, 121, 133, 292–298
  - tracing, 699
- pathogen, 188
- pattern classification, 478
- PCPs, *see* probabilistically checkable proofs
- Pearson correlation coefficient, 195
- penalty function, 5
- perceptron learning, 488–490
- perfect graph, 33
- permutation, 31, 81, 131, 222, 244, 267, 454, 688, 694
  - closure, 460–463
  - code, 97
  - matrix, 690
  - problems, 126, 128, 131, 216, 219, 226
- personnel scheduling, 369
- PESA, 425
- phenotype, 199
- pheromone, 214
  - best–worst, 225
  - matrix, 217–220
  - update, 216, 225–227
  - values, 217–219
- plant location problem, 243–245, 247, 249, 252–254
- plug flow tubular reactor case study, 538
- PMX, 99
- polynomial time, 452
  - algorithm, 644, 668–670
  - approximation scheme, 641, 650
  - verifier, 671
- population, 10, 94–96, 143–161
  - matrix, 219
  - matrix update, 220
  - population-based ACO, 219
  - size, 152
- positive dominance cone, 574, 575
- predictive system, 481
- prefix notation, 144
- primal, 330
- primal simplex, 87
- primal–dual method, 659
- principle of optimality, *see* Bellman’s principle
- prior knowledge, 480, 570–574, 600
- probabilistic safety factor, 103
- probabilistically checkable proofs, 670–671
- probabilistically selected, 146, 151
- probability distribution, 218, 272, 478, 666
- probability space, 478
- problem-specific repair mechanism, 97
- production planning problem, 38–42
- production scheduling, 370, 391, 546
- propagation, 372, 377, 380–385, 391, 672
- proportional-differential-like fuzzy controller, 537
- proportional-integral-like fuzzy controller, 536
- protected division, 152, 155
- pruning, 26, 28, 34, 375
- PSO, *see* particle swarm optimization

- PTAS, *see* polynomial time approximation scheme
- Q*-learning, 487
- quality measure, 565
- quality of approximation, 561, 563, 565, 567, 579, 586, 593, 602
- queens problem, 376
- random
- 3SAT, 673
  - binary template, 98
  - bouncing, 234
  - constants, 145
  - crossover, 98
  - cut, 667
  - enumeration, 456, 473
  - initial weights, 497
  - jump, 333
  - MAX-SAT solution, 668
  - number, 95, 233, 269, 332, 456
  - restart, 375
  - sampling, 107, 251, 456
  - search, 154, 458, 473
  - selection, 98, 150, 320, 323
  - solution, 332
  - value, 229
  - variable, 641, 667
  - walk, 94, 246, 696, 701
- randomization, 666
- ranking selection, 94
- real-time decision problem, 255
- recombination, 94–96, 107, 492, 699
- landscapes, 694–695
  - operators, 96, 104, 106
  - sexual, 143, 150, 170
- recursive relationship, 37, 40, 51, 60
- reduced VNS, 321
- reduct, 567, 580, 586, 599
- reducts, 562
- redundant criteria, 580
- reflexive, 569–570, 574, 592, 594
- regression, 151, 479
- tree, 481
- reinforcement learning, 478, 486–488, 492, 495, 510–511
- relaxation, 34, 76, 107, 648, 672
- repair, 50, 373, 375–376, 386
- replacement, 94, 96, 101, 109, 456
- reproduction, 95, 143, 147, 150–152, 155, 496
- resource allocation, 370, 454
- restart diversification, 253
- robustness, 258
- rough approximation, 559, 564–568, 570, 573, 577, 585, 589, 594
- rough sets, 137, 138, 557–609
- certain, 567
  - certain knowledge, 559, 576, 583
  - certain rules, 563, 570
  - dominance-based approach, 559, 589
  - formal description, 563
  - fundamentals, 559–570
  - illustrative example, 597
  - indiscernibility-based approach, 563
  - indiscernibility-based approach, 558, 559, 589, 602
  - uncertain knowledge, 559
- roulette wheel, 94–95
- routing, 36, 42, 60, 329, 391, 672
- rule base design
- heuristic, 534
  - systematic, 534
- rules
- induction of, 567
- running metric, 436
- Sarsa learning algorithm, 487
- scatter search, 119–139
- diversification generation, 119, 127, 135
  - improvement, 119, 127, 136
  - reference set update, 119, 120, 122, 127–129, 136
  - solution combination, 119–122, 131–134, 136
  - subset generation, 119–121, 129–131
- schema theorem, 96
- search space, 7, 247–248, 253
- selection, 95–96, 147
- selection-intensity models, 102
- self-adaptive systems, 492
- separation, 83, 265, 369, 386, 389, 508
- sequencing problems, 61, 76
- sequential
- algorithms, 650–652
  - job scheduling, 651
  - mode of training, 490
- shaking, 323, 329, 332
- short-term memory, 249
- shortest path, 26–29, 36, 42, 51, 57, 214–217, 645, 687
- SICStus, 387
- similarity, 192, 520, 568–570
- classes, 569
  - measure, 193–196, 545
- simplex, 42, 43, 46
- simulated annealing, 264–285, 289

- single machine total weighted tardiness
  - problem, 221
- skewed VNS, 326
- social insect colonies, 213
- spacecraft trajectory design, 427
- SPEA2, 425
- staff planning, 370
- states, 36
- steady state, 94, 101, 539
- steepest descent, 317, 327
- stochastic, 36, 315, 318, 373, 490
  - element, 375
  - noise, 104
  - programming, 255
  - search algorithm, 456
  - universal selection, 94, 95
  - variable, 271
- stopping criterion, 216, 218
- strategic oscillation, 253
- subcomponent complexity, 103
- subjective function, 93
- sum-of-squares clustering, 319
- superfluous attribute, 562, 566
- supervised learning, 478, 492, 510
- supply chain management, 370
- surrogate objectives, 254
- survival of the fittest, 94
- swapping probability, 97
- swarm intelligence, 212–242
- symbolic regression, 151
- synapse, 488, 489
- syntax, *see* tree, syntax, 567, 570, 585, 589, 594, 599
  
- tabu
  - list, 57, 361
  - length, 249
  - search, 133, 135, 243–263, 327
  - multiple tabu list, 249
  - probabilistic, 251
  - recency memory, 252
  - tenure, 249
- takeover time models, 102
- task scheduling, 370
- Tchebycheff catastrophe, 314
- temperature, 189, 268, 454, 524, 527
- temporal difference learning, 487
- terminal
  - node, 25, 32, 481
  - set, 145, 152
- termination criterion, 146, 151, 152, 155, 251
- test function, 230
- thrashing behavior, 374
  
- threshold function, 489
- threshold methods, 246
- time continuation, 107
- time-independent, 272
- timetabling, 29, 56, 106, 390, 619
- top-down learning, 483
- tournament selection, 94, 96, 154
- tractability, 378–379, 452, 673
- trade-off solutions, 404
- transfer functions, 490
- transformation operator, 520, 526, 545
- transitive, 564, 570, 591, 594
- transportation, 370, 382, 384, 390
  - assignment, 53
  - cost, 244
  - problem, 53, 245, 247, 254
- traveling salesman problem, 7, 29, 57, 93, 97, 99, 207, 215–221, 266, 328, 340, 345–347, 457, 698
  - minimum, 639, 670
- tree, 25–27, 481
  - rooted point-labeled program, 147
  - syntax, 144, 149, 150
- truncation selection, 96
- TSP, *see* traveling salesman problem
- Turing, 143, 170, 488
  - machine, 452–453
- two-dimensional cutting problems, 40–41
  
- uncertain knowledge, 511, 559
- uniform probability, 150
- unimodal landscapes, 689
- unimodular, 42
- union  $\cup$ , 525
- unsupervised learning, 478, 492, 510
- update, 218
- upper approximation, 558, 593, 602
- upper bound, 26–30, 32–35, 43–49, 53–55, 74, 229, 233, 375, 530
- utility service optimization, 370
- utopian point, 411
  
- variable
  - generation, 84–86
  - neighborhood search, 290, 313–337
  - reduced, 313, 320–323, 332
  - skewed, 313, 325–327
  - variable neighborhood descent, 126, 313
  - VNS within exact algorithm, 330
  - precision rough set approach, 578
- vehicle routing, 255, 348
- Visual CHIP, 388
- VNDS, 313, 315, 327

VNS, *see* variable neighborhood search, 322, 327

Vogel's approximation method, 54

waiting-time model, 697

weak preference relation, 574

weighted maximum satisfiability, 326

weighted-sum approach, 419

$Y$ -reduct, 567

zero-argument functions, 145

Zykov's algorithm, 31