
Index

A

ABSplus material, 163–164

Accuracy improvements

- error sources, 335
- machining strategy, 337–341
- model pre-processing, 335–337

ACES scan pattern, 90–94

Acoustic softening. *See* Blaha effect

Acrylate photopolymer systems, 101

Adaptive raster milling, 337–338

Additive manufacturing (AM), 19–20, 43–44, 175–176, 372–373, 417

advantages, 9–10

basic principle, 1–3

classification

- discrete particle systems, 32–33
- hybrid systems, 36–37
- layered manufacturing (LM)
 - processes, 30
- liquid polymer systems, 31–32
- metal systems, 35–36
- molten material systems, 33–34
- new schemes, 34–35
- solid sheet systems, 34

vs. CNC machining

- accuracy, 11–12
- complexity, 11
- geometry, 12
- materials, 10
- programming, 12
- speed, 10–11

future aspects, 40–41

historical development, 37–38

hollowing out parts, 57

identification markings/numbers, 58–59

interlocking features, 57–58

layers usage, 28–30

materials handling issues, 54–55

motivation, 400–401

part count reduction, 58

part orientation, 55–56

processes

- application, 6, 49
- CAD, 4, 44–45
- conversion to STL, 4, 45–47
- machine setup, 5, 47–48
- part building, 5, 48
- parts removal, 6, 48–49
- post-processing, 6, 49
- software, 60
- transfer to AM machine and STL file manipulation, 5, 47

removal of supports, 56, 331

technology

- computer aided design (CAD), 22–26
- computer aided engineering (CAE), 15–16
- computer numerically controlled (CNC)
 - machining, 28, 29
- computers, 20–22
- haptic-based CAD, 16–17
- lasers, 26
- materials, 27–28
- molten material systems, 51–52
- photopolymer-based systems, 51
- powder-based systems, 51
- printing technologies, 26–27
- programmable logic controllers (PLCs), 27
- reverse engineering (RE) technology, 14–15
- solid sheets, 52

undercuts inclusion, 57

unique capabilities

- functional complexity, 407–409
- hierarchical complexity, 405–407
- hierarchical structures, 415–417
- industrial design applications, 417–418

Additive manufacturing (AM) (*cont.*)
 material complexity, 409–410
 part consolidation and redesign, 414
 shape complexity, 404–405
 world-wide companies, 39–40
 Advanced Information and Communication
 Technologies (aICT), 477–485
 Aerospace industry, 381
 Aesthetic improvements, 341
 Align Technology, 375–377
 Applied energy correlations and scan patterns,
 125–127
 Assassin model soccer shoe, 380–383
 Automated fabrication (Autofab), 7
 Automated powder removal machine, 330–331
 Automotive industry, 382, 472

B

Banerjee, R., 266
 Basaran, O.A., 190, 191
 Bernard, A., 305
 Beuth, J., 261
 Binary deflection continuous system, 187–188
 Binder jetting (BJ), 35, 205–207, 216, 315
 ceramic materials in research, 208–210
 machines, 212–217
 three-dimensional printing (3DP), 205–206
 Biocompatible materials, 112
 Bioextrusion
 gel formation, 166
 melt extrusion, 166–167
 scaffold architectures, 168
 Blaha effect, 232
 Blaha, F., 232
 Blazdell, P.F., 188
 Bonding, 155–156
 Bontha, S., 261, 264
 Boothroyd, G., 401
 Breakaway supports, 332
 Build time model, 389–392
 Burns, M., 7
 Business opportunities and future directions
 digiproneurship
 advantages, 485
 creation facilities, 484
 definition, 476–477
 distributed conceptualization and
 propagation, 481–482
 Freedom of Creation, 482
 Google SketchUp, 483
 representation, 481
 research and development
 priorities, 484

Spore game and Spore Creature
 Creator, 483
 new types
 employment, 480–481
 products, 479–480

C

Cationic photopolymerization, 69
 Ceramics, 180–181
 Certification, 385
 Chemically-induced sintering, 115–116
 Childs, T.H.C., 126
 Computer aided design (CAD) technology,
 19, 22–26
 accuracy, 24
 binary/ASCII format, 352–354
 challenges, 418–420
 complexity, 24
 direct slicing, 367
 3D Systems, 352
 engineering content, 24
 file creation, 354–355
 image, layer thickness, 3
 limitations, NC machining, 23
 model, 25
 non-applicative areas
 architectural models, 60
 medical modeling, 59
 reverse engineering data, 59
 promising technologies
 implicit modeling, 423–426
 proposed DFAM system, 422–423
 realism, 24
 synthesis methods
 design structures, 426
 genetic algorithm (GA), 433
 geometric complexity, 426
 Michell truss layout, 427
 one-piece structure, 426
 wagon wheel structure, 426
 slice profile calculation
 cutting plane, 355
 discrete scenarios, 356
 triangle and line intersection, 356–358
 vectors, 2D profile, 359–360
 Z value, 355
 solid-modeling CAD systems
 cooling channels, 420
 geometry-related capabilities, 421
 hybrid CSG-BRep, 420
 ISO STEP standard, 421
 issues, 421, 422
 speed, 24

- STL file format, 25–26
 - systems, 4
 - technology specific elements
 - hatching pattern, 361, 362
 - patterned vector scanning, 361, 362
 - raster scanning, 361
 - support structure, 359, 360
 - usability and user interface, 24
 - Computer aided engineering (CAE), 15–16
 - Computer-Aided Manufacturing of Laminated Engineering Materials (CAM-LEM), 223–224
 - Computerized tomography (CT) scanner, 456
 - Computer numerical controlled (CNC) machining, 28, 228–229
 - Conceptualization, 478, 482–484
 - and CAD, 44–45
 - definition, 476
 - Continuous mode (CM) deposition, 187–188
 - Contour crafting, 169
 - Cost estimation
 - build time model, 389–392
 - cost model, 387–388
 - laser scanning vat photopolymerization example, 392–393
 - Cost model, 387–388
 - Covas, J.A., 150
 - Cure model, 98
- D**
- Defense Advanced Research Projects Agency (DARPA), 269–270
 - De Gans, B.J., 190
 - Deglin, A., 305
 - Deposition, material jetting
 - ceramics, 180–181
 - metals, 181–183
 - polymers, 177–180
 - Design for additive manufacturing (DFAM)
 - aircraft duct, 403, 404
 - assembly and manufacturing costs, 403
 - camera spool, 403
 - complex and customized geometry, 411–412
 - conventional DFM constraint elimination, 413
 - definition and classification, 401
 - injection molding tools, 402
 - integrated assemblies, 412
 - integrated flow vanes, 403
 - objectives and guidelines, 411
 - product development process, 401
 - software tools, 402
 - Dewhurst, P., 402
 - Digiproneurship
 - advantages, 485
 - creation facilities, 484
 - definition, 476–477
 - distributed conceptualization and propagation, 481–482
 - Freedom of Creation, 482
 - Google SketchUp, 483
 - representation, 481
 - research and development priorities, 484
 - Spore game and Spore Creature Creator, 483
 - Digital entrepreneurship, 476
 - Digital record, 384
 - Direct digital manufacturing (DDM)
 - adding/editing screen, 319, 322
 - Align Technology, 375–377
 - applications, 383–384
 - build times and costs, 318, 321
 - cost estimation
 - build time model, 389–392
 - cost model, 387–388
 - laser scanning vat photopolymerization example, 392–393
 - custom soccer shoes and other examples, 380–383
 - drivers, 383–385
 - future aspects, 395–396
 - layout of parts, 320
 - life-cycle costing, 393–395
 - manufacturing vs. prototyping, 385–387
 - negative spacing values, 318
 - part data entry screen, 317
 - preliminary selection, 319, 320
 - qualitative assessment question screen, 317, 318
 - qualitative assessment results, 317, 319
 - Siemens and Phonak, 377–380
 - sPro 230, 318
 - Directed energy deposition (DED) processes, 35, 245–246
 - benefits and drawbacks, 266–267
 - differential motion, 248
 - laser-based metal deposition (LBMD) process, 247–248
 - materials and microstructure
 - brittle intermetallic phase, 260
 - ceramic materials, 258
 - CoCrMo LENS deposit, 260
 - ductility, 261
 - metallic materials, 258
 - microstructural advantages, 258
 - multi-material combination, 258, 259

- Directed energy deposition (DED) processes
 (*cont.*)
 optical methods, 258
 powder feedstock, 258
 TiC LENS deposit, 261
 microstructure, 246–247
 multi-axis deposition head motion, 248
 parameters, 257–258
 powder feeding
 co-axial feeding, 251–252
 dynamic thickness benefits, 250
 energy density, 249–250
 extrusion-based process, 249
 4-nozzle feeding, 251
 single nozzle feeding, 251
 versatile feedstock, 249
 z-offset, 249
 processing-structure-properties
 relationships
 cooling rate, 263
 3D Rosenthal solution, 262
 low-and high-powered systems,
 264, 265
 normalized melting temperature, 264
 solidification microstructure, 261
 solidification velocity, 264
 thermal gradient, 263
 representation, 245, 246
 systems
 AeroMet machine, 254
 CO₂ laser system, 253
 Controlled Metal Buildup (CMB), 255
 Direct Metal Deposition (DMD), 254
 DM3D Technology, 253
 Electron Beam Freeform Fabrication
 (EBF³), 256
 laser consolidation process, 255
 Laser Engineered Net Shaping (LENS)
 system, 252–253
 welding/plasma-based
 technologies, 257
 wire feeding, 251–252
 Direct metal laser sintering (DMLS), 119, 120,
 133, 134, 315
 Direct write (DW) technologies
 applications
 fractal and MAPLE-DW printed
 antenna, 289
 materials and substrates
 combination, 288
 remote sensing, 290
 thermal and strain
 sensors, 289
 beam deposition
 electron beam CVD, 284
 FIB CVD, 284
 laser chemical vapor deposition
 (LCVD), 282–284
 beam tracing approach
 additive/subtractive DW, 286
 electron beam tracing, 286–287
 focused ion beam tracing, 287
 laser beam tracing, 287
 micro-/nanodiameter beams, 286
 categories, 270
 Defense Advanced Research Projects
 Agency (DARPA), 269–270
 definition, 269
 hybrid technologies, 287–288
 ink-based DW
 aerosol, 276–277
 continuous and droplet dispensing, 271
 inkjet printing process, 275–276
 ink types, 270
 material properties, 271
 nozzle dispensing process, 271–273
 quill-type process, 273–275
 rheological properties, 270, 271
 laser transfer
 ablation, 277, 278
 benefits and drawbacks, 277
 high-energy laser beam, 277
 MAPLE DW process, 278
 sacrificial transfer material, 278
 spallation, 278
 thermal expansion, 278
 liquid-phase direct deposition, 285–286
 thermal spray techniques
 aperture system, 281
 characteristics, 280
 general apparatus, 280
 multilayer devices, 281
 splats, 280
 Discrete particle systems, 32–33
 Distributed conceptualization and propagation,
 476, 482, 484
 3D printing (3DP). 1, 8 *See also* Material
 jetting (MJ)
 3D printer, 176, 343, 364, 479
 Drill guides, 462
 Droplet formation methods, 186, 190–191
 Droplets deposition control, 185
 Drop-on-demand (DOD) mode deposition,
 188–190
 3D scanning, 59, 100
 3D Systems

- ACES scan pattern, 91
 - computer-aided design system, 25
 - 3D printing, 176
 - EOS, 39
 - hot melt deposition, 179
 - MakeTray, 377
 - ProJet printers, 196
 - selective laser sintering (SLS), 32
 - SinterStation Pro, 395
 - SLA Viper Si2 machine, 379
 - SLA-248, 66
 - stereolithography (SL), 8, 31, 37, 64, 352, 367, 392
 - Thermojet, 33
 - UV-curable printing materials, 179
 - V-Flash machine, 98
 - WINDOWPANE procedure, 81
 - DuPont, J.N., 261
- E**
- Edirisinghe, M.J., 184
 - Elastomeric thermoplastic polymers, 110
 - Electrochemical liquid deposition (ECLD), 285
 - Electron beam melting (EBM)
 - Arcam's EBM system, 380
 - vs. SLM, 136–140
 - Electronic spare parts, 384
 - Engineering training, 467
 - Entrepreneurship, 476, 481
 - Envisiontec Bioplotter, 464
 - EOS GmbH (Germany), 133
 - EOSint laser sintering, 133–134
 - Equipment maintenance, 54
 - Exposure, 76–77
 - Extrusion-based systems
 - basic principles
 - bonding, 155–156
 - extrusion, 149–153
 - liquification, 149
 - positional control, 154–155
 - solidification, 153–154
 - support generation, 156–157
 - bioextrusion
 - gel formation, 166
 - melt extrusion, 166–167
 - scaffold architectures, 168
 - fused deposition modeling (FDM),
 - Stratasys
 - ABSplus material, 163–164
 - limitations, 164–165
 - machine types, 161–163
 - other systems
 - contour crafting, 169
 - FDM of ceramics, 171
 - nonplanar systems, 169–170
 - Reprap and Fab@home, 171
 - plotting and path control, 157–160
- F**
- Fab@home, 171
 - Facet, 25, 352–354, 363
 - Factory 2.0, 482, 484, 485
 - fcubic processes, 142
 - Feng, W., 178
 - Figure-Prints company, 382
 - Figureprints model, 60
 - Focused ion beam chemical vapor deposition (FIB CVD), 284
 - Form, Fit and Function (3 Fs), 3
 - Freedom of Creation, 482
 - Freeform fabrication (FFF), 7. *See also*
 - Additive manufacturing
 - Free-radical photopolymerization, 68
 - Fukumoto, H., 191
 - Full melting, 120–121
 - Fused deposition modeling (FDM), 33, 160–163
 - machines
 - DDM example, 381
 - limitations, 164–165
 - types, 161–163
 - Stratasys
 - ABSplus material, 163–164
 - of ceramics, 171
 - limitations, 164–165
 - machine types, 161–163
- G**
- Gaming industry, 382–383
 - Gao, F., 177, 190
 - Gel formation, 166
 - Genetic algorithms (GAs), 433
 - Gluing/adhesive bonding
 - adhesive-backed paper, 219
 - bond-then-form process
 - decubing, 220
 - LOM advantages and limitations, 221
 - support material strategy, 221
 - tiles/cubes, 220
 - classification, 219
 - form-then-bond process
 - advantages, 223

- Gluing/adhesive bonding (*cont.*)
 CAM-LEM process, 223
 ceramic microfluidic distillation device,
 223–224
 Offset Fabling system, 222
 Stratoconception approach, 224
- Google SketchUp, 483
- Grossman, B., 16
- H**
- Haptic-based CAD, 16–17
- Hearing aids, 377–379
- He, Z., 285
- High speed sintering (HSS), 141–142
- Himmer, T., 216
- Hirowatari, K., 94
- Hole drilling, 340–341
- Hot melt deposition, 179
- Hull, C.W., 64
- Hybrid systems, 36–37
- I**
- Ikuta, K., 94
- Inkjet printing, 175
- Insurance, 467
- Interpenetrating polymer network formation,
 72–73
- Investment casting patterns, 342–343
- Irradiance model, 75–78, 98
- J**
- Jacobs, P.F., 65
- Janaki Ram, G.D., 34, 231, 238, 240
- Jujups company, 382
- K**
- Keeney, R.L., 307
- Khuri-Yakub, B.T., 190
- Klingbeil, N., 261
- Kruth, J.P., 116
- L**
- Labor cost, 388
- Laminated object manufacturing (LOM), 34,
 37, 219, 220, 331
 advantages, 221
 limitations, 222
- Laser-based systems
 metals and ceramics, 134–136
- Laser chemical vapor deposition (LCVD)
 advantages and disadvantages, 283
 Georgia Tech's development, 282–283
 vs. microthermal spray, 283
 multimaterial and gradient
 structures, 282
 resolution, 282
- LaserForm ST-100 green parts, 346
- Laser-resin interaction, 78–80
- Laser scan vat photopolymerization, 74,
 392–393
- Laser sintering (LS), 107, 133, 134, 348
- Lasers technology, 26
- Layer-based build phenomena and errors,
 84, 86
- Layer-based manufacturing, 7–8
- Layered manufacturing (LM) processes, 30
- Lee, E., 191
- Le, H.P., 176
- Life-cycle costing, 393–395
- Line-wise and layer-wise processing
 mask projection vat photopolymerization
 processes
 commercial MPVP systems, 96–98
 MPVP modeling, 98–99
 VP technology, 95–96
- PBF-based line-wise and layer-wise
 processes
 fcubic, 142
 high speed sintering (HSS), 141–142
 selective inhibition sintering (SIS)
 process, 142
 selective mask sintering (SMS)
 technology, 140–142
 sintering aid, 142
- Liquid-phase sintering (LPS) and partial
 melting
 distinct binder and structural materials
 coated particles, 118–119
 composite particles, 118
 separate particles, 116–118
 indistinct binder and structural materials,
 119–120
- Liquid polymer systems, 31–32
- Liquification, 149
- Liu, Q., 181, 188
- Liu, W., 261
- Luce, R.D., 309
- M**
- Machine purchase and operations costs,
 387–388
- Machining strategy

- adaptive raster milling, 337–338
 - hole drilling, 340–341
 - sharp edge contour machining, 338–340
 - MakeTray software, 377
 - Mask projection vat photopolymerization (MPVP)
 - commercial systems, 96–98
 - modeling, 98–99
 - technology, 95–96
 - Material cost, 388
 - Material extrusion (ME), 35, 147–148, 315
 - Material jetting (MJ), 35, 185–186
 - benefits and drawbacks, 198
 - evolution
 - historical development, 176
 - inkjet printing, 175
 - hot melt deposition, 179
 - inkjet printing, 175
 - machines, 195–196
 - materials for material jetting
 - ceramics, 180–181
 - metals, 181–183
 - polymers, 177–180
 - solution-and dispersion-based deposition, 183–184
 - modeling, 191–195
 - printing technologies, 26–27
 - technical challenges
 - continuous mode (CM), 187–188
 - droplets formation and deposition control, 185
 - drop-on-demand (DOD) mode, 188–190
 - material jetting, 185
 - operational considerations, 186
 - other droplet formation methods, 190–191
 - resolution, 186
 - three-dimensional fabrication, 185
 - Materials technology, 27–28
 - Mavroidis, C., 407
 - Meacham, J.M., 191
 - Medical applications
 - categories
 - manufacturing, 460
 - prosthetics development, 458–459
 - surgical and diagnostic aids, 457–458
 - tissue engineering and organ printing, 460–461
 - computerized tomography (CT)
 - scanner, 456
 - further development
 - approvals, 466–467
 - engineering training, 467
 - insurance, 467
 - location of technology, 468
 - service bureaus, 468
 - limitations
 - accuracy, 465
 - cost, 464–465
 - speed, 464
 - materials, 465
 - software tools, 461–464
 - Melt extrusion, 166–167
 - Melt flow index (MFI), 130
 - Metal deposition technology. *See* Directed energy deposition (DED) processes
 - Metal parts creation approaches
 - full melting, 120–121
 - indirect processing, 121
 - liquid-phase sintering, 121–122
 - pattern methods, 122
 - Metal systems, 35–36
 - accuracy, 53
 - beam deposition process
 - controlled metal buildup (CMB), 255
 - intermetallic formation, 250
 - laser-based metal deposition (LBMD), 246
 - energy density, 53
 - Laser-Engineered Net Shaping (LENS), 35
 - powder bed fusion process, 121–122
 - laser-based systems, 134
 - proprietary metal powder, 110–111
 - structural metal powder, 119–120
 - sheet metal clamping, 227
 - substrates usage, 54
 - weight and speed, 53, 54
 - Michell, A.G.M., 426, 427
 - Microstereolithography. *See* Vector scan micro-vat photopolymerization
 - Modeling, material jetting (MJ) process, 191–195
 - Molten material systems, 33–34
 - Monomer formulations, 71–72
 - Morgenstern, O., 309
- N**
- Nakajima, N., 94
 - Natural support post-processing, 330–331
 - Nonplanar systems, 169–170
 - Non-thermal post-processing techniques, 345
 - Nozzle dispensing direct write processes
 - differentiating factors, 271
 - drawback, 273
 - materials, 273
 - Microopen company, 271

Nozzle dispensing direct write processes
(*cont.*)

- nScript system, 271, 272
- pump/syringe mechanism, 271
- scaffold deposition, 272

O

- Obikawa, T., 226
- Orme, M., 181, 182, 188
- Orthodontic treatment devices, 375–377

P

- Partial melting, 108–110
- Pattern replication methods, 344–345
- Percin, G., 190
- Perfactory machine, 97
- Pham, D.T., 30
- Phenix Systems, 112
- Phonak Hearing Systems, 377–379
- Photoinitiator system, 70–71
- Photospeed, 80–81
- Plotting and path control, 157–160
- Polymer laser sintering (pLS), 107–109
- Polymers, 177–180
- Polystyrene-based materials, 110
- Positional control, 154–155
- Post-processing
 - accuracy improvements
 - error sources, 335
 - machining strategy, 337–341
 - model pre-processing, 335–337
 - aesthetic improvements, 341, 342
 - pattern for metal part creation
 - investment casting, 342–343
 - other replication methods, 344–345
 - sand casting, 343–344
 - property enhancements
 - non-thermal techniques, 345
 - thermal techniques, 345–348
 - support material removal
 - naturally-occurring by-product, 330–331
 - synthetic supports, 331–334
 - surface texture improvements, 334
- Powder bed fusion (PBF) processes, 107–109, 315
 - applied energy correlations and scan patterns, 125–127
 - benefits and drawbacks, 143–144
 - ceramic parts creation approaches, 122

- electron beam melting (EBM) vs. SLM, 136–140
- fusion mechanisms
 - chemically-induced sintering, 115–116
 - full melting, 120–121
 - liquid-phase sintering (LPS) and partial melting, 116–120
 - solid-state sintering, 112–115
- laser-based systems
 - metals and ceramics, 134–136
- line-wise and layer-wise type
 - fcubic, 142
 - high speed sintering (HSS), 141–142
 - selective inhibition sintering (SIS)
 - process, 142
 - selective mask sintering (SMS)
 - technology, 140–142
 - sintering aid, 142
- materials, 109–112
- metal parts creation approaches
 - full melting, 121
 - indirect processing, 121–122
 - liquid-phase sintering, 121–122
 - pattern methods, 122
- powder handling
 - challenges, 127–128
 - recycling, 129–131
 - systems, 128–129
 - process parameters and modeling, 122–124
 - selective laser sintering (SLS), 107–109
- Powder delivery system, 127–128
- Powder feeding systems, 129
- Powder fusion mechanisms
 - chemically-induced sintering, 115–116
 - full melting, 120–121
 - liquid-phase sintering (LPS) and partial melting, 116–120
 - solid-state sintering, 112–115
- Powder handling
 - challenges, 127–128
 - recycling, 129–131
 - systems, 128–129
- Preliminary selection decision support problem (PS-DSP), 306–307
- Priest, J.W., 182
- Printing indicator, 194, 195
- Prior 2 Lever (P2L) company, 380
- Process selection guidelines
 - AMSelect
 - adding/editing screen, 319, 322
 - build times and costs, 316, 321
 - database maintenance, 319
 - flowchart, 316

- layout of parts, 320
 - negative spacing values, 318
 - part data entry screen, 317
 - preliminary selection, 316, 320
 - qualitative assessment question screen, 316, 318
 - qualitative assessment results, 316, 319
 - approaches to determining feasibility
 - feasible material/machines, 306
 - knowledge-based system, 305
 - ps-DSP, 306–307
 - reasoning methods, 306
 - web-based AM selection system, 306
 - approaches to selection
 - attribute rating, 308
 - identify step, 307–308
 - probability density function, 309
 - Rate step, 308
 - standard selection decision support
 - problem (s-DSP), 307–308
 - utility curve, 309
 - word formulation, 307
 - capital investment decision
 - alternatives evaluation, attributes, 312, 313
 - caster wheel model, 310, 311
 - customization process, 310
 - merit values and rankings, 312, 314
 - ratio and interval scale, 311
 - relative importances, 312
 - weighting scenarios, 312
 - challenges
 - conventions and exhibitions, 314
 - costs vs. benefits, 314
 - expert systems, 315
 - PBF machine, 315
 - VP and ME machines, 315
 - ZCorp machine, 315
 - decision theory, 304–305
 - open problems, 325
 - process planning support, 304
 - quotation support, 304
 - rapid prototyping, 303
 - service bureaus (SBs)
 - decision support software system, 321
 - part building, 323–324
 - post-processing, 323
 - preprocessing, 323
 - production planning, 322–323
 - Programmable logic controllers (PLCs)
 - technology, 27
 - ProMetal injection molding tool, 347
 - Propagation, 475–476, 478, 481, 482, 484, 485
 - Prosthetics development, 458–459
 - Prototype tooling, 438
- Q**
- Qu, X., 339
- R**
- Raiffa, H., 307, 309
 - Rapid prototyping (RP), 1, 8–9, 303, 452
 - vs. direct digital manufacturing, 385–387
 - hearing aids, 40
 - Rapid tooling, 437–439, 454–455
 - EDM electrodes, 443–444
 - injection molding, 439–443
 - investment casting, 443–444
 - systems
 - assembly tools, 446–448
 - carbon and glass fiber composite, 446
 - paper pulp molding techniques, 446
 - vacuum forming tools, 445–446
 - Reaction rates, 73
 - Recycling of powder, 129–131
 - Reis, N., 177, 190
 - Reprap, 171–172
 - Resin formulations and reaction mechanisms
 - interpenetrating polymer network formation, 72–73
 - monomer formulations, 71–72
 - photoinitiator system, 70–71
 - Retirement costs, 393
 - Reverse engineering (RE) technology, 14–15, 59
 - RTV molding, 344, 345
- S**
- SAAB Avitronics, 381
 - Sand casting patterns, 343–344
 - Savage, L.J., 309
 - Scaffold architectures, 168
 - Scan/deposition time, 389
 - Selective area laser deposition vapor infiltration (SALDVI), 283
 - Selective inhibition sintering (SIS) process, 142
 - Selective laser sintering (SLS), 30, 108, 400
 - Selective mask sintering (SMS) technology, 140–142
 - Service and tooling costs, 393

- Shapiro, V., 424
- Sharp edge contour machining, 338–340
- Sheet lamination processes
- gluing/adhesive bonding
 - adhesive-backed paper, 219
 - bond-then-form process, 220–222
 - classification, 219
 - form-then-bond process, 222–224
 - laminated object manufacturing (LOM), 219, 220
 - sheet metal clamping, 227
 - thermal bonding, 226–227
 - ultrasonic additive manufacturing (UAM)
 - additive-subtractive process, 228
 - automated support material
 - approach, 229
 - bond quality, 229, 231
 - CNC milling, 228, 229
 - defects, 235–236
 - definition, 228
 - fiber embedment, 240–241
 - fundamentals, 230–233
 - honeycomb structure, 229, 230
 - internal features, 239
 - material flexibility, 239–240
 - mechanical properties, 238
 - microstructures, 237–238
 - parameters and optimization, 233–234
 - smart structures, 241–242
 - sonotrode, 228
- Shimoda, T., 183, 184, 190
- Shrinkage, 335
- Siemens Hearing Instruments, Inc., 377–379
- Sirringhaus, H., 190
- Skin addition, 336
- SLA ProX 950 machine, 317, 320
- SLA-7000 vat, 390
- SLA Viper Pro parameters, 392
- SLM dental framework, 332–333
- Soccer shoes, 380–383
- Software tools, medical applications, 461–463
- Solid freeform fabrication (SFF), 7. *See also* Additive manufacturing
- Solidification, 153–154
- Solidimension, 221
- Solid sheet systems, 34
- Solid-state sintering, 112–115
- Solution-and dispersion-based deposition, 183–184
- Sonin, A.A., 177, 190
- Spore game and Spore Creature Creator, 483
- STAR-WEAVE, 88–90
- Stereolithography (SL), 8, 341, 342
- apparatus (SLA), 37–38
- binder jetting, 216
- BJ machines, 212–216
- ceramic materials in research, 208–210
- photopolymerization process modeling
 - irradiance and exposure, 75–78
 - laser-resin interaction, 78–80
 - photospeed, 80–81
 - time scales, 81–82
- scan patterns
 - ACES, 90–94
 - layer-based build phenomena and errors, 84, 86
 - STAR-WEAVE, 88–90
 - WEAVE, 86–88
- Stereolithography (STL) file format
 - additional software, 369–371
 - CAD model preparation
 - 3D Systems, 352
 - binary/ASCII format, 352–354
 - file creation, 354–355
 - slice profile calculation, 355–359
 - technology specific
 - elements, 359–361
 - color models, 368
 - degenerated facets, 363–364
 - direct slicing, CAD model, 367
 - leaks, 363
 - machining use, 368–369
 - manipulation
 - cut cylinder, 364, 365
 - on AM machine, 365–367
 - triangle-based definition, 364
 - viewers, 365
 - multiple materials, 368
 - unit changing, 361–362
 - vertex to vertex rule, 362–363
- Stevens, M.J., 150
- Stratasys, 33, 37, 39, 148, 160–163, 168, 381
- Stucker, B.E., 34, 339
- Subtractive manufacturing, 255, 368, 438
- Support generation, 156–157
- Support material removal
 - naturally-occurring by-product, 330–331
 - synthetic supports, 331–332
- Surface model, 23, 368, 423
- Surface texture improvements, 334
- Surgical and diagnostic aids, 457–458
- Sweet, R., 191
- Synthetic support removal
 - build materials, 332–333
 - secondary materials, 333–334

T

- Takagi, T., 94
- Tape casting methods, 225
- Tay, B., 184
- Thermal post-processing techniques, 346–348
- Thermochemical liquid deposition (TCLD), 285
- Tissue engineering and organ printing, 460–461
- Tool/tooling, 437–439
- Tseng, A.A., 188
- Two-photon vat photopolymerization (2p-VP), 99–101

U

- Ultrasonic additive manufacturing (UAM)
 - additive-subtractive process, 228
 - automated support material approach, 229
 - bond quality, 229–231
 - CNC milling, 228, 229
 - defects, 235–237
 - definition, 228
 - fiber embedment, 240–241
 - fundamentals
 - plastic deformation, 232
 - SEM microstructures, Al 3003/SS mesh, 232
 - solid-state bonding, 231
 - thermal welding process, 231
 - ultrasonic metal welding (UMW), 230, 231
 - internal features, 239
 - material flexibility, 239–240
 - mechanical properties, 238
 - microstructures, 237–238
 - parameters and optimization
 - normal force, 233
 - oscillation amplitude, 233
 - preheat temperature, 234
 - sonotrode travel speed, 234
 - smart structures, 241–242
 - sonotrode, 228
- UV curable photopolymers, 66–67

V

- Vacuum forming tools, 445–446
- Varadan, V.K., 95
- Vat photopolymerization (VT) processes, 35, 63–65
 - approaches, 64
 - laser scan vat photopolymerization, 74
 - mask projection VT (MPVP)
 - commercial systems, 96–98

- modeling, 98–99
- technology, 95–96
- materials
 - photopolymer chemistry, 67–70
 - resin formulations and reaction mechanisms, 70–73
 - UV curable photopolymers, 66–67
- reaction rates, 73
- photopolymerization process modeling
 - irradiance and exposure, 75–78
 - laser-resin interaction, 78–80
 - photospeed, 80–81
 - time scales, 81–82
- VP scan patterns
 - ACES, 90–94
 - layer-based build phenomena and errors, 84, 86
 - STAR-WEAVE, 88–90
 - WEAVE, 86–88
 - two-photon VP (2p-VL), 99–101
 - vector scan micro-vat photopolymerization, 94–95
 - vector scan VP machines, 82–84
- Vector scan micro-vat photopolymerization, 94–95
- Vector scan VP machines, 82–84
- Vertical integration, 386
- V-Flash machine, 98
- VisCAM viewer, 366, 365
- von Neumann, J., 309

W

- Wang, J., 458
- WEAVE, 86–88
- Web 2.0, 476, 477, 484
- Wimpenny, D.I., 226
- Wohlers, T.T., 8, 303, 465
- Working curve, 78–80

Y

- Yamaguchi, K., 182, 190
- Yamasaki, H., 226
- Yardimci, M.A., 155
- Yi, S., 226

Z

- ZCorp/binder jetting
 - binder jetting (BJ) machines, 212, 330–331
 - color models, 368
 - digiproneurship, 483
 - vs. Dimension FDM machine, 315

-
- ZCorp/binder jetting (*cont.*)
- discrete particle system, 33
 - 3D printing (3DP) process, 188, 382, 457
 - high resolution 24-bit color printing machine, 198
 - LCVD, 283, 284
 - low-cost technology, 37
 - powder-based system, 51
 - starch, 343
 - Zhao, X., 184