

References

- ALLBUS. (2006). *Germany general social survey 1980–2004*.
- Altman, E. (1968). Financial ratios, discriminant analysis and the prediction of corporate bankruptcy. *The Journal of Finance*, 23, 589–609.
- Andrews, D. (1972). Plots of high-dimensional data. *Biometrics*, 28, 125–136.
- Backhaus, K., Erichson, B., Plinke, W., & Weiber, R. (1996). *Multivariate Analysemethoden*. Berlin: Springer.
- Bartlett, M. S. (1939). A note on tests of significance in multivariate analysis. *Proceedings of the Cambridge Philosophical Society*, 35, 180–185.
- Bartlett, M. S. (1954). A note on multiplying factors for various chi-squared approximations. *Journal of the Royal Statistical Society: Series B*, 16, 296–298.
- Belsley, D. A., Kuh, E., & Welsch, R. E. (1980). *Regression diagnostics*. New York: Wiley.
- Blæsild, P., & Jensen, J. (1981). Multivariate distributions of hyperbolic type. In *Statistical distributions in scientific work—Proceedings of the NATO Advanced Study Institute held at the Università degli studi di Trieste* (Vol. 4, pp. 45–66).
- Bock, R. D. (1975). *Multivariate statistical methods in behavioral research*. New York: Mc Graw-Hill.
- Bouroche, J.-M., & Saporta, G. (1980). *L'analyse des données*. Paris: Presses Universitaires de France.
- Breiman, L. (1973). *Statistics: With a view towards application*. Boston: Houghton Mifflin Company.
- Breiman, L., Friedman, J. H., Olshen, R., & Stone, C. J. (1984). *Classification and regression trees*. Belmont: Wadsworth.
- Chambers, J. M., Cleveland, W. S., Kleiner, B., & Tukey, P. A. (1983). *Graphical methods for data analysis*. Boston: Duxbury Press.
- Chen, Y., Härdle, W., & Jeong, S.-O. (2008). Nonparametric risk management with generalized hyperbolic distributions. *Journal of the American Statistical Association*, 103, 910–923.
- Chernoff, H. (1973). Using faces to represent points in k-dimensional space graphically. *Journal of the American Statistical Association*, 68, 361–368.
- Cook, R. D., & Weisberg, S. (1991). Comment on “sliced inverse regression for dimension reduction”. *Journal of the American Statistical Association*, 86(414), 328–332.
- Dillon, W. R., & Goldstein, M. (1984). *Multivariate analysis*. New York: Wiley.
- Duan, N., & Li, K.-C. (1991). Slicing regression: A link-free regression method. *Annals of Statistics*, 19(2), 505–530.
- Efron, B., Hastie, T., Johnstone, I., & Tibshirani, R. (2004). Least angle regression (with discussion). *Annals of Statistics*, 32(2), 407–499.

- Embrechts, P., McNeil, A. J., & Straumann, D. (1999, May). Correlation and dependence in risk management: Properties and pitfalls. *RISK Magazine*, 69–71.
- EUNITE. (2001). *Electricity load forecast competition of the European network on intelligent technologies for smart adaptive systems*. <http://neuron.tuke.sk/competition/>
- Everitt, B., & Dunn, G. (1998). *Applied multivariate data analysis*. London: Edward Arnold.
- Fahrmeir, L., & Hamerle, A. (1984). *Multivariate statistische verfahren*. Berlin: De Gruyter.
- Fang, K. T., Kotz, S., & Ng, K. W. (1990). *Symmetric multivariate and related distributions*. London: Chapman and Hall.
- Fengler, M. R., Härdle, W., & Villa, C. (2003). The dynamics of implied volatilities: A common principal components approach. *Review of Derivative Research*, 6, 179–202.
- Flury, B. (1988). *Common principle components analysis and related multivariate models*. New York: Wiley.
- Flury, B., & Gautschi, W. (1986). An algorithm for simultaneous orthogonal transformation of several positive definite symmetric matrices to nearly diagonal form. *SIAM Journal on Scientific and Statistical Computing*, 7, 169–184.
- Flury, B., & Riedwyl, H. (1988). *Multivariate statistics: A practical approach*. Cambridge: Cambridge University Press.
- Franke, J., Härdle, W., & Hafner, C. (2011). *Introduction to statistics of financial markets* (3rd ed.). Heidelberg: Springer.
- Friedman, J. H., Hastie, T., & Tibshirani, R. (2010). Regularization paths for generalized linear models via coordinate descent. *Journal of Statistical Software*, 33(1), 1–22.
- Friedman, J. H., & Stuetzle, W. (1981). Projection pursuit classification. Unpublished manuscript.
- Friedman, J. H., & Tukey, J. W. (1974). A projection pursuit algorithm for exploratory data analysis. *IEEE Transactions on Computers*, C 23, 881–890.
- Gale, D., Kuhn, H. W., & Tucker, A. W. (1951). Linear programming and the theory of games. In T. C. Koopmans (Ed.), *Activity analysis of production and allocation* (pp. 317–329). New York: John Wiley and Sons.
- Gibbins, R. (1985). *Canonical analysis. A review with application in ecology*. Berlin: Springer.
- Giri, N. C. (1996). *Multivariate statistical analysis*. New York: Marcel Dekker.
- Gosset, W. S. (1908). The probable error of a mean. *Biometrika*, 6, 1–25.
- Graham, M., & Kennedy, J. (2003). Using curves to enhance parallel coordinate visualisations. In *Proceedings of seventh international conference on information visualization, 2003 (IV 2003)* (pp. 10–16).
- Hall, P. (1992). *The bootstrap and edgeworth expansion. Statistical Series*. New York: Springer.
- Hall, P., & Li, K.-C. (1993). On almost linearity of low dimensional projections from high dimensional data. *Annals of Statistics*, 21(2), 867–889.
- Härdle, W. (1991). *Smoothing techniques, with implementations in S*. New York: Springer.
- Härdle, W., Hautsch, N., & Overbeck, L. (2009). *Applied quantitative finance* (2nd ed.). Heidelberg: Springer.
- Härdle, W., Müller, M., Sperlich, S., & Werwatz, A. (2004). *Non- and semiparametric models*. Heidelberg: Springer.
- Härdle, W., & Scott, D. (1992). Smoothing by weighted averaging of rounded points. *Computational Statistics*, 7, 97–128.
- Harrison, D., & Rubinfeld, D. L. (1978). Hedonic prices and the demand for clean air. *Journal of Environment Economics and Management*, 5, 81–102.
- Hoaglin, W., Mosteller, F., & Tukey, J. (1983). *Understanding robust and exploratory data analysis*. New York: Wiley.
- Hodges, J. L., & Lehman, E. L. (1956). The efficiency of some non-parametric competitors of the *t*-test. *Annals of Mathematical Statistics*, 27, 324–335.
- Hotelling, H. (1935). The most predictable criterion. *Journal of Educational Psychology*, 26, 139–142.
- Hotelling, H. (1953). New light on the correlation coefficient and its transform. *Journal of the Royal Statistical Society, Series B*, 15, 193–232.
- Huber, P. (1985). Projection pursuit. *Annals of Statistics*, 13(2), 435–475.

- Inselberg, A. (1985). A goodness of fit test for binary regression models based on smoothing methods. *The Visual Computer*, 1, 69–91.
- Johnson, R. A., & Wichern, D. W. (1998). *Applied multivariate analysis* (4th ed.). Englewood Cliffs, NJ: Prentice Hall.
- Jones, M. C., & Sibson, R. (1987). What is projection pursuit? (with discussion). *Journal of the Royal Statistical Society, Series A*, 150(1), 1–36.
- Kaiser, H. F. (1985). The varimax criterion for analytic rotation in factor analysis. *Psychometrika*, 23, 187–200.
- Kendall, K., & Stuart, S. (1977). Distribution theory. In *The advanced theory of statistics* (Vol. 1). London: Griffin.
- Klinke, S., & Polzehl, J. (1995). *Implementation of kernel based indices in XGobi*. Discussion paper 47, SFB 373. Humboldt-University of Berlin.
- Kruskal, J. B. (1965). Analysis of factorial experiments by estimating a monotone transformation of data. *Journal of the Royal Statistical Society, Series B*, 27, 251–263.
- Kruskal, J. B. (1969). Toward a practical method which helps uncover the structure of a set of observations by finding the line transformation which optimizes a new “index of condensation”. In R. C. Milton & J. A. Nelder (Eds.), *Statistical computation* (pp. 427–440). New York: Academic Press.
- Kruskal, J. B. (1972). Linear transformation of multivariate data to reveal clustering. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling: Theory and applications in the behavioural sciences* (Vol. 1, pp. 179–191). London: Seminar Press.
- Lachenbruch, P. A., & Mickey, M. R. (1968). Estimation of error rates in discriminant analysis. *Technometrics*, 10, 1–11.
- Laplace, P.-S. (1774). Mémoire sur la probabilité des causes par les événements. *Savants étranges*, 6, 621–656.
- Lawson, C., & Hansen, R. (1974). *Solving least square problems*. Englewood Cliffs: Prentice Hall.
- Lebart, L., Morineau, A. and Fénelon, J. P. (1982). *Traitement des données statistiques*, Dunod, Paris.
- Lewin-Koh, N. (2006). *Hexagon binning*. Technical Report.
- Li, K.-C. (1991). Sliced inverse regression for dimension reduction (with discussion). *Journal of the American Statistical Association*, 86(414), 316–342.
- Li, K.-C. (1992). On principal Hessian directions for data visualization and dimension reduction: Another application of Stein’s lemma. *Journal of the American Statistical Association*, 87, 1025–1039.
- Mardia, K. V., Kent, J. T., & Bibby, J. M. (1979). *Multivariate analysis*. Duluth/London: Academic Press.
- Meier, L., van de Geer, S., & Bühlmann, P. (2008). The group lasso for logistic regression. *Journal of the Royal Statistical Society, Series B*, 70, 53–71.
- Mercer, J. (1909). Functions of positive and negative type and their connection with the theory of integral equations. *Philosophical Transactions of the Royal Society of London*, 209, 415–446.
- Morrison, D. (1990). *Multivariate statistical methods* (3rd ed., 495 pp.). New York: McGraw-Hill.
- Muirhead, R. J. (1982). *Aspects of multivariate statistics*. New York: Wiley.
- Nelsen, R. B. (1999). *An introduction to copulas*. New York: Springer.
- Olkin, I., & Veath, M. (1980). Maximum likelihood estimation in a two-way analysis with correlated errors in one classification. *Biometrika*, 68, 653–660.
- Osborne, M., Presnell, B., & Turlach, B. (2000). On the lasso and its dual. *Journal of Computational and Graphical Statistics*, 9(2), 319–337.
- Parzen, E. (1962). On estimating of a probability density and mode. *Annals of Mathematical Statistics*, 35, 1065–1076.
- Rosenblatt, M. (1956). Remarks on some nonparametric estimates of a density function. *Annals of Mathematical Statistics*, 27, 832–837.
- Schott, J. R. (1994). Determining the dimensionality in sliced inverse regression. *Journal of the American Statistical Association*, 89(425), 141–148.

- Scott, D. (1985). Averaged shifted histograms: Effective nonparametric density estimation in several dimensions. *Annals of Statistics*, 13, 1024–1040.
- SEC (2004). *Securities and exchange commission: Archive of historical documents*. <http://www.sec.gov/cgi-bin/srch-edgar>
- Shevade, S. K., & Keerthi, S. S. (2003). A simple and efficient algorithm for gene selection using sparse logistic regression. *Bioinformatics*, 19, 2246–2253.
- Silverman, B. W. (1986). *Density estimation for statistics and data analysis. Monographs on statistics and applied probability* (Vol. 26). London: Chapman and Hall.
- Simon, N., Friedman, J. H., Hastie, T., & Tibshirani, R. (2013). A sparse-group lasso. *Journal of Computational and Graphical Statistics*, 22(2), 231–245.
- Sklar, A. (1959). Fonctions de répartition à n dimensions et leurs marges. *Publications de l'Institut de Statistique de L'Université de Paris*, 8, 229–231.
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, 58, 267–288.
- Tufte, E. (1983). *The visual display of quantitative information*. Cheshire: Graphics Press.
- Vapnik, V. (1995). *The nature of statistical learning theory*. New York: Springer.
- Volle, V. (1985). *Analyse des Données*. Paris: Economica.
- Whittle, P. (1958). On the smoothing of probability density functions. *Journal of the Royal Statistical Society, Series B*, 55, 549–557.
- Yuan, M., & Lin, Y. (2006). Model selection and estimation in regression with grouped variables. *Journal of the Royal Statistical Society, Series B*, 68, 49–67.
- Zou, H., & Hastie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society, Series B*, 67, 301–320.

Index

- Actual error rate (AER), 417
- Admissible, 413
- Agglomerative techniques, 393
- Allocation rules, 407
- Analysis of variance (ANOVA), 72
- Andrews' Curves, 29
- Angle between two vectors, 72
- Apparent error rate (APER), 417

- Bayes discriminant rule, 413
- Bernoulli distributions, 144
- Best line, 308
- Binary structure, 387
- Binomial sampling, 273
- Biplots, 439
- Bootstrap, 176
 - sample, 179
- Bootstrap sample, 179
- Boston Housing, 40, 110, 242, 262, 346, 378,
400, 552
- Boxplot, 4, 5
 - construction, 7

- Canonical correlation, 443
 - analysis, 443
 - coefficient, 445
 - variable, 445
 - vector, 445
- Capital asset pricing model (CAPM), 497
- Cauchy distribution, 154
- Centering matrix, 90
- Central limit theorem (CLT), 143–145
- Centroid, 396
- Characteristic functions, 123, 130

- Classic blue pullovers, 82
- Cluster algorithms, 392
- Cluster analysis, 385
- Cobb–Douglas production function, 254
- Cochran theorem, 192
- Coefficient of determination, 96, 107
 - adjusted, 107
- Column space, 74, 306
- Common factors, 361
- Common principal components analysis (CPCA), 342
- Communality, 362
- Complete linkage, 396
- Computationally intensive techniques, 501
- Concentration ellipsoid, 139
- Conditional approximations, 188
- Conditional covariance, 513
- Conditional density, 119
- Conditional distribution, 186
- Conditional expectation, 126, 512, 513
- Conditional pdf, 119
- Confidence interval, 146
- Confusion matrix, 417
- Contingency tables, 264, 273, 425
- Contrast, 227
- Convex hull, 504
- Copula, 120, 168
- Copulae, 166
- Correlation, 84
 - multiple, 188
- Correspondence analysis, 425
- Covariance, 80
- Covariance matrix
 - decomposition, 320
 - properties, 124

- Cramer–Rao, 208
- Cramer–Rao lower bound, 206
- Cramer–Wold, 131
- Cumulant, 132
- Cumulative distribution function (cdf), 118
- Curse of dimensionality, 511

- Data depth, 504
- Degrees of freedom, 102
- Dendrogram, 394
- Density estimates, 11
- Density functions, 118
- Determinant, 56
- Deviance, 269
- Diagonal matrix, 54
- Dice, 388
- Discriminant analysis, 407
- Discriminant rule, 408
 - in practice, 415
- Dissimilarity of cars, 458
- Distance
 - d, 68
 - Euclidean, 68
 - iso-distance curves, 69
 - matrix, 460
 - measures, 389
- Distribution, 118
- Draftman’s plot, 21
- Duality relations, 313
- Duality theorem, 464

- Effective dimension reduction directions, 511, 513
- Effective dimension reduction space, 511
- Efficient portfolio, 488
- Eigenvalues, 57
- Eigenvectors, 57
- Elastic net, 297
- Elliptical distribution, 196
- Elliptically symmetric distribution, 511
- Existence of a riskless asset, 492
- Expected cost of misclassification, 409
- Explained variation, 96
- Exploratory projection pursuit, 506
- Extremes, 7

- F-spread, 7
- F-test, 104
- Faces, 23
- Factorial
 - axis, 308, 309
 - method, 336
 - representation, 314, 317
 - variable, 308, 316
- Factors, 306
 - analysis model, 359, 360
 - model, 367
 - scores, 376
- Farthest Neighbor, 396
- Fisher information, 209
- Fisher information matrix, 207, 208
- Fisher’s linear discrimination function, 418
- Five-number summary, 5
- Flury faces, 24
- Fourths, 6
- French food expenditure, 340
- Full model, 103

- G-inverse, 57
 - non-uniqueness, 61
- General multinormal distribution, 193
- Gradient, 65
- Group-building algorithm, 386

- Heavy-tailed distributions, 149
- Hessian, 65
- Hexagon, 37
 - binning algorithm, 37, 50
 - plot, 38
- Hierarchical algorithm, 393
- Histograms, 11
- Hotelling T^2 -distribution, 193
- Hyperbolic, 151

- Idempotent matrix, 54
- Identity matrix, 54
- Independence copula, 122
- Independent, 85, 119
- Inertia, 315, 317
- Information matrix, 208
- Interpretation of the factors, 363
- Interpretation of the principal components, 327
- Invariance of scale, 363
- Inverse, 56
- Inverse regression, 511, 513

- Jaccard, 388
- Jacobian, 135
- Jordan decomposition, 60, 61

- Kernel
 - densities, 15
 - estimator, 15
- Kulczynski, 388

- Laplace distribution, 154
- Lasso, 282
- Likelihood function, 202
- Likelihood ratio test, 214
- Limit theorems, 142
- Linear discriminant analysis (LDA), 412
- Linear regression, 93
- Linear transformation, 91
- Link function, 511
- Loadings, 361, 362
 - non-uniqueness, 364
- Log-likelihood function, 202
- Log-linear, 264
- Logit models, 272

- Mahalanobis distance, 412
- Mahalanobis transformation, 93, 137, 138
- Marginal densities, 119
- Marketing strategies, 101
- Maximum likelihood discriminant rule, 408
- Maximum likelihood estimator, 202
- MDS direction, 459
- Mean-variance, 487, 488
- Median, 5, 502
- Metric methods, 459
- Mixture model, 156
- Model with interactions, 258
- Moments, 123
- Multidimensional scaling (MDS), 455
- Multinormal, 139, 183
 - distribution, 137
- Multivariate deneralised hyperbolic
 - distribution, 160
- Multivariate laplace distribution, 163
- Multivariate median, 504
- Multivariate t-distribution, 163, 196

- Nearest neighbor, 395
- Non-metric solution, 479
- Nonexistence of a riskless asset, 491
- Nonhomogeneous, 92
- Nonmetric methods of MDS, 459
- Norm of a vector, 72
- Normal distribution, 203
- Normal-inverse Gaussian, 151
- Normalized principal components (NPCs), 335
- Null space, 74

- Odds, 273
- Order statistics, 5
- Orthogonal complement, 75
- Orthogonal matrix, 54

- Orthonormed, 309
- Outliers, 3
- Outside bars, 7

- Parallel profiles, 238
- Partitioned covariance matrix, 184
- Partitioned matrixes, 66
- PAV algorithm, 466, 484
- Pearson chi-square, 269
- Pearson chi-square test for independence, 269
- Pool-adjacent violators algorithm, 466, 484
- Portfolio
 - analysis, 487
 - choice, 487
- Positive
 - definite, 62
 - definiteness, 65
 - or negative dependence, 22
 - semidefinite, 62, 90
- Principal
 - axes, 70
 - components, 324
 - method, 372
 - in practice, 324
 - technique, 324
 - transformation, 321, 323
 - factors, 370
- Principal components analysis (PCA), 512, 515
- Profile
 - analysis, 238
 - method, 476
- Projection
 - matrix, 75
 - pursuit, 505
 - pursuit regression, 508
 - vector, 511
- Proximity between objects, 387
- Proximity measure, 386
- p -value, 269

- Quadratic discriminant analysis, 414
- Quadratic forms, 62
- Quadratic response model, 253
- Quality of the representations, 339

- Randomized discriminant rule, 413
- Rank, 55
- Reduced model, 103
- Rotations, 73, 374
- Row space, 306
- Russel and Rao (RR), 388

- Sampling distributions, 142
- Scatterplot matrix, 21
- Separation line, 21
- Similarity of objects, 387
- Simple analysis of variance (ANOVA), 100
- Simple Matching, 388, 389
- Single linkage, 395
- Singular normal distribution, 140
- Singular value decomposition (SVD), 61, 313
- Sliced inverse regression, 511, 516
 - algorithm, 512
- Sliced inverse regression II, 513, 514, 516, 517
 - algorithm, 514
- Solution
 - nonmetric, 483
- Specific factors, 361
- Specific variance, 362
- Spectral decompositions, 60
- Spherical distribution, 195
- Standardized linear combinations (SLC), 320
- Statistics, 142
- Stimulus, 475
- Student's t with n , 152
- Student's t -distribution, 94
- Sum of squares, 102
- Summary statistics, 89
- Support vector machines (SVMs), 519
- Swiss bank data, 4
- Symmetric matrix, 54
- T-test, 94
- Tanimoto, 388
- Three-way tables, 267
- Total variation, 96
- Trace, 56
- Trade-off analysis, 476
- Transformations, 135
- Transpose, 56
- Two factor method, 476

- Unbiased estimator, 208
- Uncorrelated factors, 361
- Unexplained variation, 96
- Unit vector, 72
- Upper triangular matrix, 54

- Variance explained by PCs, 333
- Varimax
 - criterion, 374
 - method, 374
 - rotation method, 374

- Ward clustering, 396
- Wishart
 - density, 192
 - distribution, 191, 192