

# References

- Abramowitz, M., & Stegun, I. A. (1972). *Handbook of mathematical functions*. New York: Dover.
- Barsoum, R. S. (1976). On the use of isoparametric finite elements in linear fracture mechanics. *International Journal for Numerical Methods in Engineering*, 10, 25–37.
- Barsoum, R. S. (1977). Triangular quarter-point elements as elastic and perfectly plastic crack tip elements. *International Journal for Numerical Methods in Engineering*, 11, 85–98.
- Bathe, K.-J. (1996). *Finite element procedures*. Englewood Cliffs: Prentice Hall.
- Bathe, K.-J., & Wilson, C. L. (1976). *Numerical methods in finite element analysis*. Englewood Cliffs: Prentice Hall.
- Carslaw, H. S., & Jaeger, J. C. (1959). *Conduction of heat in solids*. London: Oxford University Press.
- Cook, R. D. (1981). *Concepts and application of finite element analysis* (2nd ed.). New York: Wiley.
- Desai, C., & Abel, J. (1971). *Introduction to the finite element method*. Reinhold: Van Nostrand.
- Dym, C. L., & Shames, I. H. (1973). *Solid mechanics: A variational approach*. New York: McGraw-Hill.
- Ergatoudis, J., Irons, B., & Zienkiewicz, O. C. (1968). Curved isoparametric quadrilateral elements for finite element analysis. *International Journal of Solids and Structures*, 4, 31–42.
- Finlayson, B. A. (1972). *The method of weighted residuals and variational principles*. New York: Academic Press.
- Gallagher, R. H. (1975). *Finite element analysis: Fundamentals*. Englewood Cliffs: Prentice Hall.
- Henshell, R. D., & Shaw, K. G. (1975). Crack tip finite elements are unnecessary. *International Journal for Numerical Methods in Engineering*, 9, 495–507.
- Huebner, K. H. (1975). *The finite element method for engineers*. New York: Wiley.
- Huebner, K. H., Dewhirst, D. L., Smith, D. E., & Byrom, T. G. (2001). *The finite element method for engineers* (4th ed.). New York: Wiley.
- Oden, J. T. (1972). *Finite elements of nonlinear continua*. New York: McGraw-Hill.
- Pu, S. L., Hussain, M. A., & Lorensen, W. E. (1978). The collapsed cubic isoparametric element as singular element for crack problems. *International Journal for Numerical Methods in Engineering*, 12, 1727–1742.
- Stroud, A. H., & Secrest, D. (1966). *Gaussian quadrature formulas*. Englewood Cliffs: Prentice Hall.
- Turner, M. J., Clough, R. W., Martin, H. C., & Topp, L. J. (1956). Stiffness and deflection analysis of complex structures. *Journal of the Aeronautical Sciences*, 23, 805–823.
- Washizu, K. (1982). *Variational methods in elasticity and plasticity* (3rd ed.). New York: Pergamon.
- Zienkiewicz, O. C. (1977). *The finite element method* (3rd ed.). New York: McGraw-Hill.

# Index

## A

Absorption, 527, 528  
Action Field, 88, 123, 136  
Active coordinate system, 90, 104  
Active Window Field, 121  
Adaptive descent, 592  
Adaptive meshing, 24  
Adding, 108  
Ambient temperature, 456, 498, 508  
Analysis disciplines, 16, 17, 77, 140  
Analysis options, 26, 139, 141  
Analysis type, 26, 140  
Anand's model, 552  
Anisotropic, 84  
ANSYS  
    Basic commands, 281  
    Extracting information, 297  
    File structure, 26  
    General Postprocessor, 26  
    Help System, 29, 31, 310, 281, 621, 308, 31, 628  
        Contents, 31  
        Index, 32  
        Search, 32  
    Help SystemHelp System, 82  
    Main Menu, 25  
    Modifying results, 627  
    Modifying the GUI, 628  
    Operators/functions, 285  
    Parametric Design Language, 15, 281  
    Preprocessor, 25, 75  
    Programming with, 300  
    Time History Postprocessor, 26  
    Verification Manual, 33, 308, 310  
    Verification problems, 310  
APDL commands, 282  
Approximating functions, 1, 39  
Approximating functions *See also*  
    Interpolation functions, 1

Arc-length, 541  
Arc(s), 98  
Area(s), 3, 95, 99  
    Elements, 125  
    Integrals, 45, 67, 69  
    Primitives, 102  
Arithmetic operations, 159  
Automatic meshing, 125  
Automatic time stepping, 145, 540  
Axisymmetry, 20

## B

Batch Mode, 15, 281  
Begin Level, 25  
Bisection, 142, 540  
Block Header Section, 630  
Body forces, 223  
Body loads, 144  
Boolean operators, 107  
Bottom-up approach, 96  
Boundary  
    Integral, 191  
    Nonlinearity, 539  
Boundary conditions, 2, 12, 26, 139, 143, 177  
    Forced, 178  
    Natural, 178  
Box Zoom, 122

## C

Changing element attributes, 132  
Changing-status nonlinearity, 19  
Clearing/deleting mesh, 132  
Combined mode, 15  
Combined plasticity/creep, 552, 572  
Commands  
    ADPL, 282  
    General Postprocessor, 282, 284  
    \*GET, 298

- /OUTPUT, 304
  - Preprocessor meshing, 282, 283
  - Preprocessor solid model generation, 282, 283
  - Session/database, 282
  - Solution, 282, 284
  - \*VWRITE, 304
  - Compatibility, 36
  - Completeness, 36
  - Complete polynomial, 38
  - Components, 136
  - Composite(s), 546, 598
  - Concatenating, 130
  - Conduction, 456
  - Conformal elements, 36
  - Constraint equations, 595, 597
  - Contact
    - Analysis, 579–581
    - Area, 539
    - Nonlinearity, 539
    - Sliding, 580
  - Contour plots, 155
  - Control Files, 629
  - Convection/convective, 143, 456
  - Convergence, 35
    - Criterion, 149
    - Failure, 149
    - Monotonic, 40
    - Tolerance, 541
  - Coordinates
    - Area, 44
    - Cartesian, 90, 93
    - Centroidal, 42, 45
    - Cylindrical, 90
    - Cylindrical (polar), 93
    - Generalized, 40
    - Global Cartesian, 89
    - Global coordinate systems, 40, 90
    - Length, 42
    - Local coordinate systems, 40, 91
    - Natural, 41
    - Spherical, 90
    - Toroidal, 90
  - Coupled degrees of freedom, 595
  - Creep, 19, 551
    - Strain rate, 574
  - Curved boundaries, 61
  - Cut boundaries, 603
- D**
- Database File, 27
  - Data Controls Section, 631
  - Data/file options, 151
  - Defining parameters, 286
  - Degrees of freedom, 3, 17
    - coupled, 595
  - Delete entities, 120
  - Density, 526
  - Dependent variable, 177
  - Detach, 132
  - Differential operator matrix, 225
  - Diffusion, 497
  - Direct approach, 2, 4
  - Direct generation, 75
  - Dividing, 111
  - DO loops, 300
  - Duplicate entities, 133
  - Dynamic Mode Field, 123
- E**
- Effective stress, 552
  - Eigenvalue, 11
  - Eigenvalue buckling, 17, 140
  - Eigenvector, 11
  - Element matrix, 2
    - Attributes, 86
    - Characteristic, 6, 7
    - Force vector, 227
    - Right-hand-side, 7
    - Stiffness, 227
  - Elements, 76, 3, 548, 3
    - Connectivity, 8, 27, 75, 95, 183
    - Isoparametric, 59, 205, 254, 262
    - Linear quadrilateral isoparametric, 254, 262
    - Linear triangular, 241
    - Select using Pick Menu, 648
    - Volume, 126
  - Element table data, 156
  - Element type(s), 26, 76
  - Ending Section, 631
  - Entities, 95
  - Equilibrium iterations, 540
  - Error File, 27
  - Evaluation of integrals, 63
  - Executing external file, 625
  - Expansion Pass, 611, 620
  - External files, 621
  - Extrusion/swEEPing, 113
- F**
- Fluid, 77
  - Forcing function, 177
- G**
- Galerkin's method, 177
  - Gaussian

- Integration, 63, 259
- Points, 63
- General Postprocessor, 25, 150
- Generation Pass, 611, 612
- Geometric isotropy, 39
- Geometric nonlinearity, 18, 542
- Global coordinate systems, 40, 90
- Global element sizes, 126
- Global equilibrium equations, 228
- Global node numbering, 3, 35
- Gluings, 110
- Gobal model, 603
- Graph data, 150
- Graphical User Interface, 15
  - Development, 635
  - Modification, 643
- Graphics Window, 28, 87
- Gravity, 144
- Grid and triad, 93
- GUI *See* Graphical User Interface, 15

**H**

- Harmonic analysis, 17, 140
- Heat
  - Conduction, 4, 17, 187, 497
  - Diffusion, 526
  - Flow, 4, 6, 143, 157
  - Flux, 3, 4, 16, 143, 157, 456, 498, 503
  - Generation, 85, 144, 158, 187, 455, 456
  - Insulation, 527
  - Transfer, 455
- Help System, 29, 31, 310, 281, 621, 308, 31, 628
  - Contents, 31
  - Index, 32
  - Search, 32
- Hyperelasticity, 19

**I**

- IF statements, 302
- Inertia loads, 144
- Information Field, 87
- Initial conditions, 139, 144
- Initial residual stresses/strains, 223
- Input Field, 28
- Input file(s), 29, 30, 33, 286, 287, 288, 309, 312, 621
- Interactive mode, 15
- Interpolation functions, 1, 60, 63, 77
  - Shape functions, 47, 49–51, 55, 57, 60, 63, 179, 180, 189, 193, 206, 226, 237, 254, 261, 264
- Isoparametric elements, 59, 205, 254, 262

- Isotropic, 84
- Isotropic hardening, 552, 574

**J**

- Jacobian matrix, 62, 256
- Jobname, 15

**K**

- Keeping/deleting original entities, 119
- Keyoptions, 81
- Keypoints, 95, 96

**L**

- Large deflection/rotation, 18, 149, 539, 543
- Large strain, 542
- Length coordinates, 42
- Linear, 84
  - Line element, 50
  - Quadrilateral element, 57
  - Spring, 5
- Line(s), 3, 95, 97
  - Elements, 125
  - Integrals, 63
  - Search, 541
- List, 29
  - Data, 150
  - Entities, 120
  - Nodal solution, 159
  - Results, 159
- Loading conditions, 140
- Loading sequence, 539
- Load step(s), 145, 540
  - Files, 145
- Local coordinate systems, 40, 91
- Log File, 27, 308

**M**

- Macro files, 281, 306
- Main Menu, 28, 30
- Mapped meshing, 125, 126, 129, 283, 467
- Master DOFs, 609
- Material nonlinearity, 18, 539, 551
- Material properties, 26, 84
- Matrices
  - Global stiffness, 228
  - Global system, 7
  - Global system of equations, 3, 7
  - Jacobian, 62, 256
  - Material property, 224
  - Singular, 11
  - Singular coefficient, 148
  - Stiffness, 6
  - System stiffness, 3

- MenuCtrls, 29
- Merge entities, 133
- Mesh(ing), 125
  - Density, 24, 126
  - Refinement test, 24
- Method of weighted residuals, 177
- Modal analysis, 16, 140
- Model generation, 139
- Model geometry, 26
- Modeling operations, 75
- Moisture
  - Concentration, 526
  - Diffusion, 455, 525
  - Diffusivity, 526
- Moving/copying, 117
  
- N**
- Nano-indentation test, 581, 587
- Natural coordinates, 41
- Newton-Raphson, 540, 541
- Nodal unknowns, 179
- Nodal values, 48
- Nodes, 1, 3
  - Common, 3
  - Master, 599
  - Slave, 599
- Nonlinear, 84
  - Elastic, 19
  - Geometry option, 543
  - Load-displacement relationship, 539
- Numbering, 124
  - Compressing, 133
  - Controls, 133
  
- O**
- Operators/functions, 285
- Orthotropic material, 84
- Out-of-balance load vector, 540
- Output Window, 28
- Overlap, 110
  
- P**
- Pan/Zoom Field, 123
- Parameters, 29
- Pascal triangle, 39
- Path plots, 155
- Phase change, 17
- Picking entities, 87
  - Picking Style Field, 87
  - Pick/Unpick Field, 87
- Planar/reflective symmetry, 21
- Plane strain
  - Conditions, 235
- Plane stress
  - Conditions, 234
- Plastic deformation, 555
- Plasticity, 19, 551
- Plot, 29, 121
  - Controls (Ctrls), 29, 121
  - List entities, 123
  - Results, 153
- Post-buckling analysis, 546
- Postprocessing, 149
- Postprocessor, 15
- Potential energy, 2, 223
- Predictor algorithm, 541
- Preprocessor, 25, 75
- Preprocessor level, 75
- Pressures, 143
- Primary heat transfer, 17
- Primitives, 75, 95, 102
- Processor Level, 25
  
- Q**
- Quadratic line element, 52
- Quadratic triangular element, 55
  
- R**
- Radiation analysis, 519
- Radiosity solver, 456, 519
- Rate Control Field, 123
- Rate-independent plasticity, 572
- Rayleigh-Ritz method, 177
- Reading Input File, 622
- Read results, 151
- Real constants, 26, 82
- Repetitive/translational symmetry, 21
- Results files, 28
- Rigid constraints, 599
- Rotate, 121
- Rotate Field, 123
- Rotational symmetry, 21
- Rotations, 542
- Round-off error, 24
  
- S**
- Sandwich panel, 599
- Select, 29
  - Components, 133
  - Operations, 133, 292
- Smart sizing, 129
- Solid modeling, 75, 95
- Solution, 140
  - Commands, 282
  - Controls, 141, 503, 540, 564
  - Processor, 25

- Trial, 540
- Solve load step files, 147
- Sparse solver, 541
- Spectrum, 140
- Spline, 98
- Static analysis, 16
- Static condensation, 610
- Steady-state, 498
  - Analysis, 456
  - Heat transfer, 456
- Step size, 541
- Stiffness matrix multiplier, 583
- Strain rate equation, 574
- Stress stiffening, 18, 541
- Structural, 77
  - Analysis, 16, 140
  - Damping, 583
  - Stability, 542
- Structural system, 223
- Submodeling, 24, 603
- Substeps, 540, 541
- Substructuring, 610, 616
  - Superelements, 595, 609
- Subtracting, 108
- Surface
  - Contact, 580
  - Target, 580
  - Tractions, 223
- Symmetry conditions, 20

**T**

- Temperature, 6, 143, 526
  - Change, 144, 224
- Text Field, 88
- Thermal, 77
- Thermal analysis, 16
- Thermomechanical analysis, 17, 516
- Time dependence, 17
- Time-dependent loads, 145
- Time History Postprocessor, 25, 150
- Time-related parameters, 145
- Time step, 145
  - Size, 145
- Title, 76
- Toolbar, 28, 30
- Top-down approach, 96, 102

- Transient
  - Analysis, 497
  - Dynamic, 17
  - Heat transfer, 159, 456
- Trial solution, 540

**U**

- Units, 83
- Use Pass, 611, 618
- Utility Menu, 28

**V**

- Variational method, 2, 177, 222
- Vector(s)
  - Global nodal load, 228
  - Inter-element, 191
  - Nodal displacements, 227
  - Nodal forces, 227
  - Nodal unknowns, 6
  - Plots, 155
  - Right-hand-side, 6
  - Unknowns, 3
- Vector(s)inter-element, 191
- Verification
  - Manual, 33, 308, 310
  - Problems, 310
- Viewing Direction Field, 121
- View model, 121
- Viscoelasticity, 19, 552
- Viscoelastic/viscoplastic, 551
- Viscoplasticity, 552
  - Analysis, 566
- Volume elements, 126
- Volume(s), 3, 95, 100

**W**

- Weighted residuals, 2, 177
- Wetness parameter, 526
- Working Directory, 15, 27
- Working plane, 29, 89, 92
- Write Load Step File, 147
- Writing data to external ASCII files, 622

**Z**

- Zoom, 121, 122