

Index

- A**
AB₂, 333–335
 alloys, 327, 333, 335
 phase materials, 333
AB₅ alloys, 327, 333, 335
Absolutely
 stable phases, 161, 178, 284, 285
 stable species, 283
ABX₃ perovskites, 435, 436
Accelerating rate calorimeter, 363
AC/DC conversion, 90
Activated carbon (AC), 434, 449–451
“Activated complex” model, 455
Activity of species, 146, 147, 157, 162,
 216, 244
Additional components, 206, 235
Admittance, 138
Adsorption pseudo-capacitance, 73
AEG, 474
AEG Anglo Batteries, 474
AEG Anglo Batteries, GmbH, 474
Aerogel carbon, 72
Affinity, 16
Ag/AgCl reference electrode, 230, 421
AgI, 25, 256
Agrofuels, 49
Ag₂S, 25, 256
Ag₂SO₄, 25, 311
AgV₂O_{5.5}, 296, 297
Ag₂₊S, 157
Air Resources Board, 471, 472
Alanates, 112
AlCl₃/1-ethyl-3-methylimidazolium chloride,
 (EMIm)Cl, 483
Alfalfa, 50
Al–Ga alloys, 106, 107
Aliovalent species, 219, 276
Alkali metal insertion in graphite, 240
Alkaline cell, 289–295, 337, 338
All-electric vehicles, 9, 131, 471
All-liquid batteries, 464–467
All-liquid cell, 464, 465
Alloys, 33, 34, 85, 89, 91, 92, 102, 104–107,
 111, 112, 125–127, 152, 157, 161,
 162, 167, 171, 173, 177, 195–201,
 205–206, 224, 234, 239, 262, 274,
 304, 307, 314–316, 327–335,
 359, 361, 363–385, 390, 393,
 466, 479–481
Al₂O₃, 104–107
Al₂O₃ • 3H₂O, 105
Alternate electrolytes, 483
Alternative energy sources, 194
Altrivalent species, 219
Aluminum, 17, 22, 23, 92, 104–107, 112, 125,
 126, 224, 328, 372, 483, 486
Aluminum/graphite battery, 484
Aluminum–lithium system, 125, 126
Aluminum scrap, 107
American Recovery and Reinvestment Act
Amines, 112, 480
Ammonia, 52, 113–115
Amorphization, 161, 384, 411
Amorphous phase transformation reactions
Amorphous products, 362, 384
Amorphous RuO₂, 75
Amorphous silicon coatings on carbon
 nanofibers, 481
Amorphous structures, 273, 285, 286, 411
Amorphous structures formation, 285–287

- Amphoteric material, 392, 393
 Anglo American Corp./Corporation, 474
 Animal fats, 51
 Anolyte, 461
 Anthracite
 Antimony, 314, 465, 466
 Aquatic plants, 50
 Aqueous electrolyte lithium systems, 385–387
 Aqueous systems, 209, 210, 229–235, 291,
 299, 323–335, 337–357, 417,
 430, 444–445
 Aquion, 433, 434
 Armand, M.B., 240
 ARPA-E, 459, 478
 Assembly in the discharged state, 391–394
 Assumed radii of hydrated cations, 442
 Avogadro's number, 123, 278
- B**
 BaBr₂ • 2NH₃, 40
 BaBr₂ • 4NH₃, 40
 Bakelite, 71
 Balance between chemical and electrical force,
 123, 136, 148
 Band model, 217–220, 275
 Ba(OH)₂ • 8H₂O, 40
 Barin, I., 148, 419
 Barnard, R., 345, 350
 Basic lead sulfates, 312
 Batteries with liquid electrodes, 455
 Batteries with Prussian blue electrodes,
 442–445
 Battery discharge curves, 134, 299
 Bayerite, 105
 Bednorz, J.G., 91
 Bell Laboratories, 364
 Benzene, 115
 Berlin blue, 436
 Berlin green, 439, 442
 Beta alumina, 261, 389, 455, 474
 BETA Research and Development Ltd., 474
 B–H products of hard magnetic materials, 88
 Bimetallic sheets, 318
 Binary phase diagrams, 34–37, 162–164, 169,
 197, 205
 Binary systems, 34, 35, 38, 41–42, 161, 162,
 168–171, 178, 181–184, 186, 195,
 205, 234, 235, 272, 376, 378
 Bioenergy, 49
 Biofuels, 3
 Bio-gas
 Biomass, 49–52
- Biphenyl, 26
 Biphenyl oxide, 479
 Bipolar cell configurations, 460
 Bipolar concept, 318
 Birnessite, 292, 338
 Bituminous coal
 Blast furnaces
 Blocked electronic species, 247, 256
 Blocks, 106, 253–254, 256, 264, 283, 301,
 330, 362, 401, 456
 BMW, 10, 110, 117, 473
 Bode, H., 341
 Bolder Technology, 319
 Boranes, 112
 Borohydrides, 112
 Bosch, 474
 Bradwell, D., 464
 Breathing room, 383
 Brewer, L., 412
 Brick, 22
 Bridge fossil fuel
 Brucite, 341
 Butane, 53
 Butler-Volmer model, 455
 Bypass current, 462
- C**
 CaBr₂ • 6H₂O, 40
 CaCl₂ • 6H₂O, 40
 CaCl₂ • 8NH₃, 40
 CaCu₅ type structure, 327
 “Cadmium” electrode, 323–326
 Cadmium electrode operation, 323–326
 California mandate, Air Resources Board, 472
 Calomel electrode, 232, 238
 Calorie, definition, 14
 Camcorders, 8, 129, 365
 Ca(NO₃)₂, 25
 Canola
 Capacitance, 71–76, 80, 85, 476
 Capacitors, 69–73, 75, 77–82, 85, 434, 449,
 473, 476
 Capacitors and series resistance, 82
 Capacity density(ies), 194
 of small cells, 328
 in ternary systems, 194
 Capric acid, 26
 Caprylic acid, 26
 Carbazole, 116
 Carbon
 cloth, 72
 sponge, 456

- Cardiac pacemakers, 147, 149
Carnot limitation, 18
CaSi₂, 384
Catholyte, 461
Cation vacancy model, 338
Cavities, 58, 265
Cd(OH)₂, 324, 325
Cd(OH)₃⁻, 325
CdI₂, 263, 264
Cd/Ni batteries, 7, 130, 326, 327, 340, 351
CdO, 324, 325
CellCube systems, 463
Cellstrom, 463, 478
Cellulose-based foamed carbon, 72
Centrifugal force, 64, 65
Cesium, 137
Ce/Zn, 460
CF_x, 301
CH₄, 45–48, 52, 96, 97, 99
C₆H₆, 48, 115
C₆H₁₂, 48, 115
C₇H₁₄, 48, 52, 115
C₁₀H₁₈, 48
Change of state, 15
Charcoal
Charge
 capacity, 132, 139, 328, 380
 curves, 133
 flux balance, 138
 flux balance requirement, 159
 neutrality requirement, 461
 number, 123, 159, 212, 245, 246
Chemical binding energy, 212, 214
Chemical diffusion, 75, 77, 160, 165, 238, 320, 376, 378, 466
Chemical driving force, 122, 127, 136, 146
Chemical extraction of hydrogen from water, 104–107
Chemical heat pump, 27
Chemically – derived fuels, 52
Chemical potential, 23, 33, 34, 146, 147, 152, 154, 159, 162, 210, 212, 214, 216, 221, 236, 240, 244–248, 253–259, 275, 276, 278, 299, 361, 412, 440, 453, 460
 distribution, 210, 258
 of electrons in metallic solid solutions, 277–278
 of neutral species, 236, 240, 245
 of species, 146, 216
Chemical reaction of neutral species, 124
Chemical redox equilibria, 241
Chemical self discharge, 136
Chemie douce, 240
Chernobyl
Chiang, Y.-M., 482
Chimie douce, 262, 342
C₂H₂Li₂, 371
Chlor-alkali process, 74
Chlorella, 50
Chlorides, 173, 186–188, 193, 195, 232, 233, 302, 373, 422, 463, 465, 483
Chloroaluminate anions, 483, 484
(CH₃)₄NOH • 5H₂O, 335
Citric acid, 481
Clays, 22, 262
Close down of reactors
Close-packed face-centered cubic structure, 280, 397, 400
CO, 45–48, 52, 95–99, 102
CO₂, 48, 50, 52, 95, 97–99, 301
Coal ash
Coals, 2, 4, 49, 53, 95, 98
Coating of fibers, 58, 110
Co³⁺/Co⁴⁺ redox reaction, 394
Coercivity, 88
Cogwheel mechanism, 26
Co-insertion of solvent species, 269
Coke
Coleman, J.J., 292, 338
Color boundary motion, 344
Columnar growth, 383
Commercialization of aqueous electrolyte batteries containing Prussian blue electrodes, 446
Common battery systems, 130
Commonwealth Scientific and Industrial Research Organization (CSIRO), 427
Composite electrochemical cells, 257–259
Composite microstructures, 92, 375
Compositional dependence of enthalpy, 276
Compositional equilibration, 160
Composition dependence of electrode potential, 278
Composition distributions within components, 244–250
Compressed air storage, 6, 426
Concentrations of defects in ionically conducting solid
Concrete, 22, 163
Conduction band, 218, 220, 276, 278
Configurational entropy, 16, 17, 276–278, 396
Congruent melting, 23
Congruent phase transitions, 24
Congruent reactions, 30, 39

- Conservation of energy, 14
 Consistent geometry, 360
 Constitution diagrams, 125
 Contact potential, 221
 Conversion of crystalline to amorphous structures, 272–273
 Conversion to higher energy value
 Conway, B.E., 74, 343
 CoO, 202
 Cooling curve, 43, 44
 Copper hexacyanoferrate (CuHCF), 443
 Corn, 3, 50
 Coulometric efficiency, 483
 Coulometric titration, 75, 83, 133, 157–160, 166, 168–171, 202–205, 268, 269, 344, 403, 404
 Covalently-bonded slabs, 263
 C-Rate, 142, 143
 Cr/Fe, 460
 Critical field, 90, 92
 Critical field of superconducting materials, 92
 Critical temperature, 90–92
 Critical temperature of superconducting materials, 92
 Crude oil, 2, 49, 53, 95
 Crumbling, 379
 Crystalline to amorphous conversion, 272–273
 Crystallographic channels, 432–435
 Crystallographic environment influence of potential, 396–397
 Cuckoo clocks, 59
 CuCl, 189–194
 CuCl₂, 189–194
 Cuomo, J.J., 104
 “Curing” the memory effect, 351
 Current collector, 122, 160, 318, 347, 360, 376, 380, 382, 456, 458, 459, 464, 481
 CuSO₄ • 5NH₃, 40
 Cyanometallate electrode materials, 435–445
 Cycle life, 69, 76, 108, 307, 315, 328, 333, 334, 342, 363, 417, 427, 429, 434, 443, 445, 462, 483–486
 Cycling behavior, 135, 381, 443, 446, 485
 Cyclohexane, 115
 Cyclohexane “boats”, 301
- D**
- Dahn, J.R., 420
 Daily storage, 3
 Daimler Benz, 10, 74, 334, 473
 Daumas, N., 369
 Decomposition reactions, 32, 39
 Decrepitation, 329, 379–382, 437
 Defect equilibrium diagram (DED)/DED approximations, 244, 248, 250–259
 Deffeyes, K.S.
 Defibrillator batteries, 296–297
 Defining the system, 34, 152, 234
 Degenerate electron gas, 276
 Degrees of freedom, 34, 77–78, 152, 153, 155, 182, 234, 237, 238, 240, 283, 285, 324, 413
 De-intercalation, 262
 Deletion of atoms, 30
 Delmas, C., 341
 Dendrites, 113, 291, 361, 373, 486
 Dependence upon imported oil, 195
 Deposition at unwanted locations, 360
 Deposition upon rough surface, 382
 Deviations from equilibrium, 288
 Diesel fuel, 53, 471
 Difference Ellingham diagram, 173–176
 Different types of energy storage mechanisms, 2, 77
 Dimensionally stable electrodes, 74
 Diphenyl oxide, 479
 Discharge curves, 133, 134, 142, 143, 151–157, 272–274, 281, 282, 294, 299, 302, 340, 369, 372, 377, 378, 380, 384, 386, 387, 394, 396, 397, 401, 403–405, 407, 434, 483, 484, 486
 shape, 133, 151–157
 types, 134
 Disconnection of protrusions, 362
 Dispersed reactant phase, 375
 Displacement reactions, 32–33, 127, 128, 273, 301, 384
 Disproportionation reactions, 328–329, 401
 Dissolution—precipitation mechanism, 312
 Distilled water, 71
 DMG MORI SEIKI, 463
 Dopants, 206, 219, 276
 Double-layer, 72–74, 77, 79, 212, 213, 217, 318
 Double-layer sheets, 318
 Double sulfate theory, 308
 Drake oil well, 58
 Driving forces, 16, 17, 30, 31, 45, 81, 97, 105, 119, 120, 122–124, 127, 131, 136, 138, 146–148, 177, 209, 246, 275, 324, 329
 Driving forces across electrochemical cells, 122, 145

- Driving function, 81, 82
Dry wood, 49, 53
Durathon, 474
- E**
- East Penn Manufacturing, Inc., 427
Ebonex, 316
ECE-15 cycle, 471
Ecoult, 427
Eddy currents, 89
Edison, T.A., 477
Effective charge, 249, 296, 297
Effective concentration, 146
Effective heat capacity, 43
Effective mass of electrons, 278
Effective transference number, 142
Electrical double-layer capacitive (EDLC) devices, 73
Electrically neutral interface reaction, 344
Electrically neutral product
Electrical potential in metallic solid solutions, 276, 278–279
Electricity cost per mile, 473
Electric vehicles, 8, 9, 63, 171, 304, 471
Electroactive species, 74–76, 148, 159, 162, 238, 275, 360, 375, 376
Electrochemical behavior of Prussian blues, 438–441
Electrochemical capacitors, 72, 82
Electrochemical cell, 123, 125, 126, 131, 136–143, 145–147, 151, 154, 157, 161, 162, 165, 197, 246, 253, 257, 275, 281, 360, 390, 420, 421, 463
 equivalent circuit, 136–137
 physical model, 137
Electrochemical charge storage mechanisms, 72–77
Electrochemical determination of phase diagrams, 171, 195
Electrochemical interface, 187, 224, 291, 298, 453
Electrochemical mechanism, 121
Electrochemical potential, 211–220, 244–247, 254–258, 275, 277, 330, 373, 449
 of electrons, 219, 255–258, 275, 277
 of ions, 254, 256, 275
Electrochemical self discharge, 136, 141
Electrochemical titration curve, 168, 178, 179, 181, 207, 441
Electrochromic materials, 432
Electrodes
 of the first kind, 231–232
 with mixed-conducting matrices, 223, 238–239, 375
 of the second kind, 231–234
 volume changes, 132, 359
Electroless plating, 330
Electrolysis of water, 100, 102
Electrolyte, 72–74, 79, 82, 101, 102, 113, 121–126, 129, 131, 136–143, 145–148, 151, 154, 159, 160, 165, 171, 186, 187, 193, 195–197, 200–202, 210, 223, 224, 226, 228–229, 231–240, 247, 253–255, 257, 261, 269, 275, 289–292, 294–302, 304, 308–313, 316–318, 323, 325, 326, 331, 335, 337, 338, 341, 343–347, 350, 352–354, 360–364, 372–375, 385–387, 389, 390, 392, 394, 401, 402, 406, 432–434, 446–449, 452–456, 459–466, 483, 486
 density, 309, 310
 as filter, 121, 145, 229
Electrolyte/electrode interface, 82, 124, 140, 142, 143, 154, 238–240, 345, 455
Electrolytic production of hydrogen, 100–103, 115
Electrolytic stability window, 310
Electron energy band model, 275
Electroneutrality condition, 249
Electroneutrality requirement, 219
Electronic conduction, 291, 360, 409
Electronic contribution to the chemical potential, 278
Electronic leakage, 138–139, 146, 433
Electrostatic driving force, 122
Electrostatic energy storage, 72–73
Electrostatic macropotential, 211, 212
Elemental lithium, 223–224, 241, 294, 296, 301, 359–363, 390, 393, 405
Elevated temperature battery systems, 304, 478
Ellingham diagram, 173–176
EMD, 292, 293, 338, 339
Endothermic reaction, 15, 17, 47, 98, 116, 317
Energy
 available to do work, 16–17
 band model, 219
 content of fuels, 53
 density, 8, 108, 129, 130, 308, 327, 463, 464, 482
 different forms, 13
 efficiency of lighting technologies, 11
 gap, 276

Energy (*cont.*)

- kinetic, 9, 14–16, 55, 62–67, 473
- in material in a magnetic field, 85–90
- potential, 16, 55–57, 59–60, 63, 66, 209, 211, 214, 215, 245, 283, 284
- quality, 18–19, 130–132
- storage, 2, 6–9, 21–27, 49–53, 55–92, 119–143, 425–467, 478–481, 487
 - in magnetic systems, 85–92
 - requirements, 8, 69
 - in superconducting magnetic systems, 90–91
- for vehicular propulsion, 9
- Energy Independence and Security Act
- Enhanced sensible heat, 29, 45
- Enthalpy, 14–15, 17, 18, 23, 31, 32, 42, 45, 47, 48, 98, 103, 106, 109, 150, 172, 276, 480
- Entropy, 15–17, 23–26, 31, 32, 45, 103, 150, 151, 172, 173, 178, 224, 226, 276–278, 396, 483
- Entropy data for some species, 150
- Epitaxy, 177, 262
- Equation of state of a gas, 57
- Equilibrium redox potential, 241
- Equivalent circuits, 79, 80, 82, 136–143
- Equivalent electrical circuits, 81, 119
- Escaping tendency, 412
- Ethanol, 52, 53, 437
- Ethyl alcohol
- Eucalyptus, 50
- Eutectic melting point, 172
- Eutectic reactions, 24, 32, 41–42, 44, 104, 315
- Eutectoid reaction, 32
- EV1, 471, 472
- Everett's salt
- EVI
- Exaggerated surface roughness, 361
- Excess protons, 337
- Exclusion zone
- Exergy, 16
- Exothermic reactions, 398
- Expanded metal grids, 320
- Expander, 312
- Extension of the stability range of aqueous electrolytes, 452–455
- Extensive quantities, 132
- External sensors to evaluate internal quantities, 255
- Extracted guest species, 262, 271
- Extrusion, 33, 128, 418

F

- Face-centered cubic packing of oxide ions, 395, 397–405
- Factors determining energy parameters
- Faradaically driven reconstitution reactions, 76–77
- Faradaic electrodeposition, 74–76
- Fast ionic conductor, 25, 384
- Fast mixed conductor, 25, 432
- Fatty acids, 26
- Fauré, C., 307
- FeCl₂, 25
- Feedstocks
- Fe₃O₄, 202, 203
- Fe(OH)₂, 263
- Fe₂P, 409
- FePO₄, 281, 282, 408, 409
- Fermi level, 218–221, 244, 246, 255, 256, 258, 275–278
- Ferrites, 89
- Ferrocyanides, 442, 445, 448–450
- FeS, 25, 390
- FeS₂, 294–295, 304, 373, 390
- Fe₂(SO₄)₃, 397
- FeTi, 111
- FeTiH₂, 111
- Fick's diffusion law, 82
- Filamentary growth, 361–362
- Filaments, 291, 361, 373
- First cycle loss, 370, 371
- Float charging, 308
- Floating layer structures, 264
- Flowback
- Flow batteries, 458–464, 478, 482
- Flow battery terminology
- Fluoride ions in oxides, 410
- Flux relations inside phases, 246–247
- Flywheels, 2, 64–67, 426
 - power, 67
 - systems, 7
- Force balance, 122, 146
- Formation reactions, 31–32, 120, 125–127, 132, 173, 226, 286, 317
- Fossil fuel depletion, 1
- Fossil fuels, 1, 49, 51, 95, 425, 477
- Fracking, 1, 49
- Fracture toughness, 381
- Framework structures, 406
- Free electron theory, 276
- Free enthalpy, 16
- Frequency variation, 426
- Friauf-Laves phases, 333
- From new Preface material, 1, 3, 49, 96

- Fuel cell
 battery hybrids, 473
 powered vehicles, 477
- Fuel distribution system, 2
- Fukushima
- Full-electric vehicles, 8
- Fumed silica, 317
- Function of the electrolyte, 121, 459
- Furukawa Battery, 427
- FZ Sonick S.A., 474
- G**
- Ga–In–Sn, 106, 107
- Gallery space, 263–267, 269, 341, 365, 366
- Galvanic potential difference, 221
- Gas electrodes, 225, 235
- Gaseous fuels stored as liquids, 53
- Gas flares
- Gasoline, 8, 10, 53, 108, 471
- Gas wells
- Gates Energy Products, 317
- Gel technology, 317
- General Motors, 471, 472
- Gibbs free energy, 16, 17, 23, 24, 31, 32, 42, 45, 46, 97, 98, 101, 103, 105, 114, 120, 145, 146, 148, 150, 157, 167, 168, 172, 173, 188–191, 210, 215, 226, 227, 241–243, 250, 283, 284, 286, 287, 290, 291, 298, 303, 309, 324, 325, 349, 350, 386, 411, 414–416, 452
 change, 31, 45, 167, 172, 188, 191, 210, 226, 241, 290, 349, 350, 414
 of formation, 31, 32, 46, 97, 103, 105, 114, 120, 148, 167, 173, 226, 227, 241–243, 283, 287, 290, 291, 298, 303, 309, 324, 325, 386, 416, 452
- Gibbsite, 105–107
- Gibbs, J.W., 16, 33
 phase rule, 33–34, 36, 38, 151–157, 162, 166, 182, 223, 234–237, 280, 283, 285, 311, 324, 352, 354, 413, 438
 triangle, 182, 183, 189, 227, 228, 234, 349, 353–355, 413, 421
- Gildemeister, 463, 478
- Glass, 22, 71, 223, 232, 238, 302, 316, 317, 320, 367
- Glass mat technology, 317
- Goodenough, J. B., 392, 446
- Goodenough laboratory, 392, 446
- Government Industry Research Institute (GIRIO), 326
- Grandfather clocks, 59
- Grapheme layers, 264, 363, 365–369, 371
- Graphene, 301, 368, 371
- Graphene layer stacking, 365
- Graphene planes, 240
- Graphite, 240, 262, 264, 270, 301, 318, 320, 363–370, 410, 459, 464, 483, 484
 amphoteric behavior, 363
 current collector, 459
 felt, 459
 in lithium cells, 240
 paper, 72
- Graphitic foam cathode, 483, 485, 486
- Graphitic structures, 365, 367–369
- Gravitational de-mixing, 291
- Gravity, 59–60
- Greenhouse gas
- Grid alloys, 314–316
- H**
- Haber process
- Hairy growth, 362
- H–Al–O system, 105
- Hard biomass, 52
- Hard carbons, 367
- Hard coal, 2, 4, 49, 53, 95, 98
- Hard magnetic materials, 87, 88
- H–Cd–O system, 324–325
- Heat
 capacity, 14, 43, 479
 content, 18, 23, 24, 45
 of fusion data, 25, 40
 generation, 141
 pumps, 27
 quality, 131
- Herold, A., 369
- Hess's law, 414
- Heterophase structure, 178
- Heterosite, 409
- Hexacyanoferrates, 438, 442–444
- Hexacyanometalate complexes, 442
- Hexacyanometalates, 431, 435–449
- Hexagonal close packed oxide ion packing, 395, 406
- Hexagonal tungsten bronze structure, 431
- Hg/Hg₂SO₄, 230, 310, 311
- High permeability oxides, 71
- High value energy, 79
- High yield plant species, 50
- Historical classifications of electrodes in aqueous systems, 231–234

- Hittorf transference number, 259
 H–Mg–Al, 197, 200, 201
 H–Mg–Cu, 197, 200
 H–Mg–Ni, 197–199
 HMnO₂, 294, 340
 H–Mn–O system, 293, 339
 HNiO₂, 349, 352–356, 418
 H_(1.75NiO₂), 345
 H₂NiO₂, 352–356, 418
 HNi₂O₃, 355–357
 HNi₃O₄
 H–Ni–O system, 351, 353, 356, 357
 H₂O, 34, 46, 47, 97, 99, 101, 105, 150, 227, 290, 344, 349, 419, 452
 H₂/O₂ fuel cell, 151, 226
 Hollandite, 270, 271, 368
 Homophase structure, 178
 Honda, 10, 442, 471, 473
 Honda FCX Clarity, 473
 Hooke's law, 55
 Horizontal drilling
 Host crystal structures, 76, 177, 261, 268, 276, 277, 364
 Host materials, 30, 33, 128, 177, 196, 262, 264, 275, 276, 278, 330, 395, 396
 Hotel loads on battery, 474
 HSO₄⁻, 310
 Hubbert, M. King
 Huggins, R.A., 157
 H_xMnO₂, 290
 H_xNiO₂, 323, 335, 341, 410
 Hybrid autos, 8, 9, 119
 Hybrid electric vehicles (HEVs), 327, 428
 Hybrid ion cells, 410–411
 Hybrid lead acid batteries, 427–430
 Hybrid system strategies, 475–476
 Hybrid vehicles, 64, 389, 427–429, 473, 477
 Hydrated RuO₂, 75
 Hydride/Ni batteries, 7, 9, 10, 130, 199, 327, 340, 427, 429, 453, 472
 Hydride/nickel cells, 7, 9, 10, 111, 130, 199, 308, 327, 340, 351, 427, 429, 453, 472
 Hydrocarbon decomposition in electric arc, 107
 Hydrocracking, 329
 Hydroelectric power, 60–61
 Hydroelectric storage, 61
 Hydrogen
 in carbons, 115
 from decomposition of hydrides, 112–113
 diffusion in PbO₂, 320
 economy, 95, 96
 embrittlement, 380
 flammability, 117
 fuel cell–powered vehicles, 478
 gas, 53, 100, 106, 110, 117, 231, 235, 291, 315, 331, 380
 ignition temperature, 117
 induced fracture
 introduction into solids
 from methane, 98
 in positive electrode materials, 417–422
 production, 108
 propulsion of vehicles, 9–10
 recharging, 108
 safety question, 117
 storage
 on board vehicles, 107
 in high-pressure tanks, 110
 as liquid, 110
 in reversible organic liquids, 115–116
 in solids, 111–112
 system thermal management, 103
 transport as liquids, 110
 use promoted by US government, 10
 Hydrogen-pass filters, 262
 Hydrogen-powered internal combustion engines, 111
 Hydrogen-propelled vehicles, 109
 Hysteresis, 30, 88, 89, 128, 281, 330, 369, 371, 405, 443
 Hysteresis in graphite, 369
 H–Zn–O system, 290–291, 324
- I**
 Ideal gas law, 57, 110
 Impedances to ionic transport, 137–138, 142
 Impoundment in ponds, 61
 Incorporated water, 436, 439
 Incorporation of species
 into electrodes, 176
 Induced host structure changes, 271–274
 Induced magnetic field, 86
 Inductance, 80, 87
 Induction effect, 407
 Initial cross-linking, 367
 Inner potential, 212, 213, 245
 Inorganic phase change materials, 24–26
 In-plane defects, 367
 Insertable cations, 437
 Inserted guest species configurations, 265–266, 430
 Insertion in stages, 364
 Insertion reaction electrodes, 261–282

- Insertion reactions, 30–31, 76–79, 82–84, 125, 128, 178, 234, 240, 261–282, 293, 296, 340, 341, 352, 390–391, 393, 399, 430, 442
 Inside and outside quantities, 246
 Integral Ellingham diagram, 175
 Intensive quantities, 132
 Intensive thermodynamic parameters, 34, 152
 Intercalation, 30, 177, 262
 Intercalation reactions, 128
 Interdiffusion, 122, 418
 Interface
 morphology, 345
 motion, 267
 movement, 156
 translation, 266, 294, 337, 340, 343, 352
 Intermediate phase, 162–164, 168, 172, 173, 183, 184, 186, 197, 205, 286, 287, 294
 Intermittent energy sources, 69
 Intermittent flow mode, 482
 Internal energy, 14, 15, 68
 Internal oxygen cycle, 317
 Inter-plane stacking defects, 367
 Interslab forces, 341
 Interslab spacing, 342, 351
 Interstitial displacement process, 33, 128
 Interstitial mechanism, 177
 Intrinsic semiconductors, 218, 219
 Inverse spinels, 400
 Iodides, 173
 Ion exchange, 342, 418
 induced chemically, 418
 induced electrochemically, 342
 Ionically-blocking electrodes, 244
 Ionically-blocking layers, 362
 Ionic impedance, 138, 141–143
 Ionic liquids, 483
 Irreversible lithium, 365
 Irreversible storage, 18
 Isothermal Gibbs triangles, 182, 189, 228, 234, 413
 Isothermal latent heat systems, 23
 Isothermal phase transition, 29
- J**
- Jahn–Teller distortion, 41, 399
 Joule, definition, 14, 142
 Joule heating due to self discharge, 141
 Joule, J.P., 14
 Junction between two metals, 220–221
 Junctions between metals and semiconductors, 221
- K**
- Kammerlingh Onnes, H., 91
 KCl, 25, 230, 232, 390
 Keggins and Miles, 436
 Kinetic energy, 9, 14–16, 55, 62–67, 473
 in mechanical systems, 63–67
 in moving water, 62
 Kummer, J.T., 389, 455
 $K_xV_2O_5$, 268
- L**
- LaH₂, 328, 329
 Lamm, L., 427
 LaNi₅, 111, 327–329, 331, 335
 LaNi₅H₆, 111, 328, 335
 Laplace transform techniques, 81–85
 Larger scale storage, 95, 425, 478
 Large scale electrical transmission grid, 3, 116
 Large scale vs. small scale storage, 6
 Large storage systems, 7–9, 116, 425–430, 479
 Latent heat, 15, 17, 23–27, 29, 45
 Layered structures, 395, 397–399
 Layer stacking, 369
 Layer-type crystal structures, 30, 128, 136, 186, 262–264
 Lead-acid batteries, 307–320, 427–430, 472, 475, 486
 Lead-antimony alloys, 315
 Lead-calcium alloys, 315, 316
 Lead-covered glass fibers, 320
 Lead strengthening, 314, 315
 Lead oxide, 312
 Lever rule, 37–38
 Lewis, G.N., 13
 Li₃AgV₂O_{5.5}, 297
 LiAl, 126, 127, 170, 224
 Li–Al, 304, 373
 Li₃Al₂, 127
 Li₉Al₄, 127
 Li alloy/FeS₂, 373
 Li–Al system, 127, 171
 LiBF₄, 296, 301, 447
 LiBH₄, 112
 Li₃Bi, 169, 170, 172, 173
 Li–Bi system, 169–172, 373
 LiC₆, 365, 369
 Li–Cd–Sn system, 205–206, 379
 Li–Cd system, 171, 205, 206, 373, 378, 380, 389
 Li/CF_x cells, 301
 LiCl, 25, 127, 189–194, 390, 418
 LiCl–KCl molten salt, 171, 201, 373
 LiCl • 3NH₃, 40

- LiClO₄, 193
 LiCoO₂, 202, 243, 392, 394, 395, 398, 409
 Li–Co–O system, 202, 413–415
 Li–Cu–Cl, 189, 190
 LiCu_{0.5}Mn_{1.5}O₄, 402, 403
 LiFe₅O₈, 202
 Li–Fe–O system, 202, 204, 213, 413, 415
 Li–Fe–P–O, 409
 LiFePO₄, 281, 395, 408–410, 482
 LiFePO₄OH, 410
 Li/FeS₂, 294–295, 304
 cells at ambient temperature, 294–295
 elevated temperature batteries, 304
 LiFe₂(SO₄)₃, 395
 Li–Ga, 171, 373
 Light-emitting diodes, 11, 21
 Lighting, 4, 10, 11, 21, 50, 131, 307, 474
 Lignin, 312
 Lignite
 Li-graphite discharge curve, 369
 LiH, 114, 227, 228, 420
 Li–H–N system, 114
 Li–H–O system, 227, 228, 419, 420
 LiI, 147, 148, 150, 152, 154, 241, 243, 283, 295
 Li/I₂ batteries, 148, 149, 151–154, 295
 Li–In, 171, 373
 Li–Mn–Fe phosphate, 395
 LiMn_{1/3}Ni_{1/3}Co_{1/3}O₂, 399
 LiMnO₂, 203, 398, 399, 415
 Li₂MnO₃, 203, 415
 LiMn₂O₄, 395, 402, 409, 420, 421
 LiMn₂O₄–Li₂Mn₂O₄ system, 421
 Li–Mn–O system, 156, 202, 204, 413, 415
 LiMn_{1–y}Co_yO₂, 399
 Li–M–X, 184
 Li₃N, 114, 384
 LiNaSO₄, 25
 Linear kinetic energy, 63
 Line phase, 163
 Li₂NH, 114
 LiNH₂, 114
 LiNO₃–KNO₃, 171
 Li₂O, 32, 33, 127, 202, 203, 227, 229, 303,
 384, 413–415
 Li–Pb, 171, 373
 Liquid binary
 alloys, 374
 electrodes, 374
 Liquid electrode, 455, 456, 458, 460, 464
 Liquid hydrogen, 110, 111, 116
 Liquid lithium binary alloys, 374
 Liquidus, 34, 36, 480
 Liquidus temperatures of nitrate salts, 480
 Li₂S, 303
 Li–Sb, 163, 165–167, 169, 171, 172, 373
 Li₂Sb, 163–169, 172, 173
 Li₃Sb, 163, 165–168, 172, 173, 466
 Li–Sb system, 163, 165–167, 169, 171,
 172, 373
 Li–S–Cl–O quaternary system, 304
 Li–Si, 171, 239, 273, 274, 303, 373, 377,
 378, 383, 384
 Li_{1.71}Si, 376, 378
 Li₁₂Si₇, 376
 Li_{2.6}Sn, 376
 Li_{4.4}Sn, 378, 380
 Li₁₃Sn₅, 206, 376
 Li–Sn system, 171, 205, 206, 239,
 373, 377–381, 384
 Li/SO₂, 302–304
 Li₂S₂O₄, 302, 303
 Li₂SO₄, 25, 453, 454
 Li/SO₂ cells, 302, 304
 Li/SOCl₂ cells, 302, 304
 Li–S–O system, 303
 Lithium
 alloys, 171, 201, 205, 224, 363,
 372–384, 390
 at ambient temperature, 373, 374
 composition ranges, 375
 plateau potentials, 374
 volume changes, 378, 380, 381
 in amorphous carbon, 370, 371
 cells in aqueous electrolytes, 385–387
 extraction from aqueous solutions, 422
 in gallery space, 365, 366
 in hydrogen-containing carbons, 371, 372
 insertion in graphite, 368
 metal electrodes, 386
 negative electrodes, 152, 294, 362, 385, 390
 positive electrodes, 153, 294, 389–422
 transition metal oxides, 201–205, 243,
 410, 413, 417, 418
 Lithium–aluminum alloys, 372
 Lithium–carbon alloys, 363–372
 Lithium-containing materials stable
 in water, 405
 Lithium/copper chloride cells, 193, 195
 Lithium/iodine cell, 147–152
 Lithium/nickel chloride cells, 193
 Lithium–silicon alloys, 372, 481
 Li_{1.33}Ti_{1.67}O₄, 405
 Li_{4/3}Ti_{5/3}O₄, 405, 410
 Li₄Ti₅O₁₂, 280, 281, 405
 Li–Ti–O system, 155
 Living biomass, 49–51

- $\text{Li}_{0.4}\text{V}_2\text{O}_5$, 273
 $\text{Li}_{0.6}\text{V}_2\text{O}_4$, 274
 $\text{Li}_2\text{V}_2\text{O}_5$, 273
 $\text{Li}_3\text{V}_2\text{O}_5$, 273, 297
 LiV_3O_8 , 390
 $\text{Li}_3\text{V}_2(\text{PO}_4)_3$, 395, 407, 408
 LiVPO_4F , 410, 411
 $\text{Li}_x\text{AgV}_2\text{O}_{5.5}$, 296
 Li_xC , 392, 394
 $\text{Li}_{1-x}\text{CoO}_2$, 392, 394
 Li_xCoO_2 , 394, 397, 398, 400, 402, 406
 $\text{Li}_x[\text{K}_{0.33}\text{Ti}_{1.67}\text{O}_4]$, 405
 $\text{Li}_x\text{Mn}_{0.5}\text{Ni}_{0.5}\text{O}_2$, 399
 $\text{Li}_x\text{Mn}_2\text{O}_4$, 157, 158, 400, 401, 421
 $\text{Li}_x\text{Na}_{0.4}\text{WO}_3$, 278, 279
 $\text{Li}_{1-x}\text{NiO}_2$, 392
 Li_xNiO_2 , 398, 406
 Li_xTiS_2 , 128, 285, 390
 $\text{Li}_x\text{VO}_2(\text{B})$, 421
 $\text{Li}_x\text{V}_6\text{O}_{13}$, 272
 Load
 leveling, 4, 5, 61, 171, 308, 409, 425, 426, 479
 management, 3
 shifting, 5, 6
 Local heating of water, 363
 Loci of overall composition, 184, 185, 197, 198
 Logarithms as transforms, 82
 Longer-term variations, 426
 Long term storage, 3, 115
 L/S/L configuration, 455, 458, 459
 L/S/L system, 374, 389
- M**
- Macropotential differences, 211
 Macroscopic variables, 13
 Magnesium, 195–200, 465
 Magnesium-based hydrides, 196
 Magnetic field, 85–90, 92
 Magnetic flux density, 86
 Magnetic induction, 87
 Magnetic quantities, units and dimensions, 87
 Magnetite, 22
 Magnetization, 86–89
 Magnetizing field, 85
 Magnetizing force, 85
 Manganese oxide system, 176
 Manganese sulfate, 293, 339
 Matching systems to applications, 426
 Materials with potentials above stability window of water, 421
 Maximum theoretical specific energy, 129, 132, 133, 149, 168, 179, 207, 299, 300, 303, 304, 309, 386, 474
 of lead acid cells, 300, 309
 of LiCF_x cells, 301
 of Li/SO_2 cells, 149, 168, 193, 194, 303
 of Li/SOCL_2 cells, 304
 of Zn/air cells, 297–301
 MBH₄ materials
 Mechanical energy, 2, 30, 49, 51, 52, 55–68
 Mechanical equivalent of heat, 13–14
 Mechanical lever analog, 37
 Mechanical memory alloys, 334
 Medium to large scale, 425–467
 Melting entropy of materials, 25
 Memory effect
 cured, 357
 in “nickel” electrodes, 351–357
 MES DEA, 474
 MES DEA S.A., 474
 Metal amines, 113
 Metal hydride electrodes, 196, 326–335
 Metal hydride systems containing magnesium, 195–200
 Metallic binders, 334
 Metal spring, 57, 59
 Metastable
 equilibrium, 283–285
 phases, 161, 284, 285, 350
 Methanation, 99
 Methane, 45, 52, 53, 96, 98, 99
 clathrates, 335
 hydrate, 335
 ice, 335
 Methanol, 52, 53
 Methylcyclohexane, 52, 115, 116
 Mg, 199, 217, 465
 MgB_2 , 91, 92
 MgCl_2 , 25, 40
 $\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$, 40
 MgH_2 , 196, 197, 199–201
 $\text{Mg}/\text{Na}_2\text{S}/\text{Sb}$, 465
 $\text{Mg}(\text{NH}_3)_6\text{C}_{12}$, 113
 Mg_2Ni , 197, 199
 MgNi_2 , 197, 199
 $\text{Mg}_{2.35}\text{Ni}$, 197
 Mg_2NiH_4 , 199
 $\text{Mg}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$, 40
 $\text{Mg}(\text{OH})_2$, 263, 341
 Mg_3Sb_2
 Mg/Sb alloy, 465
 MgZn_2 structure, 333
 Microencapsulation, 334

- Microfiber glass mat, 317
 Microstructural evolution, 76, 77, 340, 343, 348, 360, 376
 Microstructure instability, 341, 361
 Mischmetall, 328, 331
 Mixed-conducting solid matrix phase, 77
 Mixed-conduction region, 77, 123, 205, 223, 238–240, 243, 257, 375, 377, 418, 432
 Mixed conductor matrix electrodes, 239, 375–378
 Mixed conductors, 25, 121, 168, 196, 205, 239, 244, 247, 256, 257, 276, 345, 375–378, 418, 432, 441
 $\text{MmNi}_{3.55}\text{Co}_{0.75}\text{Mn}_{0.4}\text{Al}_{0.3}\text{H}_x$, 332, 335
 Mn^{4+} cation vacancies, 292, 337, 338
 $\text{MnCl}_2 \cdot 6\text{NH}_3$, 40
 MnO , 175, 203, 415
 Mn_2O_3 , 175
 Mn_3O_4 , 175, 203
 MnO_2 electrodes, 293, 339, 430
 $\text{Mn}(\text{OH})_2$, 294, 340
 MnO_6 octahedra, 433
 MnOOH , 294, 340
 Modeling transient behavior, 81–85
 Molten salt
 - electrolytes, 126, 171, 196, 200, 201, 304, 372, 373, 390, 464, 465, 478
 - eutectics, 24
 More than one type
 - of interstitial site, 391
 - of redox species, 391
 Morphological instability, 363
 Moser, J.R., 147
 Moving interface reconstitution reaction, 156, 2802
 Müller, K.A., 91
 Multi-layer liquid battery systems, 479
 MX_2 materials, 263, 264
 M_xWO_3 , 431
- N**
- NaAlCl_4 , 187, 455, 474
 NaAlEt_4 , 196
 $\text{NaAl}_{11}\text{O}_{17}$, 389, 455
 Na beta alumina, 261, 389, 455, 474
 NaCl , 25, 187, 188, 474
 $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$, 40
 NaFeO_2 structure, 398
 NaH , 196
 $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$, 40
 $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$, 40
 $\text{Na}_4\text{Mn}_9\text{O}_{18}$, 433
 $\text{Na}/\text{Na}_x\text{S}$
 - batteries, 7, 474
 - cells, 7, 186, 390, 407, 455, 456, 458, 460, 474, 475
 - system, 186 Na-Ni-Cl , 187, 188, 474
 Na/NiCl_2 , 390, 407
 Na/NiCl_2 battery, 474
 NaNO_3 , 25, 479
 Nanofibers, 481
 Nano-porosity, 368
 Nanopowders, 443
 Nanoscale conductive carbon, 482
 Nanowire growth by directional etching, 481
 Nanowires, 383, 384, 481
 NaOH , 25
 Napier Grass, 50
 Naphthalene, 241
 Nasicon, 395, 396, 406, 407, 410
 Na_2SO_4 , 25
 $\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$, 40
 $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$, 40
 Na-S phase diagram, 456
 Natural gas, 2, 45, 49, 95, 96, 102, 109
 $\text{Na}_3\text{V}_2(\text{PO}_4)\text{F}_3$, 410
 Na_xS liquid, 455
 $\text{Na}_3\text{Zr}_2\text{Si}_2\text{PO}_{12}$, 406
 Nb-O system, 173, 174, 179
 Nb_3Sn , 92
 Nb-Ti alloys, 92
n-butyl lithium, 240, 243
 Neap tides, 60
 Near-equilibrium conditions, 133, 145, 161–179, 181–207, 283, 384
 Nernst equation, 147, 195, 210, 225, 331
 Nernst relation, 147
 New cell fabrication methods, 480, 481
 New class of composite anodes, 449–452
 New materials preparation methods, 480, 481
 NGK Insulators, 458
 NH_4BH_4 , 112, 113
 NH_nBH_n , 112
 NH_4NO_3 , 25
 $\text{Ni}(\text{OH})_2$, 263, 340–345, 348–350, 430, 453
 Nickel
 - hexacyanoferrate, 443, 444
 - on magnesium surface, 197
 - “Nickel” electrode, 294, 335, 337, 340–357
 - operation mechanism, 294, 340
 - second plateau, 351 NiCl_2 , 187, 188, 455, 474

- Ni(OH)₂/NiOOH interface translation,
 343–345, 430
 Niobium–oxygen phase diagram, 173, 174
 NiOOH, 75, 102, 340–350, 353, 430
 NiO₂ slabs, 341
 NiPS₃, 266, 268
 NiSi₂, 384
 Nitrate salts, 479, 480
 Nitrides, 318
 Nitrogen-coordinated transition metal
 cations, 442
 Non-aqueous systems, 229, 235
 Non-congruent chemical reactions, 30–33
 Non-random gallery occupation, 368
 Normal resistance, 91
 Normal spinels, 400
 Northwest National Laboratory, 463
 Nuclear energy safety
 Nuclear fission
 Nucleation ahead of growing interface,
 163, 176
 Nucleation of a second phase, 378
 Nylon, 71
- O**
- “Off-center” crystallographic site
 occupancy, 328
 Oil age, 2, 4, 49, 58, 61, 479
 Oil-containing shale
 Oil production predictions, 2, 4
 Olivine, 395, 396, 408–410
 Open circuit potential *versus* state
 of charge, 461, 462
 Open circuit voltage, 124, 148, 151, 159, 226,
 290, 299, 300, 304, 308–310, 377,
 460, 462, 465, 474
 Open framework crystal structure electrodes,
 430–435
 Operating reserve, 5, 6
 Operating voltage, 130–132, 453
 Optical excitation, 276
 Ordered cation distributions, 408
 Ordering within tunnels, 270
 Organic electrode materials for lithium
 batteries, 480
 Organic materials in lithium batteries, 480
 Organic phase change materials, 26, 480
 Organic plastic crystal materials, 480
 Organo-aluminate molten salt, 196
 Organolithium, 243, 371
 Organolithium materials, 243
 Other alternative energy sources, 487
- Outer potential, 213, 221
 Output voltage
 reduction, 142, 290
 and transference numbers, 139–141
 Overcharge, 308, 316, 317, 334, 341, 347, 352,
 353, 355–357, 475
 Overcharging the “nickel” electrode, 347
 Oxidation of water, 293, 339
 Oxide bronze structure, 431, 432
 Oxide ions in face-centered cubic array,
 397–405
 Oxide superconductors, 92
 Oxygen, 29, 91, 95, 127, 173, 193, 202,
 224–227, 280, 290, 308, 324,
 338, 397–399, 412–417
- P**
- Pacemaker batteries, 147, 149, 295
 Pad drilling
 Palmitic acid, 26
 Panda, 474
 Paraffin wax, 26
 Parallel linear tunnels, 269–271
 Parallel pillars
 Parallel plate capacitor, 70, 71, 79
 Partial Gibbs triangle, 349, 354
 Particle “breathing”
 Particle size effect on kinetics, 381
 Pasted plate, 3074
 Pb²⁺, 310
 Pb-acid battery(ies), 7, 307, 311, 316, 317,
 427–429
 design variations, 427
 mechanisms, 316, 317, 427–129
 potentials, 311
 voltage, 428
 Pb-acid system chemistry, 308, 309
 PbO₂, 300, 308–312, 314, 320
 Pb₃O₄, 312
 Pb–Sn system, 41
 PbSO₄, 310–312, 314, 427, 453
 Peak shaving, 5, 61, 426
 Peat
 Perhydrofluorene, 116
 Periodic storage, 3
 Peritectic reaction, 32, 38, 39, 41, 315
 Peritectic temperature, 38
 Peritectoid reaction, 32
 Permalloy, 89
 Permanent magnets, 88
 Permeability, 85–87, 89, 90
 Permittivity, 70, 71, 85

- Peroxide ion influence on electrode potential, 299, 300
- Peroxide ions, 299, 300, 417
- Petroleum, 2, 108, 195, 367
- Phase(s)
- change reactions, 22
 - diagrams, 33–42, 76, 104, 125, 126, 161–166, 168, 169, 171, 173, 174, 178, 179, 181–184, 186–191, 195, 197, 201, 205, 227, 314–316, 354, 373, 376, 380, 456, 457, 466
 - diagrams and electrical potentials, 162, 163
 - number of, 33, 152, 234, 342, 373, 413
 - present, 30, 33, 34, 38, 125, 152, 162, 182, 183, 233, 234, 259, 269, 280, 339, 343, 353, 357, 376, 413
 - stability diagrams, 105, 106, 182–184, 188, 190, 192, 199–201, 203–206, 234, 290, 291, 293, 303, 324, 339, 347, 351, 378, 379, 413, 419–421
 - transitions, 23–27, 29
- Philips Laboratory, 327
- pH of aqueous electrolytes, measurement, 237, 238
- Phosphate materials, 407
- Photoelectrochemical cells, 107
- Photoelectrolysis, 107
- Physically moving electrode structures, 481, 482
- Phytoplankton, 50
- Pillared layer structures, 264, 265
- Pillars, 264, 265, 481
- Pitzer, K.S., 412
- Planté, G., 307
- Plastic crystals, 26, 480
- Plateau pressure *versus* lattice parameter, 330
- Plug-in hybrid vehicles, 9, 63, 109, 119, 389, 477
- Point phases, 182, 189
- Polarization, 85, 212, 376
- Polyalcohols, 480
- Polyanions, 395, 397, 406
- Poly(carbon monofluoride), 301
- Polycarbonyl materials, 480
- Polyglycols, 26
- Polymer precursor decomposition method, 481
- Polyphase reconstitution reactions, 266
- Polyphase solid reference electrodes, 225, 226
- Polypyrrole (PPy), 449–451
- Polyvalent Prussian blue electrodes, 444, 445
- Poly-2-vinylpyridine (P2VP), 147
- Portable applications, 8, 308, 426
- Positive electrode-limited, 148, 317
- Positive electrodes in lithium systems, 302, 389–422
- Potentials
- of chemical reactions, 240–244
 - distributions within components, 244–250
 - energy storage, 55–57, 59, 60
 - of insertion reaction materials, 240, 261, 280, 341
 - in Li–H–O system, 227
 - of lithium reaction materials, 243
 - overshoot, 325, 378
 - versus* oxygen pressure, 416
 - pH plots, 233
 - plateau, 178, 184, 194, 199, 331, 350, 353, 354, 356, 357, 402, 456
 - scales, 211, 226, 227
 - in semiconductors, 218, 219
 - variation with composition, 162–164, 265, 275–281
- Pourbaix diagrams, 223, 233, 237
- Pourbaix, M., 233
- Power
- demand profile, 472
 - density, 129, 486
 - transients, 475
- Power to energy ratio, 473
- Pressure–composition isotherms, 329
- Pressurized gas, 57, 58
- Primary batteries, 289, 302
- Propane, 53
- Properties of neutral species, 210
- Propylene carbonate, 193, 296, 301, 437
- Proton
- absorption from water vapor, 421, 422
 - deficient composition limit, 345
- Protrusion growth, 362
- Protrusions, 291, 362, 383
- Prudent energy, 478
- Prussian blue, 436–449
- Prussian blue electrodes in organic electrolytes, 446–449
- Prussian white, 439–442
- Prussian yellow, 439, 440, 442
- Pseudo-binary reactions, 352, 353
- Pseudo-binary systems, 352, 353
- Pseudo-capacitance, 73, 74
- PTFE, 334
- Pumped hydro storage, 2, 61
- Pyrolusite, 292, 338
- Pyrolysis of liquids, 367
- Pyrolysis of solids, 367
- Pyrolytic graphite, 483, 484
- Pyrolytic graphite foil cathode, 483

Q

Quasi-latent heat, 27, 29

R

Radioactive contamination
 Radioactive waste
 Ragone diagram, 130, 475
 Ragone, D.V., 130
 Ramsdellite, 292, 338
 Randall, M., 13
 Rankine cycle steam turbine, 479
 Rant, Z., 16
 Rapeseed, 3
 Reaction coordinate diagrams, 284
 Reaction driving forces, 16, 45, 97, 105, 120, 127
 Reaction entropies, 173
 Reaction mechanisms, 30, 119, 124–128, 298, 301
 Reaction of steam with carbon, 98–100
 Reaction potential profile, 444, 445
 Reaction's stoichiometry, 157
 Rechargeable fuel cells, 458
 Rechargeable Zn/air cells, 297–301
 Reconstitution reactions, 30, 32, 76–77, 79, 125, 127, 156, 178, 263, 266, 268, 269, 272, 274, 280–282, 286, 288, 303, 369, 378, 390, 397, 399, 402, 405, 408
 Redflow, 478
 Redox
 ions
 in solution, 460
 valences, 395
 pseudo-capacitance, 74
 reactions, 74, 276, 391, 394–396, 399, 404, 407, 410, 459, 461–463
 systems used in flow batteries, 460
 Reduced reliance on nuclear power
 Reduction of the chemical potential
 of water, 453
 Reference electrodes, 205, 210, 223–226, 229, 230, 232, 234, 237, 239–240, 255, 310, 350, 421, 438, 482
 in aqueous electrochemical systems, 229–230
 in oxide-based systems, 224–226
 Reference potentials, 209, 210, 225, 310
 Reference temperature, 15
 Refresh cycles, 428
 Regenerative braking, 428, 429

Relations between binary potential scales, 226–227
 Relative permeability, 85, 87, 89
 Relative permittivity, 71
 Relevant energy quantities, 244–245
 ReO₃ structure, 431, 432, 436
 Repulsive interaction, 212
 Reserve batteries, 302–304
 Reserve battery capacity, 429
 Residual capacity, 290, 351
 Response, 7, 60, 73, 81–83, 90, 137, 254, 471
 Reversible storage, 18, 61
 Rhenium trioxide, 432, 435
 Robin and Day, 436
 Rock fracture
 Rotational kinetic energy, 63–67
 Rotational misorientation, 367
 Rotation of SO₄ groups, 26
 Rubber, 57, 334
 Ruetschi defect, 292, 338
 Ruetschi, P., 293, 310, 338, 339
 Rumford, C., 13
 RuO₂, 74–76, 430
 Rutile structure, 292, 293, 338, 339
 RVO₄, 384

S
 Sadoway, D., 464
 Salt
 ammoniates, 39, 40
 bridge, 232
 hydrates, 38–40
 water system, 40
 Sandstone, 22
 Sb, 163–166, 168, 314, 315, 465, 466
 SbH₃, 314
 Sb/Pb alloy, 466
 Schneider, A.A., 147
 Schreiber, M., 463
 Sealed lead-acid batteries, 316–317
 Seasonal storage, 3
 SEBS rubber, 334
 SEI, 362
 Selective equilibrium, 221–222, 261, 285
 Selective ionic conductor, 310
 Self-discharge, 135–136, 139, 141, 297, 300, 302, 308, 317, 345–347, 360, 373, 434, 449, 453, 455, 462, 463
 current, 346, 347
 in flow batteries, 462
 Selvege
 Sensible heat, 17, 22–23, 29, 45, 479

- Separator, 129, 317, 318, 320, 434, 482
 Sequential insertion reactions, 266–269
 Sequential reactions, 155
 Series of multi-phase reactions, 127
 Shale rock
 Shape change, 292, 361
 Shape factor for discs, 66
 SHE. *See* Standard hydrogen electrode (SHE)
 Shedding, 314
 Sheets, 89, 264, 301, 313, 318, 341, 363, 368
 Short-term transients, 7, 69, 426
 Shunt current, 462
 SiB₃, 384
 Significance of electrically neutral species, 229
 Silicon
 nanowires, 384, 481
 rubber, 334
 Simmons, M.R.
 Single-phase regions, 36, 162, 169, 178
 SiO, 384
 Skeleton structures, 395
 Slabs, 256, 263–265, 270, 285, 341, 342
 SLI batteries. *See* Starting-lighting-ignition (SLI) batteries
 S/L/S configuration, 455
 S/L/S system, 374
 Sludge, 482
 Small-dimensioned particles, 480
 SO₂, 303, 304
 SO₄²⁻, 364
 Sodium
 beta alumina, 261, 389, 455
 sulfide
 Sodium–sulfur batteries, 374, 455–458
 Sodium–sulfur phase diagram, 456, 457
 Sodium/sulfur system, 458
 Soft carbons, 367, 368
 Soft chemistry, 240, 261, 262, 342
 Soft glass, 71
 Soft magnetic materials, 87–90
 Solar
 energy storage, 50, 51
 oil, 479
 salt, 479
 Solid electrolytes in negative electrodes, 335
 Solid polymer electrolyte, 113
 Solid solution
 electrodes, 74
 product, 31
 reactions, 156, 262, 265, 443
 Solid-state phase transitions, 24–26, 480
 Solidus, 34, 36
 Solute depletion in electrolyte, 361
 Solute ordering
 Solution of guest species, 30, 128, 276
 Solvation energy, 210
 Sonnenschein, 317
 Sorghum, 50
 Soy
 Specific capacitance, 72, 76
 Specific capacities, 194, 196, 199, 327, 335, 370, 409, 451
 of hydrides, 335
 in ternary systems, 194
 Specific energy, 8, 53, 65, 73, 107, 129, 130, 135, 168, 179, 193, 194, 207, 289, 297, 299, 300, 302–304, 308, 309, 372, 386, 387, 463, 474, 475, 486
 Specific heat, 14, 22
 Specific power, 129, 130, 308, 327, 485
 Spill-proof batteries, 316
 Spinel structure, 280, 395, 399–405, 407, 408
 Spinel structure materials, 280, 402, 405
 Spinning reserve, 5, 6, 429
 Spongy growth, 362
 Spring tides, 60
 Stability
 ranges of phases, 168
 window of matrix phase, 376
 Stable tie lines, 189, 303, 349, 413
 Stacks, 264, 314, 318, 364, 368
 Stages, 112, 148, 364, 367, 368, 475, 479
 Standard enthalpies of reaction, 47, 99, 100
 Standard Gibbs free energy of formation, 31, 32, 45, 46, 97, 101, 103, 105, 120, 122, 148, 154, 166, 167, 173, 189, 226, 227, 241, 242, 283, 286, 287, 290, 291, 298, 303, 308, 309, 324, 325, 329, 386, 414–416, 452
 Standard hydrogen electrode (SHE), 210, 227, 229–235, 237, 310, 331, 420, 421, 449
 Standard state, 15, 154, 216, 299, 419
 Starting-lighting-ignition (SLI) batteries, 149, 307
 Starting potential for lithium materials, 391
 Start–stop sequences, 474
 Steam reforming, 52, 96–98
 Stearic acid, 26
 Steel, 22, 66, 110, 458, 481
 Storage in the fuel distribution system, 2
 Storage via animals, 51–52
 Stotz, S., 293, 339, 419
 Structural energy storage, 68
 Structural entropy, 16
 Sub-bituminous coal

- Subgrains, 367, 368
 Sub-lattice, 285
 Substitutional solid solution, 177
 Sub-triangle, 183–186, 189, 206, 227, 228,
 234, 290, 291, 303, 324, 349,
 354–356, 413, 414, 420
 Sugar, 49
 beet, 50
 cane, 3, 50
 Sulfation, 427–428
 Sulfide/Br, 460
 Supercapacitors, 63, 72, 74, 75, 79, 135, 486
 Superconductors, 85, 90, 92
 Supervalent ions, 409
 Supplemental reserve, 5
 Surface potential, 212, 213
 Susceptibility, 87
 Syngas, 98
 Synthetic liquid fuels, 52
 System, definition of, 34
- T**
- Tafel approximation, 455
 Takeuchi, E.S., 296
 Tangential force, 65
 Targets *versus* driving habits, 477
 Tar sand
 Te, 465
 Teflon, 71
 Temperature
 control, 21, 45
 dependence
 of cell voltage, 150–151
 of G, H and S, 17
 of Gibbs free energy, 17, 24, 46, 97–99,
 103, 114, 173
 of the potential, 171–173
 regulation, 10
 Terminal particle size, 381
 Terminal phase, 162, 186
 Ternary phase stability diagram, 105, 106,
 184, 199–201, 203–206, 234,
 290, 291, 293, 303, 324, 339,
 347, 357, 419, 421
 Ternary systems, 105, 106, 161, 181–187, 190,
 191, 195, 197, 202, 204–206, 227,
 234, 235, 352, 356, 360, 376, 378,
 414, 474
 Tetramethyl ammonium hydroxide
 pentahydrate, 335
 Thackeray, M.M., 401
 Thaller, L., 458
 Thermal analysis, 43
 Thermal batteries, 304, 373
 Thermal decomposition of water, 103
 Thermal effects
 in gas phase reactions, 45–48
 liquid and solid reactions, 43–45
 Thermal energy storage systems, 21–27, 29
 Thermal entropy, 15–16
 Thermal excitation, 276
 Thermal power, 141
 Thermal properties of materials, 22
 Thermal runaway, 360, 362–363
 Thermal storage–solar thermal systems, 479
 Thermodynamics, 13–15, 17, 18, 33, 34, 43,
 73, 77–79, 100, 101, 103, 105, 114,
 124, 125, 131, 132, 138, 145–147,
 152, 154, 157, 158, 161, 166, 168,
 171, 173, 177, 178, 183, 184, 187,
 189, 190, 195, 205, 206, 211, 218,
 219, 223, 226, 227, 229, 234, 235,
 237, 239, 240, 244, 261, 266, 280,
 283, 285, 288, 290–291, 293, 303,
 324, 339, 340, 347–351, 353, 357,
 373, 376, 380, 407, 412, 413,
 419–420, 453, 476
 potential of species, 211
 properties of individual species, 145–147
 Thickening agents
 Think City, 474
 Thionyl chloride, 302
 Three-dimensional absorption, 262
 3-dimensional current distribution, 362
 Three-dimensional ordering, 270
 Three-layer configuration, 464
 Three-phase reactions, 38
 Tides, 3, 60, 61
 Time constant, 73, 79, 80
 Time-dependent energy sources, 479
 Time-of-day pricing, 5
 TiNi, 334
 Ti₂Ni, 334
 TiO_x, 316
 TiS₂, 128, 264, 285, 341, 390, 391, 393
 Titration curves, 75, 83, 167–169, 179, 181,
 191–193, 268, 269, 286, 287, 344,
 345, 376, 391, 404, 407, 440, 441
 (Ti,Zr)(V,Ni,Cr)₂, 333
 TMAH5, 335
 Tokyo Power (TEPCO), 458
 Toluene, 115
 Topotactic incorporation, 30, 128
 Topotactic reactions, 177, 262
 Topotaxy, 177

Transducer, 123
 Transduction, 119, 129
 Transference number of species, 139–140, 244, 259
 Transient behavior of capacitors, 79–81
 Transients, 2, 7, 67, 69, 72, 78–85, 88, 265, 384, 426, 463, 466, 475
 Transition between ionic and electronic conduction, 140–141
 Transition compositions, 27, 341, 413
 Transition fossil fuel, 425
 Transition metal oxide bronzes, 431–432
 Trapped lithium, 370, 372
 Tree-and-branches morphology, 361
 Triphylite, 409
 Tungsten bronze, 278, 431
 Tunnels, 264, 265, 269–271, 285, 368, 431, 432
 Turbostratic disorder, 368
 24M Technologies, 482
 Twingo, 474
 Two binary alloys, 205–206
 Two-phase
 interface motion, 267
 lithium alloys, 224
 plateaus, 156, 171, 173, 174, 286, 297, 345, 352, 407
 regions, 35–38, 156, 162, 178, 456
 tie line, 183, 199, 203, 349, 413

U

Ultrabattery, 427–430
 Ultracapacitors, 72–74, 79, 427
 Underground compressed air, 426
 Underpotential Faradaic adsorption, 73
 Unienergy Technologies, 464
 Uninterruptible power sources (UPS), 308
 Unit cell dimension changes, 158
 US Dept. of Energy hydrogen storage targets, 108
 US oil production peak
 Utility load leveling, 425, 426

V

Vacancy motion, 419
 Vacuum level, 209, 212
 Valence band, 209, 218, 276
 Valve-regulated lead-acid (VRLA)
 cells, 317
 technology, 307, 317

Vanadium
 bronzes, 296
 system, 461–463
 Vanadyl sulfate, 461
 Van der Waals forces, 263, 264
 Van't Hoff equation, 331
 Van't Hoff plot, 332
 Vapor–liquid–solid (VLS) method, 481
 Variation
 of cell voltage with state of charge, 295, 309–310, 434
 of the composition
 with potential, 247–248
 of energy needs with time, 5
 of voltage during discharge
 and recharge, 444
 during the week, 61
 Vario-stoichiometric phases, 157, 341, 342, 352
 V/Br, 460
 Vegetable oil, 49
 Virtual reactions, 123, 147, 157, 167, 188–191
 V_2O_5 , 273, 390–392, 462
 $VO_2(B)$, 228, 229, 421
 V_6O_{13} , 272, 273, 390, 393
 Voltage
 calculation, 190–193
 instability, 7
 Volta potential difference, 221
 V/V, 460–462

W

Wagner, C., 157, 293, 339, 419
 Water
 consumption, 325
 decomposition, 29, 100, 102, 293, 317, 339, 347, 354, 385
 electrolysis, 100, 102
 introduction into solids, 419
 storage in dams, 3
 Water–gas shift reaction, 96–99
 Waterwheels, 60
 Weber and Kummer, 455
 Weber, N., 87, 455
 Weekly storage, 3
 Weppner, W., 157
 Whisker growth, 481
 Whiskers, 481
 Whitacre, J., 433
 Whittingham, M.S., 390
 Wind energy storage, 425

- Windows, 79, 265, 310, 347, 376, 420, 421, 431, 438, 441, 453, 464
- Wood, 2, 3, 22, 49, 52, 53, 312
- Woodall, J.M., 104
- Wood's metal alloys, 373
- Work function, 215, 217, 219, 221
- World oil production peak
- World oil production per person
- Worldwide energy consumption, 1
- Y**
- Yang, Z., 463
- Yao and Kummer, 455
- Yao, Y.F.Y., 455
- $\text{YBa}_2\text{Cu}_3\text{O}_7$, 91, 92
- Young's modulus, 55–57
- Z**
- ZEBRA
batteries, 390, 474–475
- cells, 187, 188, 407, 455, 458–460, 474
- Zero-degree-of-freedom (ZDF)
conditions, 234
electrodes, 223, 234, 237, 238, 240
- Zero-strain insertion reaction, 405
- Zincate ions, 291
- Zinc electrode, 113, 290–292, 301
- Zn, 150, 217, 290, 298, 299, 333, 446, 453, 465
- Zn/air batteries, 297–301
- Zn/Br^2 , 460
- ZnCl^2 , 465
- Zn/MnO_2
“alkaline” cell, 289–294
primary cell, 289
- $\text{Zn}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$, 40
- ZnO, 113, 127, 150, 175, 290, 291, 298, 453
- Zn/O₂ cells, 127, 151, 297–300
- $\text{Zn}(\text{OH})_4^{2-}$, 291