

---

# Index

## A

Active failure mode, 530

A-frame

description, 306

indeterminate, 309

loading, reactions and free body, 341–343

moment distribution, 342, 343

reactions and bending moment distribution, 372

Allowable soil pressure, 477, 479

American Association of State Highway and

Transportation Officials (AASHTO), 17, 18

Analysis

statically determinate plane frames

angle-type frame segment, 314–316

cantilever frame, 311–314

moment, shear and axial force, 310

sign convention, 310

Analytical solutions, multi span beams

Bending moment distribution, 597

compatibility equation, 595, 596

lengths and moments, 596

loading, 597, 598

peak moments, 596

static equilibrium equations, 596

support settlement, continuous, 602–603

uniform loading, continuous, 600–602

variation, bending moment, 599–600

Analytical tools, structural analysis

beam response, 35

concept of equilibrium, 27–30

deformations and displacements, 33–34

description, 27

displacements

deformation modes, 38

description, 36

reactions, cable tension and vertical displacement,  
36–37

rigid member, springs, 37, 38

spring forces, 3, 9–40

statically indeterminate beam, 40–42

FBD, 30, 31

internal forces, 30–33

study of forces, 36

Anti-symmetry

deflected shapes, 254–257

shear and moment diagrams, 250–254

Approximate methods

bending moment distribution

approximate and exact results, 797

axial force, shear force, 798

qualitative reasoning, relative stiffness, 797

bending type structures, 767

column axial forces, 802, 803

column shears, 803

multi-span beams (gravity loading), 768–770

multistory rigid frames

gravity loading, 770–771

lateral loading, 771–790

positive and negative moments, multistory steel  
frame, 798

rigid steel frame, bracing, 803

statically indeterminate structure, 767

steel frame

axial force, shear force and moments, 800–802

portal and shear stiffness method, 799–802

Arc length

differential and total, 403, 404

initial and loaded shapes, cable, 403

maximum tension, determination, 414, 422

sag profile and total arc length, 406

sag ratio, 404

temperature effect, 404, 405, 422

Arch bridge

structure, 874

two-hinged, 899

Arch structures

historical development, 424

models, 429–431

Arches

“false arch”, 424

force method

applied load, 605

axial deformation, 604

description, 604

expressions, horizontal displacement, 604

integral expression, 607–608

- Arches (*cont.*)
- parabolic, 606–607
  - structure, 603, 604
  - tension tie, 611–612
  - two-hinged arch and loading, 607–608
- ASCE 7-05, 16, 17, 20, 21
- Assuming the supports are unyielding, the flexibility coefficients, 625
- Axial force
- compressive and maximum value, 442
  - gable frame
    - 3-hinge, 335–337
    - simply supported, 369
  - graphical output, 358, 360
  - shallow vs. deep parabolic curved members, 436–439
  - sign convention, 310
  - and transverse shear, 454, 455
  - triangular rigid frame, 380
- Axial stress, 34, 55
- Axle load, 886, 888
- B**
- Backfill material
- fluid
    - definition, 527
    - horizontal and vertical components, 529
    - hydrostatic forces, inclined surface, 529
  - granular
    - active and passive failure states, 530
    - angle of repose, 530
    - dry loose, 529
    - shear stress, 529
    - theories, soil pressure distribution, 530
- Base shear, 783, 923, 955
- Beam formulation
- loading, 827, 844
  - member end forces and displacements, 840
  - nodes, 842
  - spring support, 846–849
  - stiffness matrices, 842
  - support settlement, 846
  - two-span beam, 840
- Beams
- deep beams, deformation and displacement relations, 244–247
  - differential equations, equilibrium, 190–210
  - displacement process, 35
  - external loads, 285
  - force method
    - single-span beams, analyzing frames, 571–577
    - Yielding Supports, 577–588
  - forced envelope, 286
  - influence line, 286
  - internal force, 258
  - mass system, 25
  - objectives, 285
  - planar bending, 286, 287
  - prismatic beams, 163
  - problems
    - computer software, 303–304
    - deflected shape, 296–297
    - influence lines, 300–301
    - loading system, span, 302
    - rotation, cross-section, 300
    - shear and moment diagrams, 286–292
    - single concentrated load, 301
    - trapezoidal rule, 299
    - vertical deflection, 298–299
    - virtual force method, 293–296
  - statically indeterminate, 40–42
  - symmetry and anti-symmetry
    - deflected shapes, 253–258
    - shear and moment diagrams, 250–254
  - torsion, prismatic members, 247–250
  - transverse displacement, 286
  - two span beams, displacement method
    - chord rotations, 661
    - decomposition, 658, 659
    - end actions, shear and moment, 662–664
    - end shears, 660
    - geometry and support settlements, 661
    - moment releases, 675–677
    - nodal moment equilibrium, 660
    - overhang, modified slope-deflection equations, 670–672
    - symmetrical beam, supports settlement, 665–669
    - three span beam, 677–683
    - uniformly loaded three span symmetrical beam, 683–685
- Behavior
- brittle, 11
  - combined bending and torsion, 164
  - ductile, 11
  - portal frames
    - hinge, 3, 312–314, 324, 325
    - gravity loading, 323, 324
    - lateral loading, 323, 324
- Bending moment
- distribution
    - approximate and exact results, 797
    - axial force, shear force, 798, 799
    - beams and columns, portal method, 772–779
    - lateral loading, 792
    - multi-span beams and multi-bay frames, 796
    - qualitative reasoning, relative stiffness, 796
    - transverse shear, 792
  - horizontal thrust force, 458, 459
  - reactions and shear distributions, 204–206
  - uniform loading, parabolic, 283
- Bilinear moment–curvature model, 1026
- Braced frames
- definition, 789–790
  - multistory, 305, 306
- Braced rigid frame
- analytical expressions, schemes, 786
  - column shear forces, 787

- definition, one-story, 787
- individual systems defined, 785
- one-story structure, 785
- shear force distribution
  - base story sub-element, 789
  - brace stiffness, 787
  - column shear forces, 787
  - frame stiffness, 787
  - inter-story displacement, 790
  - lateral forces, 788
  - one-story, 787
  - upper story sub-element, 788
  - value, lower floor controls, 790
- Bridge
  - gravity live loads, 17
  - segmented long-span, 14
  - structure
    - geometric arrangement, 71
    - and gravity, 13
    - iron truss bridge, USA, 52
    - plane bridge truss, 105, 106
    - steel truss bridges, 54
    - wooden bridge truss, 51
- Brittle, 11, 12, 15, 43
- Buckling, 12, 43
- Building
  - design, 13
  - effect, wind, 17
  - gravity live loads, 17
  - ground motion, 23
  - low-rise, 21
  - vortex shedding, 22
- Building codes, 13
- Building systems
  - “shear beam” formulation, 945
- C**
- Cable, 4, 7, 15, 36–37
- Cable length, 387, 404–406, 416
- Cable stayed
  - bridges, 383, 404, 409
    - beam displacement, 583
    - composition, 581, 582
    - configuration, 903
    - displacement profile of girder, 906
    - elongation, 582, 583
    - estimated areas, 904
    - force and displacement profiles, 905, 906
    - idealized scheme, 904
    - stiffen beams, 583
    - tributary area, 905
    - vertical displacement, cable and beam, 585–588
- Cable structures
  - Brooklyn Bridge, USA, 383, 385
  - cable-strand arrangements, 383, 384
  - Clifton Suspension Bridge, England, 383, 384
  - coordinates, lowest point, 421
  - deflected shape, 420, 421
  - doubly curved single-layer cable net, 384, 385
  - guyed tower, 422
  - maximum tension, 418–420
  - Normandy Bridge, France, 384, 386
  - peak values, cable tension, 421
  - reactions and tension, 416–418
- Cantilever frame
  - symmetrical, 312–314
  - unsymmetrical, 337–339
- Cantilever method
  - applied moment, 793
  - bending moment, axial forces, columns, 795
  - column-beam model, 793
  - deformation, relative rotation, 793
  - description, 790
  - lateral deflections, 790
  - reference axis, 792
  - stiff belt type trusses, 794
  - symmetrical -story plane frame, 42, 794
  - symmetrical plane frame, 795
  - tall building model, 792
- Catenary shape
  - arc length and tension, 414
  - equilibrium and vertical loading, 412, 413
  - horizontal projection, 412
  - iteration and sag ratio, 414
  - symmetrical case, 412, 414
- Center of mass
  - description, 937
  - floor
    - mass layout, 938–940
    - plan view, 938
- Center of twist
  - braces, 935–937
  - external and internal forces, 930
  - floor
    - configuration, 933
    - geometry, 929
    - free body diagram, floor, 926
    - rigid body motion, 929
    - shear spring model, 926
  - stiffness
    - braces, 927
    - distribution, 931
    - symmetry axes, 931
- Centroid
  - dimension square/rectangular footings, 488
  - single footing, 479–481
  - structure, 477, 478
- Centroidal axis, 1015
- Chord
  - horizontal, 389, 393, 397
  - inclined, 393, 394, 400
- Circular curved members
  - deflection, light pole, 447, 449
  - geometry-circular arch, 447
  - slender and retain, 447
- Clamped end model, 770
- Clamped/hinged model, 770

- Clay soil
  - allowable soil pressure, 477, 479
  - pressure distributions, 477, 478
- Combined footings
  - description, 493
  - factored loads, 496
  - peak moment values, 496
  - shear and moment, 494
  - soil pressure distribution, 494, 495
  - square columns, 497–499
- Complex trusses
  - corresponding nodal force equilibrium equations, 88
  - definition, 48, 86
  - equilibrium at joints, 87
  - geometrically stable, 89
  - individual nodal force systems, 88
  - matrix form, 88
  - planar, 137
  - planar truss, 87
- Compound trusses, 48, 60, 61, 86
- Compression*, 310, 314
- Computation of displacements
  - and deformation relations, 136
  - matrix equilibrium equations, 137
  - nodal displacement, 135, 137
  - planar complex truss, 137
  - scalar equation, 137
  - space truss, 139
  - static-geometric analogy, 136
- Computer based analysis
  - displacement method
    - bending moment distribution, 760, 761
    - frame structures, 728–729
    - and member forces, 752
  - nonlinear form, 1017, 1025
  - plane frames
    - gable, 358
    - graphical output, 358, 360
- Concentrated load
  - horizontal cables
    - free body diagram, segment, 387
    - moment distributions, 389
    - moments and sag, 387
    - multiple concentrated loads, 389, 391–393
    - tension, 388, 389
    - transverse loading, pretensioned cable, 386, 387
  - inclined cables
    - description, 393–397
    - reactions and horizontal force, 393, 394
    - sag determination, 395, 396
- Concept of equilibrium
  - non-concurrent force system, 28–30
- Construction loading, 14
- Containments, 4, 14
- Corbel arch, 424
- Critical loading
  - plan, rectangular area, 481, 482
  - pressure distributions, 481
- Critical sections for design, cantilever walls, 549, 552
- Cross section
  - beam, 164
  - combined bending and torsion, 164
  - properties, 258
- Cross, H., 698
- Curvature
  - positive and negative, deflected shapes, 213
  - relationship, 212–213
- D**
- Deck
  - and beam system, 105
  - segments, 105
  - slab, 49
- Deep beams, deformation and displacement relations
  - symmetry and anti-symmetry, 254–258
- Deep curved members, 464
- Deflection(s)
  - computation
    - deformation–displacement relations, 91–92
    - description, 90
    - force–deformation relationship, 90–91
- Deflection profiles
  - curvature, 356
  - gable frames, 357, 358
  - lateral loading, 357
  - peak deflection, estimation, 377
  - portal and -hinge frame, 3, 357
- Deformations
  - and displacements, 33–34
  - inelastic, 12, 27
  - modes, 38
- Design codes, 16, 21, 43
- Design philosophy, 26–27
- Design strategies, N-S beams and columns, 998–999
- Differential equations of equilibrium, planar loading
  - arbitrary distributed loading, differential
    - element, 190
  - cantilever beam triangular loading, 193–196
  - distributed and concentrated loads, 196–200
  - extreme value, moment, 192
  - integral forms, 19
  - jump conditions, 194
  - moment summation, 191
  - reactions, shear, and bending moment distributions, 204–212
  - shear and moment, interpretation, 193
  - uniform loading, end moments, 199
- Dimensions
  - design code, 551
  - optimal geometry, 535
  - pressure distributions, 530
  - wall footing, 553
- Direct stiffness method, 860–865, 868, 869
- Displacement method
  - description, 649
  - displacements and member forces, truss, 752
  - frame structures
    - member equations, 653–658

- member end moments
  - moment distribution, 753–760
  - slope-deflection equations, 753–758
- member forces, truss, 752
- end moments and horizontal displacement, 764
- planar
  - beam-type structures, 649, 650
  - frame-type structure, 649, 650
  - truss, 649, 650
- plane truss
  - axial loaded member, 651
  - force-equilibrium equations, 651
  - horizontal and vertical translations, 651
  - nodal displacements and member forces, 651
  - rotation and end moments, analytic expression, 763
- Distributed load
  - horizontal cable
    - description, 397, 398
    - tension determination, 398, 399
  - inclined cables
    - arbitrary loading, 399, 400
    - sag expression and lowest point, 400
    - tension determination, 401, 402
    - total moment, 399
    - uniform load, 400, 402
- Ductile, 11, 43
- Ductility, 11, 1013–1015
- E**
- Earthquake loading
  - base shear, 923
  - elevation, 954
  - floor forces, 925
  - ground acceleration time history, 920
  - ground motion, 23
  - lateral displacement profile, 921
  - low-rise rigid frame, 921
  - peak acceleration vs. structural period, 923
  - peak lateral inertia force, 25
  - seismic lateral load profile, 26
  - seismic loading, 920
  - single degree-of-freedom model, 25
- Elastic moment diagram, 1022
- Engineering process
  - bridge structures, 874
  - loading, 874
  - objective, 873
- Equivalent axial stiffness
  - horizontal cable
    - actual and perturbed configurations, 407
    - deflection patterns, 407, 408
    - modified elastic modulus, 408
    - net motion, 408
    - sag ratio, 409
  - inclined cable
    - Ernst's formula, 411
    - guyed tower modeling, 409, 410
    - Millau Viaduct Bridge, France, 409
    - modified elastic modulus, 411
    - steel cable, 411, 412
- Equivalent single degree of freedom system, 922
- Extensional strain, 11, 34
- External loading
  - creation, 182
  - displacements, 562, 563
  - primary structure, 563, 565
  - produce reaction forces, 182
  - shear and bending moment, beams, 258
  - structure, 173
  - and three force redundants, 567
  - and unit load results, 572
- F**
- Factor of safety
  - defined, 533
  - requirements, 527
  - vs. sliding and overturning, 533
- Factored soil pressure, 484, 486
- Failure mode, buckling, 12
- Finite element method
  - beam structures, 839–849
  - bending moment and deflection profiles, 867
  - description, 805
  - direct stiffness method, 860–865, 868, 869
  - horizontal displacements, 867
  - local and global reference frames, 809–812
  - matrix formulation for rigid frames, 807–809
  - nodal supports
    - displacement constraints, 819–820, 826
    - end member forces, 820
    - fixed and global end actions, 829
    - fully fixed supports, 818
    - geometric data, 823
    - loading conditions, 820, 827
    - local end actions, 830
    - matrix displacement formulation, 823
    - member forces, local coordinates, 829
    - member plane frame, 830
    - movement, 821
    - rearranged system matrices, 821–822
    - reduced system matrices, 819
    - stiffness matrices, 823–825, 827
    - system stiffness matrix, 831
    - unknown force and displacements, 827–829
  - spring stiffness, 866
  - steps, 805–806
  - three dimensional (3D) formulation, 850–860
  - truss structures, 834–839
- Fixed support
  - planar loading, 168
  - three dimensional, 170
- Fixed-end beams
  - compatibility equations, 588
  - fully fixed, 594
  - partially fixed, 595
  - single concentrated force, 592–593
  - structure, 588
  - uniformly distributed loading, 590–592
- Fixed-ended beam
  - inelastic response, limit analysis process, 1019–1021

- Flexibility coefficients
  - description, 564
  - pitched roof frames, 625
  - plane frame, 612
  - Principle of Virtual Forces, 567
  - symbolic/numerical integration, 605
- Flexibility method, 41
- Floor loads, wind load, 918
- Force envelopes
  - axial, 1003, 1004
  - definition, 258
  - two-hinged arches, 899
- Force method
  - axial, shear forces and bending moment, 641
  - behavioral differences, 646
  - computer software system, use, 641–643, 645
  - description, 561–562
  - forces, cables, 640
  - horizontal reaction, 643
  - parabolic arch, 640
  - peak positive and negative moments, 643–644
  - properties and loadings, 637–639
  - reactions and member forces, 647–648
  - structure and steps
    - actual, 562
    - choices, primary, 563, 565
    - external loading, displacements, 561–564
    - flexibility coefficients, 564
    - force redundants, 566
    - “geometric compatibility equation”, 563
    - internal forces, 567
    - matrix form, 567
    - multi-bay multistory frame, 567
    - multi-span beam-type, 567
    - primary, 562
    - reaction force, displacements, 562
    - redundant reactions, 563, 567
    - truss-type, 567
  - vertical reaction, 637
- Fracture, 11, 15, 1014–1018
- Frame(s)
  - braced, 22
  - force method
    - arbitrary-shaped single bay frame
      - structure, 612
    - axial deformation, 613
    - compatibility equation, 612
    - description, 612
    - flexibility matrix, 613
    - matrix equations, 613
  - three-story, 25
- Frame type structures, member equations
  - deformation and end actions, 654
  - description, 653
  - equilibrium conditions, 657
  - fixed end actions, 654, 655
  - moment and shear quantities, 657–658
  - nodal displacement, 655
  - slope-deflection equations, 658
  - superposition, 655, 656
- Free body diagram (FBD)
  - beam
    - construction, 174, 175
    - statically indeterminate, 41
  - statically determinate plane frames
    - A-frames, 341, 342
    - forces acting, node B, 307, 308
    - member forces, 307, 308
  - structural analysis, 30, 31
- Fully fixed arch, 429
- G**
- Gable frame
  - 3-hinge
    - lateral load, 335–337
    - shear and moment, 339–342
  - bending moment distributions, 369
  - deflection profiles, 356, 357
  - simply supported
    - lateral load, 369
    - unsymmetrical loading, 337–339
- Geometric compatibility
  - description, 563
  - flexibility coefficients, 564
  - flexibility matrix, 569
  - matrix equations, 613
  - member forces, 631, 634
- Geometric nonlinear analysis, 734
- Geometric nonlinearity, 734–741
- Girder, 7, 15, 43
- Girder bridge system, 893
- Global force equilibrium equations, planar loading, 173
- Global reference frame
  - quantities, 946
  - symmetry axis, 949
- Granular material, 525, 529, 530
- Gravity floor loads
  - floor slab-beam system, 977
  - loading patterns, 977–978
  - one-way action beam loading, 979
  - steel joist/beam framing, 979
  - tributary areas, 977
- Gravity load, 13, 17, 22
- Gravity walls
  - concrete and soil backfill, 535
  - description, 526
  - retaining analysis, 534–536
- Grid structures, 733
- Guyed tower(s), 403, 404, 409, 410, 422
- H**
- Heyman, J., 27
- High-strength steel, 383, 384, 409
- Hinged model, 770
- Hinged support
  - 3-D, 170
  - planar loading, 169
  - portal
    - gravity loading, 323
    - lateral loading, 323
  - variable cross-section, 325

- Horizontal cables
  - distributed load
    - description, 397, 398
    - tension determination, 398
  - equivalent axial stiffness
    - actual and perturbed configurations, 407
    - deflection patterns, 407, 408
    - modified elastic modulus, 408
    - net motion, 407
    - sag ratio, 409
- Horizontal projection
  - catenary shape, 412
  - distributed loading, 397–399
- Huntington, W.C., 530
- I**
- Idealized dead loading, 430
- Idealized model
  - defined, 899
  - integral abutment bridge, 883
  - loading-idealized model, 900
  - story stiffness, 781
  - sub-elements, 780
  - three-span arch, 902
- Idealized models
  - integral abutment bridge, 883
- Impact magnification factor, 888
- Inclined cable, 394
  - concentrated load, description, 394
- Inclined cables
  - cable-stayed schemes, 581
  - concentrated load
    - description, 394
    - reactions and horizontal force, 393
    - sag determination, 396, 397
  - equivalent axial stiffness
    - Ernst's formula, 411
    - guyed tower modeling, 409, 410
    - Millau Viaduct Bridge in France, 409
    - modified elastic modulus, 411
    - steel cable, 411
- Incremental load, 1022
- Indeterminate, 574, 582, 584, 586, 604, 618, 622, 626, 629–636
  - arches, 604, 610
  - beams
    - first degree, 572, 584
    - second degree, 576, 586, 588
  - frames
    - first degree, 604, 616
    - second degree, 622
  - plane truss, 57
  - portal frames, 616, 618
  - trusses
    - internal force distribution, 631
    - member forces, determination, 631–634
    - principle of virtual forces, 630
    - structures, 629
    - three member truss, 629, 630
- Inelastic analysis, 1013–1034
- Inelastic behavior, 1026, 1027
- Inelastic bending, 1015
- Inelastic deformation, 11, 12, 27, 747
- Inelastic response
  - computer software, 1034
  - dead loading, 1033
  - limit analysis process
    - fixed-ended beam, 1019–1021
    - loading, 1018
    - plastic fracture model, 1018
    - simply supported beam, 1018–1019
    - two-span beam, 1021–1025
    - two-story frame, 1025–1026
  - load capacity determination, 1032
  - moment capacity, 1018
  - moment–curvature relations, 1015–1018
  - nonlinear analysis scheme
    - bilinear moment–curvature model, 1026
    - end forces, 1027
    - equilibrium equations, 1026
    - force increment, 1028
    - global force equilibrium equation, 1027
    - matrix notation, 1026
    - 2 point Gaussian approximation, 1027
    - portal frame, 1028–1029
    - refined mesh, 1026
    - three-story frame, 1030–1031
    - transverse displacement, 1026
  - structural steels, stress–strain behavior of, 1013–1015
- Influence lines, 261, 262, 264, 272
  - actual loading distribution, 107
  - chord forces, 109
  - deck-beam system, 105
  - diagonal members, function, 107
  - force parameters, 879
  - live load analysis, gable roof structure, 111–113
  - load positions and corresponding member forces, 105, 106
  - loading, 105
  - loading zones, 875, 876
  - Müller-Breslau principle application, 875, 878
  - peak value, member force, 108
  - shear, 107
  - slender members, compression vs. tension, 108
  - span beam, 878
  - structure and truck loading, 110
  - truss geometry, 105, 106
  - virtual work, principle
    - cantilever construction-concentrated loading, 266
    - construction, 262–266
    - equilibrium equations, 285
    - uniform design loading-cantilever construction, 272
- Integral abutment bridges
  - elevation—three-span, 881, 883
  - idealized model, 881, 883
- Internal bending moment, 182

**Internal forces**

- free body diagram, 205
- planar loading
  - beam and eccentric lateral load, 188
  - cantilever beam and multiple concentrated loads, 184
  - internal shear and moment, 194
  - maximum bending moment and shear force, 184
  - shear and moment diagrams, 184
  - sign convention, 183
  - uniform loading and cantilever beam, 187
- structural analysis, 30–33

**J****Joints**

- 3-D trusses
  - analysis process, 122
  - direction cosines, 121
  - displacement computation, 127
  - force equilibrium equations, 119
  - resolution, force, 121
  - tetrahedron, analysis, 125–127
  - tripod structure, analysis, 122–124
- definition, 47
- deflections, 90
- pin joint connections, 54

**K**

- Keystone arch construction, 422, 423
- Kirchoff's hypothesis, 211
- K-type truss, 82

**L**

- Lambe, T.W., 530
- Lane load, 17
- Lateral loading
  - 3-hinge gable frame, 335–337
  - building response
    - center of mass, 937–940
    - description, 925
    - forces acting, center of mass, 941
    - multistory response, 943–945
    - portal frames, 323–325
    - stiffness elements, 942, 943, 945
  - center of mass, 968
  - center of twist, 970, 971
  - center of twist and seismic floor loads, 967
  - deflection profiles, 356
  - displaced configuration, 969
  - frames, 972
  - pitched roof frames, 330–338
  - story rigid frames, 965–966
  - treatment
    - earthquake loading, 920–925
    - rectangular buildings, 917
    - wind loading, 918–919
- Lateral stiffness, 409, 745–748, 917, 949
- Limit analysis, 1018–1025
- Limit load, 1025

Limit state, 11, 27, 1021, 1023–1025, 1028

*Line elements*, 4, 7, 212

Live load gravity, 16–17

**Live load patterns**

- deflection pattern
  - beams, negative moment, 980, 981
  - columns, negative moment, 980, 981
  - positive moment, 980, 1000
- earthquake analysis, 986–988
- gravity type loading, 980
- loading pattern
  - columns, maximum negative moment, 980, 982
  - maximum positive moment, 980, 1000
- multistory frame, 980
- uniformly distributed live load, 982–985

**Live loads, bridges**

- truck loading and span discretization, 885, 886
- uniform live load, 888–890

Load magnitude, 1023

**Loading(s)**

- codes and technical societies, 13
- gravity live loads, 16–17
- properties
  - importance factor, values, 16
  - occupancy categories, 16
  - quasi-static loading, 15
  - temporal variation, 15
- snow, 22–24
- source
  - construction, 14
  - function, 13
  - interaction, environment, 30–33
  - terrorist loads, 14

**Loading pattern**

- computer-based analysis, 895
- dead load, 894–895
- span discretization, 893, 896

Loading zones, 875–877

**Local reference frame**

- member and nodes, 809, 810
- nodal forces, 812
- rotation matrices, 811
- rotation of axes, 809, 810
- structure, 809, 810

**Low-rise rigid frames**

- bracing, 785–790
- shear stiffness method, 779–784

**M**

Mass, 13, 15, 19, 25, 26

**Matrix formulation, 807–809**

- displacements, computation, 135–141
- floors and stories, 946
- force equilibrium equations, 133–135
- inertia forces, 947
- manual techniques, 131
- member–node incidence, 133
- notation, 131–133
- rigid frames

- end forces and displacements, 807
  - fixed end forces, 809
  - linearly loaded beam, 809
  - member stiffness matrices, 807–808
- stability, 135
- story structure, 948
- system load, mass and stiffness matrices, 949
- Maxwell's law
  - compatibility equations, 571
  - definition, 569
  - reciprocal loading conditions, 569–571
- Method of joints
  - cantilever truss analysis, 71–74
  - five member truss, 65–71
  - gable roof truss analysis, 75–77
  - plane truss, 61
  - three member truss analysis, 62–65
  - zero force members, 72
- Method of sections
  - chord trusses, 78
  - design, 142
  - equilibrium equations, 77
  - hybrid analysis strategy, 84–86
  - joints, 77
  - K-type trusses, analysis, 82–84
  - parallel chord truss, 79–80
  - roof truss, 80–82
  - shear forces, 78
- Method of virtual forces
  - arches, 447
  - beams, 231
  - bending, slender beams, 231
  - deflection computation, 232
  - displacement, roller support, 376
  - frames, 344
  - horizontal deflection determination, 374, 378
  - horizontal displacement, 376
  - trusses, 78
  - vertical deflection determination, 374, 375, 378
- M1, M2, and M3, maximum value, 277, 878, 908
- Modern cables, 383
- Modern structural software systems, 1023
- Modulus of elasticity, 34, 44
- Moment area theorems, slender beams
  - cantilever beam, 220
  - cross-sectional rotation and deflection, 218
  - double integral, 219
  - First Moment Area theorem, 218
  - integration,  $x_1$  and  $x_2$ , 219
  - Second Moment Area Theorem, 219
  - simply supported beam, 224–230
- Moment capacity, 1015–1018, 1023, 1026
- Moment distribution
  - multi-span beams
    - dimensionless factor (DF), 699
    - incremental moments, 699
    - iteration cycle, 698
    - method, 698
    - moment equilibrium, 699
    - moment release, two span beam, 702–703
    - multiple free nodes, 703–704
    - reduced relative rigidity factor, 702
    - solution procedure, 698
    - three span beam, 704–706
    - two span beam, 700–704
    - unbalanced clockwise nodal moment, 698
- Multi-bay
  - multistory frames, 567
  - portal frame, 306
- Multiple concentrated loads
  - force envelopes
    - absolute maximum moment, 277
    - computation, maximum moments, 277–282
    - critical truck loading position, 283
    - dead + truck loading, 284
    - forces, 275
    - M1 and M2, maximum value, 277
    - maximum bending moments, 278
    - moment diagram-arbitrary position, loading, 276
    - truck moving across, span, 283
  - internal forces, cantilever beam, 184, 188
- Multi-span beams (gravity loading)
  - data-moment diagrams
    - quantitative reasoning, relative stiffness, 769–770
    - single-span, 768
    - three-span, 768, 769
    - two-span, 768
- Multi-span beams force method
  - structures, 567
- Multi-span bridges, 878
  - geometric configurations
    - elevation—three-span, 881, 883
    - idealized model, 881, 883
    - integral abutment bridge, 883
    - sintegral abutment bridge, 882
    - span arrangements, 880, 881
  - span lengths
    - bending moment distribution, 882, 884
    - symmetrical scheme, 882, 884
- Multi-span horizontal structures
  - cable-stayed
    - bridge, 903–907
    - structure, 911
  - engineering process, girders, 873–875
  - global deflection, 910
  - idealized tied arch, 911
  - influence lines, 875–880, 908
  - single span bridge, 908
  - span lengths, 908
  - symmetrical cable structure, 913
  - three-span parabolic arch response, 902–903
  - Two-Hinged Parabolic Arch Response, 899–901
- multistory building systems
  - multistory building systems, 915–917
- Multistory buildings
  - braced frames, N-S and E-W directions
    - beam properties E-W direction, 989
    - configuration, 992
    - deflection, 996
    - floor loading, 1006

- Multistory buildings (*cont.*)
- interior columns, 982
  - result, 998
  - four-story building
    - floor plan and elevation structure, 989
    - global wind loads, 990
    - loading and member data, 989
  - load paths, 1006
  - loading patterns estimation, Müller–Breslau principle, 1006–1009
  - loads, frames
    - rectangular building, 975, 976
    - structure, 975, 976
    - system, 975
  - rigid frames, N-S and E-W direction
    - beams, N-S, 998
    - braced vs. rigid frame, 997
    - columns, N-S, 998
    - connection, N-S beams and columns, 998
    - dead load, 1008
    - design values, 1005
    - live load patterns, 980–989
    - moment diagrams, 1024
    - result, 1006
    - uniform live load, 888–889
    - wind load N-S, 990–992, 997, 998
  - systems
    - braced frame structure, 916
    - lateral stiffness systems, 917
    - low-rise building, 916, 917
- Multistory response
- forces
    - floor, 943
    - inertia, 944
    - interstory deformation, 943
  - shear beam, 945
- Multistory rigid and braced frame, 306
- Multistory rigid frames
- gravity loading, 771
  - lateral loading
    - approaches, estimation, 771
    - inflection points, 771
    - low-rise, bracing, 785–790
    - shear stiffness method, 779–784
- N**
- Nodal equilibrium equations
- direct stiffness method, 816
  - equilibrium equations, 815
  - member end actions, 814
  - member node incidence, 812–813
  - member reaction forces, 815
  - positive/negative end, 812
  - system matrices, 818
- Nodes
- and member incidence, 133
  - concurrent force system, 56
  - description, 47
  - horizontal displacement, 94–99
  - member af and cf, extreme values, 108
  - plane trusses, 118
  - positive and negative, member  $n$ , 131
  - scalar equilibrium equations, 57
- Non prismatic members, 241–244
- Nonlinear analysis
- bilinear moment–curvature model, 1026
  - end forces, 1027
  - equilibrium equations, 1026
  - force increment, 1028
  - global force equilibrium equation, 1027
  - matrix notation, 1026
  - 2 point Gaussian approximation, 1027
  - portal frame, 1028–1029
  - refined mesh, 1026
  - three-story frame, 1030–1031
  - transverse displacement, 1026
- Nonlinear equations, 734
- Nonlinear stress–strain relation, 1015
- O**
- Optimal shape
- parabolic arch, 435
  - statically determinate arch, 462–463
- Out of plane loading
- end actions, 729
  - equilibrium equations, 731
  - free body diagrams, 686, 688
  - grid structure, 733–734
  - plane frames
    - 3-D system, 359, 361
    - displacement and rotation, 358
    - gravity load, 359
    - highway signpost, 359
    - transversely loaded grid structure, 362
  - prismatic member, 729
- Overturning
- base pressure distribution, 553
  - defined, 533
  - stability, 553
  - toe and sliding, 532
  - vs. safety, 545
- P**
- Parabolic geometry
- notation, parabolic shape function, 435
  - shallow vs. deep parabolic curved members, 436–442
- Passive soil pressure, 531
- Pattern loading
- three-span system, 888–889
  - uniform dead and lane, 894
- $P$ -delta effect, 745, 749, 750, 764
- Peak acceleration, 23, 25, 26
- Peak pressure, 480, 481, 502
- Peck, R.B., 479, 530
- Piles/caissons, 476, 547–549
- Pitched roof frames
- analytical solutions
    - gravity loading, 330, 331

- displacement profiles, shear and moment diagrams, 379
- expression, horizontal reaction, 627
- member loads
  - equivalent vertical loading, 328
  - inclined member, 326, 327
  - normal and tangential directions, 329
  - reactions, 326–320
- peak negative and positive moments, 628
- primary structure, 625
- relative stiffness factors, 625–626
- structures, 326
- three-hinge solution, 628
- total bending moment distribution, 627
- two vs. three-hinge solution, 628
- Planar beam systems, 171
- Planar bending, 164
  - definition, 164
  - stability and determinacy, beams *see* Stability
  - transverse displacement, 286
- Planar trusses
  - analysis
    - axial force, 90
    - equilibrium considerations, 56
    - statically determinate, 57–58
  - bottom and top nodes, 49
  - complex and compound, 49
  - simple planar truss construction, 48
  - structure, 91
  - two member, 91
- Plane frames
  - transverse deformation, 612
- Plane trusses
  - 2-D, 118
  - definition, 47
  - node, 56
  - statical determinacy, 142
- plastic fracture model, 1018
- plastic hinges, 1023, 1025
- Platforms, 4, 13
  - Portal frames
    - anti-symmetrical loading, displacement method
      - chord rotation, 690
      - frame with no sideway, 692–694
      - frame with sideway, 694–697
      - moments and shear, 692
      - slope-deflection equations, 690
    - bending moment distribution, 621–622
    - expression, displacement, 614
    - gravity-loading
      - anti-symmetrical model, 618
      - bending moment distributions, 619
      - compatibility equation, 618
      - decomposition, loading, 617
      - horizontal reaction, 619
      - net bending moment distribution, 620
      - peak moments, 620
      - symmetrical model, 618, 619
      - two-hinged, 618
    - lateral loading symmetrical
      - two-hinged, 616
    - overhang, 321–323
    - reaction, gravity loading, 613, 614
    - simply supported, 316–318
    - structure, 613, 614
    - symmetrical
      - anti-symmetrical loading, 622
      - bending moment distribution, two-hinged frame, 623, 624
      - displacement, 622
      - hinged and fixed supports, bending moment distribution, 624, 625
      - structures, 622
    - symmetrical loading, displacement method
      - description, 689–690
      - moment equilibrium, 690
  - Portal method
    - axial and shear forces, 773, 775, 776, 778
    - bending moment distribution
      - beams, 773, 775, 776, 778
      - columns, 773, 776, 777
    - description, 772, 796
    - moments, joints, 772, 773, 777
    - reactions, shear forces and moment distribution, 773, 775, 776, 778
    - rigid frame, 771–772, 776
    - steel frame, 799
- Positive sense, bending, 310
- Primary structure
  - description, 562
  - displacement, 564, 577
  - fixed end moments, 590
  - flexibility
    - coefficients, 564
    - matrix, 613
  - force redundants, 566, 568
  - geometric compatibility equation, 563
  - multi-span beam, 568
  - pitched roof frames, 625–629
  - redundant moment, 568
  - vertical restraints, 564
- Principle of virtual forces
  - axial and shear forces, 345
  - deflections, computation
    - cantilever-type structure, 345–347
    - horizontal displacements and rotation, 348–350
    - non-prismatic member, 352–355
    - steel structure, 350–353
  - low-rise frames, 345
  - planar frame structure, 344–345
- Prismatic beams
  - combined bending and torsion, 164, 166
  - cross-sections and bending mode, 163, 164, 166
  - geometrical parameters and notation, 163
  - Mechanics Theory, 164
  - planar bending, 164, 286

**Q**

- Qualitative reasoning, deflected shapes
  - beam and moment release, 217–218
  - cantilever beam, 216
  - moments, positive and negative, 213, 215
  - overhang and beam, 216
  - positive and negative curvature, 213
  - shape transition at inflection point, 214
  - supports-displacement measures, types, 213, 214
  - uniformly loaded and simply supported beam, 215

**R**

- Rankine theory
  - defined, magnitude per unit wide strip, 531
  - distribution, soil pressure, 530
  - horizontal forces, 531
  - soil pressure, surcharge, 532
- Reactions
  - planar loading
    - beam and two overhangs, 174–175
    - beam free body diagram, construction, 175
    - horizontal beam supports, vertical sign, 180–182
    - simply supported beam, 175–176
    - statically determinate and indeterminate structure, 173
    - three-span beam and two moment releases, 179–180
    - two-span beam and moment release, 176–179
  - structural engineering
    - forces, 30
    - statically indeterminate beam, 41–42
    - supports, planar structures, 7, 10

Rectangular footing, loading, 483, 496

**Redundant**

- cable force, 582
- displacements, primary structure, 586
- external loading, 586
- force
  - expression, primary structure, 567
  - reaction, 563, 567
  - steps, 562
- internal force, 567
- matrix equations, 613
- tension, tie, 610
- three-span beam, 576

Refined mesh, 1026

**Relative stiffness**

- bending moment distribution, 597
- clamped/hinged model, 770
- end moments estimation, 771
- flexibility coefficients, 625
- hinged and clamped end model, 770
- internal force distribution, 631
- multi-span beam, 768, 769
- qualitative reason, 797
- two-span beam, 597

**Resultant**

- centroid, 480
- force, 479
- pressure distributions, 505

**Resultant**

- combined footings, 493
- factored loads, 494
- line of action, 481, 493

**Rigid body motion**

- prevent
  - arranged, 58
  - insufficient, 59
  - order, 114
  - reactions, 87
  - required, 57
  - respect, 114
  - supported, 48

**Rigid frame**

- displacement method
  - anti-symmetrical loading, portal frames, 690–697
  - description, 685
  - free body diagrams, members and nodes, 686, 688
  - moment equilibrium, 686, 690
  - sideway, 686
  - slope-deflection equations, 658
  - symmetrical loading, portal frames, 689–690
- five story symmetrical rigid frame building, 986
- lateral loading, 330, 332
- multistory, 306
- pitched roof frames, 326
- simply supported gable, 330–335
- triangular, 380

Roller support, 169–170

Rotation, 309, 345–346, 348, 350, 358, 359, 375, 376

Rupture strain, 1014

**S****Sag**

- arc length, 403–406
- concentrated loads, horizontal cables
  - angle of inclination, relationship, 388
  - downward vertical, 391
  - expression, 387, 389
  - profile, 392
- distributed loading, 395–397
- equivalent axial stiffness, 409
- inclined cables and concentrated loading, 393–397

**Sandy soil**

- allowable pressures, 477, 479
- pressure distributions, 477, 478

**Sections**

- cantilever walls design, 549–552

Service loads, 26, 483, 486, 498, 500, 501, 516

**Shallow curved members**

- non-shallow curved member, 445–446
- trigonometric measures, 436
- vs. deep, 436

**Shallow foundations**

- allowable soil pressure, 516
- combined footing, 520
- dimensions, square/rectangular, 517
- pad footing, 522
- service loads, 516
- square columns, 517

- strap footing, 521
- types
  - combined footing, 477
  - footings, 476
  - single footing, 476
  - strap footing, 476
  - structure, 475, 476
  - superstructure, 475
- Shear force, 184, 246, 262–266
  - influence line
    - construction, 262–266
    - maximum bending moment, 184
    - transverse, 246
  - maximum moment occurs at mid-span, 442
- Shear stiffness method
  - approximate analysis, 783–784, 794–796
  - bottom story-fixed support, transverse shear model, 782
  - description, 796–797
  - elements, 950
  - exterior and interior element—upper story, 781
  - factors, 949
  - low-rise frame, 780
  - parameter, 785
  - ratios
    - lowest story, 783
    - upper stories, 781
  - slope-deflection equations, 781
  - steel frame, 799
  - sub-elements, base story
    - fixed support, 782
    - hinged support, 783
  - total transverse shear, 779
- Shear walls, concrete frame, 916
- Shell, 4, 7
- Sideway
  - with sideway, frame's moment distribution, 694–697
    - computer-based analysis, frame with inclined legs, 726–729
    - fixed end moments, 718
    - frame with inclined legs, 722–726
    - “holding” forces, 718
    - portal bent, 719–722
  - without sideway, frame's moment distribution
    - end actions, 723–726
    - support settlement, two-bay portal frame, 713–715
    - symmetrical loading, two-bay portal frame, 711–713
    - temperature increase, two-bay portal frame, 715–718
- Sign convention
  - matrix formulation, beam bending problem, 183
  - positive directions, 183
- Simple planar truss, 48, 49
- Simple space truss, 48
- Single footings
  - column position, 483
  - dowels use, 485
  - effective soil pressure, 483
  - procedure, 484
  - service loads, 486–489
  - shear and moment, 484, 485
  - shear, location, 484, 485
  - square/rectangular, 488–493
  - steel reinforcement, 485
- Slender beams
  - centroidal axis, strain, 211
  - cross section rotation angle, 212
  - curvature relationship, moment, 212–213
  - differential elements, 211, 212
  - express and curvature, extensional strain, 212
  - homogeneous beam, 211, 213
  - Kirchoff's hypothesis, 211
  - moment area theorems, 218–230
  - non prismatic members, 241–244
  - qualitative reasoning, deflected shapes *see* Qualitative reasoning, deflected shapes
  - virtual forces method, 231–232
- Sliding
  - defined, 532, 536
  - stability, 553
  - vs. safety, 533
- Snow load
  - drift profiles, 24
  - flat and sloped roof, 23, 24
- Soil friction angle, 553
- Soil pressure distributions
  - allowable pressures, 477, 479
  - analytical method
    - equilibrium, 480
    - line of action, 481
    - peak pressure, 480, 481
    - plan, rectangular area, 482
    - single footing, 479
    - trapezoidal, 481
  - concentric load, 477, 478
  - description, 477
  - determination, 515
  - dimensions, footing, 477–479
  - footing/wall base, 539
  - Rankine theory, 531–532
- Spectral acceleration, 922, 923
- Stability
  - 3-D trusses, equilibrium analysis
    - Cramer's rule, 135
    - requirement, 135
  - and determinacy, beams
    - concurrent displacement constraints, 166, 167
    - fixed and hinged support, 168
    - 3-D fixed support, 170
    - 3-D hinged support, 170
    - moment release, 172–173
    - multiple supports, 171, 172
    - planar rigid body motions, 165, 167
    - 3-D roller support, 170
    - roller support, 169
    - static determinacy, 171

- Stability (*cont.*)
- unstable support arrangements, 171
  - X–Y plane, 165
  - planar truss
    - complex truss, 61
    - compound truss, 60, 61
    - equilibrium equations, 58
    - plane truss, 57, 58
    - simple and compound trusses, 61
    - simple trusses, 58
    - suitably restrain, 58
    - unstable, motion restraints, 58
  - structural engineering
    - initial, 7–11
    - loss and material failure, 11–12
    - priorities, 12
- Stabilizing effect, 527
- Static determinacy
- 2-D plane trusses, 118
  - stable determinate structure, 118
  - structure, 118
  - unstable structure, 119–120
- Statically determinate beams
- engineering process, 258–259
  - force envelopes, 259–262
  - influence lines, 259–262
- Statically determinate curved members
- arch-type structures, 423–428
  - factors and concepts, 463–464
  - internal forces, 431–435
  - models, arch structures, 429–431
  - objectives, 463
  - parabolic geometry, 435–436, 439, 443, 451, 454
  - problems, parabolic member, 464–473
  - three-hinged arches, analysis, 450–463
  - virtual forces
    - circular, 447–450
    - displacements, 442
    - non-shallow slender, 443
    - shallow slender, 443–447
- Statically determinate plane frames
- axial forces and end moments, 380
  - beams and columns, 305
  - bending moment distributions, 369
  - computer-based analysis, 358
  - displacement determination, 381
  - planar loading
    - adequate support schemes, 307
    - indeterminate portal and A-frames, 309
    - indeterminate support schemes, 307
    - nodal forces and rigid plane frames, 309
    - three-hinge plane frames, 306–310
  - reactions, shear and moment distributions, 363
  - rigid plane frames, 305, 309
  - steel material, 380
  - virtual force
    - method, 374–378
- Steel base plate, 485
- Stiffness
- definition, 34
  - material, 27
  - method, 40
- Stiffness factor, 39
- Straight members
- “equivalent”, 409
  - slender, 442
- Strain hardening, 1013, 1015
- Strands, 384, 409
- Strap footings
- description, 504
  - design approach, 505, 511
  - equilibrium, 503
  - notation and pressure distribution, 504, 505
  - reinforcing patterns, 507
  - soil pressure profile, 509
  - summing moments, 505
- Stress-strain, 11, 213, 651, 738, 1013–1015, 1017
- Structural components, 4, 11, 12, 30, 42
- Structural engineering
- components and types, 4, 5
  - design
    - loading, 4, 7
    - philosophy, 26–27
  - reactions, 7, 11
  - stability
    - initial, 7–11
    - loss and material failure, 11–12
    - priorities, 12
- Structural idealization, 48, 50
- Structural steels, 1013–1015
- Structural types
- function, 4, 5
  - makeup, 4, 7
- Superposition, 655, 656
- Support constraints, 806
- Support settlement
- moments, 891
  - resulting moments, 891
  - three-span beam, 890
- Surcharge, soil pressure, 532, 553
- Surface elements, 4, 7
- Symmetrical buildings
- earthquake floor loads, 956
  - flexible floors, 955
  - floor load distribution, 956
  - frame load-rigid, 957
  - idealized building model, 945
  - maximum column moments-rigid and flexible floors, 955
  - one story frame, 960
  - rigid frame building, 954
  - rigid frame structure, 951
  - segmental areas, 953
  - shear stiffness factors, 952
  - structure, 949
  - total story stiffness, 952

- typical floor, 952
- typical frame, 949
- Symmetry and anti-symmetry
  - deflected shapes, 254–258
  - shear and moment diagrams, 250–252
- T**
- Tall building
  - lateral deflections, 791, 792
  - quantities,  $M_i+$  and  $VT_i+$ , 1, 792
  - segment, 792
- Tandem, 17
- “Tangent” stiffness matrix, 1028
- Temperature change
  - effect, 103
  - total extension, 91
- Tension
  - cable-stayed structures, 384
  - concentrated loads
    - horizontal cables, 386, 389
  - determination
    - catenary equations, 414
    - maximum tension, 418
    - peak values, 421
    - segment, cable, 413, 414, 416
  - distributed loading
    - horizontal cables, 398, 408
    - inclined cable, 399, 401
  - equivalent axial stiffness, 407–409
- Terrorist loads, 14
- Terzaghi, K., 479, 530
- Thermal loading, 13
- Three-dimensional (D) formulation, 3
  - displacement measures, 850–851
  - notation, 850
- Three-dimensional (D) trusses, 3
  - equilibrium analysis, 114
  - joints, 120–131
  - restraining rigid body motion, 114–117
  - restraints, rigid object, 115
  - space truss structures, 114
  - static determinacy, 118–120
  - tetrahedron units, -D trusses, 3, 114
- Three-hinged arches
  - and geometry and reactions, 450
  - $1^\circ$  indeterminate, 429
  - optimal shape, statically determinate arch, 462, 463
  - parabolic arch
    - concentrated load, mid-span, 456–459
    - force equilibrium, 451
    - horizontal and vertical loads, 460, 461
    - uniform vertical loading, 452–456
- Three-Hinge frames
  - deflection profiles, 356–358
  - description, 309
  - gable
    - lateral loading, 335–337
  - gravity loading, 330, 331
  - lateral loading, 330, 332
- portal
  - shear and moment distributions, 363
  - shear and moment, 339–341
- 3-D Hinged support, 170
- Three-span arch study
  - discrete force envelopes, 895, 897
  - idealized model, 902, 904
- Three-span continuous girder bridge
  - axle loading, 888
  - cross-section, 895
  - loading patterns, 894, 895
  - support settlement, 899
  - truck loading, 896, 897
  - uniform load patterns, 895
- Three-span parabolic arch response, 902–903
- Thrust, 610, 611
- Tied arches, 610
- Torsional response
  - floor rotation, 929
  - shearing, 945
- Toughness, 1014
- Tower, 4, 14
- Transverse distribution, truck loading
  - axle distribution factor, 888
  - loading, 888
  - slab-stringer bridge deck cross-sections, 887, 888
  - vehicle wheel loads, 887
- Trapezoidal rule, 299
- Truck load, 17
- Truss
  - defined, 7
  - formulation
    - fixed end actions—members and joints, 838
    - force and displacement, 834
    - load vectors, 838
    - local and global frames, 835
    - stiffness matrix and displacement vector, 837
    - topological and geometric information, 823
    - unknown displacements, 838
- Truss structures
  - facts and concepts, 142
  - matrix formulation
    - displacements, computation, 135–141
    - force equilibrium equations, 133–135
    - manual techniques, 131
    - member–node incidence, 133
    - notation, 131–133
    - stability, 135
  - objectives, 141
  - planar trusses, analysis
    - 3-D space structures, 55
    - complex trusses, 86–89
    - equilibrium considerations, 56
    - joints, method, 61–77
    - sections, method, 77–86
    - stability criterion, 58–61
    - statically determinate planar trusses, 57–58
  - problems
    - plane trusses, classification, 142, 161

Truss structures (*cont.*)

## types

- complex planar, 49
- compound planar, 49
- compression elements, 52
- covered wood bridges, 51
- Egyptian boat built, 50
- flourishing industry, New England, 52
- force parallelogram, 50
- high-strength bolts and welding, 54
- iron trusses, 52, 53
- pin joint connections, 54
- plane and joints, 47
- simple planar and space, construction, 48
- single span truss bridge system, 50
- steel, 52
- structural systems, 49
- three-dimensional truss roof system, 55
- wooden bridge truss structures, 52

## Two-hinged arch

- and 1° indeterminate, 429
- structure, 429

## Two-hinged parabolic arch response

- discrete force envelopes—truck loading, 890, 894, 897
- idealized model, 902, 904

## 3-D Hinged support, 170

## Type of foundations

## footings

- description, 475
- single, 476
- strap, 476, 477
- structure, 475, 476
- superstructure, 475

## U

## Unstable

- initially, 59
- structure, 119

## V

## Vertical retaining wall structures

- cantilever, 527, 544
- concrete piles, 547
- design, cantilever walls, 549–551
- gravity, 526–527
- gravity wall, 533, 534
- peak pressure, 534
- stability analysis
  - cantilever and gravity, 533
  - concrete gravity wall and soil backfill, 535
  - defined, safety for sliding, 533
  - equilibrium, 532
  - force summation, 533

gravity wall, 532

overturning, 533

types, 525

with footing, 539, 544

## Virtual forces method

- and actual force, 101
- application, 141
- curved members
  - circular, 447–450
  - displacements, 442
  - non-shallow slender, 443
  - shallow slender, 443–447
- definition, 93
- deflection, computation, 95–97
- diagonal pattern reversed, 102
- matrix equations, 137
- procedure, 93
- truss applications, 103

## W

Whitman, R.V., 530

## Wind load

- pressure
  - distribution, 17–19
  - profiles, 19–22
  - vortex shedding, 22
- velocity distribution, 19, 20

## Wind pressure

- distribution, 17–19
- profiles
  - Bernoulli's equation, 19
  - stagnation and design pressure, 20
- vortex shedding, 22

Wind speed, 19, 20

Wind velocity, 19

## Y

## Yielding

- bending envelopes, 901
- concrete, 1013
- elastic limit, 1015
- factor loads, 516
- necking, 1013
- steel, 1013, 1014
- yield strain, 11, 1013

## Yielding support, beam

- axial force, 583–584
- deflection, 578–579
- external concentrated loading, 580
- force redundant and displacement profiles, 577, 579
- force redundant system, primary structure, 580
- linear elastic behavior, 579
- supporting members, 577
- vertical restraint, 578