
Bibliography

- [1] A. Abdul-Rahman and S. Hailes. Supporting trust in virtual communities. *Proceedings of the 33rd Annual Hawaii International Conference on System Sciences*, pp. 1769–1777, 2000.
- [2] G. Abowd, C. Atkeson, J. Hong, S. Long, R. Kooper, and M. Pinkerton. Cyberguide: A mobile context-aware tour guide. *Wireless Networks*, 3(5), pp. 421–433, 1997.
- [3] G. Abowd, A. Dey, P. Brown, N. Davies, M. Smith, and P. Steggles. Towards a better understanding of context and context-awareness. *Handheld and Ubiquitous Computing*, pp. 304–307, 1999.
- [4] P. Adamopoulos, A. Bellogin, P. Castells, P. Cremonesi, and H. Steck. REDD 2014 – International Workshop on Recommender Systems Evaluation: Dimensions and Design. Held in conjunction with *ACM Conference on Recommender systems*, 2014.
- [5] G. Adomavicius, and A. Tuzhilin. Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. *IEEE Transactions on Knowledge and Data Engineering*, 17(6), pp. 734–749, 2005.
- [6] G. Adomavicius, R. Sankaranarayanan, S. Sen, and A. Tuzhilin. Incorporating contextual information in recommender systems using a multidimensional approach. *ACM Transactions on Information Systems*, 23(1), pp. 103–145, 2005.
- [7] G. Adomavicius and A. Tuzhilin. Context-aware recommender systems. *Recommender Systems handbook*, pp. 217–253, Springer, NY, 2011.
- [8] G. Adomavicius and A. Tuzhilin. Incorporating context into recommender systems using multidimensional rating estimation methods. *International Workshop on Web Personalization, Recommender Systems and Intelligent User Interfaces (WPRSIUI)*, 2005.
- [9] G. Adomavicius and A. Tuzhilin. Multidimensional recommender systems: a data warehousing approach. *International Workshop on Electronic Commerce. Lecture Notes in Computer Science*, Springer, Vol. 2232, pp. 180–192, 2001.

- [10] G. Adomavicius, A. Tuzhilin, and R. Zheng. REQUEST: A query language for customizing recommendations. *Information Systems Research*, 22(1), pp. 99–117, 2011.
- [11] G. Adomavicius, N. Manouselis, and Y. Kwon. Multi-criteria recommender systems. *Recommender Systems Handbook*, Springer, pp. 769–803, 2011.
- [12] G. Adomavicius and Y. Kwon. New recommendation techniques for multicriteria rating systems. *IEEE Intelligent Systems*, 22(3), pp. 48–55, 2007.
- [13] D. Agarwal, and B. Chen. Regression-based latent factor models. *ACM KDD Conference*, pp. 19–28. 2009.
- [14] D. Agarwal, B.-C. Chen, and B. Long. Localized factor models for multi-context recommendation. *ACM KDD Conference*, pp. 609–617, 2011.
- [15] S. Agarwal. Ranking methods in machine learning. Tutorial at *SIAM Conference on Data Mining*, 2010. Slides available at: <http://www.siam.org/meetings/sdm10/tutorial1.pdf>
- [16] E. Agichtein, C. Castillo, D. Donato, A. Gionis, and G. Mishne. Finding high-quality content in social media. *Web Search and Data Mining Conference*, pp. 183–194, 2008.
- [17] C. Aggarwal. Social network data analytics. *Springer*, New York, 2011.
- [18] C. Aggarwal. Data classification: algorithms and applications. *CRC Press*, 2014.
- [19] C. Aggarwal. Data clustering: algorithms and applications. *CRC Press*, 2014.
- [20] C. Aggarwal and P. Yu. Privacy-preserving data mining: models and algorithms, *Springer*, 2008.
- [21] C. Aggarwal and C. Zhai. A survey of text classification algorithms. *Mining Text Data*, Springer, 2012.
- [22] C. Aggarwal. Data mining: the textbook. *Springer*, New York, 2015.
- [23] C. Aggarwal and J. Han. Frequent pattern mining. *Springer*, New York, 2014.
- [24] C. Aggarwal and S. Parthasarathy. Mining massively incomplete data sets by conceptual reconstruction. *ACM KDD Conference*, pp. 227–232, 2001.
- [25] C. Aggarwal, C. Procopiuc, and P. S. Yu. Finding localized associations in market basket data. *IEEE Transactions on Knowledge and Data Engineering*, 14(1), pp. 51–62, 2001.
- [26] C. Aggarwal and T. Abdelzaher. Social sensing. *Managing and Mining Sensor Data*, Springer, New York, 2013.
- [27] C. Aggarwal and P. Yu. On static and dynamic methods for condensation-based privacy-preserving data mining. *ACM Transactions on Database Systems (TODS)*, 33(1), 2, 2008.
- [28] C. Aggarwal, J. Wolf, and P. Yu. A framework for the optimizing of WWW advertising. *Trends in Distributed Systems for Electronic Commerce*, pp. 1–10, 1998.

- [29] C. Aggarwal, S. Gates, and P. Yu. On using partial supervision for text categorization. *IEEE Transactions on Knowledge and Data Engineering*, 16(2), pp. 245–255, 2004.
- [30] C. Aggarwal. On k -anonymity and the curse of dimensionality, *Very Large Databases Conference*, pp. 901–909, 2005.
- [31] C. Aggarwal, Z. Sun, and P. Yu. Online generation of profile association rules. *ACM KDD Conference*, pp. 129–133, 1998.
- [32] C. Aggarwal, Z. Sun, and P. Yu. Online algorithms for finding profile association rules, *CIKM Conference*, pp. 86–95, 1998.
- [33] C. Aggarwal, J. Wolf, K.-L. Wu, and P. Yu. Horting hatches an egg: a new graph-theoretic approach to collaborative filtering. *ACM KDD Conference*, pp. 201–212, 1999.
- [34] C. Aggarwal and P. Yu. An automated system for Web portal personalization. *Very Large Data Bases Conference*, pp. 1031–1040, 2002.
- [35] D. Agrawal and C. Aggarwal. On the design and quantification of privacy-preserving data mining algorithms. *ACM PODS Conference*, pp. 247–255, 2001.
- [36] C. Aggarwal, Y. Xie, and P. Yu. On dynamic link inference in heterogeneous networks. *SIAM Conference on Data Mining*, pp. 415–426, 2012.
- [37] R. Agrawal and R. Srikant. Mining sequential patterns. *International Conference on Data Engineering*, pp. 3–14, 1995.
- [38] R. Agrawal, and R. Srikant. Privacy-preserving data mining. *ACM SIGMOD Conference*, pp. 439–450, 2000.
- [39] R. Agrawal, R. Rantzaou, and E. Terzi. Context-sensitive ranking. *ACM SIGMOD Conference*, pp. 383–394, 2006.
- [40] H. Ahn, K. Kim, and I. Han. Mobile advertisement recommender system using collaborative filtering: MAR-CF. *Proceedings of the 2006 Conference of the Korea Society of Management Information Systems*, 2006.
- [41] J. Ahn, P. Brusilovsky, J. Grady, D. He, and S. Syn. Open user profiles for adaptive news systems: help or harm? *World Wide Web Conference*, pp. 11–20, 2007.
- [42] M. Al Hasan, and M. J. Zaki. A survey of link prediction in social networks. *Social network data analytics*, Springer, pp. 243–275, 2011.
- [43] G. K. Al Mamunur Rashid, G. Karypis, and J. Riedl. Influence in ratings-based recommender systems: An algorithm-independent approach. *SIAM Conference on Data Mining*, 2005.
- [44] X. Amatriain, J. Pujol, N. Tintarev, and N. Oliver. Rate it again: increasing recommendation accuracy by user re-rating. *ACM Conference on Recommender Systems*, pp. 173–180, 2009.
- [45] S. Amer-Yahia, S. Roy, A. Chawlat, G. Das, and C. Yu. (2009). Group recommendation: semantics and efficiency. *Proceedings of the VLDB Endowment*, 2(1), pp. 754–765, 2009.

- [46] S. Anand and B. Mobasher. Intelligent techniques for Web personalization. Lectures Notes in Computer Science, Vol. 3169, pp. 1–36, Springer, 2005.
- [47] S. Anand and B. Mobasher. Contextual recommendation, *Lecture Notes in Artificial Intelligence*, Springer, 4737, pp. 142–160, 2007.
- [48] R. Andersen, C. Borgs, J. Chayes, U. Feige, A. Flaxman, A. Kalai, V. Mirrokni, and M. Tennenholtz. Trust-based recommendation systems: An axiomatic approach. *World Wide Web Conference*, pp. 199–208, 2008.
- [49] C. Anderson. The long tail: why the future of business is selling less of more. *Hyperion*, 2006.
- [50] A. Ansari, S. Essegaiar, and R. Kohli. Internet recommendation systems. *Journal of Marketing Research*, 37(3), pp. 363–375, 2000.
- [51] F. Aioli. Efficient top- n recommendation for very large scale binary rated datasets. *ACM conference on Recommender Systems*, pp. 273–280, 2013.
- [52] L. Ardissono, A. Goy, G. Petrone, M. Segnan, and P. Torasso. INTRIGUE: personalized recommendation of tourist attractions for desktop and hand-held devices. *Applied Artificial Intelligence*, 17(8), pp. 687–714, 2003.
- [53] W. G. Aref and H. Samet. Efficient processing of window queries in the pyramid data structure. *ACM PODS Conference*, pp. 265–272, 1990.
- [54] D. Ashbrook and T. Starner. Using GPS to learn significant locations and predict movement across multiple users. *Personal and Ubiquitous Computing*, 7(5), pp. 275–286, 2003.
- [55] F. Asnicar and C. Tasso. IfWeb: a prototype of user model-based intelligent agent for document filtering and navigation in the world wide web. *International Conference on User Modeling*, pp. 3–12, 1997.
- [56] A. Azran. The rendezvous algorithm: Multiclass semi-supervised learning with markov random walks. *International Conference on Machine Learning*, pp. 49–56, 2007.
- [57] R. Baeza-Yates, C. Hurtado, and M. Mendoza. Query recommendation using query logs in search engines. *EDBT 2004 Workshops on Current Trends in Database Technology*, pp. 588–596, 2004.
- [58] R. Battiti. Accelerated backpropagation learning: Two optimization methods. *Complex Systems*, 3(4), pp. 331–342, 1989.
- [59] S. Balakrishnan and S. Chopra. Collaborative ranking. *Web Search and Data Mining Conference*, pp. 143–152, 2012.
- [60] M. Balabanovic, and Y. Shoham. Fab: content-based, collaborative recommendation. *Communications of the ACM*, 40(3), pp. 66–72, 1997.
- [61] L. Baltrunas and X. Amatriain. Towards time-dependant recommendation based on implicit feedback. *RecSys Workshop on Context-Aware Recommender Systems*, 2009.
- [62] L. Baltrunas and F. Ricci. Context-dependant items generation in collaborative filtering. *RecSys Workshop on Context-Aware Recommender Systems*, 2009.

- [63] L. Baltrunas, B. Ludwig, and F. Ricci. Matrix factorization techniques for context aware recommendation. *ACM Conference on Recommender systems*, pp. 301–304, 2011.
- [64] J. Bao, Y. Zheng, and M. Mokbel. Location-based and preference-aware recommendation using sparse geo-social networking data. *International Conference on Advances in Geographic Information Systems*, pp. 199–208, 2012.
- [65] X. Bao. Applying machine learning for prediction, recommendation, and integration. *Ph.D dissertation*, Oregon State University, 2009. http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/12549/Dissertation_XinlongBao.pdf?sequence=1
- [66] X. Bao, L. Bergman, and R. Thompson. Stacking recommendation engines with additional meta-features. *ACM Conference on Recommender Systems*, pp. 109–116, 2009.
- [67] A. Bar, L. Rokach, G. Shani, B. Shapira, and A. Schclar. Boosting simple collaborative filtering models using ensemble methods. *Arxiv Preprint*, arXiv:1211.2891, 2012. Also appears in *Multiple Classifier Systems*, Springer, pp. 1–12, 2013. <http://arxiv.org/ftp/arxiv/papers/1211/1211.2891.pdf>
- [68] J. Basilico, and T. Hofmann. Unifying collaborative and content-based filtering. *International Conference on Machine Learning*, 2004.
- [69] C. Basu, H. Hirsh, and W. Cohen. Recommendation as classification: using social and content-based information in recommendation. *AAAI*, pp. 714–720, 1998.
- [70] G. Begelman, P. Keller, and F. Smadja. Automated tag clustering: Improving search and exploration in the tag space. *Collaborative Web Tagging Workshop (colocated with WWW Conference)*, pp. 15–23, 2006.
- [71] R. Bell, Y. Koren, and C. Volinsky. Modeling relationships at multiple scales to improve accuracy of large recommender systems. *ACM KDD Conference*, pp. 95–104, 2007.
- [72] R. Bell and Y. Koren. Scalable collaborative filtering with jointly derived neighborhood interpolation weights. *IEEE International Conference on Data Mining*, pp. 43–52, 2007.
- [73] R. Bell and Y. Koren. Lessons from the Netflix prize challenge. *ACM SIGKDD Explorations Newsletter*, 9(2), pp. 75–79, 2007.
- [74] R. Bergmann, M. Richter, S. Schmitt, A. Stahl, and I. Vollrath. Utility-oriented matching: a new research direction for case-based reasoning. *German Workshop on Case-Based Reasoning*, pp. 264–274, 2001.
- [75] S. Berkovsky, Y. Eytani, T. Kuflik, and F. Ricci. Enhancing privacy and preserving accuracy of a distributed collaborative filtering. *ACM Conference on Recommender Systems*, pp. 9–16, 2007.
- [76] D. P. Bertsekas. Nonlinear programming. *Athena Scientific Publishers*, Belmont, 1999.
- [77] S. Bhagat, G. Cormode, and S. Muthukrishnan. Node classification in social networks. *Social Network Data Analytics*, Springer, pp. 115–148. 2011.

- [78] R. Bhaumik, C. Williams, B. Mobasher, and R. Burke. Securing collaborative filtering against malicious attacks through anomaly detection. *Workshop on Intelligent Techniques for Web Personalization (ITWP)*, 2006.
- [79] R. Bhaumik, R. Burke, and B. Mobasher. Crawling Attacks Against Web-based Recommender Systems. *International Conference on Data Mining (DMIN)*, pp. 183–189, 2007.
- [80] B. Bi, Y. Tian, Y. Sismanis, A. Balmin, and J. Cho. Scalable topic-specific influence analysis on microblogs. *Web Search and Data Mining Conference*, pp. 513–522, 2014.
- [81] J. Bian, Y. Liu, D. Zhou, E. Agichtein, and H. Zha. Learning to recognize reliable users and content in social media with coupled mutual reinforcement. *World Wide Web Conference*, pp. 51–60, 2009.
- [82] D. Billsus and M. Pazzani. Learning collaborative information filters. *ICML Conference*, pp. 46–54, 1998.
- [83] D. Billsus and M. Pazzani. Learning probabilistic user models. *International Conference on User Modeling, Workshop on Machine Learning for User Modeling*, 1997.
- [84] D. Billsus and M. Pazzani. A hybrid user model for news story classification. *International Conference on User Modeling*, 1999.
- [85] D. Billsus and M. Pazzani. User modeling for adaptive news access. *User Modeling and User-Adapted Interaction*, 10(2–3), pp. 147–180, 2000.
- [86] C. M. Bishop. Pattern recognition and machine learning. *Springer*, 2007.
- [87] C. M. Bishop. Neural networks for pattern recognition. *Oxford University Press*, 1995.
- [88] J. Bobadilla, F. Ortega, A. Hernando, and A. Gutierrez. Recommender systems survey. *Knowledge-Based Systems*, 46, pp. 109–132, 2013.
- [89] F. Bohnert, I. Zukerman, S. Berkovsky, T. Baldwin, and L. Sonenberg. Using interest and transition models to predict visitor locations in museums. *AI Communications*, 2(2), pp. 195–202, 2008.
- [90] P. Boldi, F. Bonchi, C. Castillo, D. Donato, A. Gionis, and S. Vigna. The query-flow graph: model and applications. *ACM Conference on Information and Knowledge Management*, pp. 609–618, 2008.
- [91] K. Bollacker, S. Lawrence, and C. L. Giles. CiteSeer: An autonomous web agent for automatic retrieval and identification of interesting publications. *International Conference on Autonomous Agents*, pp. 116–123, 1998.
- [92] B. Bouneffouf, A. Bouzeghoub, and A. Gancarski. A contextual-bandit algorithm for mobile context-aware recommender system. *Neural Information Processing*, pp. 324–331, 2012.
- [93] G. Box, W. Hunter, and J. Hunter. Statistics for experimenters, *Wiley*, New York, 1978.
- [94] K. Bradley and B. Smyth. Improving recommendation diversity. *National Conference in Artificial Intelligence and Cognitive Science*, pp. 75–84, 2001.

- [95] K. Bradley, R. Rafter, and B. Smyth. Case-based user profiling for content personalization. *International Conference on Adaptive Hypermedia and Adaptive Web-Based Systems*, pp. 62–72, 2000.
- [96] M. Brand. Fast online SVD revisions for lightweight recommender systems. *SIAM Conference on Data Mining*, pp. 37–46, 2003.
- [97] L. Branting. Acquiring customer preferences from return-set selections. *Case-Based Reasoning Research and Development*, pp. 59–73, 2001.
- [98] J. Breese, D. Heckerman, and C. Kadie. Empirical analysis of predictive algorithms for collaborative filtering. *Conference on Uncertainty in Artificial Intelligence*, 1998.
- [99] L. Breiman. Bagging predictors. *Machine Learning*, 24(2), pp. 123–140, 1996.
- [100] A. Brenner, B. Pradel, N. Usunier, and P. Gallinari. Predicting most rated items in weekly recommendation with temporal regression. *Workshop on Context-Aware Movie Recommendation*, pp. 24–27, 2010.
- [101] D. Bridge. Diverse product recommendations using an expressive language for case retrieval. *European Conference on Case-Based Reasoning*, pp. 43–57. 2002.
- [102] D. Bridge, M. Goker, L. McGinty, and B. Smyth. Case-based recommender systems. *The Knowledge Engineering Review*, 20(3), pp. 315–320, 2005.
- [103] A. Brun, S. Castagnos, and A. Boyer. Social recommendations: mentor and leader detection to alleviate the cold-start problem in collaborative filtering. *Social Network Mining, Analysis, and Research Trends: Techniques and Applications: Techniques and Applications*, 270, 2011.
- [104] S. Brin, and L. Page. The anatomy of a large-scale hypertextual web search engine. *Computer Networks*, 30(1–7), pp. 107–117, 1998.
- [105] A. Broder, M. Fontoura, V. Josifovski, and L. Riedel. A semantic approach to contextual advertising. *SIGIR Conference*, pp. 559–566, 2007.
- [106] A. Broder. Computational advertising and recommender systems. *ACM Conference on Recommender Systems*, pp. 1–2, 2008.
- [107] A. Broder and V. Josifovski. Introduction to Computational Advertising. *Course Material*, Stanford University, 2010. <http://www.stanford.edu/class/msande239/>
- [108] M. Brunato and R. Battiti. PILGRIM: A location broker and mobility-aware recommendation system. *International Conference on Pervasive Computing and Communications*, pp. 265–272, 2003.
- [109] P. Brusilovsky, A. Kobsa, and W. Nejdl. The adaptive web: methods and strategies of web personalization, *Lecture Notes in Computer Science*, Vol. 4321, Springer, 2007.
- [110] K. Bryan, M. O’Mahony, and P. Cunningham. Unsupervised retrieval of attack profiles in collaborative recommender systems. *ACM Conference on Recommender Systems*, pp. 155–162, 2008.
- [111] P. Buhlmann. Bagging, subbagging and bragging for improving some prediction algorithms, *Recent advances and trends in nonparametric statistics*, Elsevier, 2003.

- [112] P. Buhlmann and B. Yu. Analyzing bagging. *Annals of statistics*, 20(4), pp. 927–961, 2002.
- [113] L. Breiman. Bagging predictors. *Machine learning*, 24(2), pp. 123–140, 1996.
- [114] C. Burges. A tutorial on support vector machines for pattern recognition. *Data mining and knowledge discovery*, 2(2), pp. 121–167, 1998.
- [115] C. Burges, T. Shaked, E. Renshaw, A. Lazier, M. Deeds, N. Hamilton, and G. Hullender. Learning to rank using gradient descent. *International Conference on Machine Learning*, pp. 89–96, 2005.
- [116] R. Burke. Knowledge-based recommender systems. *Encyclopedia of library and information systems*, pp. 175–186, 2000.
- [117] R. Burke. Hybrid recommender systems: Survey and experiments. *User Modeling and User-adapted Interaction*, 12(4), pp. 331–370, 2002.
- [118] R. Burke. Hybrid Web recommender systems. *The adaptive Web*, pp. 377–406, Springer, 2007.
- [119] R. Burke, M. O’Mahony, and N. Hurley. Robust collaborative recommendation. *Recommender Systems Handbook*, Springer, pp. 805–835, 2011.
- [120] R. Burke, K. Hammond, and B. Young. Knowledge-based navigation of complex information spaces. *National Conference on Artificial Intelligence*, pp. 462–468, 1996.
- [121] R. Burke, K. Hammond, and B. Young. The FindMe approach to assisted browsing. *IEEE Expert*, 12(4), pp. 32–40, 1997.
- [122] R. Burke, B. Mobasher, R. Zabicki, and R. Bhaumik. Identifying attack models for secure recommendation. *Beyond Personalization: A Workshop on the Next Generation of Recommender Systems*, 2005.
- [123] R. Burke, B. Mobasher, and R. Bhaumik. Limited knowledge shilling attacks in collaborative filtering systems. *IJCAI Workshop in Intelligent Techniques for Personalization*, 2005.
- [124] R. Burke, B. Mobasher, C. Williams, and R. Bhaumik. Classification features for attack detection in collaborative recommender systems. *ACM KDD Conference*, pp. 542–547, 2006.
- [125] R. Burke. The Wasabi personal shopper: a case-based recommender system. *National Conference on Innovative Applications of Artificial Intelligence*, pp. 844–849, 1999.
- [126] D. Cai, S. Yu, J. Wen, and W. Y. Ma. Extracting content structure for web pages based on visual representation. *Web Technologies and Applications*, pp. 406–417, 2003.
- [127] J. Cai, E. Candes, and Z. Shen. A singular value thresholding algorithm for matrix completion. *SIAM Journal on Optimization*, 20(4), 1956–1982, 2010.
- [128] Z. Cao, T. Qin, T. Liu, M. F. Tsai, and H. Li. Learning to rank: from pairwise approach to listwise approach. *International Conference on Machine Learning*, pp. 129–137, 2007.

- [129] L. M. de Campos, J. Fernandez-Luna, J. Huete, and M. Rueda-Morales. Combining content-based and collaborative recommendations: A hybrid approach based on Bayesian networks. *International Journal of Approximate Reasoning*, 51(7), pp. 785–799, 2010.
- [130] P. Campos, F. Diez, and I. Cantador. Time-aware recommender systems: a comprehensive survey and analysis of existing evaluation protocols. *User Modeling and User-Adapted Interaction*, 24(1–2), pp. 67–119, 2014.
- [131] P. Campos, A. Bellogin, F. Diez, and J. Chavarriaga. Simple time-biased KNN-based recommendations. *Workshop on Context-Aware Movie Recommendation*, pp. 20–23, 2010.
- [132] E. Candes, X. Li, Y. Ma, and J. Wright. Robust principal component analysis?. *Journal of the ACM (JACM)*, 58(3), 11, 2011.
- [133] J. Canny. Collaborative filtering with privacy via factor analysis. *ACM SIGR Conference*, pp. 238–245, 2002.
- [134] I. Cantador and P. Castells. Semantic contextualisation in a news recommender system. *Workshop on Context-Aware Recommender Systems*, 2009.
- [135] I. Cantador, A. Bellogin, and D. Vallet. Content-based recommendation in social tagging systems. *ACM Conference on Recommender Systems*, pp. 237–240, 2010.
- [136] H. Cao, E. Chen, J. Yang, and H. Xiong. Enhancing recommender systems under volatile user interest drifts. *ACM Conference on Information and Knowledge Management*, pp. 1257–1266, 2009.
- [137] H. Cao, D. Jiang, J. Pei, Q. He, Z. Liao, E. Chen, and H. Li. Context-aware query suggestion by mining click-through and session data. *ACM KDD Conference*, pp. 875–883, 2008.
- [138] O. Celma, M. Ramirez, and P. Herrera. Foafing the music: A music recommendation system based on RSS feeds and user preferences. *International Conference on Music Information Retrieval*, pp. 464–467, 2005.
- [139] O. Celma, and X. Serra. FOAFing the music: Bridging the semantic gap in music recommendation. *Web Semantics: Science, Services and Agents on the World Wide Web*, 6(4), pp. 250–256, 2008.
- [140] O. Celma and P. Herrera. A new approach to evaluating novel recommendations. *ACM Conference on Recommender Systems*, pp. 179–186, 2008.
- [141] T. Chai and R. Draxler. Root mean square error (RMSE) or mean absolute error (MAE)?– Arguments against avoiding RMSE in the literature. *Geoscientific Model Development*, 7(3), pp. 1247–1250, 2004. ,
- [142] D. Chakrabarti, D. Agarwal, and V. Josifovski. Contextual advertising by combining relevance with click feedback. *World Wide Web Conference*, 2008.
- [143] S. Chakrabarti, B. Dom, and P. Indyk. Enhanced hypertext categorization using hyperlinks. *ACM SIGMOD Conference*, pp. 307–318, 1998.

- [144] S. Chakrabarti. Mining the Web: Discovering knowledge from hypertext data. *Morgan Kaufmann*, 2003.
- [145] S. Chaudhuri and U. Dayal. An overview of data warehousing and OLAP technology. *ACM SIGMOD Record*, 26(1), pp. 65–74, 1997.
- [146] S. Chee, J. Han, and K. Wang. Rectree: An efficient collaborative filtering method. *Data Warehousing and Knowledge Discovery*, pp. 141–151, 2001.
- [147] G. Chen and D. Kotz. A survey of context-aware mobile computing research. *Technical Report TR2000-381*, Department of Computer Science, Dartmouth College, 2000.
- [148] L. Chen and P. Pu. Survey of preference elicitation methods *EPFL-REPORT-52659*, 2004. http://hci.epfl.ch/wp-content/uploads/publications/2004/IC_TECH_REPORT_200467.pdf
- [149] L. Chen and P. Pu. Critiquing-based recommenders: survey and emerging trends. *User Modeling and User-Adapted Interaction*, 22(1–2), pp. 125–150, 2012.
- [150] L. Chen, and K. Sycara. WebMate: a personal agent for browsing and searching. *International conference on Autonomous agents*, pp. 9–13, 1998.
- [151] T. Chen, Z. Zheng, Q. Lu, W. Zhang, and Y. Yu. Feature-based matrix factorization. *arXiv preprint arXiv:1109.2271*, 2011.
- [152] W. Chen, Y. Wang, and S. Yang. Efficient influence maximization in social networks. *ACM KDD Conference*, pp. 199–208, 2009.
- [153] W. Chen, C. Wang, and Y. Wang. Scalable influence maximization for prevalent viral marketing in large-scale social networks. *ACM KDD Conference*, pp. 1029–1038, 2010.
- [154] W. Chen, Y. Yuan, and L. Zhang. Scalable influence maximization in social networks under the linear threshold model. *IEEE International Conference on Data Mining*, pp. 88–97, 2010.
- [155] Y. Chen, I. Hsu, and C. Lin. Website attributes that increase consumer purchase intention: a conjoint analysis. *Journal of Business Research*, 63(9), pp. 1007–1014, 2010.
- [156] K. Cheverst, N. Davies, K. Mitchell, A. Friday, and C. Efstratiou. Developing a context-aware electronic tourist guide: some issues and experiences. *ACM SIGCHI Conference on Human Factors in Computing Systems*, pp. 17–24, 2000.
- [157] K. Y. Chiang, C. J. Hsieh, N. Natarajan, I. S., Dhillon, and A. Tewari. Prediction and clustering in signed networks: a local to global perspective. *The Journal of Machine Learning Research*, 15(1), pp. 1177–1213, 2014.
- [158] P. Chirita, W. Nejdl, and C. Zamfir. Preventing shilling attacks in online recommender systems. *ACM International Workshop on Web Information and Data Management*, pp. 67–74, 2005.
- [159] E. Christakopoulou and G. Karypis. HOSLIM: Higher-order sparse linear method for top-n recommender systems. *Advances in Knowledge Discovery and Data Mining*, pp. 38–49, 2014.

- [160] W. Chu, L. Li, L. Reyzin, and R. Schapire. Contextual bandits with linear payoff functions. *AISTATS Conference*, pp. 208–214, 2011.
- [161] A. Cichocki and R. Zdunek. Regularized alternating least squares algorithms for non-negative matrix/tensor factorization. *International Symposium on Neural Networks*, pp. 793–802. 2007.
- [162] M. Claypool, A. Gokhale, T. Miranda, P. Murnikov, D. Netes, and M. Sartin. Combining content-based and collaborative filters in an online newspaper. *Proceedings of the ACM SIGIR Workshop on Recommender Systems: Algorithms and Evaluation*, 1999.
- [163] W. Cohen, R. Schapire and Y. Singer. Learning to order things. *Advances in Neural Information Processing Systems*, pp. 451–457, 2007.
- [164] W. Cohen. Learning rules that classify e-mail. *AAAI symposium on machine learning in information access*. pp. 18–25, 1996.
- [165] W. Cohen. Fast effective rule induction. *ICML Conference*, pp. 115–123, 1995.
- [166] M. Condliff, D. Lewis, D. Madigan, and C. Posse. Bayesian mixed-effects models for recommender systems. *ACM SIGIR Workshop on Recommender Systems: Algorithms and Evaluation*, pp. 23–30, 1999.
- [167] M. O’Connor and J. Herlocker. Clustering items for collaborative filtering. *Proceedings of the ACM SIGIR workshop on recommender systems*, Vol 128. 1999.
- [168] M. O’Connor, D. Cosley, J. Konstan, and J. Riedl. PolyLens: a recommender system for groups of users. *European Conference on Computer Supported Cooperative Work*, pp. 199–218, 2001.
- [169] R. Cooley, B. Mobasher, and J. Srivastava. Data preparation for mining World Wide Web browsing patterns. *Knowledge and Information Systems*, 1(1), pp. 5–32, 1999.
- [170] L. Coyle and P. Cunningham. Improving recommendation ranking by learning personal feature weights. *European Conference on Case-Based Reasoning*, Springer, pp. 560–572, 2004.
- [171] H. Cramer, V. Evers, S. Ramlal, M. Someren, L. Rutledge, N. Stash, L. Aroyo, and B. Wielinga. The effects of transparency on trust in and acceptance of a content-based art recommender. *User Modeling and User-Adapted Interaction*, 18(5), pp. 455–496, 2008.
- [172] D. Crandall, D. Cosley, D. Huttenlocher, J. Kleinberg, and S. Suri. Feedback effects between similarity and social influence in online communities. *ACM KDD Conference*, pp. 160–168, 2008.
- [173] P. Cremonesi, Y. Koren, and R. Turrin. Performance of recommender algorithms on top- n recommendation tasks. *RecSys*, pp. 39–46, 2010.
- [174] A. Csomai and R. Mihalcea. Linking documents to encyclopedic knowledge. *IEEE Intelligent Systems*, 23(5), pp. 34–41, 2008.
- [175] A. Das, M. Datar, A. Garg, and S. Rajaram. Google news personalization: scalable online collaborative filtering. *World Wide Web Conference*, pp. 271–280, 2007.

- [176] P. Domingos and M. Richardson. Mining the network value of customers. *ACM KDD Conference*, pp. 57–66, 2001.
- [177] B. De Carolis, I. Mazzotta, N. Novielli, and V. Silvestri. Using common sense in providing personalized recommendations in the tourism domain. *Workshop on Context-Aware Recommender Systems*, 2009.
- [178] M. De Gemmis, P. Lops, and G. Semeraro. A content-collaborative recommender that exploits WordNet-based user profiles for neighborhood formation. *User Modeling and User-Adapted Interaction*, 17(3), pp. 217–255, 2007.
- [179] M. De Gemmis, P. Lops, G. Semeraro and P. Basile. Integrating tags in a semantic content-based recommender. *Proceedings of the ACM Conference on Recommender Systems*, pp. 163–170, 2008.
- [180] D. DeCoste. Collaborative prediction using ensembles of maximum margin matrix factorizations. *International Conference on Machine Learning*, pp. 249–256, 2006.
- [181] M. Deshpande and G. Karypis. Item-based top- n recommendation algorithms. *ACM Transactions on Information Systems (TOIS)*, 22(1), pp. 143–177, 2004.
- [182] M. Deshpande and G. Karypis. Selective Markov models for predicting Web page accesses. *ACM Transactions on Internet Technology (TOIT)*, 4(2), pp. 163–184, 2004.
- [183] C. Desrosiers and G. Karypis. A comprehensive survey of neighborhood-based recommendation methods. *Recommender Systems Handbook*, pp. 107–144, 2011.
- [184] R. Devooght, N. Kourtellis, and A. Mantrach. Dynamic matrix factorization with priors on unknown values. *ACM KDD Conference*, 2015.
- [185] Y. Ding and X. Li. Time weight collaborative filtering. *ACM International Conference on Information and Knowledge Management*, pp. 485–492, 2005.
- [186] Y. Ding, X. Li, and M. Orlowska. Recency-based collaborative filtering. *Australasian Database Conference*, pp. 99–107, 2009.
- [187] J. O’Donovan and B. Smyth. Trust in recommender systems. *International Conference on Intelligent User Interfaces*, pp. 167–174, 2005.
- [188] P. Dourish, What we talk about when we talk about context. *Personal and ubiquitous computing*, 8(1), pp. 19–30, 2004.
- [189] C. Dwork. Differential privacy. *Encyclopedia of Cryptography and Security*, Springer, pp. 338–340, 2011.
- [190] C. Dwork, R. Kumar, M. Naor, and D. Sivakumar. Rank aggregation methods for the web. *World Wide Web Conference*, pp. 613–622, 2010.
- [191] D. Eck, P. Lamere, T. Bertin-Mahieux, and S. Green. Automatic generation of social tags for music recommendation. *Advances in Neural Information Processing Systems*, pp. 385–392, 2008.
- [192] M. Elahi, V. Repsys, and F. Ricci. Rating elicitation strategies for collaborative filtering. *E-Commerce and Web Technologies*, pp. 160–171, 2011.

- [193] M. Elahi, F. Ricci, and N. Rubens. Active learning strategies for rating elicitation in collaborative filtering: a system-wide perspective. *ACM Transactions on Intelligent Systems and Technology (TIST)*, 5(1), 13, 2013.
- [194] M. Elahi, M. Braunhofer, F. Ricci, and M. Tkalcic. Personality-based active learning for collaborative filtering recommender systems. *Advances in Artificial Intelligence*, pp. 360–371, 2013.
- [195] T. Fawcett. ROC Graphs: Notes and Practical Considerations for Researchers. *Technical Report HPL-2003-4*, Palo Alto, CA, HP Laboratories, 2003.
- [196] A. Felfernig and R. Burke. Constraint-based recommender systems: technologies and research issues. *International conference on Electronic Commerce*, 2008. (p.
- [197] A. Felfernig, G. Friedrich, D. Jannach, and M. Zanker. Developing constraint-based recommenders. *Recommender Systems Handbook*, Springer, pp. 187–216, 2011.
- [198] A. Felfernig, G. Friedrich, D. Jannach, and M. Stumptner. Consistency-based diagnosis of configuration knowledge bases. *Artificial Intelligence*, 152(2), 213–234, 2004.
- [199] A. Felfernig, G. Friedrich, M. Schubert, M. Mandl, M. Mairitsch, and E. Teppan. Plausible repairs for inconsistent requirements. *IJCAI Conference*, pp. 791–796, 2009.
- [200] A. Felfernig, E. Teppan, E., and B. Gula. Knowledge-based recommender technologies for marketing and sales. *International Journal of Pattern Recognition and Artificial Intelligence*, 21(02), pp. 333–354, 2007.
- [201] A. Felfernig, K. Isak, K. Szabo, and P. Zachar. The VITA financial services sales support environment. *National conference on artificial intelligence*, 22(2), pp. 1692–1699, 2007.
- [202] R. A. Finkel and J. L. Bentley. Quad trees: A data structure for retrieval on composite keys. *Acta Informatica*, 4, pp. 1–9, 1974.
- [203] D. M. Fleder and K. Hosanagar. Recommender systems and their impact on sales diversity. *ACM Conference on Electronic Commerce*, pp. 192–199, 2007.
- [204] F. Fouss, A. Pirotte, J. Renders, and M. Saerens. Random-walk computation of similarities between nodes of a graph with application to collaborative recommendation. *IEEE Transactions on Knowledge and Data Engineering*, 19(3), pp. 355–369, 2007.
- [205] F. Fouss, L. Yen, A. Pirotte, and M. Saerens. An experimental investigation of graph kernels on a collaborative recommendation task. *IEEE International Conference on Data Mining (ICDM)*, pp. 863–868, 2006.
- [206] Y. Freund, and R. Schapire. A decision-theoretic generalization of online learning and application to boosting. *Computational Learning Theory*, pp. 23–37, 1995.
- [207] Y. Freund and R. Schapire. Experiments with a new boosting algorithm. *ICML Conference*, pp. 148–156, 1996.
- [208] X. Fu, J. Budzik, and K. J. Hammond. Mining navigation history for recommendation. *International Conference on Intelligent User Interfaces*, 2000.

- [209] S. Funk. Netflix update: Try this at home, 2006. <http://sifter.org/~simon/journal/20061211.html>
- [210] E. Gabrilovich and S. Markovitch. Computing semantic relatedness using wikipedia-based explicit semantic analysis. *IJCAI Conference*, pp. 1606–1611, 2007.
- [211] E. Gabrilovich, and S. Markovitch. Overcoming the brittleness bottleneck using Wikipedia: Enhancing text categorization with encyclopedic knowledge. *AAAI Conference*, pp. 1301–1306, 2006.
- [212] Z. Gantner, S. Rendle, and L. Schmidt-Thieme. Factorization models for context-/time-aware movie recommendations. *Workshop on Context-Aware Movie Recommendation*, pp. 14–19, 2010.
- [213] A. Garcia-Crespo, J. Chamizo, I. Rivera, M. Mencke, R. Colomo-Palacios, and J. M. Gomez-Berbis. SPETA: Social pervasive e-Tourism advisor. *Telematics and Informatics* 26(3), pp. 306–315. 2009.
- [214] M. Ge, C. Delgado-Battenfeld, and D. Jannach. Beyond accuracy: evaluating recommender systems by coverage and serendipity. *ACM Conference on Recommender Systems*, pp. 257–260, 2010.
- [215] J. Gemmell, A. Shepitsen, B. Mobasher, and R. Burke. Personalization in folksonomies based on tag clustering. *Workshop on Intelligent Techniques for Web Personalization and Recommender Systems*, 2008. <http://www.aaai.org/Papers/Workshops/2008/WS-08-06/WS08-06-005.pdf>
- [216] J. Gemmell, T. Schimoler, B. Mobasher, and R. Burke. Resource recommendation in social annotation systems: A linear-weighted hybrid approach. *Journal of Computer and System Sciences*, 78(4), pp. 1160–1174, 2012.
- [217] R. Gemulla, E. Nijkamp, P. Haas, and Y. Sismanis. Large-scale matrix factorization with distributed stochastic gradient descent. *ACM KDD Conference*, pp. 69–77, 2011.
- [218] M. Gery and H. Haddad. Evaluation of Web usage mining approaches for user’s next request prediction. *ACM international workshop on Web information and data management*, pp. 74–81, 2003.
- [219] L. Getoor and M. Sahami. Using probabilistic relational models for collaborative filtering. *Workshop on Web Usage Analysis and User Profiling*, 1999.
- [220] F. Girosi, M. Jones, and T. Poggio. Regularization theory and neural networks architectures. *Neural Computation*, 2(2), pp. 219–269, 1995.
- [221] J. Golbeck. Computing with social trust. *Springer*, 2008.
- [222] J. Golbeck. Computing and applying trust in Web-based social networks, *Ph.D. Thesis*, 2005.
- [223] J. Golbeck. Generating predictive movie recommendations from trust in social networks, *Lecture Notes in Computer Science*, Vol. 3986, pp. 93–104, 2006.
- [224] J. Golbeck. Trust and nuanced profile similarity in online social networks. *ACM Transactions on the Web (TWEB)*, 3(4), 12, 2009.

- [225] J. Golbeck and J. Hendler. Filmtrust: Movie recommendations using trust in Web-based social networks. *IEEE Consumer Communications and Networking Conference*, 96, pp. 282–286, 2006.
- [226] J. Golbeck and J. Hendler. Inferring binary trust relationships in Web-based social networks. *ACM Transactions on Internet Technology (TOIT)*, 6(4), pp. 497–529, 2006.
- [227] J. Golbeck and A. Mannes. Using Trust and Provenance for Content Filtering on the Semantic Web. *Models of Trust on the Web (WWW'06 Workshop)*, 2006.
- [228] K. Goldberg, T. Roeder, D. Gupta, and C. Perkins. Eigentaste: A constant time collaborative filtering algorithm. *Information Retrieval*, 4(2), pp. 133–151, 2001.
- [229] N. Good, J. Schafer, J. Konstan, A. Borchers, B. Sarwar, J. Herlocker, and J. Riedl. Combining collaborative filtering with personal agents for better recommendations. *National Conference on Artificial Intelligence (AAAI/IAAI)*, pp. 439–446, 1999.
- [230] S. Gordea and M. Zanker. Time filtering for better recommendations with small and sparse rating matrices. *International Conference on Web Information Systems Engineering*, pp. 171–183, 2007.
- [231] M. Gorgoglione and U. Panniello. Including context in a transactional recommender system using a pre-filtering approach: two real e-commerce applications. *International Conference on Advanced Information Networking and Applications Workshops*, pp. 667–672, 2009.
- [232] M. Gori and A. Pucci. Itemrank: a random-walk based scoring algorithm for recommender engines. *IJCAI Conference*, pp. 2766–2771, 2007.
- [233] A. Goyal, F. Bonchi, and L. V. S. Lakshmanan. A data-based approach to social influence maximization. *VLDB Conference*, pp. 73–84, 2011.
- [234] A. Goyal, F. Bonchi, and L. V. S. Lakshmanan. Learning influence probabilities in social networks. *ACM WSDM Conference*, pp. 241–250, 2011.
- [235] Q. Gu, J. Zhou, and C. Ding. Collaborative filtering: Weighted nonnegative matrix factorization incorporating user and item graphs. *SIAM Conference on Data Mining*, pp. 199–210, 2010.
- [236] I. Gunes, C. Kaleli, A. Bilge, and H. Polat. Shilling attacks against recommender systems: a comprehensive survey. *Artificial Intelligence Review*, 42(4), 767–799, 2014.
- [237] M. Gupta, R. Li, Z. Yin, and J. Han. A survey of social tagging techniques, *ACM SIGKDD Explorations*, 12(1), pp. 58–72, 2010.
- [238] A. Gunawardana and C. Meek. A unified approach to building hybrid recommender systems. *ACM Conference on Recommender Systems*, pp. 117–124, 2009.
- [239] R. Guttman, A. Moukas, and P. Maes. Agent-mediated electronic commerce: A survey, *Knowledge Engineering Review*, 13(2), pp. 147–159, 1998.
- [240] R. Guha. Open rating systems. *Technical Report*, Stanford University, 2003. http://www.w3.org/2001/sw/Europe/events/foaf-galway/papers/fp/open_rating_systems/wot.pdf

- [241] R. Guha, R. Kumar, P. Raghavan, and A. Tomkins. Propagation of trust and distrust. *World Wide Web Conference*, pp. 403–412, 2004.
- [242] T. Hastie, R. Tibshirani, and J. Friedman. *The elements of statistical learning*. Springer, 2009.
- [243] T. H. Haveliwala. Topic-sensitive pagerank. *World Wide Web Conference*, pp. 517–526, 2002.
- [244] Q. He, D. Jiang, Z. Liao, S. Hoi, K. Chang, E. Lim, and H. Li. Web query recommendation via sequential query prediction. *IEEE International Conference on Data Engineering*, pp. 1443–1454, 2009.
- [245] J. Herlocker, J. Konstan, A. Borchers, and J. Riedl. An algorithmic framework for performing collaborative filtering. *ACM SIGIR Conference*, pp. 230–237, 1999.
- [246] J. Herlocker, J. Konstan, L. Terveen, and J. Riedl. Evaluating collaborative filtering recommender systems. *ACM Transactions on Information Systems (TOIS)*, 22(1), pp. 5–53, 2004.
- [247] J. Herlocker, J. Konstan, and J. Riedl. An empirical analysis of design choices in neighborhood-based collaborative filtering algorithms. *Information Retrieval*, 5(4), pp. 287–310, 2002.
- [248] J. Herlocker, J. Konstan, and J. Riedl. Explaining collaborative filtering recommendations. *ACM Conference on Computer Supported Cooperative work*, pp. 241–250, 2000.
- [249] C. Hermann. Time-based recommendations for lecture materials. *World Conference on Educational Multimedia, Hypermedia and Telecommunications*, pp. 1028–1033, 2010.
- [250] P. Heymann, D. Ramage, and H. Garcia-Molina. Social tag prediction. *ACM SIGIR Conference*, pp. 531–538, 2008.
- [251] W. Hill, L. Stead, M. Rosenstein, and G. Furnas. Recommending and evaluating choices in a virtual community of use. *ACM SIGCHI Conference*, pp. 194–201, 1995.
- [252] T. Hofmann. Latent semantic models for collaborative filtering. *ACM Transactions on Information Systems (TOIS)*, 22(1), pp. 89–114, 2004.
- [253] W. Hong, S. Zheng, H. Wang, and J. Shi. A job recommender system based on user clustering. *Journal of Computers*, 8(8), 1960–1967, 2013.
- [254] J. Hopcroft, T. Lou, and J. Tang. Who will follow you back?: reciprocal relationship prediction. *ACM International Conference on Information and Knowledge Management*, pp. 1137–1146, 2011.
- [255] A. Hotho, R. Jaschke, C. Schmitz, and G. Stumme. FolkRank: A ranking algorithm for folksonomies. *Fachgruppe Informatik Ret. (FGIR)*, pp. 111–114, 2006.
- [256] A. Hotho, R. Jaschke, C. Schmitz, and G. Stumme. BibSonomy: A social bookmark and publication sharing system. *Conceptual Structures Tool Interoperability Workshop*, pp. 87–102, 2006.

- [257] N. Houlisby, J. M. Hernandez-Lobato, and Z. Ghahramani. Cold-start active learning with robust ordinal matrix factorization. *International Conference on Machine Learning (ICML)*, pp. 766–774, 2014.
- [258] A. Howe, and R. Forbes. Re-considering neighborhood-based collaborative filtering parameters in the context of new data. *Proceedings of the 17th ACM Conference on Information and Knowledge Management*, pp. 1481–1482, 2008.
- [259] C. Hsieh, N. Natarajan, and I. Dhillon. PU learning for matrix completion. *ICML Conference*, 2015.
- [260] Y. Hu, Y. Koren, and C. Volinsky. Collaborative filtering for implicit feedback datasets. *IEEE International Conference on Data Mining*, pp. 263–272, 2008.
- [261] Z. Huang, X. Li, and H. Chen. Link prediction approach to collaborative filtering. *ACM/IEEE-CS joint conference on Digital libraries*, pp. 141–142, 2005.
- [262] Z. Huang, H. Chen, and D. Zheng. Applying associative retrieval techniques to alleviate the sparsity problem in collaborative filtering. *ACM Transactions on Information Systems*, 22(1), pp. 116–142, 2004.
- [263] G. Hurley and D. Wilson. DubLet: An online CBR system for rental property accommodation. *International Conference on Case-Based Reasoning*, pp. 660–674, 2001.
- [264] J. Illig, A. Hotho, R. Jaschke, and G. Stumme. A comparison of content-based tag recommendations in folksonomy systems. *Knowledge Processing and Data Analysis*, Springer, pp. 136–149, 2011.
- [265] D. Isaacson and R. Madsen. Markov chains, theory and applications, *Wiley*, 1976.
- [266] M. Jahrer, A. Toscher, and R. Legenstein. Combining predictions for accurate recommender systems. *ACM KDD Conference*, pp. 693–702, 2010.
- [267] P. Jain and I. Dhillon. Provable inductive matrix completion. *arXiv preprint arXiv:1306.0626* <http://arxiv.org/abs/1306.0626>.
- [268] P. Jain, P. Netrapalli, and S. Sanghavi. Low-rank matrix completion using alternating minimization. *ACM Symposium on Theory of Computing*, pp. 665–674, 2013.
- [269] M. Jamali and M. Ester. TrustWalker: A random-walk model for combining trust-based and item-based recommendation. *ACM KDD Conference*, pp. 397–406, 2009.
- [270] M. Jamali and M. Ester. A matrix factorization technique with trust propagation for recommendation in social networks. *ACM International Conference on Recommender Systems*, pp 135–142, 2010.
- [271] A. Jameson and B. Smyth. Recommendation to groups. *The Adaptive Web*, pp. 596–627, 2007.
- [272] A. Jameson. More than the sum of its members: challenges for group recommender systems. *Proceedings of the working conference on Advanced visual interfaces*, pp. 48–54, 2004.

- [273] D. Jannach. Finding preferred query relaxations in content-based recommenders. *Intelligent Techniques and Tools for Novel System Architectures*, Springer, pp. 81–97, 2006.
- [274] D. Jannach. Techniques for fast query relaxation in content-based recommender systems. *Advances in Artificial Intelligence*, Springer, pp. 49–63, 2006.
- [275] D. Jannach, M. Zanker, A. Felfernig, and G. Friedrich. An introduction to recommender systems, *Cambridge University Press*, 2011.
- [276] D. Jannach, Z. Karakaya, and F. Gedikli. Accuracy improvements for multi-criteria recommender systems. *ACM Conference on Electronic Commerce*, pp. 674–689, 2012.
- [277] R. Jaschke, L. Marinho, A. Hotho, L. Schmidt-Thieme, and G. Stumme. Tag recommendations in folksonomies. *Knowledge Discovery in Databases (PKDD)*, pp. 506–514, 2007.
- [278] G. Jeh, and J. Widom. SimRank: a measure of structural-context similarity. *ACM KDD Conference*, pp. 538–543, 2003.
- [279] Z. Jiang, W. Wang, and I. Benbasat. Multimedia-based interactive advising technology for online consumer decision support. *Communications of the ACM*, 48(9), pp. 92–98, 2005.
- [280] R. Jin, J. Chai, and L. Si. An automatic weighting scheme for collaborative filtering. *ACM SIGIR Conference*, pp. 337–344, 2004.
- [281] R. Jin, L. Si, and C. Zhai. Preference-based graphic models for collaborative filtering. *Proceedings of the Nineteenth conference on Uncertainty in Artificial Intelligence*, pp. 329–336, 2003.
- [282] R. Jin, L. Si, C. Zhai, and J. Callan. Collaborative filtering with decoupled models for preferences and ratings. *ACM CIKM Conference*, pp. 309–316, 2003.
- [283] T. Joachims. Training linear SVMs in linear time. *ACM KDD Conference*, pp. 217–226, 2006.
- [284] T. Joachims. Optimizing search engines using click-through data. *ACM KDD Conference*, pp. 133–142, 2002.
- [285] I. Jolliffe. Principal component analysis, 2nd edition, *Springer*, 2002.
- [286] N. Jones and P. Pu. User technology adoption issues in recommender systems. *Networking and Electronic Conference*, pp. 379–394, 2007.
- [287] A. Josang, S. Marsh, and S. Pope. Exploring different types of trust propagation. In Trust management, *Lecture Notes in Computer Science*, Springer, 3986, pp. 179–192, 2006.
- [288] P. Juell and P. Paulson. Using reinforcement learning for similarity assessment in case-based systems. *IEEE Intelligent Systems*, 18(4), pp. 60–67, 2003.
- [289] U. Junker. QUICKXPLAIN: preferred explanations and relaxations for over-constrained problems. *AAAI Conference*, pp. 167–172, 2004.

- [290] S. Kale, L. Reyzin, and R. Schapire. Non-stochastic bandit slate problems. *Advances in Neural Information Processing Systems*, pp. 1054–1062, 2010.
- [291] M. Kaminskis and F. Ricci. Contextual music information retrieval and recommendation: State of the art and challenges. *Computer Science Review*, 6(2), pp. 89–119, 2012.
- [292] S. Kamvar, M. Schlosser, and H. Garcia-Molina. The eigentrust algorithm for reputation management in P2P networks. *World Wide Web Conference*, pp. 640–651, 2003.
- [293] A. Karatzoglou. Collaborative temporal order modeling. *ACM Conference on Recommender Systems*, pp. 313–316, 2011.
- [294] A. Karatzoglou, X. Amatriain, L. Baltrunas, and N. Oliver. Multiverse recommendation: N-dimensional tensor factorization for context-aware collaborative filtering. *ACM Conference on Recommender Systems*, pp. 79–86, 2010.
- [295] R. Karimi, C. Freudenthaler, A. Nanopoulos, L. Schmidt-Thieme. Exploiting the characteristics of matrix factorization for active learning in recommender systems. *ACM Conference on Recommender Systems*, pp. 317–320, 2012.
- [296] J. Kemeny and J. Snell. Finite Markov chains. *Springer*, New York, 1983.
- [297] D. Kempe, J. Kleinberg, and E. Tardos. Maximizing the spread of influence through a social network. *ACM KDD Conference*, pp. 137–146, 2003.
- [298] M. Kendall. A new measure of rank correlation. *Biometrika*, pp. 81–93, 1938.
- [299] M. Kendall and J. Gibbons. Rank correlation methods. *Charles Griffin*, 5th edition, 1990.
- [300] D. Kim, and B. Yum. Collaborative filtering Based on iterative principal component analysis, *Expert Systems with Applications*, 28, pp. 623–830, 2005.
- [301] H. Kim and H. Park. Nonnegative matrix factorization based on alternating nonnegativity constrained least squares and active set method. *SIAM Journal on Matrix Analysis and Applications*, 30(2), pp. 713–730, 2008.
- [302] J. Kleinberg. Authoritative sources in a hyperlinked environment. *Journal of the ACM (JACM)*, 46(5), pp. 604–632, 1999.
- [303] J. Kleinberg, C. Papadimitriou, and P. Raghavan. On the value of private information. *Proceedings of the 8th Conference on Theoretical Aspects of Rationality and Knowledge*, pp. 249–257, 2001.
- [304] N. Koenigstein, G. Dror, and Y. Koren. Yahoo! Music recommendations: modeling music ratings with temporal dynamics and item taxonomy. *ACM Conference on Recommender Systems*, pp. 165–172, 2011.
- [305] R. Kohavi, R. Longbotham, D. Sommerfield, R. Henne. Controlled experiments on the Web: survey and practical guide. *Data Mining and Knowledge Discovery*, 18(1), pp. 140–181, 2009.

- [306] X. Kong, X. Shi, and P. S. Yu. Multi-Label collective classification. *SIAM Conference on Data Mining*, pp. 618–629, 2011.
- [307] J. Konstan. Introduction to recommender systems: algorithms and evaluation. *ACM Transactions on Information Systems*, 22(1), pp. 1–4, 2004.
- [308] J. Konstan, S. McNee, C. Ziegler, R. Torres, N. Kapoor, and J. Riedl. Lessons on applying automated recommender systems to information-seeking tasks. *AAAI Conference*, pp. 1630–1633, 2006.
- [309] Y. Koren. Factorization meets the neighborhood: a multifaceted collaborative filtering model. *ACM KDD Conference*, pp. 426–434, 2008. Extended version of this paper appears as: “Y. Koren. Factor in the neighbors: Scalable and accurate collaborative filtering. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 4(1), 1, 2010.”
- [310] Y. Koren. Collaborative filtering with temporal dynamics. *ACM KDD Conference*, pp. 447–455, 2009. Another version also appears in the *Communications of the ACM*, 53(4), pp. 89–97, 2010.
- [311] Y. Koren. The Bellkor solution to the Netflix grand prize. *Netflix prize documentation*, 81, 2009. http://www.netflixprize.com/assets/GrandPrize2009_BPC_BellKor.pdf
- [312] Y. Koren and R. Bell. Advances in collaborative filtering. *Recommender Systems Handbook*, Springer, pp. 145–186, 2011. (Extended version in 2015 edition of handbook).
- [313] Y. Koren, R. Bell, and C. Volinsky. Matrix factorization techniques for recommender systems. *Computer*, 42(8), pp. 30–37, 2009.
- [314] Y. Koren and J. Sill. Collaborative filtering on ordinal user feedback. *IJCAI Conference*, pp. 3022–3026, 2011.
- [315] R. Krestel and P. Fankhauser. Personalized topic-based tag recommendation. *Neurocomputing*, 76(1), pp. 61–70, 2012.
- [316] R. Krestel, P. Fankhauser, and W. Nejdl. Latent dirichlet allocation for tag recommendation. *ACM Conference on Recommender Systems*, pp. 61–68, 2009.
- [317] V. Krishnan, P. Narayanashetty, M. Nathan, R. Davies, and J. Konstan. Who predicts better? Results from an online study comparing humans and an online recommender system. *ACM Conference on Recommender Systems*, pp. 211–218, 2008.
- [318] J. Krosche, J. Baldzer, and S. Boll. MobiDENK -mobile multimedia in monument conservation. *IEEE MultiMedia*, 11(2), pp. 72–77, 2004.
- [319] A. Krogh, M. Brown, I. Mian, K. Sjolander, and D. Haussler. Hidden Markov models in computational biology: Applications to protein modeling. *Journal of molecular biology*, 235(5), pp. 1501–1531, 1994.
- [320] B. Krulwich. Lifestyle finder: Intelligent user profiling using large-scale demographic data. *AI Magazine*, 18(2), pp. 37–45, 1995.

- [321] S. Kabbur, X. Ning, and G. Karypis. FISM: factored item similarity models for top-N recommender systems. *ACM KDD Conference*, pp. 659–667, 2013.
- [322] S. Kabbur and G. Karypis. NLMF: NonLinear Matrix Factorization Methods for Top-N Recommender Systems. *IEEE Data Mining Workshop (ICDMW)*, pp. 167–174, 2014.
- [323] A. Karatzoglou, L. Baltrunas, and Y. Shi. Learning to rank for recommender systems. *ACM Conference on Recommender Systems*, pp. 493–494, 2013. Slides available at <http://www.slideshare.net/kerveros99/learning-to-rank-for-recommender-system-tutorial-acm-recsys-2013>
- [324] J. Kunegis, S. Schmidt, A. Lommatzsch, J. Lerner, E. De Luca, and S. Albayrak. Spectral analysis of signed graphs for clustering, prediction and visualization. *SIAM Conference on Data Mining*, pp. 559–559, 2010.
- [325] J. Kunegis, E. De Luca, and S. Albayrak. The link prediction problem in bipartite networks. *Computational Intelligence for Knowledge-based Systems Design*, Springer, pp. 380–389, 2010.
- [326] J. Kunegis and A. Lommatzsch. Learning spectral graph transformations for link prediction. *International Conference on Machine Learning*, pp. 562–568, 2009.
- [327] A. Lacerda, M. Cristo, W. Fan, N. Ziviani, and B. Ribeiro-Neto. Learning to advertise. *ACM SIGIR Conference*, pp. 549–556, 2006.
- [328] K. Lakiotaki, S. Tsafarakis, and N. Matsatsinis. UTA-Rec: a recommender system based on multiple criteria analysis. *ACM Conference on Recommender Systems*, pp. 219–226, 2008.
- [329] S. Lam and J. Riedl. Shilling recommender systems for fun and profit. *World Wide Web Conference*, pp. 393–402, 2004.
- [330] B. Lamche, U. Trottmann, and W. Worndl. Active learning strategies for exploratory mobile recommender systems. *Proceedings of the 4th Workshop on Context-Awareness in Retrieval and Recommendation*, pp. 10–17, 2014.
- [331] A. Langville, C. Meyer, R. Albright, J. Cox, and D. Duling. Initializations for the nonnegative matrix factorization. *ACM KDD Conference*, pp. 23–26, 2006.
- [332] L. Lathauwer, B. Moor, and J. Vandewalle. A multilinear singular value decomposition. *SIAM Journal on Matrix Analysis and Applications*, 21(4), pp. 1253–1278. 2000.
- [333] N. Lathia, S. Hailes, and L. Capra. Temporal collaborative filtering with adaptive neighbourhoods. *ACM SIGIR Conference*, pp. 796–797, 2009.
- [334] N. Lathia, S. Hailes, and L. Capra. Private distributed collaborative filtering using estimated concordance measures. *ACM Conference on Recommender Systems*, pp. 1–8, 2007.
- [335] N. Lathia, S. Hailes, L. Capra, and X. Amatriain. Temporal diversity in recommender systems. *ACM SIGIR Conference*, pp. 210–217, 2010.
- [336] S. Lawrence. Context in Web search. *IEEE Data Engineering Bulletin*, 23(3):25, 2000.

- [337] D. Lee, S. Park, M. Kahng, S. Lee, and S. Lee. Exploiting contextual information from event logs for personalized recommendation. Chapter in *Computer and Information Science*, Springer, 2010.
- [338] J.-S. Lee and S. Olafsson. Two-way cooperative prediction for collaborative filtering recommendations. *Expert Systems with Applications*, 36(3), pp. 5353–5361, 2009.
- [339] B.-H. Lee, H. Kim, J. Jung, and G.-S. Jo. Location-based service with context data for a restaurant recommendation. *Database and Expert Systems Applications*, pp. 430–438, 2006.
- [340] H. Lee and W. Teng. Incorporating multi-criteria ratings in recommendation systems. *IEEE International Conference on Information Reuse and Integration (IRI)*, pp. 273–278, 2007.
- [341] J. Lees-Miller, F. Anderson, B. Hoehn, and R. Greiner. Does Wikipedia information help Netflix predictions?. *Machine Learning and Applications*, pp. 337–343, 2008.
- [342] D. Lemire and A. Maclachlan. Slope one predictors for online rating-based collaborative filtering. *SIAM Conference on Data Mining*, 2005.
- [343] J. Levandoski, M. Sarwat, A. Eldawy, and M. Mokbel. LARS: A location-aware recommender system. *IEEE ICDE Conference*, pp. 450–461, 2012.
- [344] R. Levien. Attack-resistant trust metrics. *Computing with Social Trust*, Springer, pp. 121–132, 2009.
- [345] M. Lesani and S. Bagheri. Applying and inferring fuzzy trust in semantic web social networks. *Canadian Semantic Web, Semantic Web and Beyond*, Springer, Vol 2, pp. 23–43, 2006.
- [346] J. Leskovec, D. Huttenlocher, and J. Kleinberg. Predicting positive and negative links in online social networks. *World Wide Web Conference*, pp. 641–650, 2010.
- [347] M. Levy and K. Jack. Efficient Top-N Recommendation by Linear Regression. *Large Scale Recommender Systems Workshop (LSRS) at RecSys*, 2013.
- [348] L. Li, W. Chu, J. Langford, and R. Schapire. A contextual-bandit approach to personalized news article recommendation. *World Wide Web Conference*, pp. 661–670, 2010.
- [349] L. Li, W. Chu, J. Langford, and X. Wang. Unbiased offline evaluation of contextual-bandit-based news article recommendation algorithms. *International Conference on Web Search and Data Mining*, pp. 297–306, 2011.
- [350] M. Li, B. M. Dias, I. Jarman, W. El-Deredy, and P. J. Lisboa. Grocery shopping recommendations based on basket-sensitive random walk. *KDD Conference*, pp. 1215–1224, 2009.
- [351] M. Li, T. Zhang, Y. Chen, and A. Smola. Efficient mini-batch training for stochastic optimization. *ACM KDD Conference*, pp. 661–670, 2014.
- [352] N. Li, T. Li, and S. Venkatasubramanian. t-closeness: Privacy beyond k -anonymity and ℓ -diversity. *IEEE International Conference on Data Engineering*, pp. 106–115, 2007.

- [353] Q. Li, C. Wang, and G. Geng. Improving personalized services in mobile commerce by a novel multicriteria rating approach. *World Wide Web Conference*, pp. 1235–1236, 2008.
- [354] D. Liben-Nowell and J. Kleinberg. The link-prediction problem for social networks. *Journal of the American society for information science and technology*, 58(7), pp. 1019–1031, 2007.
- [355] R. Lichtenwalter, J. Lussier, and N. Chawla. New perspectives and methods in link prediction. *ACM KDD Conference*, pp. 243–252, 2010.
- [356] H. Lieberman. Letizia: An agent that assists Web browsing, *IJCAI*, pp. 924–929, 1995.
- [357] C.-J. Lin. Projected gradient methods for nonnegative matrix factorization. *Neural Computation*, 19(10), pp. 2576–2779, 2007.
- [358] W. Lin. Association rule mining for collaborative recommender systems. *Masters Thesis*, Worcester Polytechnic Institute, 2000.
- [359] W. Lin, S. Alvarez, and C. Ruiz. Efficient adaptive-support association rule mining for recommender systems. *Data Mining and Knowledge Discovery*, 6(1), pp. 83–105, 2002.
- [360] G. Linden, B. Smith, and J. York. Amazon.com recommendations: item-to-item collaborative filtering. *IEEE Internet Computing*, 7(1), pp. 76–80, 2003.
- [361] C. Ling and C. Li. Data Mining for direct marketing: problems and solutions. *ACM KDD Conference*, pp. 73–79, 1998.
- [362] R. Little and D. Rubin. Statistical analysis with missing data. *Wiley*, 2002.
- [363] M. Littlestone and M. Warmuth. The weighted majority algorithm. *Information and computation*, 108(2), pp. 212–261, 1994.
- [364] B. Liu. Web data mining: exploring hyperlinks, contents, and usage data. *Springer*, New York, 2007.
- [365] B. Liu, W. Hsu, and Y. Ma. Mining association rules with multiple minimum supports. *ACM KDD Conference*, pp. 337–341, 1999.
- [366] N. Liu, M. Zhao, E. Xiang, and Q. Yang. Online evolutionary collaborative filtering. *ACM Conference on Recommender Systems*, pp. 95–102, 2010.
- [367] N. Liu and Q. Yang. Eigenrank: a ranking-oriented approach to collaborative filtering. *ACM SIGIR Conference*, pp. 83–90, 2008.
- [368] N. Liu, M. Zhao, and Q. Yang. Probabilistic latent preference analysis for collaborative filtering. *ACM Conference on Information and Knowledge Management*, pp. 759–766, 2009.
- [369] L. Liu, J. Tang, J. Han, M. Jiang, and S. Yang. Mining topic-level influence in heterogeneous networks. *ACM CIKM Conference*, pp. 199–208, 2010.
- [370] T. Y. Liu. Learning to rank for information retrieval. *Foundations and Trends in Information Retrieval*, 3(3), pp. 225–331, 2009.

- [371] X. Liu, C. Aggarwal, Y.-F. Lee, X. Kong, X. Sun, and S. Sathe. Kernelized matrix factorization for collaborative filtering. *SIAM Conference on Data Mining*, 2016.
- [372] Z. Liu, Y.-X. Wang, and A. Smola. Fast differentially private matrix factorization. *ACM Conference on Recommender Systems*, 2015.
- [373] S. Lohr. A \$1 million research bargain for Netflix, and maybe a model for others, *The New York Times*, September 21, 2009. http://www.nytimes.com/2009/09/22/technology/internet/22netflix.html?_r=0
- [374] S. Lombardi, S. Anand, and M. Gorgoglione. Context and customer behaviour in recommendation. *Workshop on Customer Aware Recommender Systems*, 2009.
- [375] B. London, and L. Getoor. Collective classification of network data. *Data Classification: Algorithms and Applications*, CRC Press, pp. 399–416, 2014.
- [376] P. Lops, M. de Gemmis, and G. Semeraro. Content-based recommender systems: state of the art and trends. *Recommender Systems Handbook*, Springer, pp. 73–105, 2011.
- [377] F. Lorenzi and F. Ricci. Case-based recommender systems: a unifying view. *Intelligent Techniques for Web Personalization*, pp. 89–113, Springer, 2005.
- [378] L. Lu, M. Medo, C. Yeung, Y. Zhang, Z. Zhang, and T. Zhou. Recommender systems. *Physics Reports*, 519(1), pp. 1–49, 2012. <http://arxiv.org/pdf/1202.1112.pdf>
- [379] Q. Lu, and L. Getoor. Link-based classification. *ICML Conference*, pp. 496–503, 2003.
- [380] H. Ma, I. King, and M. Lyu. Effective missing data prediction for collaborative filtering. *ACM SIGIR Conference*, pp. 39–46, 2007.
- [381] H. Ma, H. Yang, M. Lyu, and I. King. SoRec: Social recommendation using probabilistic matrix factorization. *ACM Conference on Information and Knowledge Management*, pp. 931–940, 2008.
- [382] H. Ma, D. Zhou, C. Liu, M. Lyu, and I. King. Recommender systems with social regularization. *ACM International Conference on Web search and Data Mining*, pp. 287–296, 2011.
- [383] H. Ma, M. Lyu, and I. King. Learning to recommend with trust and distrust relationships. *ACM International Conference on Recommender Systems*, pp. 189–196, 2009.
- [384] H. Ma, M. Lyu, and I. King. Learning to recommend with social trust ensemble. *ACM SIGIR Conference*, pp. 203–210, 2009.
- [385] Z. Ma, G. Pant, and O. Sheng. Interest-based personalized search. *ACM Transactions on Information Systems*, 25(1), 2007.
- [386] A. Machanavajjhala, D. Kifer, J. Gehrke, and M. Venkatasubramaniam. ℓ -diversity: privacy beyond k -anonymity. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 1(3), 2007.
- [387] S. Macskassy, and F. Provost. A simple relational classifier. *Second Workshop on Multi-Relational Data Mining (MRDM) at ACM KDD Conference*, 2003.

- [388] S. A. Macskassy, and F. Provost. Classification in networked data: A toolkit and a univariate case study. *Journal of Machine Learning Research*, 8, pp. 935–983, 2007.
- [389] T. Mahmood and F. Ricci. Learning and adaptivity in interactive recommender systems. *International Conference on Electronic Commerce*, pp. 75–84, 2007.
- [390] T. Mahmood and F. Ricci. Improving recommender systems with adaptive conversational strategies. *ACM Conference on Hypertext and Hypermedia*, pp. 73–82, 2009.
- [391] H. Mak, I. Koprinska, and J. Poon. Intimate: A web-based movie recommender using text categorization. *International Conference on Web Intelligence*, pp. 602–605, 2003.
- [392] B. Magnini, and C. Strapparava. Improving user modelling with content-based techniques. *International Conference on User Modeling*, pp. 74–83, 2001.
- [393] M. O’Mahony, N. Hurley, N. Kushmerick, and G. Silvestre. Collaborative recommendation: A robustness analysis. *ACM Transactions on Internet Technology*, 4(4), pp. 344–377, 2004.
- [394] M. O’Mahony, N. Hurley, and G. Silvestre. Promoting recommendations: An attack on collaborative filtering. *Database and Expert Systems Applications*, pp. 494–503, 2002.
- [395] M. O’Mahony, N. Hurley, G. Silvestre. An evaluation of the performance of collaborative filtering. *International Conference on Artificial Intelligence and Cognitive Science (AICS)*, pp. 164–168, 2003.
- [396] M. O’Mahony, N. Hurley, G. Silvestre. Recommender systems: Attack types and strategies. *National Conference on Artificial Intelligence (AAAI)*, pp. 334–339, 2005.
- [397] M. O’Mahony, N. Hurley, G. Silvestre. An evaluation of neighbourhood formation on the performance of collaborative filtering. *Artificial Intelligence Review*, 21(1), pp. 215–228, 2004.
- [398] N. Manouselis and C. Costopoulou. Analysis and classification of multi-criteria recommender systems. *World Wide Web*, 10(4), pp. 415–441, 2007.
- [399] N. Manouselis and Costopoulou. Experimental Analysis of Design Choices in a Multi-Criteria Recommender System. *International Journal of Pattern Recognition and AI*, 21(2), pp. 311–332, 2007.
- [400] C. Manning, P. Raghavan, and H. Schütze. Introduction to information retrieval. *Cambridge University Press*, Cambridge, 2008.
- [401] L. Marinho, A. Nanopoulos, L. Schmidt-Thieme, R. Jaschke, A. Hotho, G. Stumme, and P. Symeonidis. Social tagging recommender systems. *Recommender Systems Handbook*, Springer, pp. 615–644, 2011.
- [402] B. Marlin and R. Zemel. Collaborative prediction and ranking with non-random missing data. *ACM Conference on Recommender Systems*, pp. 5–12, 2009.
- [403] P. Massa and P. Avesani. Trust-aware collaborative filtering for recommender systems. *On the Move to Meaningful Internet Systems*, pp. 492–508, 2004.

- [404] P. Massa and P. Avesani. Trust-aware recommender systems. *ACM Conference on Recommender Systems*, pp. 17–24, 2007.
- [405] P. Massa and B. Bhattacharjee. Using trust in recommender systems: An experimental analysis. *Trust Management*, pp. 221–235, Springer, 2004.
- [406] P. Massa and P. Avesani. Trust metrics on controversial users: balancing between tyranny of the majority. *International Journal on Semantic Web and Information Systems*, 3(1), pp. 39–64, 2007.
- [407] J. Masthoff. Group recommender systems: combining individual models. *Recommender Systems Handbook*, Springer, pp. 677–702, 2011.
- [408] J. Masthoff. Group modeling: Selecting a sequence of television items to suit a group of viewers. *Personalized Digital Television*, pp. 93–141, 2004.
- [409] J. Masthoff and A. Gatt. In pursuit of satisfaction and the prevention of embarrassment: affective state in group recommender systems. *User Modeling and User-Adapted Interactio*, 16(3–4), pp. 281–319, 2006.
- [410] J. Masthoff. Modeling the multiple people that are me. *International Conference on User Modeling*, Also appears in *Lecture Notes in Computer Science*, Springer, Vol. 2702, pp. 258–262, 2003.
- [411] J. McAuley and J. Leskovec. Hidden factors and hidden topics: understanding rating dimensions with review text. *ACM Conference on Recommender systems*, pp. 165–172, 2013.
- [412] J. McCarthy and T. Anagnost. MusicFX: An Arbiter of Group Preferences for Computer Supported Collaborative Workouts. *ACM Conference on Computer Supported Cooperative Work*, pp. 363–372, 1998.
- [413] K. McCarthy, L. McGinty, B. Smyth, and M. Salamo. The needs of the many: a case-based group recommender system. *Advances in Case-Based Reasoning*, pp. 196–210, 2004.
- [414] K. McCarthy, J. Reilly, L. McGinty, and B. Smyth. On the dynamic generation of compound critiques in conversational recommender systems. *Adaptive Hypermedia and Adaptive Web-Based Systems*, pp. 176–184, 2004.
- [415] K. McCarthy, M. Salamo, L. McGinty, B. Smyth, and P. Nicon. Group recommender systems: a critiquing based approach. *International Conference on Intelligent User Interfaces*, pp. 267–269, 2006.
- [416] K. McCarthy, L. McGinty, and B. Smyth. Dynamic critiquing: an analysis of cognitive load. *Irish Conference on Artificial Intelligence and Cognitive Science*, pp. 19–28, 2005.
- [417] L. McGinty and J. Reilly. On the evolution of critiquing recommenders. *Recommender Systems Handbook*, pp. 419–453, 2011.
- [418] S. McNee, J. Riedl, and J. Konstan. Being accurate is not enough: how accuracy metrics have hurt recommender systems. *SIGCHI Conference*, pp. 1097–1101, 2006.

- [419] D. McSherry. Incremental relaxation of unsuccessful queries. *Advances in Case-Based Reasoning*, pp. 331–345, 2004.
- [420] D. McSherry. Diversity-Conscious Retrieval. *European Conference on Case-Based Reasoning*, pp. 219–233, 2002.
- [421] D. McSherry. Similarity and Compromise. *International Conference on Case-Based Reasoning*, pp. 291–305, 2003.
- [422] D. McSherry and D. Aha. The ins and outs of critiquing. *IJCAI*, pp. 962–967, 2007.
- [423] D. McSherry and D. Aha. Avoiding long and fruitless dialogues in critiquing. *Research and Development in Intelligent Systems*, pp. 173–186, 2007.
- [424] B. Mehta, and T. Hofmann. A survey of attack-resistant collaborative filtering algorithms. *IEEE Data Engineering Bulletin*, 31(2), pp. 14–22, 2008.
- [425] B. Mehta, T. Hofmann, and P. Fankhauser. Lies and propaganda: detecting spam users in collaborative filtering. *International Conference on Intelligent User Interfaces*, pp. 14–21, 2007.
- [426] B. Mehta, T. Hofmann, and W. Nejdl. Robust collaborative filtering. *ACM Conference on Recommender Systems*, pp. 49–56, 2007.
- [427] B. Mehta and W. Nejdl. Unsupervised strategies for shilling detection and robust collaborative filtering. *User Modeling and User-Adapted Interaction*, 19(1–2), pp. 65–97, 2009.
- [428] B. Mehta and W. Nejdl. Attack resistant collaborative filtering. *ACM SIGIR Conference*, pp. 75–82, 2008.
- [429] Q. Mei, D. Zhou, and K. Church. Query suggestion using hitting time. *ACM Conference on Information and Knowledge Management*, pp. 469–478, 2009. .
- [430] N. Meinshausen. Sign-constrained least squares estimation for high-dimensional regression. *Electronic Journal of Statistics*, 7, pp. 607–1631, 2013.
- [431] P. Melville, R. Mooney, and R. Nagarajan. Content-boosted collaborative filtering for improved recommendations. *AAAI/IAAI*, pp. 187–192, 2002.
- [432] A. K. Menon, and C. Elkan. Link prediction via matrix factorization. *Machine Learning and Knowledge Discovery in Databases*, pp. 437–452, 2011.
- [433] S. Middleton, N. Shadbolt, and D. de Roure. Ontological user profiling in recommender systems. *ACM Transactions on Information Systems*, 22(1), pp. 54–88, 2004.
- [434] A. Mild and M. Natter. Collaborative filtering or regression models for Internet recommendation systems?. *Journal of Targeting, Measurement and Analysis for Marketing*, 10(4), pp. 304–313, 2002.
- [435] S. Min and I. Han. Detection of the customer time-variant pattern for improving recommender systems. *Expert Systems and Applications*, 28(2), pp. 189–199, 2005.
- [436] T. M. Mitchell. Machine learning. *McGraw Hill International Edition*, 1997.

- [437] K. Miyahara, and M. J. Pazzani. Collaborative filtering with the simple Bayesian classifier. *Pacific Rim International Conference on Artificial Intelligence*, 2000.
- [438] D. Mladenic. Machine learning used by Personal WebWatcher. *Proceedings of the ACAI-99 Workshop on Machine Learning and Intelligent Agents*, 1999.
- [439] D. Mladenic. Text learning and related intelligent agents: A survey. *IEEE Intelligent Systems*, 14(4), pp. 44–54, 1999.
- [440] B. Mobasher, R. Cooley, and J. Srivastava. Automatic personalization based on Web usage mining. *Communications of the ACM*, 43(8), pp. 142–151, 2000.
- [441] B. Mobasher, H. Dai, T. Luo, and M. Nakagawa. Effective personalization based on association rule discovery from Web usage data. *ACM Workshop on Web Information and Data Management*, pp. 9–15, 2001.
- [442] B. Mobasher, H. Dai, T. Luo, and H. Nakagawa. Using sequential and non-sequential patterns in predictive web usage mining tasks. *International Conference on Data Mining*, pp. 669–672, 2002.
- [443] B. Mobasher, H. Dai, M. Nakagawa, and T. Luo. Discovery and evaluation of aggregate usage profiles for web personalization. *Data Mining and Knowledge Discovery*, 6: pp. 61–82, 2002.
- [444] B. Mobasher, R. Burke, R. Bhaumik, and C. Williams. Toward trustworthy recommender systems: an analysis of attack models and algorithm robustness. *ACM Transactions on Internet Technology (TOIT)*, 7(4), 23, 2007.
- [445] B. Mobasher, R. Burke, R. Bhaumik, and C. Williams. Effective attack models for shilling item-based collaborative filtering systems. *WebKDD Workshop*, 2005.
- [446] B. Mobasher, R. Burke, and J. Sandvig. Model-based collaborative filtering as a defense against profile injection attacks. *AAAI Conference*, Vol. 6, p. 1388, 2006.
- [447] M. Mokbel and J. Levandoski. Toward context and preference-aware location-based services. *ACM International Workshop on Data Engineering for Wireless and Mobile Access*, pp. 25–32, 2009.
- [448] R. J. Mooney and L. Roy. Content-based book recommending using learning for text categorization. *ACM Conference on Digital libraries*, pp. 195–204, 2000.
- [449] L. Mui, M. Mohtashemi, and A. Halberstadt. A computational model of trust and reputation. *IEEE International Conference on System Sciences*, pp. 2413–2439, 2002.
- [450] T. Murakami, K. Mori, and R. Orihara. Metrics for evaluating the serendipity of recommendation lists. *New Frontiers in Artificial Intelligence*, pp. 40–46, 2008.
- [451] A. Narayanan and V. Shmatikov. How to break anonymity of the Netflix prize dataset. *arXiv preprint cs/0610105*, 2006. <http://arxiv.org/abs/cs/0610105>
- [452] G. Nemhauser, and L. Wolsey. Integer and combinatorial optimization. *Wiley*, New York, 1988.
- [453] J. Neville, and D. Jensen. Iterative classification in relational data. *AAAI Workshop on Learning Statistical Models from Relational Data*, pp. 13–20, 2000.

- [454] Q. Nguyen and F. Ricci. User preferences initialization and integration in critique-based mobile recommender systems. *Artificial Intelligence in Mobile Systems*, pp. 71–78, 2004.
- [455] X. Ning and G. Karypis. SLIM: Sparse linear methods for top-N recommender systems. *IEEE International Conference on Data Mining*, pp. 497–506, 2011.
- [456] X. Ning and G. Karypis. Sparse linear methods with side information for top-n recommendations. *ACM Conference on Recommender Systems*, pp. 155–162, 2012.
- [457] D. Oard and J. Kim. Implicit feedback for recommender systems. *Proceedings of the AAAI Workshop on Recommender Systems*, pp. 81–83, 1998.
- [458] K. Oku, S. Nakajima, J. Miyazaki, and S. Uemura. Context-aware SVM for context-dependent information recommendation. *International Conference on Mobile Data Management*, pp. 109–109, 2006.
- [459] F. Del Olmo and E. Gaudioso. Evaluation of recommender systems: A new approach. *Expert Systems with Applications*, 35(3), pp. 790–804, 2008.
- [460] P. Paatero and U. Tapper. Positive matrix factorization: A non-negative factor model with optimal utilization of error estimates of data values. *Environmetrics*, 5(2), pp. 111–126, 1994.
- [461] A. Paolo, P. Massa, and R. Tiella. A trust-enhanced recommender system application: Moleskiing. *ACM Symposium on Applied Computing*, pp. 1589–1593, 2005.
- [462] D. Park, H. Kim, I. Choi, and J. Kim. A literature review and classification of recommender systems research. *Expert Systems with Applications*, 29(11), pp. 10059–10072, 2012.
- [463] Y. Park and A. Tuzhilin. The long tail of recommender systems and how to leverage it. *Proceedings of the ACM Conference on Recommender Systems*, pp. 11–18, 2008.
- [464] M. Park, J. Hong, and S. Cho. Location-based recommendation system using Bayesian user’s preference model in mobile devices. *Ubiquitous Intelligence and Computing*, pp. 1130–1139, 2007.
- [465] L. Page, S. Brin, R. Motwani, and T. Winograd. The PageRank citation engine: Bringing order to the web. *Technical Report*, 1999–0120, Computer Science Department, Stanford University, 1998.
- [466] C. Palmisano, A. Tuzhilin, and M. Gorgoglione. Using context to improve predictive modeling of customers in personalization applications. *IEEE Transactions on Knowledge and Data Engineering*, 20(11), pp. 1535–1549, 2008.
- [467] R. Pan, Y. Zhou, B. Cao, N. Liu, R. Lukose, M. Scholz, Q. Yang. One-class collaborative filtering. *IEEE International Conference on Data Mining*, pp. 502–511, 2008.
- [468] R. Pan, and M. Scholz. Mind the gaps: weighting the unknown in large-scale one-class collaborative filtering. *ACM KDD Conference*, pp. 667–676, 2009.
- [469] W. Pan and L. Chen. CoFiSet: Collaborative filtering via learning pairwise preferences over item-sets. *SIAM Conference on Data Mining*, 2013.

- [470] U. Panniello, A. Tuzhilin, and M. Gorgoglione. Comparing context-aware recommender systems in terms of accuracy and diversity. *User Modeling and User-Adapted Interaction*, 24: pp. 35–65, 2014.
- [471] U. Panniello, A. Tuzhilin, M. Gorgoglione, C. Palmisano, and A. Pedone. Experimental comparison of pre- vs. post-filtering approaches in context-aware recommender systems. *ACM Conference on Recommender Systems*, pp. 265–268, 2009.
- [472] S. Parthasarathy and C. Aggarwal. On the use of conceptual reconstruction for mining massively incomplete data sets. *IEEE Transactions on Knowledge and Data Engineering*, 15(6), pp. 1512–1521, 2003.
- [473] A. Paterek. Improving regularized singular value decomposition for collaborative filtering. *Proceedings of KDD Cup and Workshop*, 2007.
- [474] V. Pauca, J. Piper, and R. Plemmons. Nonnegative matrix factorization for spectral data analysis. *Linear algebra and its applications*, 416(1), pp. 29–47, 2006.
- [475] M. Pazzani. A framework for collaborative, content-based and demographic filtering. *Artificial Intelligence Review*, 13, (5–6), 1999.
- [476] M. Pazzani and D. Billsus. Learning and revising user profiles: The identification of interesting Web sites. *Machine learning*, 27(3), pp. 313–331, 1997.
- [477] M. Pazzani and D. Billsus. Content-based recommendation systems. *Lecture Notes in Computer Science*, Springer, 4321, pp. 325–341, 2007.
- [478] M. Pazzani, J. Muramatsu, and D. Billsus. Syskill and Webert: Identifying interesting Web sites. *AAAI Conference*, pp. 54–61, 1996.
- [479] J. Pitkow and P. Pirolli. Mining longest repeating subsequences to predict WWW surfing. *USENIX Annual Technical Conference*, 1999.
- [480] L. Pizzato, T. Rej, T. Chung, I. Koprinska, and J. Kay. RECON: a reciprocal recommender for online dating. *ACM Conference on Recommender systems*, pp. 207–214, 2010.
- [481] L. Pizzato, T. Rej, T. Chung, K. Yacef, I. Koprinska, and J. Kay. Reciprocal recommenders. *Workshop on Intelligent Techniques for Web Personalization and Recommender Systems*, pp. 20–24, 2010.
- [482] L. Pizzato, T. Rej, K. Yacef, I. Koprinska, and J. Kay. Finding someone you will like and who won't reject you. *User Modeling, Adaption and Personalization*, Springer, pp. 269–280, 2011.
- [483] B. Polak, A. Herrmann, M. Heitmann, and M. Einhorn. Die Macht des Defaults – Wirkung von Empfehlungen und Vorgaben auf das individuelle Entscheidungsverhalten. [English Translation: *The power of defaults: Effect on individual choice behavior.*] *Zeitschrift für Betriebswirtschaft*, 78(10), pp. 1033–1060, 2008.
- [484] H. Polat and W. Du. Privacy-preserving collaborative filtering using randomized perturbation techniques. *IEEE International Conference on Data Mining*, pp. 625–628, 2003.

- [485] H. Polat and W. Du. SVD-based collaborative filtering with privacy. *ACM symposium on Applied Computing*, pp. 791–795, 2005.
- [486] P. Pu and L. Chen. Trust building with explanation interfaces. *International conference on Intelligent User Interfaces*, pp. 93–100, 2006.
- [487] G. Qi, C. Aggarwal, Q. Tian, H. Ji, and T. S. Huang. Exploring context and content links in social media: A latent space method. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 34(5), pp. 850–862, 2012.
- [488] G. Qi, C. Aggarwal, and T. Huang. Link prediction across networks by biased cross-network sampling. *IEEE ICDE Conference*, pp. 793–804, 2013.
- [489] L. Quijano-Sanchez, J. Recio-Garcia, B. Diaz-Agudo, and G. Jimenez-Diaz. Social factors in group recommender systems. *ACM Transactions on Intelligent Systems and Technology (TIST)*, 4(1), 8, 2013.
- [490] C. Quoc and V. Le. Learning to rank with nonsmooth cost functions. *Advances in Neural Information Processing Systems*, 19, pp. 193–200, 2007.
- [491] J. Reilly, B. Smyth, L. McGinty, and K. McCarthy. Critiquing with confidence. *Case-Based Reasoning Research and Development*, pp. 436–450, 2005.
- [492] J. Reilly, K. McCarthy, L. McGinty, and B. Smyth. Explaining compound critiques. *Artificial Intelligence Review*, 24(2), pp. 199–220, 2005.
- [493] S. Rendle. Factorization machines. *IEEE International Conference on Data Mining*, pp. 995–100, 2010.
- [494] S. Rendle. Factorization machines with libfm. *ACM Transactions on Intelligent Systems and Technology (TIST)*, 3(3), 57, 2012.
- [495] S. Rendle. Context-aware ranking with factorization models. *Studies in Computational Intelligence*, Chapter 9, Springer, 2011.
- [496] S. Rendle, Z. Gantner, C. Freudenthaler, and L. Schmidt-Thieme. Fast context-aware recommendations with factorization machines. *ACM SIGIR Conference*, pp. 635–644, 2011.
- [497] S. Rendle, L. Balby Marinho, A. Nanopoulos, and A. Schmidt-Thieme. Learning optimal ranking with tensor factorization for tag recommendation. *ACM KDD Conference*, pp. 727–736, 2009.
- [498] S. Rendle and L. Schmidt-Thieme. Pairwise interaction tensor factorization for personalized tag recommendation. *ACM International Conference on Web Search and Data Mining*, pp. 81–90, 2010.
- [499] S. Rendle, C. Freudenthaler, Z. Gantner, and L. Schmidt-Thieme. BPR: Bayesian personalized ranking from implicit feedback. *Uncertainty in Artificial Intelligence (UAI)*, pp. 452–451, 2009.
- [500] J. Rennie and N. Srebro. Fast maximum margin matrix factorization for collaborative prediction. *ICML Conference*, pp. 713–718, 2005.

- [501] P. Resnick, N. Iacovou, M. Suchak, P. Bergstrom, and J. Riedl. GroupLens: an open architecture for collaborative filtering of netnews. *Proceedings of the ACM Conference on Computer Supported Cooperative Work*, pp. 175–186, 1994.
- [502] P. Resnick and R. Sami. The influence limiter: provably manipulation-resistant recommender systems. *ACM Conference on Recommender Systems*, pp. 25–32, 2007.
- [503] P. Resnick and R. Sami. The information cost of manipulation resistance in recommender systems. *ACM Conference on Recommender Systems*, pp. 147–154, 2008.
- [504] F. Ricci. Mobile recommender systems. *Information Technology and Tourism*, 12(3), pp. 205–213, 2010.
- [505] F. Ricci, L. Rokach, B. Shapira, and P. Kantor. Recommender systems handbook. *Springer*, New York, 2011.
- [506] F. Ricci and P. Avesani. Learning a local similarity metric for case-based reasoning. *International Conference on Case-Based Reasoning Research and Development*, pp. 301–312, 1995.
- [507] F. Ricci, B. Arslan, N. Mirzadeh, and A. Venturini. LTR: A case-based travel advisory system. *European Conference on Case-Based Reasoning*, pp. 613–627, 2002.
- [508] E. Rich. User modeling via stereotypes. *Cognitive Science*, 3(4), pp. 329–354, 1979.
- [509] M. Richardson, R. Agrawal, and P. Domingos. Trust management for the semantic Web. *The Semantic Web*, Springer, pp. 351–368, 2003.
- [510] M. Richardson and P. Domingos. Mining knowledge-sharing sites for viral marketing. *ACM KDD Conference*, pp. 61–70, 2002.
- [511] J. Rocchio. Relevance feedback information retrieval. *The SMART retrieval system – experiments in automated document processing*, pp. 313–323, Prentice-Hall, Englewood Cliffs, NJ, 1971.
- [512] P. Rousseeuw and A. Leroy. Robust regression and outlier detection *John Wiley and Sons*, 2005.
- [513] N. Rubens, D. Kaplan, and M. Sugiyama. Active learning in recommender systems. *Recommender Systems Handbook*, Springer, pp. 735–767, 2011.
- [514] N. Sahoo, R. Krishnan, G. Duncan, and J. Callan. Collaborative filtering with multi-component rating for recommender systems. *Proceedings of the sixteenth workshop on information technologies and systems*, 2006.
- [515] A. Said, S. Berkovsky, and E. de Luca. Putting things in context: challenge on context-aware movie recommendation. *Proceedings of the Workshop on Context-Aware Movie Recommendation*, 2010.
- [516] T. Sainath, B. Kingsbury, V. Sindhvani, E. Arisoy, and B. Ramabhadran. Low-rank matrix factorization for deep neural network training with high-dimensional output targets. *Acoustics, Speech and Signal Processing (ICASSP)*, pp. 6655–6659, 2013.
- [517] R. Salakhutdinov, and A. Mnih. Probabilistic matrix factorization. *Advances in Neural and Information Processing Systems*, pp. 1257–1264, 2007.

- [518] R. Salakhutdinov, and A. Mnih. Bayesian probabilistic matrix factorization using Markov chain Monte Carlo. *International Conference on Machine Learning*, pp. 880–887, 2008.
- [519] R. Salakhutdinov, A. Mnih, and G. Hinton. Restricted Boltzmann machines for collaborative filtering. *International conference on Machine Learning*, pp. 791–798, 2007.
- [520] J. Salter, and N. Antonopoulos. CinemaScreen recommender agent: combining collaborative and content-based filtering. *Intelligent Systems*, 21(1), pp. 35–41, 2006.
- [521] P. Samarati. Protecting respondents identities in microdata release. *IEEE Transaction on Knowledge and Data Engineering*, 13(6), pp. 1010–1027, 2001.
- [522] J. Sandvig, B. Mobasher, and R. Burke. Robustness of collaborative recommendation based on association rule mining. *ACM Conference on Recommender Systems*, pp. 105–12, 2007.
- [523] J. Sandvig, B. Mobasher, and R. Burke. A survey of collaborative recommendation and the robustness of model-based algorithms. *IEEE Data Engineering Bulletin*, 31(2), pp. 3–13, 2008.
- [524] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Item-based collaborative filtering recommendation algorithms. *World Wide Web Conference*, pp. 285–295, 2001.
- [525] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Application of dimensionality reduction in recommender system – a case study. *WebKDD Workshop at ACM SIGKDD Conference, 2000*. Also appears at *Technical Report TR-00-043*, University of Minnesota, Minneapolis, 2000. https://wwws.cs.umn.edu/tech_reports_upload/tr2000/00-043.pdf
- [526] B. Sarwar, J. Konstan, A. Borchers, J. Herlocker, B. Miller, and J. Riedl. Using filtering agents to improve prediction quality in the grouplens research collaborative filtering system. *ACM Conference on Computer Supported Cooperative Work*, pp. 345–354, 1998.
- [527] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Incremental singular value decomposition algorithms for highly scalable recommender systems. *International Conference on Computer and Information Science*, pp. 27–28, 2002.
- [528] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl. Recommender systems for large-scale e-commerce: Scalable neighborhood formation using clustering. *International Conference on Computer and Information Technology*, 2002.
- [529] J. Schafer, D. Frankowski, J. Herlocker, and S. Sen. Collaborative filtering recommender systems. *Lecture Notes in Computer Science*, Vol. 4321, pp. 291–324, 2006.
- [530] J. Schafer, J. Konstan, and J. Riedl. Recommender systems in e-commerce. *ACM Conference on Electronic Commerce*, pp. 158–166, 1999.
- [531] L. Schaupp and F. Belanger. A conjoint analysis of online consumer satisfaction. *Journal of Electronic Commerce Research*, 6(2), pp. 95–111, 2005.
- [532] S. Schechter, M. Krishnan, and M. D. Smith. Using path profiles to predict http requests. *World Wide Web Conference*, 1998.

- [533] A. Schein, A. Popescul, L. Ungar, and D. Pennock. Methods and metrics for cold-start recommendations. *ACM SIGIR Conference*, 2002.
- [534] I. Schwab, A. Kobsa, and I. Koychev. Learning user interests through positive examples using content analysis and collaborative filtering. Internal Memo, GMD, St. Augustin, Germany, 2001.
- [535] S. Sen, J. Vig, and J. Riedl. Tagommenders: connecting users to items through tags. *World Wide Web Conference*, pp. 671–680, 2009.
- [536] S. Sen, J. Vig, and J. Riedl. Learning to recognize valuable tags. *International Conference on Intelligent User Interfaces*, pp. 87–96, 2009.
- [537] D. Seung, and L. Lee. Algorithms for non-negative matrix factorization. *Advances in Neural Information Processing Systems*, 13, pp. 556–562, 2001.
- [538] G. Shani and A. Gunawardana. Evaluating recommendation systems. *Recommender Systems Handbook*, pp. 257–297, 2011.
- [539] G. Shani, M. Chickering, and C. Meek. Mining recommendations from the Web. *ACM Conference on Recommender Systems*, pp. 35–42, 2008.
- [540] U. Shardanand and P. Maes. Social information filtering: algorithms for automating word of mouth. *ACM Conference on Human Factors in Computing Systems*, 1995.
- [541] H. Shen and J. Z. Huang. Sparse principal component analysis via regularized low rank matrix approximation. *Journal of multivariate analysis*. 99(6), pp. 1015–1034, 2008.
- [542] A. Shepitsen, J. Gemmell, B. Mobasher, and R. Burke. Personalized recommendation in social tagging systems using hierarchical clustering. *ACM Conference on Recommender Systems*, pp. 259–266. 2008.
- [543] B. Sheth and P. Maes. Evolving agents for personalized information filtering. *Ninth Conference on Artificial Intelligence for Applications*, pp. 345–352, 1993.
- [544] Y. Shi, M. Larson, and A. Hanjalic. Collaborative filtering beyond the user-item matrix: A survey of the state of the art and future challenges. *ACM Computing Surveys (CSUR)*, 47(1), 3, 2014.
- [545] Y. Shi, M. Larson, and A. Hanjalic. List-wise learning to rank with matrix factorization for collaborative filtering. *ACM Conference on Recommender Systems*, 2010.
- [546] Y. Shi, A. Karatzoglou, L. Baltrunas, M. Larson, N. Oliver, and A. Hanjalic. CLiMF: Learning to maximize reciprocal rank with collaborative less-is-more collaborative filtering. *ACM Conference on Recommender Systems*, pp. 139–146, 2012.
- [547] Y. Shi, A. Karatzoglou, L. Baltrunas, M. Larson, and A. Hanjalic. GAPfm: Optimal top- n recommendations for graded relevance domains. *ACM Conference on Information and Knowledge Management*, pp. 2261–2266, 2013.
- [548] Y. Shi, A. Karatzoglou, L. Baltrunas, M. Larson, and A. Hanjalic. xCLiMF: optimizing expected reciprocal rank for data with multiple levels of relevance. *ACM Conference on Recommender Systems*, pp. 431–434, 2013.

- [549] Y. Shi, A. Karatzoglou, L. Baltrunas, M. Larson, A. Hanjalic, and N. Oliver. TFMAP: Optimizing MAP for top- n context-aware recommendation. *ACM SIGIR Conference on Research and Development in Information Retrieval*, pp. 155–164, 2012.
- [550] H. Shimazu, A. Shibata, and K. Nihei. ExpertGuide: A conversational case-based reasoning tool for developing mentors in knowledge spaces. *Applied Intelligence*, 14(1), pp. 33–48, 2002.
- [551] R. Shokri, P. Pedarsani, G. Theodorakopoulos, and J. Hubaux. Preserving privacy in collaborative filtering through distributed aggregation of offline profiles. *ACM Conference on Recommender Systems*, pp. 157–164, 2009.
- [552] M.-L. Shyu, C. Haruechaiyasak, S.-C. Chen, and N. Zhao. Collaborative filtering by mining association rules from user access sequences. *Workshop on Challenges in Web Information Retrieval and Integration*, pp. 128–135, 2005.
- [553] B. Sigurbjornsson and R. Van Zwol. Flickr tag recommendation based on collective knowledge. *World Wide Web Conference*, pp. 327–336, 2008.
- [554] J. Sill, G. Takacs, L. Mackey, and D. Lin. Feature-weighted linear stacking. *arXiv preprint*, arXiv:0911.0460, 2009. <http://arxiv.org/pdf/0911.0460.pdf>
- [555] Y. Song, L. Zhang and C. L. Giles. Automatic tag recommendation algorithms for social recommender systems. *ACM Transactions on the Web (TWEB)*, 5(1), 4, 2011.
- [556] Y. Song, Z. Zhuang, H. Li, Q. Zhao, J. Li, W. Lee, and C. L. Giles. Real-time automatic tag recommendation. *ACM SIGIR Conference*, pp. 515–522, 2008.
- [557] A. P. Singh and G. J. Gordon. Relational learning via collective matrix factorization. *ACM KDD Conference*, pp. 650–658, 2008.
- [558] B. Smyth. Case-based recommendation. *The Adaptive Web*, pp. 342–376, Springer, 2007.
- [559] B. Smyth and P. Cotter. A personalized television listings service. *Communications of the ACM*, 43(8), pp. 107–111, 2000.
- [560] B. Smyth and P. McClave. Similarity vs. diversity. *Case-Based Reasoning Research and Development*, pp. 347–361, 2001.
- [561] H. Sorensen and M. McElligott. PSUN: a profiling system for Usenet news. *CIKM Intelligent Information Agents Workshop*, 1995.
- [562] J. Srivastava, R. Cooley, M. Deshpande, and P.-N. Tan. Web usage mining: discovery and applications of usage patterns from Web data. *ACM SIGKDD Explorations*, 1(2), pp. 12–23, 2000.
- [563] A. Stahl. Learning feature weights from case order feedback. *International Conference on Case-Based Reasoning*, pp. 502–516, 2001.
- [564] H. Steck. Item popularity and recommendation accuracy. *ACM Conference on Recommender Systems*, pp. 125–132, 2011.
- [565] H. Steck. Training and testing of recommender systems on data missing not at random. *ACM KDD Conference*, pp. 713–722, 2010.

- [566] H. Steck. Evaluation of recommendations: rating-prediction and ranking. *ACM Conference on Recommender Systems*, pp. 213–220, 2013.
- [567] H. Stormer. Improving e-commerce recommender systems by the identification of seasonal products. *Conference on Artificial Intelligence*, pp. 92–99, 2007.
- [568] G. Strang. An introduction to linear algebra. *Wellesley Cambridge Press*, 2009.
- [569] N. Srebro, J. Rennie, and T. Jaakkola. Maximum-margin matrix factorization. *Advances in neural information processing systems*, pp. 1329–1336, 2004.
- [570] X. Su and T. Khoshgoftaar. A survey of collaborative filtering techniques. *Advances in artificial intelligence*, 4, 2009.
- [571] X. Su, T. Khoshgoftaar, X. Zhu, and R. Greiner. Imputation-boosted collaborative filtering using machine learning classifiers. *ACM symposium on Applied computing*, pp. 949–950, 2008.
- [572] X. Su, H. Zeng, and Z. Chen. Finding group shilling in recommendation system. *World Wide Web Conference*, pp. 960–961, 2005.
- [573] K. Subbian, C. Aggarwal, and J. Srivasatava. Content-centric flow mining for influence analysis in social streams. *CIKM Conference*, pp. 841–846, 2013.
- [574] B. O’Sullivan, A. Papadopoulos, B. Faltings, and P. Pu. Representative explanations for over-constrained problems. *AAAI Conference*, pp. 323–328, 2007.
- [575] J. Sun and J. Tang. A survey of models and algorithms for social influence analysis. *Social Network Data Analytics*, Springer, pp. 177–214, 2011.
- [576] Y. Sun, J. Han, C. Aggarwal, and N. Chawla. When will it happen?: relationship prediction in heterogeneous information networks. *ACM International Conference on Web Search and Data Mining*, pp. 663–672, 2012.
- [577] Y. Sun, R. Barber, M. Gupta, C. Aggarwal, and J. Han. Co-author relationship prediction in heterogeneous bibliographic networks. *Advances in Social Networks Analysis and Mining (ASONAM)*, pp. 121–128, 2011.
- [578] D. Sutherland, B. Póczos, and J. Schneider. Active learning and search on low-rank matrices. *ACM KDD Conference*, pp. 212–220, 2013.
- [579] R. Sutton and A. Barto. Reinforcement learning: An introduction, *MIT Press*, Cambridge, 1998.
- [580] P. Symeonidis, E. Tiakas, and Y. Manolopoulos. Transitive node similarity for link prediction in social networks with positive and negative links. *ACM Conference on Recommender Systems*, pp. 183–190, 2010.
- [581] P. Symeonidis, E. Tiakas, and Y. Manolopoulos. Product recommendation and rating prediction based on multi-modal social networks. *ACM Conference on Recommender Systems*, pp. 61–68, 2011.
- [582] P. Symeonidis, A. Nanopoulos, and Y. Manolopoulos. A unified framework for providing recommendations in social tagging systems based on ternary semantic analysis. *IEEE Transactions on Knowledge and Data Engineering*, 22(2), pp. 179–192, 2010.

- [583] P. Symeonidis, A. Nanopoulos, and Y Manolopoulos. Tag recommendations based on tensor dimensionality reduction. *ACM Conference on Recommender Systems*, pp. 43–50, 2008.
- [584] M. Szomszor, C. Cattuto, H. Alani, K. O’Hara, A. Baldassarri, V. Loreto, and V. Servedio. Folksonomies, the semantic web, and movie recommendation. *Bridging the Gap between the Semantic Web and Web 2.0*, pp. 71–84, 2007.
- [585] N. Taghipour, A. Kardan, and S. Ghidary. Usage-based web recommendations: a reinforcement learning approach. *ACM Conference on Recommender Systems*, pp. 113–120, 2007.
- [586] G. Takacs, I. Pilaszy, B. Nemeth, and D. Tikk. Matrix factorization and neighbor based algorithms for the Netflix prize problem. *ACM Conference on Recommender Systems*, pp. 267–274, 2008.
- [587] G. Takacs, I. Pilaszy, B. Nemeth, and D. Tikk. Scalable collaborative filtering approaches for large recommender systems. *Journal of Machine Learning Research*, 10, pp. 623–656, 2009.
- [588] J. Tang, X. Hu, and H. Liu. Social recommendation: a review. *Social Network Analysis and Mining*, 3(4), pp. 1113–1133, 2013.
- [589] J. Tang, J. Sun, C. Wang, and Z. Yang. Social influence analysis in large-scale networks. *ACM KDD Conference*, pp. 807–816, 2009.
- [590] J. Tang, C. Aggarwal, and H. Liu. Recommendations in signed social networks. *World Wide Web Conference*, 2016.
- [591] J. Tang, S. Chang, C. Aggarwal, and H. Liu. Negative link prediction in social media. *Web Search and Data Mining Conference*, 2015.
- [592] J. Tang, X. Hu, Y. Chang, and H. Liu. Predictability of distrust with interaction data. *ACM International Conference on Information and Knowledge Management (CIKM)*, pp. 181–190, 2014.
- [593] J. Tang, X. Hu and H. Liu. Is distrust the negation of trust? The value of distrust in social media. *ACM Hypertext Conference (HT)*, pp. 148–157, 2014.
- [594] J. Tang, H. Gao, X. Hu, and H. Liu. Exploiting homophily effect for trust prediction. *ACM International Conference on Web Search and Data Mining*, pp. 53–62, 2013.
- [595] T. Tang, P. Winoto, and K. C. C. Chan. On the temporal analysis for improved hybrid recommendations. *International Conference on Web Intelligence*, pp. 214–220, 2003.
- [596] T. Tang and G. McCalla. The pedagogical value of papers: a collaborative-filtering based paper recommender. *Journal of Digital Information*, 10(2), 2009.
- [597] W. Tang, Y. Ma, and Z. Chen. Managing trust in peer-to-peer networks. *Journal of Digital Information Management*, 3(2), pp. 58–63, 2005.
- [598] N. Tintarev and J. Masthoff. Designing and evaluating explanations for recommender systems. *Recommender Systems Handbook*, pp. 479–510, 2011.

- [599] E. G. Toms. Serendipitous information retrieval. *DELOS Workshop: Information Seeking, Searching and Querying in Digital Libraries*, 2000.
- [600] R. Torres, S. M. McNee, M. Abel, J. Konstan, and J. Riedl. Enhancing digital libraries with TechLens+. *ACM/IEEE-CS Joint Conference on Digital libraries*, pp. 228–234, 2004.
- [601] T. Tran and R. Cohen. Hybrid recommender systems for electronic commerce. *Knowledge-Based Electronic Markets, Papers from the AAAI Workshop*, Technical Report WS-00-04, pp. 73–83, 2000.
- [602] M.-H. Tsai, C. Aggarwal, and T. Huang. Ranking in heterogeneous social media. *Web Search and Data Mining Conference*, 2014.
- [603] K. Tso-Sutter, L. Marinho, L. Schmidt-Thieme. Tag-aware recommender systems by fusion of collaborative filtering algorithms. *ACM Symposium on Applied Computing*, pp. 1995–1999, 2008.
- [604] A. Tsoukias, N. Matsatsinis, and K. Lakiotaki. Multi-criteria user modeling in recommender systems. *IEEE Intelligent Systems*, 26(2), pp. 64–76, 2011.
- [605] L. Tucker. Some mathematical notes on three-model factor analysis. *Psychometrika*, 31, pp. 279–311, 1966.
- [606] A. Tveit. Peer-to-peer based recommendations for mobile commerce. *Proceedings of the International Workshop on Mobile Commerce*, pp. 26–29, 2001.
- [607] A. Umyarov, and A. Tuzhilin. Using external aggregate ratings for improving individual recommendations. *ACM Transactions on the Web (TWEB)*, 5(1), 3, 2011.
- [608] L. Ungar and D. Foster. Clustering methods for collaborative filtering. *AAAI Workshop on Recommendation Systems*. Vol. 1, 1998.
- [609] B. van Roy and X. Yan. Manipulation-resistant collaborative filtering systems. *ACM Conference on Recommender Systems*, pp. 165–172, 2009.
- [610] M. van Satten. Supporting people in finding information: Hybrid recommender systems and goal-based structuring. *Ph.D. Thesis*, Telemetica Instituut, University of Twente, Netherlands, 2005.
- [611] M. van Setten, S. Pokraev, and J. Koolwaaij. Context-aware recommendations in the mobile tourist application compass. *Adaptive Hypermedia*, Springer, pp. 235–244, 2004.
- [612] K. Verbert, N. Manouselis, X. Ochoa, M. Wolpers, H. Drachsler, I. Bosnic, and E. Duval. Context-aware recommender systems for learning: a survey and future challenges. *IEEE Transactions on Learning Technologies*, 5(4), pp. 318–335, 2012.
- [613] K. Verstrepen and B. Goethals. Unifying nearest neighbors collaborative filtering. *ACM Conference on Recommender Systems*, pp. 177–184, 2014.
- [614] P. Victor, C. Cornelis, M. De Cock, and P. Da Silva. Gradual trust and distrust in recommender systems. *Fuzzy Sets and Systems*, 160(10), pp. 1367–1382, 2009.

- [615] P. Victor, C. Cornelis, M. De Cock, and E. Herrera-Viedma. Practical aggregation operators for gradual trust and distrust. *Fuzzy Sets and Systems*, 184(1), pp. 126–147, 2011.
- [616] P. Victor, M. De Cock, and C. Cornelis. Trust and Recommendations. *Recommender Systems Handbook*, Springer, pp. 645–675, 2011.
- [617] P. Victor, C. Cornelis, M. De Cock, and A. Teredesai. Trust-and distrust-based recommendations for controversial reviews. *Proceedings of the WebSci*, 2009. http://journal.webscience.org/161/2/websci09_submission_65.pdf
- [618] V. Vlahakis, N. Ioannidis, J. Karigiannis, M. Tsotros, M. Gounaris, D. Stricker, T. Gleue, P. Daehne, and L. Almeida. Archeoguide: an augmented reality guide for archaeological sites. *IEEE Computer Graphics and Applications*, 22(5), pp. 52–60, 2002.
- [619] L. von Ahn, M. Blum, N. Hopper, and J. Langford. CAPTCHA: Using hard AI problems for security. *Advances in Cryptology – EUROCRYPT*, pp. 294–311, 2003.
- [620] S. Vucetic and Z. Obradovic. Collaborative filtering using a regression-based approach. *Knowledge and Information Systems*, 7(1), pp. 1–22, 2005.
- [621] C. Wang, J. Han, Y. Jia, J. Tang, D. Zhang, Y. Yu, and J. Guo. Mining advisor-advisee relationships from research publication networks. *ACM KDD Conference*, pp. 203–212, 2010.
- [622] J. Wang, A. de Vries, and M. Reinders. Unifying user-based and item-based similarity approaches by similarity fusion. *ACM SIGIR Conference*, pp. 501–508, 2006.
- [623] A. M. Ahmad Wasfi. Collecting user access patterns for building user profiles and collaborative filtering. *International Conference on Intelligent User Interfaces*, pp. 57–64, 1998.
- [624] M. Weimer, A. Karatzoglou, Q. Le, and A. Smola. CoFiRank: Maximum margin matrix factorization for collaborative ranking. *Advances in Neural Information Processing Systems*, 2007.
- [625] M. Weimer, A. Karatzoglou, and A. Smola. Improving maximum margin matrix factorization. *Machine Learning*, 72(3), pp. 263–276, 2008.
- [626] S.-S. Weng, L. Binshan, and W.-T. Chen. Using contextual information and multi-dimensional approach for recommendation. *Expert Systems and Applications*, 36, pp. 1268–1279, 2009.
- [627] D. Wettschereck and D. Aha. Weighting features. *International Conference on Case-Based Reasoning*, pp. 347–358. 1995.
- [628] J. White. Bandit algorithms for Website optimization. *O’Reilly Media, Inc*, 2012.
- [629] S. Wild, J. Curry, and A. Dougherty. Improving non-negative matrix factorizations through structured initialization. *Pattern Recognition*, 37(11), pp. 2217–2232, 2004.
- [630] C. Williams, B. Mobasher, and R. Burke. Defending recommender systems: detection of profile injection attacks. *Service Oriented Computing and Applications*, 1(3), pp. 157–170, 2007.

- [631] C. Williams, B. Mobasher, R. Burke, J. Sandvig, and R. Bhaumik. Detection of obfuscated attacks in collaborative recommender systems. *ECAI Workshop on Recommender Systems*, 2006.
- [632] C. Willmott and K. Matsuura. Advantages of the mean absolute error (MAE) over the root mean square error (RMSE) in assessing average model performance. *Climate Research*, 30(1), 79, 2005.
- [633] W. Woerndl, C. Schueller, and R. Wojtech. A hybrid recommender system for context-aware recommendations of mobile applications. *IEEE International Conference on Data Engineering Workshop*, pp. 871–878, 2007.
- [634] D. H. Wolpert. *Stacked generalization*. *Neural Networks*, 5(2), pp. 241–259, 1992.
- [635] P. Wu, C. Yeung, W. Liu, C. Jin, and Y. Zhang. Time-aware collaborative filtering with the piecewise decay function. *arXiv preprint*, arXiv:1010.3988, 2010. <http://arxiv.org/pdf/1010.3988.pdf>
- [636] K. L. Wu, C. C. Aggarwal, and P. S. Yu. Personalization with dynamic profiler. *International Workshop on Advanced Issues of E-Commerce and Web-Based Information Systems*, pp. 12–20, 2001. Also available online as *IBM Research Report*, RC22004, 2001. Search interface at <http://domino.research.ibm.com/library/cyberdig.nsf/index.html>
- [637] M. Wu. Collaborative filtering via ensembles of matrix factorizations. *Proceedings of the KDD Cup and Workshop*, 2007.
- [638] Z. Xia, Y. Dong, and G. Xing. Support vector machines for collaborative filtering. *Proceedings of the 44th Annual Southeast Regional Conference*, pp. 169–174, 2006.
- [639] L. Xiang, Q. Yuan, S. Zhao, L. Chen, X. Zhang, Q. Yang, and J. Sun. Temporal recommendation on graphs via long-and short-term preference fusion. *ACM KDD Conference*, pp. 723–732, 2010.
- [640] Z. Xiang and U. Gretzel. Role of social media in online travel information search. *Tourism Management*, 31(2), pp. 179–188, 2010.
- [641] H. Xie, L. Chen, and F. Wang. Collaborative Compound Critiquing. *User Modeling, Adaptation, and Personalization*, Springer, pp. 254–265, 2014.
- [642] Y. Xin and T. Jaakkola. Controlling privacy in recommender systems. *Advances in Neural Information Processing Systems*, pp. 2618–2626, 2014.
- [643] B. Xu, J. Bu, C. Chen, and D. Cai. An exploration of improving collaborative recommender systems via user-item subgroups. *World Wide Web Conference*, pp. 21–30, 2012.
- [644] G. Xue, C. Lin, Q. Yang, W. Xi, H. Zeng, Y. Yu, and Z. Chen. Scalable collaborative filtering using cluster-based smoothing. *ACM SIGIR Conference*, pp. 114–121, 2005.
- [645] W. Yang, H. Cheng, and J. Dia. A location-aware recommender system for mobile shopping environments. *Expert Systems with Applications*, 34(1), pp. 437–445, 2008.
- [646] X. Yang, Y. Guo, Y. Liu, and H. Steck. A survey of collaborative filtering based social recommender systems. *Computer Communications*, 41, pp. 1–10, 2014.

- [647] H. Yildirim, and M. Krishnamoorthy. A random walk method for alleviating the sparsity problem in collaborative filtering. *ACM Conference on Recommender Systems*, pp. 131–138, 2008.
- [648] H. Yin, B. Cui, J. Li, J. Yao, and C. Chen. Challenging the long tail recommendation. *Proceedings of the VLDB Endowment*, 5(9), pp. 896–907, 2012.
- [649] H. Yin, Y. Sun, B. Cui, Z. Hu, and L. Chen. LCARS: A location-content-aware recommender system. *ACM KDD Conference*, pp. 221–229, 2013.
- [650] H. F. Yu, C. Hsieh, S. Si, and I. S. Dhillon. Scalable coordinate descent approaches to parallel matrix factorization for recommender systems. *IEEE International Conference on Data Mining*, pp. 765–774, 2012.
- [651] K. Yu, S. Zhu, J. Lafferty, and Y. Gong. Fast nonparametric matrix factorization for large-scale collaborative filtering. *ACM SIGIR Conference*, pp. 211–218, 2009.
- [652] K. Yu, A. Shcwaighofer, V. Tresp, W.-Y. Ma, and H. Zhang. Collaborative ensemble learning. combining collaborative and content-based filtering via hierarchical Bayes. *Conference on Uncertainty in Artificial Intelligence*, pp. 616–623, 2003.
- [653] Z. Yu, X. Zhou, Y. Hao, and J. Gu. TV program recommendation for multiple viewers based on user profile merging. *User Modeling and User-Adapted Interaction*, 16(1), pp. 63–82, 2006.
- [654] Z. Yu, X. Zhou, D. Zhang, C. Y. Chin, and X. Wang. Supporting context-aware media recommendations for smart phones. *IEEE Pervasive Computing*, 5(3), pp. 68–75, 2006.
- [655] Q. Yuan, G. Cong, Z. Ma, A. Sun, and N. Thalmann. Time-aware point-of-interest recommendation. *ACM SIGIR Conference*, pp. 363–372, 2013.
- [656] R. Zafarani, M. A. Abbasi, and H. Liu. Social media mining: an introduction. *Cambridge University Press*, New York, 2014.
- [657] H. Zakerzadeh, C. Aggarwal and K. Barker. Towards breaking the curse of dimensionality for high-dimensional privacy. *SIAM Conference on Data Mining*, pp. 731–739, 2014.
- [658] F. Zaman and H. Hirose. Effect of subsampling rate on subbagging and related ensembles of stable classifiers. *Lecture Notes in Computer Science*, Springer, Volume 5909, pp. 44–49, 2009.
- [659] M. Zanker and M. Jessenitschnig. Case studies on exploiting explicit customer requirements in recommender systems. *User Modeling and User-Adapted Interaction*, 19(1–2), pp. 133–166, 2009.
- [660] M. Zanker, M. Aschinger, and M. Jessenitschnig. Development of a collaborative and constraint-based web configuration system for personalized bundling of products and services. *Web Information Systems Engineering–WISE*, pp. 273–284, 2007.
- [661] M. Zanker, M. Aschinger, and M. Jessenitschnig. Constraint-based personalised configuring of product and service bundles. *International Journal of Mass Customisation*, 3(4), pp. 407–425, 2010.

- [662] Y. Zhai, and B. Liu. Web data extraction based on partial tree alignment. *World Wide Web Conference*, pp. 76–85, 2005.
- [663] J. Zhang, M. Ackerman, and L. Adamic. Expertise networks in online communities: structure and algorithms. *World Wide Web Conference*, pp. 221–230, 2007.
- [664] J. Zhang and P. Pu. A comparative study of compound critique generation in conversational recommender systems. *Adaptive Hypermedia and Adaptive Web-Based Systems*, pp. 234–243, Springer, 2006.
- [665] J. Zhang, N. Jones, and P. Pu. A visual interface for critiquing-based recommender systems. *Proceedings of the ACM conference on Electronic Commerce*, pp. 230–239, 2008.
- [666] S. Zhang, W. Wang, J. Ford, and F. Makedon. Learning from incomplete ratings using nonnegative matrix factorization. *SIAM Conference on Data Mining*, pp. 549–553, 2006.
- [667] S. Zhang, J. Ford, and F. Makedon. Deriving Private Information from Randomly Perturbed Ratings. *SIAM Conference on Data Mining*, pp. 59–69, 2006. .
- [668] S. Zhang, A. Chakrabarti, J. Ford, and F. Makedon. Attack detection in time series for recommender systems. *ACM KDD Conference*, pp. 809–814, 2006.
- [669] T. Zhang and V. Iyengar. Recommender systems using linear classifiers. *Journal of Machine Learning Research*, 2, pp. 313–334, 2002.
- [670] Y. Zhang, J. Callan, and T. Minka. Novelty and redundancy detection in adaptive filtering. *ACM SIGIR Conference*, pp. 81–88, 2002.
- [671] Z. Zhang, T. Zhou, and Y. Zhang. Tag-aware recommender systems: A state-of-the-art survey. *Journal of Computer Science and Technology*, 26(5), pp. 767–777, 2011.
- [672] Z. Zhang, C. Liu, and Y. Zhang. Solving the cold-start problem in recommender systems with social tags. *EPL (Europhysics Letters)*, 92(1), 2800, 2010.
- [673] Y. Zhen, W. Li, and D. Yeung. TagiCoFi: tag informed collaborative filtering. *ACM Conference on Recommender Systems*, pp. 69–76, 2009.
- [674] D. Zhou, O. Bousquet, T. Lal, J. Weston, and B. Scholkopf. Learning with local and global consistency. *Advances in Neural Information Processing Systems*, 16(16), pp. 321–328, 2004.
- [675] D. Zhou, J. Huang, and B. Scholkopf. Learning from labeled and unlabeled data on a directed graph. *ICML Conference*, pp. 1036–1043, 2005.
- [676] K. Zhou, S. Yang, and H. Zha. Functional matrix factorizations for cold-start recommendation. *ACM SIGIR Conference*, pp. 315–324, 2011.
- [677] Y. Zhou, D. Wilkinson, R. Schreiber, and R. Pan. Large-scale parallel collaborative filtering for the Netflix prize. *Algorithmic Aspects in Information and Management*, pp. 337–348, 2008.
- [678] X. Zhu, Z. Ghahramani, and J. Lafferty. Semi-supervised learning using gaussian fields and harmonic functions. *ICML Conference*, pp. 912–919, 2003.

- [679] C. Ziegler. Applying feed-forward neural networks to collaborative filtering, Master's Thesis, Universitat Freiburg, 2006.
- [680] C. Ziegler, S. McNee, J. Konstan, and G. Lausen. Improving recommendation lists through topic diversification. *World Wide Web Conference*, pp. 22–32, 2005.
- [681] C. Ziegler and J. Golbeck. Investigating interactions of trust and interest similarity. *Decision Support Systems*, 43(2), pp. 460–475, 2007.
- [682] C. Ziegler and G. Lausen. Propagation models for trust and distrust in social networks. *Information Systems Frontiers*, 7(4–5), pp. 337–358, 2005.
- [683] C. Ziegler and G. Lausen. Spreading activation models for trust propagation. *IEEE International Conference on e-Technology, e-Commerce and e-Service*, pp. 83–97, 2004.
- [684] A. Zimdars, D. Chickering, and C. Meek. Using temporal data for making recommendations. *Uncertainty in Artificial Intelligence*, pp. 580–588, 2001.
- [685] A. Zimmermann, M. Specht, and A. Lorenz. Personalization and context management. *User Modeling and User-Adapted Interaction*, 15(3–4), pp. 275–302, 2005.
- [686] <http://www.foursquare.com>
- [687] <http://grouplens.org>
- [688] <http://grouplens.org/datasets/movielens/>
- [689] <http://eigentaste.berkeley.edu/user/index.php>
- [690] <http://www.netflix.com>
- [691] <http://www.facebook.com>
- [692] <http://www.last.fm>
- [693] <http://www.pandora.com>
- [694] <http://www.youtube.com>
- [695] <http://www.tripadvisor.com>
- [696] <http://www.google.com>
- [697] <http://news.google.com>
- [698] <http://www.amazon.com>
- [699] <http://www.imdb.com>
- [700] <http://www.flickr.com>
- [701] <http://www.bibsonomy.org>
- [702] <http://delicious.com>
- [703] <http://www.pandora.com/about/mgp>
- [704] <http://www.the-ensemble.com/>

- [705] <http://www.epinions.com>
- [706] <http://www.slashdot.org>
- [707] <http://vanderwal.net/folksonomy.html>
- [708] <http://www.bibsonomy.org>
- [709] <http://www.amazon.com/gp/help/customer/display.html?nodeId=16238571>
- [710] <http://opennlp.apache.org/index.html>
- [711] <http://snowball.tartarus.org/>
- [712] <https://code.google.com/p/ir-themis/>
- [713] <http://www.netflixprize.com/community/viewtopic.php?id=828>
- [714] [http://blog.netflix.com/2010/03/
this-is-neil-hunt-chief-product-officer.html](http://blog.netflix.com/2010/03/this-is-neil-hunt-chief-product-officer.html)
- [715] <http://www.kddcup2012.org/workshop>

Index

- χ^2 Statistic, 148
- ϵ -Greedy Algorithm, 420
- A/B Testing, 225, 228
- Accuracy Metrics, 240
- Accuracy of Ratings Prediction, 240
- Active Learning in Recommender Systems, 25, 412
- AdaBoost.RT, 213
- Adjusted Cosine Similarity, 40
- Advagato Trust Metric, 383
- Adversary, 385
- Alternating Least Squares, 105
- Amazon.com Recommender System, 5
- Anomalous Attack Detection, 409
- Appleseed, 352, 383
- Applications of Recommender Systems, 435
- Approval Voting, 447
- Archeoguide, 307
- ARHR, 247
- Aspects in NMF, 122
- Association Rules, 78
- Association Rules for Attack Detection, 405
- Asymmetric Factor Models, 110, 135
- Attack Detection, 398
- Attack Detection with H_v -Score, 403
- Attack Detection with Time-Series Analysis, 409
- Attack Resistance of Social Recommenders, 366
- Attack-Resistant Recommender Systems, 385
- Attacking Click-streams, 398, 409
- Attacking Implicit Feedback, 398, 409
- Average Attack, 393
- Average Reciprocal Hit Rate, 247
- Average without Misery, 425
- Bagging, 209
- Bandwagon Attack, 394
- Baseline Estimators, 129
- Bayes Classifier, 153
- Bellkor's Pragmatic Chaos, 201
- Bibsonomy, 366
- Binary Ratings, 31
- Bold Driver Algorithm, 100, 103
- BookLens, 5
- Boosting, 213
- Bootstrapped Sampling, 209
- Borda Count, 447
- Bounded Random Selection Strategy, 187
- Bucket-of-Models, 212
- CAPTCHA, 404
- CAPTCHAs for Attack Detection, 403
- Cascade, 338
- Catalog Coverage, 232
- CATS, 423
- Cinematch Recommender Algorithm, 6
- Citeseer, 164
- CLiMF, 417
- Clustering for Neighborhood-based Methods, 45
- CoFiRank, 416
- Cold-Start Problem, 24, 136, 167, 212, 349, 366

- Collaboration via Content, 217
- Collaborative Advisory Travel System, 423
- Collaborative Filtering, 8
- Collaborative Tagging, 367
- Collective Classification, 323
- COMPASS, 307
- Compatibility Conditions, 173
- Compound Critiques, 188
- Computational Advertising, 438
- Condensation-Based Privacy, 434
- Conditionally Factored RBMs, 276
- Confidence, 77
- Confidence in Evaluation, 232
- Confidence-pruned Markov Model, 299
- Conformity, 424
- Conjoint Analysis, 179
- Content-based Recommender Systems, 139
- Context-based Recommender Systems, 20
- Contextual Bandit Algorithms, 421
- Contextual Filtering, 262, 289
- Contextual Pre-Filtering, 289
- Contextual Reduction, 262
- Continuous Ratings, 31
- Conversion Rate, 228
- Coordinate Descent, 106
- Copeland Rule, 447
- Correlation Graph, 66, 319
- Cosine Similarity, 36
- Coverage, 231
- Critiques in Case-Based Recommenders, 188
- Critiquing Recommender Systems, 18, 170
- Cross-Validation, 103, 239
- Curse of Dimensionality, 434
- Customer-Specific ROC Curves, 250
- CWAdvisor, 196

- Daily Learner System, 212
- DCG, 245
- DD (Attack Detection), 400
- Decay-Based Temporal Methods, 286
- Decision Trees, 160
- Decision Trees for Collaborative Filtering, 74
- Degree of Disagreement for Attack Detection, 400
- Demographic Recommender Systems, 19
- Diffusion Models, 338

- Dimensionality Reduction for Neighborhood Methods, 47
- Directional Critique, 188
- Display Advertising, 439
- Diversity, 234
- Diversity in Evaluation, 234
- Dynamic Critiques, 188
- Dynamic Profiler, 436
- Dynamic-Profiler, 164

- Efficiency of Collaborative Filtering, 45
- Efficient Attack, 386
- EigenTrust, 383
- Elastic-Net Regularizer, 59
- Emotional Contagion, 424
- Ensemble Recommender System, 199
- EntreeC, 213
- Error-pruned Markov Model, 299
- Evaluating Recommender Systems, 225
- Evaluation, 20

- Factorization Machines, 270, 272, 280, 384, 416
- Favorite Item Attack, 397
- Feature Extraction in Content-based Systems, 142
- Feature Weighted Linear Stacking, 219
- Feature Weighting, 150
- Filmtrust, 350
- Filter Conditions, 173
- Filtering in Neighborhood-based Methods, 36
- FindMe Systems, 196
- Fisher's Discrimination Index, 150
- Folksonomy, 367
- Forced Choice, 31
- Forced Choice Rating System, 11
- Frequent Itemsets, 77
- Frequent Patterns, 77
- Frequent Sequential Pattern, 300
- Fusion Ensemble, 208

- Gini Index, 74, 147
- Global ROC Curves, 250
- Google News Personalization, 436
- Gradient Descent, 98
- Graph-based Collaborative Filtering, 61
- Group Attack Profile Detection, 402
- Group Recommendation, 24, 423

- Group Shilling Attacks, 409
- GroupLens Recommender System, 4
- Grundy, 19
- GUIDE, 307

- Handling Periodic Context, 288
- Hidden Markov Models, 300
- High-Knowledge Attack, 386
- Hinge Loss, 127
- Hit-Ratio, 391
- Hold-Out, 238
- Homophily, 349
- Horting, 63
- Hybrid Recommender System, 199
- Hybrid Recommender Systems, 19

- IDCG, 245
- Ideal Discounted Cumulative Gain, 245
- IfWeb System, 164
- Implicit Feedback Data Sets, 11, 119
- Implicit Feedback in Latent Factor Models, 109
- Implicit Ratings, 5
- Impressions in Advertising, 439
- Independent Cascade Model, 339
- Individual Attack Profile Detection, 399
- Inductive Models, 14, 111, 116
- Influence Analysis, 337
- Influence Limiter, 404
- Interval-based Ratings, 31
- INTIMATE, 165
- INTRIGUE, 307
- Intrigue, 423
- Item-based Neighborhood Models, 40
- Item-Item Graphs, 66
- Item-Space Coverage, 232
- Iterative Classification Algorithm, 324
- ITR System, 165

- Job Recommendations, 443
- Joint Interpolation, 57

- K-Means, 46
- Katz Centrality, 329
- Katz Measure, 61, 62, 328
- Kendall Rank Correlation Coefficient, 243
- Kernel Collaborative Filtering, 135
- Knowledge-Based Recommender Systems, 167
- Knowledge-based Recommender Systems, 15
- Kronecker Product, 278

- Label Propagation Algorithm, 325
- LaboUr, 217
- LARS, 303
- Latent Dirichlet Allocation, 376
- Latent Factor Models, 47, 90, 269
- LDA, 376
- Learning to Rank, 413
- Least Misery Strategy, 424
- Leave-One-Out Cross-Validation, 239
- Left Eigenvector, 314
- Letizia, 164
- libFM, 275
- Libra, 215, 223
- Lift Index, 247
- Linear Threshold Model, 339
- Link Prediction, 326
- Link Recommendation, 22
- LinUCB Algorithm, 422
- LISTEN, 307
- Listwise Rank Learning, 415
- LOCALBAL, 364
- Location-Aware Recommender Systems, 302
- Location-based Recommender Systems, 21
- Long-Tail Property, 32
- Love/Hate Attack, 395
- Low-Knowledge Attack, 386

- MAE, 241
- MAP, 246
- Markov Decision Process, 181
- Markovian Models, 295
- Matrix Completion Problem, 3, 71
- Matrix Factorization for Link Prediction, 330
- Maximum Margin Factorization, 127
- Mean Absolute Error, 241
- Mean Average Precision, 246
- Mean Reciprocal Rank, 246
- Mean Squared Error, 230, 240
- Memory-based Collaborative Filtering, 9, 29
- Mentor-Mentee Recommendation, 443
- Minimum Support, 77
- MINRELAX, 180
- Missing Not at Random, 251

- MNAR, 251
- MobiDENK, 307
- Model-based Collaborative Filtering, 71
- Modified Degree of Similarity, 401
- Moleskiing, 350, 383
- MoleTrust, 356
- MovieLens, 5
- MRR, 246, 417
- MSE, 230, 240
- MSVD, 447
- Multi-Arm Bandits, 228, 306, 418
- Multi-Criteria Recommender Systems, 24, 426
- Multi-Linear Singular Value Decomposition, 447
- Multiplicative Aggregation, 447
- Multiverse Recommendation, 269
- Music Genome Project, 144
- Music Recommendation, 144
- MusicFX Group Recommender, 423
- MyMap, 307

- Naive Bayes Collaborative Filtering, 82
- NDCG, 245
- Neighborhood-based Collaborative Filtering, 9, 29, 33
- Netflix Recommendation Challenge, 5
- News Personalization, 436
- Node Recommendation, 22
- Non-negative Matrix Factorization, 119
- Normalized Deviation, 149
- Normalized Discounted Cumulative Gain, 245
- Novelty, 161, 233
- Novelty in Evaluation, 233
- NPD, 399
- Number of Prediction Differences, 399

- Observed Ratings, 8
- OLAP, 257
- One class Collaborative Filtering, 120
- Online Analytical Processing, 257
- Online Attack Detection, 403
- Online Dating Recommendations, 443
- Online Evaluation, 227
- Online Recruitment Recommendation, 196
- Opinion Mining, 146
- Ordinal Ratings, 31
- OrdRec, 415
- Out-of-Sample Recommendations, 14, 111, 116
- Overfitting, 73
- Overspecialization, 161

- PageRank, 311
- Pairwise Interaction Tensor Factorization, 270, 373
- Pairwise Rank Learning, 415
- Parallel Ensemble, 202
- Pearson Correlation Coefficient, 35
- Performance-Based Models, 432
- Persistent Personalization in Knowledge-based Systems, 194
- Personal WebWatcher, 164
- Personalized PageRank, 314
- Phrase Extraction, 145
- Pipelined Ensemble, 202
- PITF, 270, 373
- PLSA, 127
- Plurality Voting, 447
- Pointwise Rank Learning, 415
- PolyLens Group Recommender, 423
- Popular Attack, 395
- Popular Items, 32
- Popular Page Attack, 398, 409
- Portal Content Personalization, 435
- Post-filtering, 266, 289
- Power-Iteration Method, 314
- Pre-filtering, 262, 289
- Prediction Shift, 390, 391
- Preference Locality, 302
- Preprocessing in Content-based Systems, 142
- Principal Component Analysis, 48
- Privacy in Recommender Systems, 25, 432
- Probabilistic Latent Semantic Analysis, 127
- Probe Attack, 396
- Product Recommendations with Social Cues, 23
- Profile Association Rules, 81
- Projected Gradient Descent, 116

- Query Recommendation, 435
- Query-Flow Graphs, 448
- QUICKXPLAIN, 180
- Qwikshop, 196

- R-Score, 244
- Random Attack, 393
- Random Walks, 312
- Randomness Injection, 211
- Ranking Algorithms, 311
- Rating Deviation from Mean Agreement, 400
- Raw Cosine, 36
- RDMA (Attack Detection), 400
- Recency-Based Collaborative Filtering, 286
- Reciprocal Recommendations, 443, 448
- Reciprocal Relationship Prediction, 443
- Recommendation Query Language, 259, 280
- Reduction-Based Multidimensional Approach, 262
- Regression Trees for Collaborative Filtering, 74
- Regression-based Models, 158
- Regularization, 54, 100
- Reinforcement Learning, 181, 228, 418
- Relevance Feedback, 152
- Repair Proposals, 179
- Replacement Critique, 188
- REQUEST, 280
- Restaurant Recommender, 213
- Reverse Bandwagon Attack, 396
- Right Eigenvector, 314
- RIPPER, 217
- RMSE, 230, 240
- Robust Matrix Factorization, 405
- Robust Recommender Systems, 403
- Robust Regression, 207
- Robustness, 235
- Rocchio Classification, 152
- Root Mean Squared Error, 230, 240
- RQL, 259, 280
- Rule-based Collaborative Filtering, 77
- Scalability, 235
- Segment Attack, 396
- Selective Markov Models, 298
- Sentimental Analysis, 146
- Sequential Ensemble, 202
- Sequential Pattern Mining, 300
- Serendipity, 161, 233
- Serendipity in Evaluation, 233
- Shilling Attacks, 385
- Shills, 385
- Short Memory Assumption, 297
- Significance Weighting, 37
- Simple Critiques, 188
- SimRank, 321
- Single Attack Profile Detection, 399
- Singular Value Decomposition, 48, 113
- Slashdot, 383
- Slate Problem for Multi-Armed Bandits, 442
- SLIM, 58, 136, 218
- SLIM with Side Information, 218
- Slope-One Predictors, 68, 136
- Smoothing Support Vector Machines, 86
- Social Choice Theory, 424
- Social Context, 345
- Social Influence Analysis, 337
- Social Recommender Systems, 22
- Social Streams, 341
- Social Tagging, 23, 366
- Social Trust for Attack Detection, 404
- SocialMF, 365
- SocialRank, 317, 373
- Sparse Linear Models, 58, 136, 218
- Spearman Rank Correlation Coefficient, 243
- Specified Ratings, 8
- SPETA, 307
- Sponsored Search, 439
- Stability, 235
- Standardization, 38
- Stemming, 145
- Stochastic Gradient Descent, 99
- Stop-Words, 145
- STREAM, 224
- Subagging, 209
- Subsampling, 209
- Supervised Attack Detection, 399
- Support, 77
- Support-pruned Markov Model, 298
- SVD++, 113
- SVDFeature, 276
- Symmetric Matrix Factorization, 333
- Syskill & Webert, 164
- Tag Informed Collaborative Filtering, 370
- TagiCoFi, 380
- Tagommenders, 370
- Tags, 366
- Temporal Recommender Systems, 283
- Tensor Factorization, 269
- The Ensemble, 201

- TidalTrust, 353
- Tie-Corrected Spearman Coefficient, 243
- Tikhonov Regularization, 105, 158
- Time-Periodic Biased K-NN, 288
- Time-Sensitive Recommender Systems, 21, 283
- Time-SVD++, 291
- Top- k Recommendation Problem, 3
- Topic-Sensitive PageRank, 314
- Transductive Models, 14, 116
- Travel Decision Forum, 423
- Travel Locality, 302
- Travel Recommendations, 196
- Tree-Matching Algorithm, 144
- Trust, 349
- Trust Aggregation, 351
- Trust in Evaluation, 232
- Trust Metrics, 351
- Trust Network, 350
- Trust Propagation, 351
- Trust Weighted Mean, 353
- Trust-Enhanced Recommender Systems, 351
- TrustWalker, 357
- Trustworthy Recommender Systems, 23
- Tucker Decomposition, 269
- Unary Ratings, 32
- Unbalanced Rating Scale, 10
- Unconstrained Matrix Factorization, 96
- UnRAP Algorithm, 402
- Unsupervised Attack Detection, 399
- Upper Bounding for Bandit Algorithms, 421
- User Selection Bias, 251
- User Studies, 227
- User-based Neighborhood Models, 34
- User-Item Graphs, 61
- User-Space Coverage, 231
- User-User Graphs, 63
- Utility Matrix, 11
- Utility-Based Recommender Systems, 18
- Variable Selection in PCA, 402
- Vector-Space Representation, 145
- Viral Marketing, 23, 338
- VITA Recommender, 196
- Wasabi Personal Shopper, 196
- WDA (Attack Detection), 401
- WDMA (Attack Detection), 401
- Web of Trust, 350
- Web personalization, 295
- WebMate System, 164
- Weighted Degree of Agreement, 401
- Weighted Deviation from Mean Agreement, 401
- Window-Based Temporal Methods, 288