

Index

A

AC (alternating-current), 11
Access point (AP), 24
AC-DC doubler, 18
Activation function (AF), 24
Active front-end (AFE), 7–9
Active sensor, 9
Adiabatic point of load power converter, 3
Adjustable speed drive (ASD), 5, 7–9, 13
Advanced extremum seeking control (aESC), 6–8, 12–14, 16, 18, 21–23, 26, 27, 29–32, 33, 35, 38
Advanced metering infrastructure(AMI), 3, 9, 28
AES128, 25, 27
AES64, 25
Air flow, 23
Air Jet vortex generators (AJVG), 22
Air source heat pump (ASHPs), 12, 29, 30
Air to air heat pump (AAHP), 6, 12–14, 18, 23–26, 29
Analog-to-digital conversion (ADC), 16
Analog-to-digital converters (ADCs), 6
Analytical models, 2, 9, 13, 24, 25
Ant colony optimization, 26–29
Application specific integrated circuit (ASIC), 4
Artificial bee colony algorithms (ABC), 3, 28
Artificial Intelligence (AI), 5
Artificial Neural Networks (ANNs), 5, 12, 21, 23, 24, 28
Association of Radio Industries and Businesses (ARIB), 11, 13
Attractor, 11, 23
Automatic meter management (AMM), 9

Automatic meter reading (AMR), 9, 10
Average power, 6

B

Balance of Plant (BoP), 7, 12, 13
Band Pass Filter (BPF), 1, 5–7, 11–13, 16, 29, 31
Band Pass Filter ESC (bpfESC), 5
Battery, 6
 charge/discharge monitor unit, 36
 charge unit digital controller, 30
 charger unit for space applications, 24
 heater, 43
 life, 7
 life estimation, 6
 for space applications, 11
Batteryless operation, 3, 21
Belief propagation (BP), 20
Bifurcation, 24, 25
Binary phase shift keying (BPSK), 11, 14, 15, 20, 25
Body area network (BAN), 24
Body sensor node (BSN), 15
Boost converter, 6, 7, 10
Broadband (BB), 10, 20
Brushless direct current motor (BLDCM), 298, 318

C

Carrier Sense Multiple Access (CSMA), 13, 27
Carrier Sense Multiple Access/Collision Avoidance (CSMA/CA), 12, 13, 25
Carrier Sense Multiple Access/Collision Detection (CSMA/CD), 13
Centroid of area (COA), 23

- Charge-depletion (CD), 4
 - Charge-increasing (CI), 4
 - Charge-pumps, 18
 - Charge-sustaining (CS), 4
 - Charge-tank capacitor, 20
 - Circuit design, 9
 - Circuit designer, 9
 - Clean energy resources, 1
 - Cloud, 4
 - Clustering, 1, 6, 11–17, 19, 21–25, 28
 - CMOS, 15
 - CO₂, 8
 - Coded OFDM, 22, 23, 25
 - Combined cool and power (CCP), 6, 14, 15, 21–23, 25, 30
 - Combined cooling, heating and power (CCHP), 2–6, 14, 18, 21, 29
 - Combined heat and power (CHP), 6, 18, 19, 21, 25, 26
 - Commercial off-the-shelf (COTS), 6
 - Complementary Code Keying (CCK), 25
 - Conditional value at risk (CVaR), 6
 - Constant current, 2
 - Constant voltage, 2, 21, 215–217
 - Control, 3, 5, 6, 23, 24, 29, 33, 36, 38
 - Controller, 3, 5, 8, 23, 27
 - Converter, 3, 7, 9, 12, 14, 17, 21, 22, 24, 29
 - Convolutional codes (CC), 20
 - CubeSats, 9
 - Current sweep, 3
 - Cyclic prefix (CP), 22, 23
- D**
- Damper motor, 11, 13, 14, 20, 23, 24
 - Data management system (DMS), 9
 - DC-AC converter, 3
 - DC-DC converter, 3, 4, 6
 - Decision trees, 1, 5, 9, 23, 27
 - Demand response, 1, 18, 21, 22, 26
 - Differential 8-Phase Shift Keying (D8PSK), 13, 25
 - Differential Binary Phase Shift Keying (DBPSK), 13
 - Differential Chaos Shift Keying (DCSK), 13
 - Differential Quadrature Phase Shift Keying (DQPSK), 13, 25
 - Digital subscriber line (DSL), 10, 29
 - Diode-connected MOSFET, 18
 - Direct current (DC), 1, 4, 5, 7, 10–12, 14, 15
 - Discontinuous nonlinear program (DNLP), 21
 - Distributed generation (DG), 4, 5
 - Dither, 1, 3–6, 8, 11–15, 19–22, 24, 25, 27, 29, 31–34, 38
 - Dither persistence, 21, 24
- Dividing rectangles, 15, 17, 18, 24, 27
 - Doyle-Fuller-Newman model, 5
 - Due, 1
 - Duty cycling, 8
 - Dynamic voltage scaling (DVS), 16
- E**
- Earth orbits and eclipses, 7
 - Effects of space radiation and countermeasures, 44
 - Electrical energy consumption, 1, 3
 - Electric vehicles (EVs), 300, 303, 306
 - Electrochemical models, 2–4, 8, 9, 24
 - Electromagnetic design, 3, 4, 18
 - Electromagnetic energy harvester(s), 1, 3, 21, 22
 - Electromagnetic interference (EMI), 9, 213
 - Electromotive force (EMF), 299
 - Embedded systems, 3
 - Energy consumption, 6
 - Energy efficiency, 8, 24
 - Energy harvesting, 2, 6, 10
 - Energy management strategy (EMS), 1, 3, 4, 11, 13, 15, 18
 - Energy source (ES), 1, 3–5, 7, 24
 - Energystar, 8
 - Energy storage system (ESS), 3–5, 7, 8, 29, 31
 - Equivalence (EQ), 6, 12, 17
 - ESC, 2, 4–8, 10, 13, 15, 16, 23–27, 30, 32, 33, 37, 38
 - European Union (EU), 7, 8, 25, 27
 - Evolutionary algorithm (EA), 5
 - Extremum seeking control (ESC), 1, 3
- F**
- Faraday's Law, 18
 - FCHPS, 2, 4, 5, 23, 36–38
 - FC power ripple, 6, 33, 35, 38
 - FC system, 2, 5, 6, 21, 23, 25, 26, 28–31
 - Federal Communications Commission (FCC), 11, 13
 - Fences, 17, 20
 - FFT, 2, 12, 26
 - Fibonacci, 24, 25, 27
 - Finite element analysis method, 7
 - Finite element method (FEM), 4
 - Flexible arm, 3–6, 18
 - Flexible hybrid architecture for the electrical power system, 22
 - Flow control, 1, 6, 7, 23–25
 - Flux density, 4, 16, 17
 - Forward error-correction (FEC), 22
 - Freewheeling (FW) diode, 10
 - Frequency Shift Keying (FSK), 25, 27

Fuel Cell (FC), 3, 4
 Fuel Cell Hybrid Power Source (FCHPS), 3
 Fuel flow, 23, 29
 Fuzzy logic control, 19, 20, 28
 Fuzzy logic controllers (FLCs), 12, 279, 333

G

Gaussian Frequency Shift Keying (GFSK), 25, 27
 General algebraic modeling system (GAMS), 21
 Genetic algorithm (GA), 12, 216
 Global, 1, 4, 9–15, 18, 20, 21, 23, 27, 28
 Global Maximum Power Point (GMPP), 3–5
 Global warming, 8
 GMPP tracking (GMPPT), 3–5
 Green computing, 8

H

Hardware/software interface, 9
 Hardware, 6
 Harmonic, 5, 12–14, 26, 28, 29, 33
 High efficiency electrical power system, 499–512
 High frequency (HF), 5, 7, 10, 11, 15
 High-order Extremum Seeking Control (hoESC), 5, 6, 8, 9, 11–15, 17, 19–21, 25, 26, 29, 31, 32, 37, 38
 High-pass filter (HPF), 5, 6, 8, 10–13, 15, 16, 24–26
 High power density converter, 6
 Hill climbing (HC), 11
 Home area networks (HAN), 3, 24
 Hops, 9
 Horizontal axis wind turbines (HAWT), 310
 Hybrid, 4
 Hybrid energy harvesters (HEHs), 1, 3
 Hybrid energy harvesting, 3
 Hybrid mode harvesting, 21
 Hybrid power source (HPS), 1, 3–5, 8, 14
 Hydrogen, 3–5, 21, 24, 28
 Hydrogen flow, 24
 Hydrophore stations, 1, 5, 14–17, 19, 23, 24, 27
 Hydro-turbines (HT), 3
 Hysteresis, 23

I

Implantable sensors, 8
 Implementation-efficient reliability ratio based weighted bit flipping (IRRWBF), 20, 22, 23
 Improved weighted bit flipping (IWBF), 20
 Incremental conductance (IC/IncCon), 2, 4, 5, 11, 13, 14, 16, 19–21, 27

Inductor, 16
 Information and communication technologies (ICT), 8
 Insolation, 3, 6, 8, 10, 19, 21–23, 27–29
 Insulated-gate bipolar transistor (IGBT), 10
 Integration, 21
 Intelligent environment, 3
 Intermediate bus converter, 13
 International Telecommunication Union (ITU), 11–13
 Internet of everything, 3
 Internet of things (IoT), 3
 Inverter, 9, 10
 Irradiation, 151, 152

L

Large-scale energy harvesting, 4, 38, 41
 Laser displacement sensor, 6, 7, 9, 10
 Leakage, 9
 Load profiles, 6
 Local area network (LAN), 24, 26
 Low-density parity-check (LDPC), 12, 20
 Low frequency (LF), 7, 10, 13, 29, 33
 Low-pass filter (LPF), 5, 6
 Lumped model, 4
 Lyapunov exponents, 12

M

Machine-to-machine (M2M), 3
 Magnetic force, 9, 10, 13, 15, 18, 22, 34
 Mathematical formulation, 4, 18
 Matlab/Simulink model, 4, 7, 13–15, 27, 31
 Matlab/Stateflow model, 5, 6, 7, 9
 Maximum efficiency point (MEP), 3, 4, 6
 Maximum power point (MPP), 1, 2–9, 12–14, 19, 21–23, 30, 33, 35, 38
 Maximum power point trackers (MPPTs), 1, 3, 4, 9, 13, 16, 17, 19, 20, 306, 308, 310, 318 with battery bus, 12
 Maximum power point tracking (MPPT), 2, 3, 8, 12, 14, 29, 26
 MCA, 18, 22
 Media access control (MAC), 1, 12, 13, 24, 25
 Memory, 9
 Microcontroller unit (MCU), 6
 Microelectromechanical system (MEMS), 4
 Microgrid, 3, 21, 22, 25, 28
 Micro-power generator, 11
 Microscale energy harvesting, 3, 24, 37, 40
 Microsystems, 3
 Microtab, 14–16
 Mission critical system for space applications, 3
 Mixed analog and digital control, 20

- Mixed-integer linear programming (MILP), 4
 Mobile computing, 3
 Modeling, 6, 21, 24, 37
 Models based on circuits, 2, 14, 24
 Modified Extremum Seeking Control (mESC), 5, 6, 11, 20, 21, 25, 26, 28, 29, 31–33, 35, 38
 Moore's Law, 2
 Multilevel inverter (MLI), 9
 Multi-modal vibrations, 3, 4
 Multi-shot SECE, 16
- N**
 Narrowband (NB), 10, 11, 13
 Nonlinearity, 4, 10, 20, 21, 26, 27
 Novel energy harvesting, 90
- O**
 Offset Quadrature Phase-Shift Keying (O-QPSK), 25
 One axis, 6, 7, 9, 17
 Open voltage (OV), 13
 Organic rankine cycle (ORC), 4, 5
 ORING stage technology, 27
 Orthogonal frequency division multiplexing (OFDM), 12, 13, 22, 23
- P**
 Partially shading condition, 3, 6, 11, 13, 17, 19, 23, 27
 Particle swarm optimization (PSO), 3, 12, 22, 23, 25, 28, 29
 Passive sensor, 10
 PDE modelling, 3
 Personal area network (PAN), 24
 Personal computer (PC), 2
 Perturb and Observe (P&O), 2, 4–6, 10, 11, 12, 14, 17, 19, 22, 23, 27, 28, 308
 Peukert's law, 9
 Peukert model, 9–11
 Photovoltaic (PV), 1, 3–7, 9, 11–17, 19, 20, 21, 24, 25, 27
 Photovoltaic Hybrid Power Source (PVHPS), 6, 7
 Piezoelectric (PZT), 2, 4, 6, 16
 Piezoelectric energy harvester(s), 1, 3, 4, 12, 33
 Pilot Cell, 2
 Planar magnetics technology, 7
 Plug-in, 4
 Poincare sections, 22, 24
 Power budget, 7
 Power conversion efficiency, 12
 Power curve, 5, 11, 19, 20
 Power dissipation, 6
 Power line communication (PLC), 4, 10–14, 17, 20, 21, 23
 Power management, 9, 10
 Printed circuit board (PCB), 15
 Process technology, 9
 Proton Exchange Membrane (PEM), 56, 324, 332
 Proton Exchange Membrane FC (PEMFC), 4
 Proton Exchange Membrane Fuel Cell stack (PEMFCs), 2, 3, 5–7, 9–12, 14, 15
 Pulse amplitude modulation (PAM), 12
 Pulse position modulation (PPM), 13
 Pumped-storage unit, 7, 19, 26, 27
 PV panel, 5, 6, 8, 9, 18, 23
- Q**
 Quadrature Amplitude Modulation (QAM), 12, 13, 25
 Quadrature Phase Shift Keying (QPSK), 14
- R**
 Radio, 7
 Real-time optimization, 5, 6
 Receiver, 6, 7
 Regenerative load, 4
 Renewable energy, 1, 2, 11, 24
 Renewable energy sources (RES), 3, 5
 RF harvesting, 19
 RF-to-DC charge-pump, 19
 Rint (elementary) model, 2
 Ripple, 5, 7, 12, 16, 19–23, 26, 27, 29, 31, 32, 35, 36, 38
 Ripple correlation control (RCC), 3, 5
 Robustness, 5, 6
 Runge-Kutta, 5, 18
- S**
 Scenario generation, 5, 7, 11
 Searching speed, 5, 6, 9, 11–14, 16–21, 23, 29, 31–33, 37, 38
 Seemann Composites Resin Infusion Moulding Process (SCRIMP™), 311
 Self-starting operation, 21
 Sensor node, 4
 Serrated trailing edge, 17
 Servers, 4
 Several genetic algorithm (GA), 12
 Shaker, 6–8
 Shepherd model, 9, 11–13, 20, 22, 23
 Short-currentpulse-based (SCPB), 14, 15
 Smart building energy management systems (SBEMS), 4, 6
 Smart meters (SM), 3, 8, 9
 Smartphones, 3

- Softening effect, 23
 - Software, 6
 - Solar cars, 295, 300–308, 310, 312, 315–318
 - Solar cell, 8, 9
 - Solar dish stirling heat engine (SDSHE), 6, 7, 11, 12, 14, 22, 25
 - Solar energy, 2, 3
 - Solid oxide fuel cell (SOFC), 4
 - Solid state lighting, 10, 11, 13
 - Spoilers, 21
 - Spread Frequency Shift Keying (S-FSK), 13
 - Stand-alone energy harvester(s), 1, 3, 11
 - Stand alone photo voltaic (SAPV), 298, 300, 324
 - State of Charge (SoC), 3, 6, 14, 18
 - Stiffness, 9, 10, 15
 - Sun tracking, 2, 4–6, 8, 13, 14, 17, 19, 21–24
 - Super-capacitors, 22
 - Synchronous electric charge extraction (SECE), 16
 - Synthetic jets, 23
 - System design, 11
 - System-on-chip (SOC), 6
- T**
- Tablets, 3
 - Tapered beam, 3–5, 18
 - Target application, 12
 - Technology scaling, 10
 - Telemetry, tracking and telecommand (TT&C), 43
 - Temperature, 1, 2, 4, 5, 8, 9, 12, 21, 22, 28
 - Thévenin model, 15–17, 20
 - Thermoelectric, 15
 - Thermoelectric generator (TEG), 15
 - Time division duplexing (TDD), 25
 - Time Division Multiple Access (TDMA), 12, 13, 25
 - Time varying acceleration coefficients particle swarm optimization (TVAC-PSO), 6
 - Total harmonic distortion (THD), 9, 14, 26, 28
 - Tracking accuracy, 5, 6, 9, 11, 12, 14, 16, 19–21, 23, 24, 29, 31, 32, 35, 38
 - Trailing-edge Flaps (TE Flaps), 8, 21
 - Transceiver, 6
 - Transmitter, 7
 - Two axis, 2, 6, 7, 11, 12, 14, 15, 21, 22, 24
- U**
- UDDS, 19, 20, 22, 24
 - Ultracapacitor (UC), 3–6, 8–11, 14, 15
 - Uncertainty, 7, 14, 21, 26
 - Uniform, 1, 3, 6, 8, 10, 13, 17, 19, 21–24, 27, 29
- V**
- Vacuum assisted resin infusion moulding (VARIM), 313
 - Vacuum assisted resin transfer moulding (VARTM), 311, 315, 316
 - Vacuum bag resin transfer moulding (VBRTM), 311
 - Very small satellite, 3
 - Vibration-based energy harvesting system, 1
 - Vibration-based energy scavenger, 4
 - Vibration sources, 4
 - Voltage doubler, 16
 - Vortex generator (VG), 2, 9–11
- W**
- Warm air storage tank (WAST), 26
 - Water distribution systems, 3, 5, 14–16, 18, 19, 22, 23, 27
 - Weighted bit flipping (WBF), 20, 23
 - Wide area networks (WAN), 9
 - Wide band-gap (WBG), 9, 12, 13
 - Wide Local Area Network (WLAN), 24
 - Wind power producer, 15–17
 - Wind-solar-battery hybrid system, 16, 250
 - Wind turbines (WT), 2–6, 9, 11, 12, 14, 16–25, 297, 310, 323
 - Wireless Personal Area Network (WPAN), 24
 - Wireless Sensor Networks (WSNs), 4, 24
 - Wireless sensors, 19