

# Index

---

## A

- AACC International. *See* Standard methods
- Abbe refractometer, 271, 272
- Absolute error, 49
- Absorption of radiation, 85–86, 90, 92, 93, 101, 123, 124, 134, 136, 218, 319, 322
- Absorption spectrum, 85, 86, 93, 98, 104, 105, 132, 133, 218
- Accelerated solvent extraction (AES), 131, 132, 137, 138, 147, 187, 309, 312, 579
- Accuracy, analyses, 46
- Acid-base equilibria, 392–393
- Acid-base titrations, 391, 397
- Acidity. *See also* pH; Titratable acidity
- standard acid, 399–400
  - standard alkali, 399–400
  - titration
    - endpoint, 398
    - equivalence point, 398
    - indicators, 398, 399
- Acids, organic
- in foods, 392, 396–398, 401–402
  - ion-chromatographic analysis, 223
  - malic, enzymatic assay, 482
- Acid value, oils, 30, 410, 411
- Acrylamide, 177, 221, 433, 438–440, 575, 589, 590
- Activation energy ( $E_a$ ), 475, 476
- Active oxygen method (AOM), 410, 422
- Adsorption chromatography, 193, 196, 197, 199, 229, 246, 435
- Adulteration, 5, 20, 64, 68, 122, 158, 161, 319, 325, 334, 343, 440, 606, 609, 610
- AES. *See* Accelerated solvent extraction (AES)
- Affinity chromatography
- applications, 200–201, 435–436
  - elution methods, 200
  - ligand, 199, 200
  - principles, 200, 202, 225
  - spacers, 200
- Aflatoxins. *See* Mycotoxin residues
- Agricultural biotechnology, 586, 587
- Alcoholometers, 270
- Alkaline phosphatase, assay, 483–484
- Allergens
- DNA methods, 589
  - protein methods, 588–589
- Amici prism, 271
- Amino acid
- analysis, 223, 442–443
  - classification, 317, 442
  - scoring patterns, 444
- Ammonium sulfate fractionation of proteins, 432
- Amylase, used in assays, 345–346, 481, 484
- Amylopectin, 224, 344, 350, 559, 560
- Amylose, 119, 224, 344, 350, 560
- Analytical microbiology. *See* Microbiological assays
- Anionic dye-binding. *See* Dye-binding methods
- Anisidine value, 418, 419, 421
- Anthocyanins, 222, 396, 457, 458
- Antibiotic residue, assay, 584–586
- Antibodies, 52, 195, 196, 199, 200, 435, 439, 450, 485, 488–501, 576, 578, 583, 584, 586, 588, 589, 609, 610, 625
- Antigens, 435, 488–501, 609, 610
- Antinutritional factors, 443, 478
- Antioxidant capacity assays, 457, 461–467
- Antioxidants, 74, 178, 221, 222, 229, 242, 306, 362, 367, 412, 418, 421–423, 426, 457–467, 546, 644
- AOAC International. *See* Standard methods
- Archimedes principle, 270, 275
- Arrhenius
- equation, 475, 476
  - plot, 476
- Ascarite trap, 399
- Ash. *See also* Minerals
- alkalinity, 293
  - comparison of methods, 294
  - contamination during assay, 290, 293
  - content of foods, 289
  - definitions, 288
  - importance of analysis, 288
  - insoluble, 290, 293
  - methods of determination
    - dry ashing
      - crucibles, 289–290
      - for elemental analyses, 147
      - furnaces, 288, 289
      - losses during, 290
      - modified procedures, 291–292
      - preparation of sample, 288–289
      - principles, 289–290
      - procedures, 290
      - temperature, 289
    - microwave ashing
      - dry ashing, 292

- Ash (*cont.*)
- wet ashing
    - closed-vessel system, 292
    - open-vessel system, 292–293
  - wet ashing
    - acids used, 291
    - for elemental analysis, 146, 288, 290, 294
    - precautions, 291
    - principles, 291
    - procedures, 291–292
  - sample preparation, 288–289
  - soluble, 293
  - sulfated, 293–294
- Aspartame, 179, 222
- Assay methods, general
- selection, 9–12
  - standard methods (*see* Standard methods)
  - steps in analysis, 8–9
  - validity, 9–11
- Assessing the nutritional value of proteins. *See* Protein, nutritional quality
- Atomic absorption spectroscopy
- applications, 143–144
  - atomization, 132
  - calibration, 136
  - comparison to inductively coupled plasma-atomic emission spectroscopy, 145–147
  - electrothermal, 132–134, 146
  - energy transitions in atoms, 131–132
  - flame, 133
  - graphite furnace, 134
  - instrument components
    - atomizer
      - burner, 135
      - cold vapor technique, 136
      - flame, 135
      - graphite furnace, 135
      - hydride generation, 135, 136
      - nebulizer, 135
    - chopper, 135
    - detector, 135
    - hollow cathode lamp (HCL), 134–135
    - monochromator, 137
  - interferences
    - nonspectral, 137
    - spectral, 136–137
  - labware, 144
  - operation, 136
  - principles, 133, 134
  - procedure, 136
  - reagents, 143
  - standards, 143–144
- Atomic emission spectroscopy
- applications, 144–145
  - flame, principles, 138
  - inductively coupled plasma
    - comparison to atomic absorption spectroscopy, 145–147
    - instrument components
      - argon plasma torch, 138–140
      - detectors
        - charge coupled device, 140
        - charge injection device, 140
        - complementary metaloxidase semiconductor, 140
        - photomultiplier tube, 141
        - echelle optical system, 138, 140
        - monochromator, 138
        - optical system, 138, 140–142
        - polychromator, 138
    - interferences, 142–143
    - labware, 144
    - principles, 138
    - procedures, 142
    - reagents, 143
    - standards, 143–144
- Atomization, 132–134, 136–138, 140, 143, 147
- Automation, 160, 199, 309
- Autosamplers, 9, 215, 220, 234, 250, 535, 540
- B**
- Babcock method, fat analysis, 307–308, 312
- Bacteria, in microbiological assays
- drug residues, 585, 586
  - vitamins, 366
- Baumé hydrometer, 270, 271
- Beer's law, 91–95, 103, 114, 133, 136, 325, 378, 382
- Benzene, 85, 100, 101, 197, 241, 266, 425, 475, 589, 590
- Beta-glucan, 158, 159, 336, 344, 347, 352
- Bicinchoninic acid method, proteins, 220, 324–325
- Bioassays
- protein quality, 443–447
  - vitamins, 365–366
- Biochemical oxygen demand (BOD), 27, 504–507
- Biosensors, 485, 583, 584, 588
- Bisphenol A (BPA), 575, 590
- Biuret method, proteins, 323–324, 326
- Boltzmann distribution, 87
- Bradford method, proteins, 323
- Brix, 22, 24, 25, 30, 254, 259, 270–272, 276, 380, 401, 402, 518
- Brix/acid ratio, 22, 24, 401, 402
- Brønsted-Lowry theory, 392
- Buffering, 397–399, 475–476
- C**
- Caffeine, 52–54, 56, 166, 176–178, 219, 222
- Calculations
- ash, 290
  - chromatographic parameters, 204–207
  - Mohr titration, 377
  - moisture, 264
  - neutralization reaction, 391–392
  - protein, 321
  - titratable acidity, 401
  - Vollhard titration, 377
- Calorie content, 36, 38, 40, 334, 335, 337, 350, 422
- Calorimeters, 536
- Calorimetry, 38. *See also* Thermal analysis
- Capillary electrophoresis, 335, 345, 356, 440–442, 450, 576, 584
- Capillary isoelectric focusing, 441
- Carbohydrates. *See also* individual carbohydrates by name
- beta-glucan, 158–159, 336
  - calculation by difference, 336–338
  - Carrez treatment, 345
  - cellulose, 347
  - definitions, 334, 335
  - extraction, 338–3340
  - gums, 346–349
  - hemicellulose, 336, 350

- hydrocolloids, 346–349
- methods of analysis
  - chemical, for monosaccharides and oligosaccharides
    - dinitrosalicylic acid, 342
    - enzymatic, 344–345
    - Lane-Eynon, 342
    - phenol-sulfuric acid, 337, 340–341
    - reducing sugars, 335, 337
    - Somogyi-Nelson, 337, 341–342
  - chromatographic
    - gas chromatography
      - derivatization, 345
      - hydrolyzates of polysaccharides, 345–349
      - neutral sugars, 343–344
    - high-performance liquid chromatography
      - detection, 241
      - stationary phases, 240–241
  - dietary fiber, 349–354
  - extraction, 338–340
  - fiber, 348–354
  - glucose, 345, 481–482
  - gums, 346–347
  - hydrocolloids, 346–349
  - mass spectroscopy, 354–356
  - near-infrared spectroscopy, 356
  - pectin
    - degree of esterification, 349
    - determination, 349
  - physical
    - fourier transform infrared spectroscopy, 356
    - near infrared spectroscopy, 356
    - refractive index, 354
    - specific gravity
      - hydrometer, 270
      - pycnometer, 271–272
    - spectrometry, 354–356
  - removal of interfering compounds in assay, 345
  - resistant starch, 346
  - sample preparation, 335–342, 345, 351
  - starch
    - determination, 345–346
    - resistant, 346
    - total carbohydrate, 340–341
  - monosaccharides, 341–345, 347, 348
  - occurrence, 334, 336
  - oligosaccharides, 334, 336–345, 350, 351, 354, 356
  - pectin
    - component of dietary fiber, 354
    - degree of esterification, 349
    - determination, 349
    - nature, 349
  - polysaccharides, 345–349
  - reducing sugars, 335, 337
  - starch
    - determination, 349
    - in foods, 345
    - methods of analysis, 345–346
    - problematic in fiber determination, 350
    - resistant, 346
    - sugar alcohols, 336–338
    - sugars, 334, 335, 337–339, 341–344, 347–349, 354, 356
- Carotenoids, assay, 191, 193, 221, 222, 301, 412, 464, 465, 483, 546
- Carrez reagent, 345
- Cellulose, 115, 189–191, 196, 198, 200, 224, 263, 313, 336, 337, 344, 347, 350, 356, 441, 505, 566, 567, 578
- Certificate of analysis, 6–8, 617
- CFR. *See* Code of Federal Regulations (CFR)
- Charge coupled device (CCD), 121, 140, 141, 565
- Charge injection device (CID), 140
- CHARM II® test, 586
- Check sample, 9–11, 209
- Chemical constituents of concern. *See* Contaminants
- Chemical ionization (CI), 167, 173
- Chemical oxygen demand (COD), 504–507
- Chemometrics, 116, 118
- Chlorophylls, 193, 212, 412
- Choices of method, general
  - characteristics, 9
  - food matrix, 10, 11
  - objective, 9
  - validity, 9–11
- Cholesterol, 10, 30, 38–43, 229, 236, 334, 350, 409, 411, 422, 425, 426
- Chromatography, 8, 52, 166, 187–211, 215, 216, 218, 221, 224, 229, 231, 238, 239, 241, 251, 327, 335, 338, 343, 344, 425, 432, 434, 435, 440, 443, 478, 578, 580, 581, 586, 591, 593, 627. *See also* individual types
- Chromatography, applications
  - amino acids, 190, 223, 442, 443
  - antioxidants, 222, 242
  - aspartame, 222
  - carbohydrates, 191, 196, 201, 209, 219, 221, 229, 242, 342–345
  - cholesterol, 229, 425
  - drug residues, 199, 229, 575–576, 585
  - flavors, 229, 235, 242–245
  - lipids, 193, 196, 222, 229, 306, 309, 423–425
  - mycotoxin residues, 190, 576, 582–584
  - organic acids, 196, 199, 223
  - pesticide residues, 192, 240, 243, 245, 575–582, 589
  - pigments, 190, 196, 221, 222, 235
  - polyphenols, 196, 221
  - protein separation, 198, 202, 224, 225, 434–436
  - sulfite, 223, 591–592
  - vitamins, 190, 191, 193, 221, 229, 362–369
- Chromatography, principles
  - adsorption, 193
  - affinity, 199–201
  - developing a separation, 203–207
  - elution
    - gradient, 207
    - isocratic, 207
  - extraction, 187
  - gradient elution, 207
  - historical perspective, 187–188
  - ion exchange
    - anion exchangers, 197–198
    - cation exchangers, 197–198
  - liquid-liquid, 193–196
  - liquid-solid, 193
  - paper, 189–191
  - partition
    - bonded supports, 196
    - coated supports, 196
    - normal-phase, 196
    - reversed-phase, 196
  - qualitative analysis, 208–209
  - quantitative analysis
    - external standards, 208
    - internal standards, 208, 209
    - peak area, 208, 209
    - peak height, 204, 208

- Chromatography, principles (*cont.*)
- resolution
    - capacity factor, 207
    - efficiency
      - height equivalent to a theoretical plate, 206
      - theoretical plates, 205, 206, 247
      - Van Deemter equation, 206, 247
    - selectivity, 206–207
  - separation, 193–202
  - size exclusion, 201–202
  - supercritical fluid, 192–193
  - terminology, 188–189
  - thin layer
    - aflatoxins, 191, 583
    - amino acids, 191
    - carbohydrates, 191
    - lipids, 425–426
    - mycotoxin residues, 190
    - pesticide residues, 580
    - principles, 190
    - vitamins, 191
- Code of Federal Regulations (CFR), 19–22, 24–29, 36–39, 41, 42, 51, 67, 335, 409, 411, 445, 446, 585, 591, 592, 601
- Codex Alimentarius Commission, 31, 32, 349, 350
- Coefficient of determination, 54, 57
- Coefficient of variation (CV), 48, 496
- Collision reaction cells (CRC), 144, 145
- Color
- colorimeters, 415, 546, 550–552
  - equations, 552–553
  - instrument choice, 552
  - interaction of light with sample, 552
  - measurement, 552–554
  - physiological basis, 546–547
  - sample preparation, 553–554
  - sample presentation, 553–554
  - space, 550–552
  - systems, to describe color
    - instrumental
      - CIE system, 549–550
      - standard observer, 549
    - visual
      - Munsell System, 548
  - tolerances, 552–553
  - tristimulus colorimeters, 550–552
- Colorimeter, 415, 546, 550–552
- Colorimetric methods
- carbohydrates, 338
  - minerals, 378
  - proteins, 323–325
- Column chromatography, 189, 190, 193, 229, 239, 247, 327, 578
- Columns
- analytical HPLC
    - capillary, 216
    - microbore, 216
    - microcolumn, 216
    - ultra-HPLC, 216
  - capillary
    - megabore, 239
    - microbore, 239
    - normal, 239
  - efficiency, 205–206
  - guard, 216
  - packed, 239
    - packing material, 216–218
    - porous-layer open-tubular (PLOT), 241
    - precolumn, 216
- Concentration units, 98, 105, 354, 391–392
- Conductivity
- detector for GC, 321
  - detector for HPLC, 223
- Confidence interval, 48, 49, 54, 67, 69
- Conjugated acid, 397
- Conjugated base, 391, 397
- Constituents of concern. *See* Contaminants
- Contaminants
- acrylamide, 438, 440
  - allergens, 588–589
  - antibiotics, 584–586
  - benzene, 589, 590
  - bisphenol A, 590
  - choice of methods, 576, 589
  - cyanide, 590
  - furans, 590
  - heavy metals, 575
  - heterocyclic amines, 590
  - melamine, 590
  - 4-methylbenzophenone, 590
  - 4-methylimidazole, 590
  - 3-monochloropropane 1,2-diol, 590
  - mycotoxins, 582–584
  - nitrosamines, 591
  - perchlorate, 591
  - pesticide residues, 579–582
  - sample preparation
    - derivatization, 579
    - extraction, 577–578
    - homogenization, 577
  - solanine, 591
  - sulfites, 591–592
- Control charts, 51, 52
- Correlation coefficient, 53–55, 57
- Cyanide, 575, 590
- D**
- Daily Value (DV), 27, 36–39, 41, 43, 362, 444–446
- Databases
- mass spectrometry, 172, 176–177, 624
  - nutrient content, 41
- Data evaluation
- errors, 47
  - measures of central tendency, 46
  - reliability of analysis
    - absolute error, 49
    - accuracy, 46–50
    - coefficient of variation, 48
    - confidence interval, 48, 49
    - control charts, 51
    - limit of detection, 50–51
    - limit of quantitation, 51
    - precision, 46–50
    - Q-test, 56
    - quality control measures, 51–52
    - Q-value, 56
    - range, 47
    - relative error, 50
    - sensitivity, 50–51
    - sources of error, 50
    - specificity, 50

- standard deviation, 48
- standard error of the mean, 49
- t-score, 69
- t-test, 69
- t-value, 49
- Z value, 48
- reporting results
  - rejecting data, 56–57
  - significant figures, 55–56
- standard curves (calibration curves)
  - applications, 94–95, 102, 136, 322–323
  - coefficient of determination, 54
  - confidence intervals, 54
  - correlation coefficient, 53–54
  - errors, 54–55
  - linear regression, 52–53
  - plotting curve, 54
- Defect action level (DAL), 601, 606, 609, 610, 612
- Denaturation of proteins, 449, 537
- Density
  - fat determination, 308–310
  - hydrometers, 270, 354
  - pycnometers, 270–271
- Derivatization
  - carbohydrate analysis, 342, 345
  - contaminants, 577, 579
  - GC analysis, 235–236
  - HPLC analysis, 584
  - lipid analysis, 306, 423
  - pesticide residues, 579
- Detection limit, 9, 51, 131, 134, 140, 144, 146, 147, 166, 167, 169, 219, 235, 243, 245, 326, 342–344, 356, 381, 401, 583, 587, 588, 593
- Detectors
  - atomic absorption spectroscopy, 134, 136
  - atomic emission spectroscopy, 137–143
  - gas chromatography, 241–246
  - high-performance liquid chromatography, 219
  - infrared-spectroscopy, 111, 117
  - UV-visible spectroscopy, 97–98
- Dextrinizing activity, 484
- Dextrins, 481–482, 484
- Dialysis, 202, 326, 348, 433, 436, 437, 450
- Dielectric method for moisture analysis, 269
- Dietary fiber. *See* Fiber, dietary
- Dietary supplements, 13, 20, 36, 41, 362, 365
- Differential scanning calorimetry. *See* Thermal analysis
- Digestibility, proteins, 38, 327, 443–447. *See also* Protein, nutritional quality
- Dilatometry, 417
- Distillation methods. *See* Moisture, distillation methods
- Dough formation. *See* Protein, functional properties
- Drug residues
  - confirmatory methods, 586
  - determinative methods, 586
  - screening methods, 585–586
- Dry ashing, 22, 40, 143, 288–296. *See also* Ash, methods of determination
- Drying methods. *See* Moisture
- Dye-binding methods, proteins
  - anionic dye-binding, 322–323
  - Bradford, 323
- Dynamic mechanical thermal analysis, 531. *See also* Thermal analysis
- E**
- Echelle optical system, 138, 140, 148
- EDTA complexometric titration, mineral determination, 376
- Effluent composition, 27
- Electrical methods
  - extraneous matter, 608
  - moisture determination, 269
- Electrode potential, 379, 394, 395, 402
- Electrodes
  - combination, 396
  - enzyme, 485
  - glass, 395
  - indicator, 395–396
  - ion selective, 378–380
  - oxygen-sensitive membrane, 504
  - reference, 378, 395
  - saturated calomel, 395
  - silver-silver chloride, 395
- Electromagnetic radiation, 80, 82, 85, 87, 90, 101, 131, 147, 190, 566, 578
- Electron impact ionization, 167, 168, 173–175, 581
- Electrophoresis
  - applications, 437, 496
  - capillary, 345, 440–442
  - isoelectric focusing, 439–440
  - mobility calculations, 438
  - molecular weight estimation, 439
  - native, 438
  - polyacrylamide gel, 437–438
  - sodium dodecyl sulfate, 438
  - two-dimensional, 440
- Elemental analysis, 14, 131–147, 288, 294. *See also* Minerals, determination
- ELISA. *See* Enzyme-linked immunosorbent assay (ELISA)
- Emission of radiation, 80, 82, 86–87, 131, 144
- Emission spectrum, 103, 132, 133, 859
- Emulsification. *See* Protein, functional properties
- Emulsions. *See* Protein, functional properties
- Endpoint
  - colorimetric, 398, 400
  - equivalence point, 398
  - phenolphthalein, 398
- Energy level transitions. *See* Spectroscopy
- Energy states of matter. *See* Spectroscopy
- Enthalpy, 260, 533, 537
- Environmental Protection Agency (EPA), 23, 25–26, 51, 374, 575
- Enzymatic methods
  - as analytical aids
    - fiber analysis, 350–354, 471
    - protein hydrolysis, 442, 446, 471
    - vitamin assays, 363, 368, 471
  - biosensors, 485
  - electrodes, 485
  - enzyme activity assays
    - alkaline phosphatase, 483–484
    - alpha-amylase, 484
    - lipoxygenase, 482–483
    - peroxidase, 482
    - rennet, 484
  - immobilized enzymes, 485
  - substrate determination

- Enzymatic methods (*cont.*)  
 carbohydrate analysis, 344–349, 482  
 endpoint method, 480–481  
 glucose, 481  
 malic acid, 482  
 monosaccharides, 344, 481  
 oligosaccharides, 344  
 polysaccharides, 345–349  
 sample preparation, 345, 480  
 starch, 345–347, 481–482  
 sulfite, 481  
 total change, 480–481
- Enzyme  
 activity  
 affected by  
 activators, 476–477  
 enzyme concentration, 474  
 inhibitors  
 irreversible, 477  
 reversible, 477  
 pH, 476  
 substrate concentration, 474–475  
 temperature, 475–476  
 assays (*see* Enzymatic methods)  
 coupled reactions, 479  
 methods of measurement, 478–479  
 order of reactions, 473  
 reaction rate, 474–478  
 electrodes, 482  
 immunoassays, 491–499  
 kinetics, 471–473  
 Enzyme immunoassays. *See* Immunoassays  
 Enzyme-linked immunosorbent assay (ELISA),  
 479, 491–497, 500, 501, 576, 580, 583, 586–588,  
 593, 609–610  
 Enzymic methods. *See* Enzymatic methods  
 Equivalent weight, 391, 392, 401, 505  
 EPA. *See* Environmental Protection Agency (EPA)  
 Error, data, 50  
 External standards, 208, 237, 367, 424  
 Extraction  
 accelerated solvent, 187, 309, 312, 579  
 batch, 187, 197, 230, 233, 435  
 continuous, 187, 233  
 countercurrent, 187, 193–194  
 lipids, 302–305, 309, 409, 412, 419, 420, 422,  
 425, 426, 467  
 microwave-assisted solvent, 187, 578–579  
 monosaccharides, 338–340  
 nonsolvent, 307–308  
 oligosaccharides, 338–340  
 partition coefficient, 187  
 polysaccharides, 338  
 pressurized liquid, 578  
 QuEChERS, 578  
 solid phase  
 dynamic extraction, 234  
 microextraction, 234, 420, 578  
 solvent, 302–307  
 stir bar sorptive extraction, 234–236  
 Extractor types, 303–306  
 Extraneous matter  
 definition, 602  
 diagnostic characteristics, 602  
 filth, 602  
 isolation principles, 602–606, 610–612  
 methods of analysis  
 comparison of methods, 610  
 electrical conductance, 608  
 flotation, 604–606  
 immunoassays, 609–610  
 impact-acoustic emission, 608–609  
 microscopy, 609  
 near-infrared spectroscopy, 609  
 objectivity/subjectivity, 606  
 x-ray microtomography, 607–608  
 x-ray radiography, 606–607  
 regulations  
 defect action levels (DAL), 601  
 Federal Food Drug and Cosmetic  
 Act, 601  
 Good Manufacturing Practices, 601  
 sample preparation, 607
- F**  
 Falling number method, 484  
 Farinograph®, 450  
 Fats. *See* Lipids  
 Fat substitutes, 192  
 Fatty acids, 13, 161, 170, 174, 175, 199, 229, 236, 241, 242,  
 301, 302, 305–307, 362, 401, 409–412, 414–424,  
 426, 482, 483  
 FDA. *See* Food and Drug Administration (FDA)  
 FFAs. *See* Free fatty acids (FFAs)  
 Fiber  
 dietary  
 components, 350  
 definition, 349–350  
 insoluble fiber, 350  
 methods of analysis, 350–354  
 principles, 350–354  
 procedures, 352–354  
 resistant starch, 350  
 sample preparation, 351  
 soluble fiber, 350  
 total, 354  
 Filth. *See* Extraneous matter  
 Fixed acidity, 402  
 Flavor analysis, 234, 244, 250  
 Fluorescence microscopy, 418, 559, 609  
 Fluorescence spectroscopy  
 calibration curve, 102  
 detector, 101  
 emission beam, 101  
 excitation beam, 101  
 quantum efficiency, 102  
 vitamin analysis, 369  
 Foaming. *See* Protein, functional property  
 Folate, 38, 41, 42, 218, 225, 362, 365, 366  
 Folin-Ciocalteu phenol reagent, 324  
 Food additives, 13, 14, 20, 24, 26, 31, 229, 345,  
 481, 575, 588  
 Food analysis, general  
 method selection, 9–12  
 reasons for analysis, 4  
 specifications, 6  
 standard methods (*see* Standard methods)  
 steps in analysis, 8–9  
 types of samples, 5–6  
 Food and Drug Administration (FDA), 5, 7, 12, 14,  
 19–21, 23–32, 36–43, 64, 66, 68, 75, 149, 177,

- 178, 273, 301, 302, 311, 327, 335, 349, 350, 409, 411, 440, 443, 446, 575, 579, 583–586, 588, 591, 592, 601–603, 609, 610, 612, 618
  - Food Chemicals Codex (FCC), 14, 31, 618
  - Food composition. *see* Specifications
  - Food, Drug, and Cosmetic Act, 20, 601
  - Food dyes, assay, 122
  - Food Safety Inspection Service (FSIS), 12, 21, 24, 25, 36, 41, 42, 64, 66, 68, 585
  - Foreign matter. *See* Extraneous matter
  - Forensics, food
    - analyzing problem samples, 622–628
    - asking questions, 621–622
    - documentation, 619–620
    - foreign material, 622–625
    - identifying issues, 628–630
    - interpreting data, 630
    - logistics, 621
    - methods of analysis, 618
    - off-odors, 627–628
    - planning, 619
    - reporting data, 630
    - sampling, 621
    - taints, 625, 627–628
    - team, 618–619
  - Fourier transform
    - gas chromatography, 245
    - infrared, 111–116, 409, 424, 584
    - infrared microscopy, 564
    - ion cyclotrons, 170
    - mass spectrometry, 170, 245
  - Free fatty acids (FFAs), 50, 229, 240, 301, 409, 410, 412–418, 423, 425, 426, 462
  - Freezing point, 260, 262, 273, 277, 280, 531
  - FSIS. *See* Food Safety Inspection Service (FSIS)
  - Functional properties. *See* Protein, functional properties
  - Furans, 340, 575, 578, 589
- G**
- Gas chromatography
    - applications
      - aroma analysis, 246
      - benzene, 590
      - carbohydrates, 343–344
      - cholesterol, 229, 425
      - drug residues, 229, 576
      - flavors, 229, 243
      - furans, 590
      - lipids, 229, 423–426
      - melamine, 590
      - 3-monochloropropane 1,2-diol, 590
      - mycotoxin residues, 582
      - packaging materials, 249
      - pesticides residues, 243, 580–582
    - columns
      - capillary, 239–240
      - megabore, 239
      - microbore, 239
      - packed, 239
      - solid support, 239
      - stationary phases, 239–241
    - detectors
      - applications, 242–245
      - electrolytic conductivity, 244–245
      - electron capture, 243
      - flame ionization, 242
      - flame photometric, 243
      - photoionization, 243–244
      - pulsed flame photometric, 243
      - thermal conductivity, 241–242
      - thermionic, 245
    - gas supply, 236–237
    - headspace methods
      - direct headspace sampling, 230
      - dynamic headspace sampling, 232
    - hyphenated techniques
      - atomic emission detector (AED), 245
      - Fourier transform infrared (FTIR), 245
      - mass spectrometry (MS), 245
    - injection port
      - hardware, 237
      - sample injection, 237–239
    - isolation of solutes, methods
      - direct injection, 235
      - distillation, 232–233
    - headspace
      - adsorbent trap, 232
      - concentration, 232
      - cryogenic trap, 232
      - direct sampling, 230
      - solid-phase extraction, 233–235
      - solvent extraction, 233
    - multidimensional GC
      - comprehensive two-dimensional GC, 245–246
      - conventional two-dimensional GC, 245
    - oven, 239
    - principles, 189
    - sample derivatization, 235–236
    - sample preparation, 229–236
    - separation efficiency
      - carrier gas
        - flow rate, 247–248
        - type, 248
      - column parameters, 247–248
      - temperature programming, 239
  - Gelatinization, starch, 158, 346, 537–539, 543
  - Gelation, protein, 373, 432, 447, 449–450
  - Gel filtration. *See* Size-exclusion chromatography
  - Gel permeation. *See* Size-exclusion chromatography
  - Genetically modified organisms (GMOs)
    - DNA methods, 587
    - labeling, 586
    - polymerase chain reaction (PCR) (DNA method)
      - procedure, 587
      - qualitative tests, 587
      - quantitative tests, 587
      - trait specific tests, 586
    - protein methods
      - enzyme-linked immunosorbent assays, 587
      - lateral flow strips, 588
      - Western blots, 588
    - uses, 586
  - Genetic engineering. *See* Agricultural biotechnology
  - Gerber method, fat analysis, 308
  - Glass electrodes, 394–396
  - Glass transition temperature, 161, 260, 283, 530, 531, 537, 540
  - Glucose, assay, 345, 481–482
  - Goldfish method, fat analysis, 303–304
  - Good manufacturing practices (GMP), 601

## Government

## acts

- Agricultural Marketing Act, 29
- Dietary Supplement Health and Education Act, 20
- Egg Products Inspection Act, 24
- Fair Packaging and Labeling Act, 28
- Federal Alcohol Administration Act, 25
- Federal Insecticide, Fungicide, and Rodenticide Act, 26
- Federal Trade Commission Act, 28
- Federal Water Pollution and Control Act, 27
- Food and Drug Administration Modernization Act, 36
- Food, Drug, and Cosmetic Act, 20, 601
- Food Quality Protection Act, 26
- Nutrition Labeling and Education Act, 20, 36, 37
- Poultry Products Inspection Act, 24
- Safe Drinking Water Act, 27, 374
- U.S. Grain Standards Act, 25

## agencies, bureaus, departments

- Bureau of Alcohol, Tobacco, Firearms and Explosives, 25
- Bureau of Consumer Protection, 28
- Customs and Border Protection (CBP), 27–28
- Department of Health and Human Services, 19, 29
- Environmental Protection Agency (EPA), 26–27
- Federal Trade Commission (FTC), 23, 28
- Food and Drug Administration (FDA), 19–21, 36, 41–42, 64, 575
- National Bureau of Standards (*see* National Institute of Standards and Technology)
- National Institute of Standards and Technology (NIST), 9
- National Marine Fisheries Service (NMFS), 25
- National Oceanic and Atmospheric Administration (NOAA), 25
- U.S. Customs Service, 23
- U.S. Department of Agriculture (USDA), 21–25
- U.S. Department of Commerce, 25
- U.S. Department of Treasury, 25

## amendments

- Color Additives Amendment, 20
- Delaney Clause, 20, 26
- Food Additives Amendment, 20

## inspection programs and services

- Dairy Quality Program, 29
- Food Safety and Inspection Service (FSIS), 36
- Grain Inspection, Packers and Stockyard Administration (GIPSA), 25
- Interstate Milk Shippers Program (IMS), 28
- National Marine Fisheries Service (NMFS), 25
- National Shellfish Sanitation Program (NSSP), 30

## regulations, 4, 5, 19

- advertising, 28
- alcoholic beverages, 25
- Code of Federal Regulations (CFR), 19, 36, 42
- drinking water, 27
- effluent composition, 27
- extraneous matter, 601
- fishery products, 25, 30
- Good manufacturing practice (GMP)
  - regulations, 41, 601
- Harmonized Tariff Schedules of the U.S., 28
- imported goods, 28
- labeling

alcoholic beverages, 25

dairy products, 28–29

ingredient, 36

milk, 28–29

## nutrition

- caloric content, 38
- compliance, 38–41
- Daily Value (DV), 37
- databases, 36
- format, 36–37
- health claims, 41, 42
- methods of analysis, 39–40
- nutrient content claims, 41
- Nutrition Labeling and Education Act (NLEA), 36
- protein quality, 38
- rounding rules, 37–38
- sample collection, 38–39
- serving size, 37
- total carbohydrate, 38

meat and poultry, 21, 24

## milk

- Grade A, 28–29
  - manufacturing grade, 29
  - Pasteurized Milk Ordinance (PMO), 29
  - pesticide residues, 26–27, 30 (*see also* Pesticide residues)
  - shellfish, 29–30
- standards
- fill, 19
  - grades, 21, 24
  - identity, 19, 22
  - quality, 19

Gratings, monochromator, 97

Gravimetric analysis, 288

fiber determination, 288

## Grinding

- applications, 71
- equipment, 71
- particle size determination, 71–73
- samples for fat analysis, 303
- samples for moisture analysis, 260–261

Gums, 346–347

**H**

## Handbooks

- National Institute of Standards and Technology (NIST) handbook, 9, 11, 12, 47, 66, 101, 144, 209, 581
- Pesticide Analytical Manual* (PAM), 26, 579, 593

Hazard Analysis Critical Control Point (HACCP), 20, 23, 25, 278

HCL. *See* Hollow cathode lamp (HCL)

## Headspace methods

- direct headspace sampling, 230
- dynamic headspace sampling, 230, 232

Health claims, 41, 42

Heat capacity, 260, 530–533, 536, 538–541, 543

Heavy metals, 30, 131, 146, 288, 373, 374, 575

Hemicellulose, 336, 344, 350

Henderson-Hasselbalch equation, 397, 398, 403

Heterocyclic amines, 575, 590

Hexanal, 232, 410, 420, 426, 427

HIC. *See* Hydrophobic interaction chromatography (HIC)

- High-performance liquid chromatography (HPLC)
- applications
    - acrylamide, 177, 221
    - amino acids, 209, 214, 219–221, 223, 225, 229, 338, 443
    - antioxidants, 178, 221
    - aspartame, 222
    - bisphenol A (BPA), 575, 590
    - caffeine, 52, 53, 166, 177, 178, 222
    - carbohydrates, 209, 221–223, 335, 338, 342, 343, 356, 357, 590
    - drug residues, 576
    - dyes, 224–225, 402–403
    - flavor compounds, 222
    - folates, 218, 366
    - inorganic ions, 223
    - lectins, 225
    - lipids, 209, 214, 219, 222, 409, 422, 423
    - melamine, 177, 178, 221, 590
    - 4-methylbenzophenone (4MBP), 575, 590
    - molecular weight estimation, 178, 219, 224
    - mycotoxin residues, 190, 221, 576, 583, 584
    - organic acids, 214, 219, 223, 338
    - pesticide residues, 192, 214, 580
    - phenolic compounds, 209, 218, 460, 467
    - pigments, 222
    - proteins, 169, 177, 178, 220, 335, 434, 590
    - sugars, 9, 214, 223–225, 335, 342, 343, 348, 356, 403, 584
    - sulfites, 221, 223, 591, 592
    - surfactants, 221, 223
    - vitamins, 193, 196, 214, 218, 221, 222, 225, 229, 363, 366, 367, 369, 370, 422
  - column hardware
    - analytical, 216
    - guard column, 216, 225
    - precolumns, 216, 220, 221
  - column packing materials
    - carbohydrate analysis, 342
    - polymeric
      - macroporous, 217, 225
      - microporous, 217, 225
    - silica-based
      - bonded phases, 217, 221, 225
      - pellicular packing, 217, 225
      - porous silica, 217, 225
  - coupled techniques, 220
  - data stations, 220, 225
  - derivatization
    - postcolumn, 220, 581, 584
    - precolumn, 220, 221
  - detectors
    - amperometric, 219, 592
    - chemiluminescent nitrogen (CLND), 219
    - conductivity, 223, 241–242, 244–245, 319, 321, 441, 592
    - diode array, 175, 207
    - electrochemical, 218, 219, 342–343, 460
    - fluorescence, 219, 222, 345, 367, 442, 479, 584
    - light scattering, 219, 343, 422
    - mass, 171, 172, 177, 178, 192, 208, 214, 218, 220, 225, 241, 245, 343, 420, 460
    - pulsed amperometric (PAD), 223, 224, 342
    - radioactive, 219
    - refractive index (RI), 219, 225
    - ultraviolet-visible (UV-Vis) absorption
      - diode-array, 175, 218, 581
      - fixed wavelength, 218
      - variable wavelength, 218
    - gradient elution, 214–215, 223
    - hyphenated techniques mass spectrometry, 166–169, 172, 174–178, 180, 220, 363, 366, 367, 576, 581, 582, 584, 586, 590, 591, 593, 624
  - injector
    - autosamplers, 250
    - fixed-volume loop, 215
    - valve injectors, 215
  - with mass spectrometry (MS), 192, 214, 218, 221, 335, 366, 423, 443, 576, 593
  - postcolumn derivatization, 220, 442, 581, 584
  - precolumn derivatization, 220, 221, 443, 584
  - pump, 214, 215
  - separation modes
    - affinity, 220, 221
    - ion exchange, 203, 220, 221
      - ion chromatography, 199, 219, 223
    - normal phase, 195, 221
    - reversed phase, 586
    - size exclusion, 195, 201, 220
  - software packages, 220
  - ultra HPLC, 176, 216, 218, 365
- Hollow cathode lamp (HCL), 125, 134–135, 147, 148, 383
- HPLC. *See* High-performance liquid chromatography (HPLC)
- Hydrocolloids, 336, 338, 346–350, 354, 356, 357
- Hydrogenation, oils, 415, 424
- Hydrolysis
  - of lipids, 302, 303, 305, 306, 317, 340, 346, 347, 351, 412, 418, 423, 425
  - methods of starch determination, 345–346, 481–482
  - of pectins, 349
  - of proteins to amino acids, 317, 338, 442, 443
- Hydrolytic rancidity, 417, 418, 426, 427
- Hydrometry, 269–271, 380. *See also* Moisture, physical methods
- Hydrophobic interaction chromatography (HIC), 189, 196–197, 222, 432, 434, 435
- Hyphenated techniques, 144–145, 166, 174–175, 219–220, 245, 366, 460–461, 576
- I**
- Imaging
    - chemical, 558, 563–566
    - hyperspectral (HIS), 118, 609, 625
    - microscopy techniques, 562, 565
    - soft x-ray (SXI), 625
  - Immunoaffinity purification, 499–501
  - Immunoassays
    - applications
      - allergens, 488, 494, 500, 588, 589, 593
      - bacterial toxins, 500
      - drug residues, 500, 576
      - extraneous matter, 609
      - fish species, 500
      - genetically modified organisms (GMO), 587, 593
      - mycotoxin residues, 576, 583, 584
      - pathogens, 500
      - pesticide residues, 580, 593
    - definitions, 488–489
    - dot blots, 492, 497, 501

- Immunoassays (*cont.*)
- enzyme
    - competitive
      - bound antibody format, 496
      - bound hapten format, 496
    - direct, 457, 493–495, 497, 498, 501, 576
    - indirect, 493–495, 498, 501
    - noncompetitive, 477, 478, 494, 496, 500–501
    - sandwich, 494–496
  - immunoaffinity purification, 499, 501
  - lateral flow strip test, 498–499
  - radioimmunoassay (RIA), 491, 583
  - solid-phase, 491–499
  - theory, 490–491
  - Western blot, 492, 496, 497, 501, 588
- Impact-acoustic emission, extraneous matter, 608–609, 611
- Inductively coupled plasma (ICP)
- atomic emission spectroscopy (AES) (*see* Atomic emission spectroscopy, inductively coupled plasma)
  - mass spectroscopy, 144–147
  - optical emission spectrometry, 138
- Infrared spectroscopy
- applications
    - carbohydrates, 114, 272, 317
    - extraneous matter, 609, 610
    - fat, 114, 119, 272, 312, 324, 326, 424
    - mid-infrared, 322
    - moisture, 119, 272
    - mycotoxins, 122
    - near-infrared, 96, 322, 375, 609–611
    - protein, 114, 118, 272, 317, 319, 322, 326
    - Raman, 109, 120–122
    - sugar, 119, 272, 312
    - trans* fatty acids, 424
    - wheat hardness, 119
  - mid-infrared
    - absorption bands, 322
    - applications, 272, 322
    - dispersive, 111
    - fourier transform, 335, 356, 409, 424, 530, 558, 563, 584
    - instrumentation, 322
    - sample handling, 112, 322
  - near-infrared
    - absorption bands, 322
    - applications, 322, 609
    - calibration, 322
    - chemometrics, 118
    - instrumentation, 96, 113, 114, 118, 119, 272, 312, 319, 322, 326, 375
    - online measurement, 119–120
    - principles, 116, 312, 317, 319, 322, 326, 424
    - qualitative analysis, 119
    - quantitative methods, 118–119
  - principles
    - frequency of vibration, 109–111
    - infrared radiation, 109–111, 326
    - molecular vibrations, 109
    - sample handling, 112, 322
- In-line analysis, 309
- Insoluble fiber. *See* Fiber, insoluble
- Internal standards, 169, 208–211, 220, 306, 307, 311, 344, 348, 356, 367, 420, 423, 425, 443, 577, 589
- International Organization for Standardization (ISO), 11, 73
- International standards and policies
- Codex Alimentarius Commission, 31, 32
  - International Organization for Standardization (ISO), 11, 73
  - others, 31
- Iodine value, oils, 412, 413, 415, 426
- Ion chromatography, 27, 199, 219, 223, 373, 576, 592, 624
- Ion-exchange chromatography
- anion exchangers, 197, 198, 223, 342, 343, 434
  - applications, 198, 199, 223, 434, 435
  - cation exchangers, 198, 223, 434, 435, 442
  - HPLC, 223, 342
  - principles, 197–199
- Ion selective electrodes
- activity, 378–379, 383
  - applications, 378–380
  - calibration curves, 379
  - electrodes, 27, 373, 374, 378–380, 383, 592
  - end point of titration, 373, 379, 383
  - principle, 373, 378–379, 383
  - standard addition, 378–379
- ISO certification, 11
- Isoelectric focusing, 433, 439–441
- Isoelectric point, 198, 210, 323, 432, 433, 438, 440, 441
- Isoelectric precipitation, 433, 434
- J**
- Joint FAO/WHO Expert Committee on Food Additives (JECFA), 31, 582
- K**
- Karl Fischer titration, 267–269, 273, 277. *See also* Moisture
- Kjeldahl method, proteins, 318–323, 325, 326, 443, 447
- L**
- Labeling. *See* Government, regulations
- Laboratory information management system (LIMS), 8
- Lactometers, 270
- Lane-Eynon method, 342
- Lateral flow strips, 498–499, 576, 586
- Ligand, affinity chromatography, 199–201, 435
- Light. *See* Spectroscopy
- Lignin, 115, 289, 334, 350, 352, 457, 505, 625
- Limit dextrin, 483, 484
- Limit of detection, 50–51, 586, 591
- Limit of quantitation (LOQ), 51
- Linear regression, 52–54, 118, 367, 473
- Lineweaver-Burk
- formula, 472
  - plot, 473, 477, 478
- Lipids
- analyses of lipid fractions
    - cholesterol content, 409, 422, 425
    - gas chromatography, 409, 423
    - thin-layer chromatography, 423, 425–426
  - antioxidants, 73–74, 90, 232, 264, 274, 303, 409, 410, 412, 413, 415, 418–422, 426, 457, 461, 467, 627
  - characterization, methods
    - acid value, 411
    - cloud point, 414
    - cold test, 414
    - color, Lovibond, 410, 414, 415
    - consistency, 417

fat substitutes, 192  
fatty acid composition, 422–424  
fire point, 414  
flash point, 414  
free fatty acids, 416  
hexanal, 410, 420  
iodine value, 415, 418, 422  
melting point, 413, 414  
polar components, 417, 418  
refractive index, 219, 413, 422  
sample preparation, 288–289, 303, 413, 419  
saponification number, 415  
smoke point, 414  
solid fat content, 417, 426  
solid fat index, 417  
*trans* isomer fatty acids, 411, 422–424  
choice of methods, 12  
cholesterol, 10, 229, 236, 409, 411, 422, 425  
classification  
  compound, 301, 409–411  
  derived, 301, 409  
  monounsaturated, 409, 422  
  polyunsaturated, 409, 422, 423  
  saturated, 409–411, 417  
  simple, 301  
color, Lovibond, 414, 415  
comparison of methods, 309  
consistency, 417  
content in foods, 411  
in dairy products, 302, 311–313, 411  
definitions, 301  
dilatometry, 417  
extraction, 302–305, 412, 419, 420, 467  
fat substitutes, 192  
in flour, 306  
fractionation, 303  
gas chromatography analysis, 306, 311  
high-performance liquid chromatography analysis, 213–225  
importance of analysis, 302  
monounsaturated fat, 40, 41, 306, 409, 422, 423  
nuclear magnetic resonance analysis, 151–162, 309, 409  
oxidation  
  evaluating present status  
    aldehydes, 418  
    anisidine value, 410, 418  
    conjugated dienes, 410, 418  
    fluorescence microscopy, 418–419  
    peroxide value, 410, 418  
    sample preparation, 419  
    thiobarbituric acid test, 410, 418, 420  
    toxic value, 419  
    volatile organic compounds, 418–420  
  evaluating stability  
    effect of phenolic compounds, 457  
    oil stability index, 410, 422, 424  
    oven storage test, 410, 421  
    oxygen bomb, 410, 422  
    sample protection, 73–74  
in pet food, 383, 392  
polar components, 410, 417–418  
polyunsaturated fatty acids, 409, 411, 423  
rancidity  
  hydrolytic, 417, 418  
  oxidative, 418, 419  
saturated fat, 409, 422

solid fat content, 161, 309, 410, 417  
solid fat index, 410, 417  
solvent extraction, 302–310  
total content, methods  
  instrumental methods  
    accelerated solvent extraction, 309  
    infrared, 308  
    NMR, 309  
    supercritical fluid extraction, 309  
    x-ray absorption, 309  
  nonsolvent wet extraction  
    Babcock, 307–308  
    Gerber, 308  
  solvent extraction  
    accelerated, 309  
    acid hydrolysis, 305–306  
    alkaline hydrolysis, 305  
    chloroform-methanol, 306  
    gas chromatography, 306  
    Goldfish, 303–304  
    Mojonnier, 305  
    sample preparation, 303  
    solid-phase, 412  
    solvent selection, 303  
    Soxhlet, 304  
    *trans* isomer fatty acids, 411, 422–424  
Lipoxygenase, assay, 461, 471, 483  
Liquid-liquid chromatography, 193–196. *See also*  
  Column chromatography  
Lovibond method, 414, 415  
Lowry method, proteins, 90, 323–325  
Lysine, availability, 319, 322, 444, 447

## M

Magnetic resonance. *See* Nuclear magnetic resonance  
MALDI. *See* Matrix associated laser desorption  
  ionization (MALDI)  
Malic acid, assay, 482  
Mass analyzers, 167, 168, 170–173, 581, 582  
Mass spectrometry (MS)  
  applications, 177–180, 354–356, 366,  
    460–461, 581–582, 584, 586  
  gas chromatography-MS, 174–175, 246  
  high resolution MS, 176–177  
  inductively coupled plasma, 144–147, 170  
  instrumentation, 166–172  
  interface, 166, 167, 174, 175, 177  
  interpretation of mass spectra, 172–174  
  ionization, 137, 138, 168–170, 172–177  
  liquid chromatography-MS, 166, 168, 169, 175–177,  
    220, 366  
  mass analyzers, 170–172  
  matrix effects, 170  
  sample introduction, 167–168  
  tandem MS, 175–176  
Matrix associated laser desorption ionization (MALDI),  
  166, 167, 169–170, 179  
Matrix, food, 4, 11, 12, 14, 63, 131, 160, 229, 346, 374, 471,  
  518, 575, 576, 579, 587, 588, 627  
Measures of central tendency. *See* Data evaluation  
Melamine, 122, 177, 178, 221, 326, 575, 589, 590  
Melting point of lipids, 413–414, 532  
Mesh size, 71, 239, 602, 604  
Methods of analysis. *See* Assay methods, general;  
  Standard methods  
4-Methylbenzophenone, 575

- 4-Methylimidazole, 590
- Michaelis constant, 473
- Michaelis-Menten equation, 473, 474
- Microbiological assays  
 drug residues, 585  
 vitamins, 362–365
- Microfiltration, 433, 436, 437
- Micro Kjeldahl, proteins, 318–321
- Microscopy  
 applications  
 emulsions, 567  
 extraneous matter, 603–610  
 fat functional properties, 567  
 lipid oxidation analysis, 418–419  
 atomic force, 562–563, 568  
 confocal laser scanning, 565–566  
 confocal Raman, 565, 567, 568  
 electron, 560–561  
 fluorescence, 418, 419, 464, 559, 568, 609  
 Fourier transform infrared, 564, 624  
 histology, 559–560  
 light, 558–560, 564, 565, 567, 568, 607, 609, 623, 624  
 scanning electron, 558, 560–563, 568, 607, 609, 623, 629, 630
- Microstructure  
 case studies, 567–568  
 chemical imaging, 563–566  
 microscopy, 558–563  
 tomography, 567  
 x-ray computed tomography, 567  
 x-ray diffraction, 566–567  
 x-ray microtomography, 307–308
- Microwave-assisted methods  
 ashing, 292–293  
 moisture analysis, 265–266
- Mid-infrared spectroscopy (Mid-IR), 109, 111–116, 118–120, 123–125, 272, 308, 312, 322, 564, 584.  
*See also* Infrared spectroscopy
- Minerals. *See also* Ash  
 content in foods, 38, 288, 290, 373–376, 378  
 determination  
 atomic absorption spectroscopy, 131–137, 143–144, 373, 374  
 atomic emission spectroscopy, 137–144, 373  
 colorimetric methods, 378  
 comparison of methods, 380–381  
 dry ashing, 289–291  
 EDTA complexometric titration, 376  
 inductively coupled plasma-MS, 144–147  
 inductively coupled plasma-optical emission spectroscopy, 138–142, 373  
 interferences, 375–376  
 ion selective electrodes, 378–380  
 mass spectrometry-inductively coupled plasma, 144–147  
 microwave ashing, 292–293  
 precipitation titration Mohr titration, 377  
 precipitation titration Volhard titration, 377  
 sample preparation, 375  
 water hardness, 376  
 wet ashing, 291–292  
 importance in diet, 373
- Mixograph, 450
- Modulated temperature DSC (MDSC®), 530, 539, 540
- Moisture  
 basis for reporting results, 259  
 comparison of methods  
 intended purpose, 273, 277  
 nature of sample, 273  
 principles, 273–276  
 content of foods, 261  
 distillation methods, 266–267  
 drying methods  
 calculations, 264  
 decomposition, 262–263  
 ovens  
 forced draft, 264  
 infrared, 266  
 microwave, 265–266  
 rapid moisture analyzer technology, 266  
 thermogravimetric analyzer, 266  
 vacuum, 254–265  
 pans  
 handling, 263  
 types, 263  
 removal of moisture, 262  
 surface crust formation, 263–264  
 temperature control, 263  
 ice melting, 261, 264  
 importance of assay, 259  
 Karl Fischer titration method  
 applications, 269  
 endpoints, 268  
 reactions, 267  
 reagents, 268  
 sources of error, 269  
 physical methods  
 dielectric, 269  
 freezing point, 273  
 hydrometry  
 hydrometer  
 alcoholometer, 270  
 Baumé, 270  
 Brix, 270  
 lactometer, 270  
 Twaddell, 270  
 pycnometer, 270–271  
 infrared, 272  
 microwave absorption, 272–273  
 refractometry  
 refractive index, 271  
 refractometer, 271  
 sample collection, 260–261  
 sorption isotherms, 281–283  
 total solids, 25, 65, 259, 264, 265, 272  
 Mojonnier method, fat analysis, 305, 309, 310  
 Molarity, 91, 105, 377, 382, 391, 392, 505  
 Molecular energy levels, 84, 85, 87  
 Molecular exclusion. *See* Size-exclusion chromatography  
 3-Monochloropropane 1,2-diol (3-MCPD), 575, 590  
 Monochromator, 81, 95–97, 99–101, 111, 117, 118, 121, 124, 125, 133–135, 137, 138, 218  
 Monosaccharides, 334–336, 341–344, 347, 348, 356, 471, 532. *See also* Carbohydrates, methods of analysis  
 MS. *See* Mass spectrometry (MS)  
 Multidimensional GC. *See* Gas chromatography  
 Mycotoxin residues  
 methods of analysis  
 capillary electrophoresis, 576, 584  
 gas chromatography, 576, 584

- high-performance liquid chromatography, 576, 584
  - immunoassays, 576, 583–584
  - thin-layer chromatography, 576, 583
  - occurrence, 582
  - sampling, 582–583
- N**
- Nanofiltration, 433, 436, 437
  - National Institute of Standards and Technology (NIST), 9, 11, 12, 47, 66, 101, 144, 209, 581
  - Near-infrared spectroscopy. *See* Infrared spectroscopy, near-infrared
  - Nernst equation, 378, 383, 394, 395, 403
  - Nessler colorimetric method, proteins, 319, 320, 322–326
  - Neutralization reactions, 391–392
  - Newtonian fluids, 516, 517, 523
  - Niacin, 7, 22, 38, 362, 365, 366, 369
  - Ninhydrin method, proteins, 220, 422, 611
  - Nitrites, 240, 326, 505, 576, 591–593
  - Nitrosamines, 229, 244, 245, 591, 592
  - Non-Newtonian fluids, 516, 517
  - Nonprotein-N compounds
    - amino acids, 317, 319, 320, 326
    - separation from protein, 317, 319, 320, 325, 326, 327, 477
  - Normality, 321, 328, 329, 391, 392, 396, 399–401, 415, 416, 419
  - Normal-phase chromatography, 189, 196, 221, 343
  - Nuclear magnetic resonance (NMR)
    - applications
      - fats, 158
      - ingredients, 152, 159
      - liquids, 158
      - magnetic resonance imaging, 159–160
      - relaxometry, 152, 160
      - solids, 152, 158
      - water, 158
    - instrument, 152–154, 157, 158, 161
    - principles, 152–157
  - Nutrient content claims, 36, 37, 41, 42, 310, 373
  - Nutrient content databases, 36
  - Nutritional value of proteins. *See* Protein, nutritional quality
  - Nutrition labeling. *See* Government, regulations, labeling
- O**
- Oils. *See* Lipids
  - Oil stability index, 410, 422
  - Oligosaccharides. *See* Carbohydrates
  - On-line analyses, 276
  - Optical emission spectroscopy, 137, 138, 142, 374
  - Organic acids, 100, 170, 199, 214, 219, 223, 224, 338, 396, 397, 401, 418, 457
  - Ovens. *See* Moisture, drying methods
  - Oxidation, lipid, 73, 90, 232, 264, 274, 303, 409, 410, 412, 413, 415, 418–422, 457, 461, 467, 627
  - Oxygen bomb, 410, 422
  - Oxygen demand
    - biochemical oxygen demand (BOD), 504–506
    - chemical oxygen demand (COD), 27, 504–506
    - comparison of methods, 505–506
    - sampling and handling, 506
- P**
- Packaging material volatiles
    - residues, 249, 590–591
    - volatiles, 249
  - PAGE. *See* Polyacrylamide gel electrophoresis (PAGE)
  - Paper chromatography, 188–190, 335
  - Particle size analysis, 71, 603
  - Partition chromatography. *See* Chromatography principles
  - Pathogens, 122, 179, 180, 278, 483, 499, 500
  - PCR. *See* Polymerase chain reaction (PCR)
  - PDCAAS. *See* Protein digestibility-corrected amino acid score (PDCAAS)
  - Pectin. *See* Carbohydrates
  - PER. *See* Protein efficiency ratio (PER)
  - Perchlorate, 575, 591
  - Peroxidase, assay, 482
  - Peroxide value, 30, 120, 410, 418–422, 426
  - Pesticide residues
    - methods of analysis
      - chromatographic separation and analysis
        - gas chromatography, 580
        - high-performance liquid chromatography, 581
        - thin-layer chromatography, 580
      - extraction, 577–579
      - immunoassays, 576, 580
      - mass spectrometry detection, 581–582
      - multi-residue methods, 579
      - screening methods, 580
      - single-residue methods, 579
    - regulations
      - other raw agricultural commodities, 22, 579
      - shellfish, 29–30
      - tolerance levels, 26–27, 579
    - safety, 579
    - types, 579–580
  - pH
    - acid-base equilibria, 392–393
    - activity coefficient, 394
    - meter
      - calibration, 396
      - electrodes, 395–396
      - operation, 396
    - principles, 394–395
  - Phenolics, methods of analysis
    - antioxidant capacity assays
      - hydrogen atom transfer, 462–465
      - single electron transfer, 465–466
    - chromatographic methods
      - GC, 460–461
      - HPLC, 460
    - colorimetric assays, 459–460
    - oxidation of lipids, 466–467
  - Phenol-sulfuric acid method, 90, 340–341
  - Photomultiplier tube (PMT), 97, 98, 134, 138, 140, 141, 219
  - Phototube, 97, 98
  - Phthalaldehyde method, proteins, 220, 442
  - Physical methods
    - color, 546–554
    - rheology, 513–527
    - thermal analysis, 530–543
  - Pigments
    - carotenoids, 193, 222
    - chlorophylls, 193, 222
    - synthetic food dyes, 222
  - Planck's constant, 82, 109

- PMT. *See* Photomultiplier tube (PMT)
- Polarimetry, 354, 479
- Polyacrylamide gel electrophoresis (PAGE), 437–439, 441, 496, 497, 501
- Polymerase chain reaction (PCR), 479, 576, 586, 587, 589, 593
- Polysaccharides, 198, 199, 201, 202, 217, 224, 225, 334, 336, 338, 341–351, 356, 418, 435, 458, 563, 567.  
*See also* Carbohydrates, methods of analysis
- Polyunsaturated fatty acids, 409, 411, 423
- Potentiometer, 268, 281, 394, 395
- Potentiometry, 394. *See also* Ion-selective electrodes; pH
- Precipitation titration, mineral determination  
Mohr, 377  
Volhard, 377–378
- Precision, analyses, 10, 46–50, 69
- Protein. *See* Proteins
- Protein digestibility-corrected amino acid score (PDCAAS), 38, 444–446, 450
- Protein efficiency ratio (PER), 38, 327, 444–446, 450
- Protein, functional properties  
dough formation  
Farinograph®, 450  
mixograph, 450  
RapidViscoAnalyser (RVA), 450  
emulsification  
applications, 449  
emulsion, 447  
emulsion stability, 448  
foaming  
applications, 449  
foam stability, 448–449  
foam volume, 448  
gelation, 449  
solubility, 447  
applications, 449
- Protein needs, 317, 443, 444
- Protein, nutritional quality  
amino acid composition, 443  
amino acid score, 444  
digestibility  
corrected amino acid score, 445–446  
pH-shift, 446–447  
true, 445  
essential amino acid index (EAAI), 446  
estimates of protein needs, 445–446  
lysine, availability, 447  
protein digestibility-corrected amino acid score, 445–446  
protein efficiency ratio, 38, 446  
regulations, 38
- Proteins  
amino acid analysis, 442–443  
amino acids in, 450  
classification, 317  
content in foods, 317  
importance of analysis, 317  
methods of analysis  
comparison of, 326  
copper ion-based methods  
bicinchoninic acid, 324–325  
biuret, 323–324  
Lowry, 324  
dye binding  
anionic dye, 322–323  
Bradford method, 323  
infrared, 322  
ninhydrin, 442  
nitrogen combustion  
Dumas (N combustion), 321–322  
Kjeldahl, 318–321  
non-protein nitrogen, 325–326  
o-phthalaldehyde, 442  
selection of, 317  
ultraviolet absorption methods, 325  
quality (*see* Protein, nutritional quality)  
separation (*see* Protein separation)
- Protein, separation  
differential solubility characteristics  
denaturation, 264  
isoelectric precipitation, 263–264  
salting out, 263  
solvent fractionation, 264  
electrophoresis  
capillary electrophoresis, 440–442  
isoelectric focusing, 439–440  
polyacrylamide gel electrophoresis, 437–439  
liquid chromatography  
affinity, 435  
hydrophobic interaction, 435  
ion-exchange, 434–435  
reversed-phase, 444  
size exclusion, 437  
size  
applications, 437  
dialysis, 436  
membrane processes  
microfiltration, 436  
nanofiltration, 436  
reverse osmosis, 436  
ultrafiltration, 436–437  
size-exclusion chromatography, 437
- Proximate analysis, 11, 40, 288, 294, 295
- Pycnometers, 269–271, 273, 277
- Q**  
Quality assurance, 5, 6, 159, 162, 334, 338, 356, 381, 417, 426, 530, 618–620  
Quality control (QC), 4, 5, 7, 9, 19, 24, 51, 160, 162, 168, 179, 188, 190, 223, 267, 269, 273, 274, 277, 283, 292, 295, 302, 308, 310, 317, 319, 322, 326, 327, 362, 366, 383, 441, 446, 522, 546, 591, 606, 619–621, 627  
Q-value, 56, 57
- R**  
Radioimmunoassay (RIA), 491, 583  
Raman spectroscopy  
instrumentation, 109, 111, 113, 117, 119–123, 624  
principles, 120–121  
surface-enhanced Raman scattering, 112  
Rancidity  
hydrolytic, 417, 418  
oxidative, 418, 426  
Rapid Visco Analyser (RVA), 450, 484, 624

- Redox reactions, 373  
Reducing sugars, 320, 335, 337, 339, 341–342, 447, 459, 481  
Reference samples, 10, 90, 99, 623  
Refractive index  
  carbohydrate analysis, 354  
  fat characterization, 413  
  total solids analysis, 271  
Refractometers  
  Abbe, 271  
  refractive index, 271, 354, 413  
Relative error, 50, 95  
Relaxometry. *See* Nuclear magnetic resonance  
Reliability of analysis. *See* Data evaluation  
Rennet, assay, 484  
Replication of analyses, 46, 57  
Reporting results. *See* Data evaluation  
Representative samples, 8, 63, 67, 68, 74, 92, 288, 375, 540  
Residues. *See* Contaminants  
Resistant starch (RS), 337, 338, 346, 350, 353  
Reversed-phase chromatography, 189, 196, 204, 218, 220, 581  
Reverse osmosis (RO), 433, 436, 437  
Rheology  
  basic assumptions, 513  
  Brookfield viscometer, 521  
  empirical methods, 513  
  fluid models  
    Bingham plastic, 518  
    Herschel-Bulkley, 517  
    Newtonian, 517–518  
    Power law, 518  
  fluid rheograms, 516–517  
  fundamentals  
    fluids  
      Newtonian, 516  
      non-Newtonian, 516  
      rheograms, 516–517  
    solids  
      elastic modulus, 515  
      shear modulus, 515  
      strain, 514–515  
      stress, 513–514  
  glossary, 526  
  nomenclature, 527  
  rheometers  
    oscillatory rheometers, 524  
    rotational viscometers  
      concentric cylinder  
        Bostwick consistometer, 521, 522  
        Brookfield, 521  
        Zahn cup, 521, 522  
      cone and plate, 522–523  
      procedure, 523–524  
    solid foods  
      compression tests, 518  
      fracture tests, 520  
      large strain, 518–520  
      small strain, 518  
      tension tests, 518  
      texture profile analysis, 519–520  
    tribology, 524–525  
  Rheometers. *See* Rheology  
Riboflavin, 7, 22, 38, 362, 364, 365, 369  
Roese-Gottlieb method, fat determination, 305  
Ro-Tap®, 72  
Rotary evaporator, 340, 412, 425  
Rounding rules, nutrition labeling, 37–39  
RVA. *See* Rapid Visco Analyser (RVA)
- S**  
Salt analysis, 377–378, 380  
Salting out proteins, 432  
Sampler types, 69, 420  
Samples. *See also* Individual food constituents  
  preparation  
    contamination, 288, 375, 381, 577  
    derivatization, 235–236, 577  
    enzymatic inactivation, 73  
    extraction, 63, 71, 229–236, 251, 303, 326, 337, 338, 351, 412, 419, 457, 462, 480, 577  
    grinding, 71–73, 288, 326  
    homogenization, 63, 92, 229, 577  
    lipid oxidation protection, 73–74  
    microbial growth, 74, 229  
    particle size, 70–73, 326  
    size reduction, 65, 70–71  
  types, 6, 51, 282  
Sampling  
  mycotoxins, 65, 582–583  
  nutrition labeling, 38–39, 68  
  plans, 64–70, 74  
  problems, 63, 65, 69, 70  
  procedures, 24, 27, 29, 63–70, 74, 413, 582, 583  
  selection of procedure  
    factors affecting choice, 64–65  
    risks, 66–67  
  size, 70–71  
  statistical considerations, 67–69  
Saponification number, oils, 410, 415  
Scanning electron microscopy (SEM), 558, 560–563, 568, 607, 609, 623–624, 629, 630  
Schaal oven test, oils, 421  
Screening tests in food analysis, 500, 580, 585  
Selection, assay methods, 51, 327, 362, 365–366  
Sensitivity, analyses, 50–51  
SFC. *See* Supercritical fluid chromatography (SFC)  
Shear. *See* Rheology  
Significant figures, 54–58, 296, 357, 358  
Size-exclusion chromatography  
  applications, 201–202  
  fractionation range, 202  
  hydrophilic gels, 202  
  hydrophobia media, 202  
  molecular weight estimation, 201  
Slip melting point, 410, 413, 414  
Solanine, 501, 575, 591  
Solid fat content, 161, 309, 410, 417, 426, 532  
Solid fat index, 410, 417  
Solid-phase extraction (SPE), 193, 229, 231, 233–235, 251, 412, 460, 578, 580  
Solubility criteria for lipids, 425  
Soluble fiber. *See* Fiber, soluble  
Solvent extraction  
  GC analysis, 233, 305  
  lipids, 302, 303, 305  
  pesticides, 579–582  
Solvent fractionation, proteins, 433, 434  
Somogyi-Nelson method, 337, 341–342  
Soxhlet method, fat analysis, 304, 311, 314

- SPE. *See* Solid-phase extraction (SPE)
- Specifications, 6, 7, 9, 19, 24, 29, 30, 32, 42, 63, 64, 122, 288, 302, 411, 523, 546–552, 583
- Specific gravity, 262, 269, 270, 273, 275, 312, 337, 354, 522, 604, 611
- Specificity, analyses, 4, 10, 50, 147, 166, 167, 176, 178, 200, 218, 220, 225, 241, 243, 244
- Spectroscopy
  - absorption, basis of quantitation
    - absorbance, 85, 90–101, 103, 114, 116, 118, 120, 133, 134, 136, 147, 219, 272
    - Beer's law, 91–95, 103, 105, 114, 133, 136
    - molar absorptivity, 93, 101, 133
    - reference cell, 91–93, 99, 100
    - transmittance, 90–95, 97–99, 114
  - calibration curves, 94–95, 102, 103, 136, 169
  - characteristics of UV-Vis absorbing species, 100–101
  - energy dispersive x-ray, 561–562, 623, 630
  - energy level transitions
    - absorption, 85–86
    - emission, 86–87
    - population of energy levels, 87
    - resonance line, 132, 137
    - resonance transition, 132
  - energy states of matter, levels
    - electronic, 83–84
    - nuclear, 84–85
    - rotational, 83–84
    - transitions
      - absorption of radiation, 85–86, 90, 92, 93, 101, 123, 124, 134, 136
      - emission of radiation, 80, 82, 86–87, 131, 144
      - vibrational, 83–84
  - errors, 92, 94, 95, 142, 177
  - instrumentation, UV-visible
    - cells, 90–93, 97, 99–103, 112–114, 117, 136, 145, 152, 175, 176
    - detectors, 97–98, 100, 112, 114, 117, 118, 121, 134, 140, 141, 166, 175
    - light sources, 95–96, 133, 169
    - monochromators, 81, 82, 92, 95–97, 99–101, 111, 117, 118, 121, 124, 125, 133–135, 137, 138
  - instrument design
    - double-beam, 98, 99, 103, 133, 134
    - single-beam, 96, 98, 99, 103
  - light
    - interferences, 81–82
    - properties, 80–81
    - terminology, 81
  - sample handling and preparation, 112–114
  - types
    - atomic absorption, 125, 131–138, 142–144
    - atomic emission, 87, 125, 131, 132, 137–143
    - fluorescence, 86–88, 90, 101–103, 121, 124
    - infrared
      - mid-, 322
      - near-, 308, 322, 335, 356, 375, 584, 609–611
    - mass, 624
    - nuclear magnetic resonance, 80, 86, 87, 152–162, 219, 242, 309, 335, 409, 568, 606, 610, 611
    - Raman, 120–122, 125, 624
    - ultraviolet, 80, 86, 90–101, 132
    - visible, 80, 86, 90–101
    - UV-visible, 90–101
    - wavelength selection, 93, 96, 101–103
- Spices, 178, 247, 289, 582, 583, 604
- Stability test of lipids, 449
- Standard acid, 399–400
- Standard addition, 94, 95, 137, 480
- Standard curves. *See also* Data evaluation
  - atomic absorption spectroscopy, 149
  - colorimetric method, phosphorus, 322–325
  - fluorescence spectroscopy, 102
  - ion selective electrodes, 379
  - UV-vis spectroscopy, 549
- Standard deviation, 47–49, 51, 54, 55, 57, 58, 63, 68, 69, 95, 205, 263
- Standard error of the mean, 49
- Standard methods
  - AACC International, 9, 13, 119, 349–351, 353, 369, 447, 582, 602, 603
  - American Oil Chemists' Society (AOCS), 10, 14, 409, 447, 582
  - American Society of Testing Methods (ASTM), 27
  - AOAC International, 10–14, 29, 39–40, 42, 67, 70, 261–263, 265, 266, 303, 317, 335, 338, 363, 369, 373, 380, 409, 579, 582–584, 602–603, 612
  - extraneous matter, 64, 601–612, 617, 622, 628
  - food additives, 14, 26, 31, 229, 345, 575, 582, 588
  - Food Chemicals Codex (FCC), 31
  - International Union of Pure and Applied Chemistry (IUPACO), 64, 409, 582
  - pesticides, 26–27, 576, 579–582
  - Standard Methods for the Examination of Dairy Products (SMEDP), 29
  - Standard Methods for the Examination of Water and Wastewater, 13, 27, 376, 504
- Standard operating procedures, 11, 136, 618–620
- Standards. *See* Government, standards
- Starch. *See* Carbohydrates
- Statistics
  - data analysis, 46, 176, 208, 531–533
  - sampling, 64, 65, 67–70, 74
- Stereoisomer separation, 482
- Strain. *See* Rheology
- Stress. *See* Rheology
- Structure/function claims, 609
- Sulfite, 223, 480, 481, 575, 588, 589, 591–592
- Supercritical fluid chromatography (SFC), 178, 188, 192–193, 229
- Synthetic food dyes, 222
- T**
- Taint, 617, 624–627
- Texture. *See* Rheology
- Texture profile analysis (TPA), 514, 519–520
- Thermal analysis
  - amorphous structure, 530–532
  - applications, 539–543
  - calorimetry
    - calorimeter, 536
    - reactions
      - endothermic, 532–534, 537, 539–541, 543
      - exothermic, 537, 541
  - crystalline structure, 530, 532, 533, 537, 540, 543
  - differential scanning calorimetry (DSC)
    - applications, 535–537
    - experimental conditions, 537
    - measurements, 537–538
  - dynamic mechanical analysis (DMA), 531
  - enthalpy, 533, 537

- glass transition temperature, 530–532, 537, 539–543  
heat capacity, 530–533, 536, 538–541, 543  
modulated temperature DSC®  
  applications, 538–539  
  experimental conditions, 539  
  measurements, 539  
thermodynamic properties, 532–534  
thermogravimetric analysis (TGA), 530, 534–537, 540, 541, 543  
thermomechanical analysis (TMA), 531  
Thermogravimetric analysis (TGA). *See* Thermal analysis  
Thiamine, 90, 362, 364, 369, 471  
Thin-layer chromatography (TLC)  
  applications  
    lipids, 425–426  
    mycotoxin residues, 190, 583  
    pesticide residues, 580  
  high performance (HPTLC), 190  
  principles, 190–191, 425–426, 580  
  procedure, 190, 418, 425  
Thiobarbituric acid (TBA) test, 90, 420  
Titratable acidity  
  analysis  
    high-performance liquid chromatography (HPLC), 402  
    titration  
      endpoint, 396–400, 403  
      indicators, 394–396, 398–400, 402  
      reagents, 391, 399–400  
      sample preparation and analysis, 391, 399–400  
  Brix/acid ratio, 401, 402  
  calculations, 391–394, 398, 401  
  content in food, 401–402  
  interference, 398  
  predominant acid, 401  
  principle, 396–397  
TLC. *See* Thin-layer chromatography (TLC)  
Total carbohydrate. *See* Carbohydrate, methods of analysis  
Total dietary fiber. *See* Fiber, dietary  
Total fiber. *See* Fiber, total  
Total solids (TS), 259–284  
Tox value, 419  
TPA. *See* Texture profile analysis (TPA)  
Trace metals determination. *See* Minerals, determination  
*Trans* isomer fatty acids, 409, 411, 422–424  
Trends  
  consumer, 4–5  
  food industry, 4–8, 19, 46, 51, 65, 259, 277, 373, 381, 521  
  government regulation, 4, 5, 19–32  
  international standards, 4, 5, 19–32  
Tribology, 524–525  
t-test, 69, 74  
Turbidimetry, vitamins, 366  
t-value, 49
- U**  
Ultrafiltration, 436–437, 450  
Ultra HPLC, 176, 180, 216, 218, 366, 367, 369, 586  
Ultraviolet absorption spectroscopy, 100–101. *See also* Spectroscopy, types  
Ultraviolet 280 nm absorption, proteins, 325  
Unsaturated fatty acids, 161, 262, 269, 409, 411, 423
- Uronic acid, 348, 349  
U.S. Department of Agriculture (USDA), 12, 14, 21, 24–26, 28, 29, 31, 32, 41, 42, 64, 66, 131, 328, 462, 548, 575, 579, 583
- V**  
Validity of method, 4  
Van Deemter equation, 206, 247, 248  
Viscometers. *See* Rheology, rheometers  
Viscometry. *See* Rheology  
Viscosity. *See* Rheology  
Visible absorption spectroscopy, 90–101. *See also* Spectroscopy, types
- Vitamins**  
  bioassay methods, 362, 363, 365–366, 369  
  chemical methods  
    riboflavin, 362, 364, 365, 369  
    thiamine, 362, 364, 369  
    vitamin A, 362, 363, 367  
    vitamin C  
      2,6-dichloroindophenol, 364, 368  
      fluorometric, 362, 368–369  
    vitamin D, 363, 365–367  
    vitamin E, 363, 364, 367  
  comparison of methods, 366, 369  
  definition, 362  
  extraction methods, 362  
  high-performance liquid chromatography (HPLC) analysis, 366–367  
  importance  
    of analysis, 362  
    in diet, 362, 366  
  microbiological assays  
    niacin, 362, 365, 366, 369  
    principles, 366  
  units, 362  
Volatile acidity, 25, 402  
Volatile compounds, 230, 232, 234, 240, 241, 245, 281, 420, 578
- W**  
Water activity, 259, 260, 277–281, 283  
Water analysis, 273, 366  
Water, drinking regulations, 27, 32, 592  
Water hardness, 374, 376, 381  
Water in foods, 259–260, 273, 277  
Western blots, 439, 492, 496–497, 501, 588  
Wet ashing, 143, 147, 288, 290–292, 294. *See also* Ash, methods of determination
- X**  
X-ray diffraction, 566–567, 623, 625  
X-ray microtomography (XMT)  
  extraneous matter, 607–608  
  food forensics, 624–625  
X-ray radiography  
  extraneous matter, 606–607, 611  
  food forensics, 606–607, 611
- Z**  
Z value, 48, 49, 179