

Index

A

- Aboriginal and Torres Strait Islander (ATSI), 192
- Academic training, LA
 - data collection, 128
 - foreign psychology model, 127
 - humanistic psychology, 126, 127
 - peripheral science, 127
- Acceptance and commitment therapy (ACT), 48, 151, 152, 229
- Acute stress disorder, 14
- Affordable Care Act (ACA), 79, 80
- Africa
 - AFFIRM, PRIME and EMERALD projects, 199
 - auditory verbal hallucinations, 205
 - behaviour therapy and integrative methods, 199
 - biomedical approach, 206
 - career guidance and school-based counselling, 198
 - countries and populations, 197
 - credibility gap, 206
 - cultures psychotic phenomena, 205
 - disability, 198
 - DSM-5 and ICD-10, 205, 206
 - epidemiology, 199–200 (*see also* Global mental health context)
 - health epidemics, 197
 - health sciences and arts/humanities, 198
 - LMI and LI, 198
 - mental health policies, 200–201
 - mental health resources, 201
 - mental health scholars, 205
 - Nigeria, ethnic groups and indigenous languages, 197
 - poverty and social inequality, 198
 - psychological experiences and problems, 205
 - psychologists' conceptualisation, 206
 - psychology, 198
 - psychotherapies and interventions, 199
 - socio-political status, 197
 - traditional indigenous healing practices, 198
 - training programs
 - Central Africa, 204
 - East Africa, 203–204
 - expensive limited resources, 202
 - life-threatening epidemics, 202
 - North Africa, 202–203
 - psychotherapeutic interventions, 201
 - Southern Africa, 204–205
 - West Africa, 203
- American Psychiatric Association (APA), 3, 107, 123
- Analytical psychology, 54
- Anxiety Disorders, 9
- APAC. *See* Australian Psychology Accreditation Council (APAC)
- APS. *See* Australian Psychological Society (APS)
- Argentina, 131, 132
- ASPPB Code of Conduct, 245
- Association of Psychology Postdoctoral and Internship Centers (APPIC), 72
- Association of States and Provincial Psychology Boards (ASPPB), 245
- ATSI. *See* Aboriginal and Torres Strait Islander (ATSI)

- Australia
 accreditation standards, 190
 AHPRA and NRAS, 191
 Australian qualifications framework, 191
 CBT models, 190
 doctoral level qualification, 190
 focused psychological strategies, 187
 government funded psychology services, 185
 government insurance, 185
 health policy development, 193
 mental health service delivery, 190
 non-university higher education providers, 191
 post war waves of migration, 185
 postgraduate training, 186
 professional practice, emergence of, 186
 professional registration, 186
 PsyBA, 193
 public health settings, 193
 regulatory environment
 accreditation, 189–190
 Australian health professionals, 187
 National Law, 187
 PsyBA, 187
 registration standards, 187–189
 scientist-practitioner model, 190
 specific training, 186
 two-tiered fee-for service model, 186
 urban coastal fringe and sparsely populated rural and remote communities, 185
 workforce, 192–193
 Australian Health Practitioner Regulation Agency, 187
 Australian Psychological Society (APS), 189, 252
 Australian Psychology Accreditation Council (APAC), 190
 Austria
 clinical practice, 97, 98
 education and training, 96–98
 hypnosis, 92
 hysteria, 92
 law regulation, 93
 SORC-model, 93
 talking cure, 92
 Viennese Psychology, 92, 93
 Wednesday Psychological Society, 92
 Austrian Psychological Association, 93
- B**
 Bahrain, 222
 Behavioral Therapy, 91, 123, 166
 Better Access scheme, 192
 Bipolar disorder, 9
 Body dysmorphic disorder (BDD), 13
 Bologna training system, 115
 Borderline personality disorder (BPD), 207
 Boulder model, 71
 Brazil, 133, 134
- C**
 CAMH. *See* Chinese Association for Mental Health (CAMH)
 Canadian code of ethics for psychologists, 252, 253
 Canadian Psychological Association (CPA), 73
 CAS. *See* Chinese Academy of Sciences (CAS)
 CCPRS. *See* Clinical and counseling psychology registration system (CCPRS)
 Chile, 132
 Chinese academy of sciences (CAS), 161
 Chinese analytical psychology, 166
 Chinese Association for Mental Health (CAMH), 161, 173, 176
 Chinese Classification and Diagnostic Criteria of Mental Disorders (CCMD), 173–174
 Chinese Mental Health Act, 162, 170, 178
 Chinese Ministry of Labor (CML), 162
 Chinese Psychiatry Association (CPA), 176
 Chinese Psychological Society (CPS), 161, 176
 Client-centered therapy, 91
 Clinical and counseling psychology registration system (CCPRS), 162
 Clinical assessments
 diagnostic assessment, 149
 intelligence/neuropsychological assessments, 148
 personality assessments, 148
 tools, 148
 Clinical neuroscience, 101
 Clinical psychology
 ACA, 80
 ACA and MHPAEA, 79, 80
 (*see also* Australia)
 Canada, 78, 80, 81
 comorbid psychiatric condition, 80
 DACH-countries, 88
 definition, 107, 159
 EBP, 76
 ethics and legal issues, 76, 77
 history, 70, 88, 89
 in mainland China (*see* Mainland China)
 professional roles and settings, 73–75

- RDoC, 78
 - regulation, 73
 - scientist-practitioner programs, 78
 - society and practice, 102
 - theoretical orientations, 75
 - training
 - APPIC, 72
 - boulder model, 71
 - CPA, 73
 - guidelines, 70
 - PCSAS, 71
 - practitioner-scholar model, 71
 - PsyD and PhD, 72
 - scientist-practitioner model, 72
 - United States, 78, 80
 - CML. *See* Chinese Ministry of Labor (CML)
 - Code of ethics
 - APA, 244, 253
 - EFPA, 241
 - ethical principle, 242
 - international development
 - IAMFC, 247
 - ISCP, 247
 - ISPA, 246
 - ISSP, 246
 - national codes, 244, 253
 - Nuremberg Code, 244
 - professional ethics, 242, 243
 - regional development, 246
 - ASPPB Code of Conduct, 245
 - ethical principles, 245
 - meta-code, 245
 - universal declaration (*see* Universalism)
 - universalist approach, 243
 - Codes of conduct, 244
 - Cognitive behavioral therapy (CBT)
 - behavioral assessment, 40
 - behavioral experiments and exposure, 44, 45
 - cognitive influence
 - behaviorism, 40
 - depression, 41
 - cognitive restructuring, 43
 - cognitive specificity hypothesis, 41
 - contingency management, 45
 - DSM diagnoses, 41
 - emotional Stroop task, 41
 - homework practice, 46, 47
 - Korea, 152
 - learning principles
 - behavior changes, 39
 - conditioned emotional reaction, 38–39
 - conditioning and associative, 38
 - desensitization, 39
 - extinction, 39
 - shaping, 39
 - vicarious conditioning, 39
 - problem-solving, 46
 - psycho-education, 42
 - psychopathology/maladaptive behavior, 42
 - relaxation, 46
 - three-component model, 43
 - Cognitive insight therapy, 166
 - Cognitive restructuring, 43
 - College instructors, 168
 - Colombia, 129, 130
 - Communication/ strategic therapy, 58
 - Community psychology, 208
 - Conduct disorder, 23
 - Contemporary CBT
 - ACT, 48
 - DBT, 49
 - mindfulness, 47, 48
 - support and critics, 49, 50
 - Contingency management, 45
 - Counselling, 112
 - CPA. *See* Chinese Psychiatry Association (CPA)
 - CPS. *See* Chinese Psychological Society (CPS)
 - Cultural formulation interview (CFI), 8
 - “Culture-sensitive” model, 251
 - Cyclothymia, 10
 - Czech Republic, 114
- D**
- DBT. *See* Dialectical behavior therapy (DBT)
 - Deontology, 242
 - Depression, 3, 8
 - Desensitization, 39
 - Diagnostic and Statistical Manual of Mental Disorders (DSM), 174
 - DSM-I, 3
 - DSM-II, 4
 - DSM-III, 4
 - DSM-IV, 4
 - DSM-5, 4, 5
 - Dialectical behavior therapy (DBT), 49, 151–152
 - Disinhibited social engagement disorder, 14
 - Disruptive behavior disorders, 23
 - Disruptive mood dysregulation disorder (DMDD), 9, 10
 - Dissociative disorders, 14
 - Dominican Republic, 130

- DSM-5
 categorical *vs.* dimensional classification, 5
 diagnoses, 5
 GAF, 4
 ICD-11, 6
- E**
 EAP. *See* Employee Assistance Program (EAP)
 Eastern Europe
 APA, 107
 Czech Republic, 114
 Hungary, 114
 insurance systems, 111
 Latvia, 115
 “the new man”, 108, 111
 Poland, 111, 115
 theory-driven style, 109
 treatment, mental health issues, 112
 work settings (*see* Work settings)
 EBP. *See* Evidence-based practices (EBP)
 Education system, 170
 Ego psychology, 54
 Egypt, 222, 223
Egyptian Journal of Psychology, 222
 El Salvador, 132
 eMental Health Programs, 100
 Emic approach, 6
 Employee Assistance Program (EAP), 153, 171
 Endorsed area of practice, 189, 192
 Ethical principles, 242, 245
 Ethics and legal issues, 76, 77
 Etic approach, 6
 European Federation of Psychologists’
 Associations (EFPA), 241
 EuroPsy, 116
 Evidence-based interventions, 199, 210
 Evidence-based practices (EBP), 76, 210
 Experimental psychology, 90
- F**
 Federal Council of Psychology (CFP), 134
 Federation of Swiss Psychologists, 94, 99
 Feeding and eating disorders, 17, 18
 Flooding, 45
 Free association, 52
 French psychology, 122
 Freud’s psychoanalytic approach, 2
- G**
 Gaza Community Mental Health Program
 (GCHP), 230–231
 Gender dysphoria, 22
 Gender identity disorder, 22, 23
 Generalized anxiety disorder (GAD), 10
 German Society for Experimental
 Psychology, 90
 Germany
 behavioral therapy, 91
 classification systems, 91
 clinical practice, 96
 education and training, 95, 96
 experimental psychology, 90
 German Psychological Society, 90
 laws regulation, 95
 ‘pathopsychologie’, 90
 psychoanalytic therapy, 91
 psychotherapeutic methods, 91
 Global assessment of functioning (GAF)
 scale, 4
 Global mental health context
 BPD, 207
 collectivism and community based
 therapies, 208
 community psychology, 208
 explanatory models of mental illness, 207
 and professional roles, 209–210
 psychoanalysis and psychodynamic
 derivatives, 208
 psychological theory, 207
 psychological treatments and
 therapies, 207
 separation and individuation, 207
 socio-cultural environments, 208
 western psychotherapy models, 208
 Globalization, 125, 126
 Gross National Income (GNI) per capita, 201
- H**
 Hamilton rating scale for depression
 (HRSD), 173
 High income (HI) economies, 199
 Hippocrates, 36
 Hoarding Disorder (HD), 13
Hotlinecounseling, 171
 HRSD. *See* Hamilton rating scale for
 depression (HRSD)
 Humanistic and existential psychological
 therapy, 167
 Humanistic and person-centered therapy
 quality of life, 55
 real-and ideal self, 55, 56
 self-actualization, 56
 support and critics, 57
 therapy techniques, 56–57
 Hungary, 114
 Hysteria, 1

I

- IAAP. *See* International Association for Analytical Psychology (IAAP)
 - IBI. *See* Internet-based interventions (IBI)
 - Imagery conversing technique, 166
 - Individual psychology, 54, 92
 - Information provision, 171
 - Insufficient professionals, 179
 - Intergenerational/Bowen family therapy, 58
 - Intermittent explosive disorder, 23
 - International Association for Analytical Psychology (IAAP), 165
 - International Association of Marriage and Family Counselors (IAMFC), 247
 - International Classification of Diseases and Related Health Problems (ICD), 3, 5, 6
 - International development
 - IAMFC, 247
 - ISCP, 247
 - ISPA, 246
 - ISSP, 246
 - International ethical behavioral standards, 242
 - International Psychoanalytical Association (IPA), 165
 - International School Psychology Association (ISPA), 246, 252
 - International Society for Coaching Psychology (ISCP), 247
 - International Society of Sport Psychology (ISSP), 246
 - Internet-based interventions (IBI), 172
 - IPA. *See* International Psychoanalytical Association (IPA)
 - Iran, 223, 224
 - Iraq, 224, 225
 - Isolation and depression, 101
 - Israel
 - culture, 226
 - educational psychology services, 225
 - licensing process, 225
 - professional counseling institute, 225
 - psychodynamic approach, 226
 - psychologists population, 226
 - psychotherapy training program, 225
 - religious belief, 226
- J**
- Jerusalem Psychoanalytic Institute and Society, 225
 - Jordan, 227
 - Jordanian Psychological Association (JPA), 227

K

- Kims Frontal-Executive Intelligence Test (EXIT), 149
- Korean Clinical Psychology Association (KCPA), 139, 140
- Korean Psychological Association (KPA), 140
- Korean Wechsler intelligence scale (KWIS), 148
- Kuwait, 227, 228

L

- Latin America (LA)
 - academic training, 126, 127
 - Argentina, 123, 131, 132
 - Brazil, 122, 133, 134
 - Chile, 132
 - cognitive therapies, 124
 - Colombia, 129–130
 - Dominican Republic, 130
 - El Salvador, 132–133
 - French, 122
 - globalization, 125, 126
 - Panama, 130
 - Paraguay, 128, 129
 - psychology's history, 121, 122
 - Uruguay, 130
- Latvia, 115
- Law for clinical psychologists and health psychologists, 96
- Law of Effect, 39
- Lebanese Psychological Association, 228
- Lebanon, 228, 229

M

- Mainland China
 - before 1949, 160–161
 - challenges
 - chaotic professional regulations, 180
 - clinical assessment and research, 180
 - insufficient professionals, 179
 - low quality of professional service, 179
 - policies, 180
 - Chinese Mental Health Act, 178
 - diagnosis tools, 173–174
 - entrance criteria, 177
 - from 1949 to 1976, 161
 - from 1977 to 2000, 162
 - from 2001 to today, 162–163
 - professors/experts, 160
 - psychological doctor, 160
 - psychological testing, 173
 - regulations, 177–178

- Mainland China (*cont.*)
 research on
 methods, 174
 target population, 176
 themes, 175
 therapeutic approaches, 175, 176
 subject names, 159
 tests/scales revision and development, 173
 Major depressive disorder (MDD), 8
 Medical schools, 164
 Mental disorder. *See* Psychopathology
 Mental health
 anti-stigma programs, 221
 awareness, 221–222
 culture impact, 221
 national insurance systems, 111
 religion belief, 220, 221
 service fee (*see* Service fee)
 service providers, 167–169
 social stigma, 220
 stigma, 112
 treatment accessibility, 112
 Mental health Global Action Programme (mhGAP), 200
 Mental Health Parity and Addiction Equity Act (MHPAEA), 79
 Mental health policy and service guidance package, 200
 Meta-code of ethics, 245
 Middle East
 Bahrain, 222
 Egypt, 222, 223
 Iran, 223, 224
 Iraq, 224, 225
 Israel
 culture, 226
 educational psychology services, 225
 licensing process, 225
 professional counseling institute, 225
 psychodynamic approach, 226
 psychologists population, 226
 psychotherapy training program, 225
 Jordan, 227
 Kuwait, 227, 228
 Lebanon, 228, 229
 mental health
 anti-stigma programs, 221
 culture impact, 221
 religion belief, 220, 221
 social stigma, 220
 MEPA, 228
 Oman, 229
 Palestinian territories, 230, 231
 psychologists population, 236
 Qatar, 231
 religious belief, 226
 Saudi Arabia, 231–232
 Syria, 232
 Turkey, 233, 234
 United Arab Emirates (UAE), 234
 Yemen, 235
 Middle East Psychological Association (MEPA), 228
 Military regimes and psychology, 124, 125
 Mindfulness based stress reduction, 152
 Mindfulness-based therapy (MBTs), 47, 48
 Mood disorders, 8–10
 Moral therapy, 36
- N**
 Network for psychotherapeutic care in Europe, 114
 Neurocognitive/organic disorders, 25, 26
 Neurodevelopmental disorders, 25, 28
 Neurotic disorders, 109
 Non-psychiatric doctors, 168, 169
 Non-specialist health workers (NSHW), 209
 Normal/comprehensive universities, 163–164
 NSHW. *See* Non-specialist health workers (NSHW)
 Nuremberg Code of Ethics in Medical Research, 243
 Nuremberg war crime trials, 254
- O**
 Object relation, 54
 Obsessive compulsive disorder (OCD), 12, 13, 221
 Obsessive-compulsive spectrum disorders, 12
 Oman, 229
 Online therapy and training, 100
 Online video counseling, 171
 Oppositional defiant disorder, 23
- P**
 Palestinian territories, 230, 231
 Panama, 130
 Panic disorder, 11, 12
 Paraguay, 128, 129
 Paraphilic/sexual preference disorders, 21
 ‘Pathopsychologie’, 90
 Patient Protection and Affordable Care Act (PPACA), 79
 Persistent depressive disorder, 10
 Personality disorders (PD), 24, 25, 27

- PHC. *See* Primary health care (PHC) doctors
- Poland, 115
- Post-traumatic stress disorder (PTSD), 13, 14
- Practitioner-Scholar model, 71
- Primary and community-based care model, 110
- Primary health care (PHC) doctors, 201
- Private agencies and psychological hotlines, 171
- Private foreign hospitals, 171
- Problem-solving, 46
- Professional ethics, 243
- Professional Ethics Committee, 177
- Professional master students, 165
- Professional standards, 246
- Professional training systems
 - discipline subordination, 163
 - master students, 165
 - in medical schools, 164
 - normal/comprehensive universities, 163–164
 - in social institutions, 164–165
- Progressive muscle relaxation (PMR), 46
- PsyBA. *See* Psychology Board of Australia (PsyBA)
- Psychiatric hospitals, 170
- Psychiatrists, 167
- Psychoanalysis therapy
 - analysis of dreams, 53
 - analytic interpretation, 53
 - free association, 52
 - psychosexual stages, 52
 - structural model, 51
 - talk therapy, 50
 - topographic model, 51
 - transference and countertransference, 52, 53
- Psychodynamic therapy
 - analytical psychology, 54
 - ego psychology, 54
 - individual psychology, 54
 - object relation, 54
 - relational psychology, 54
 - self-psychology, 54
 - short-term, 53
 - support and critics, 54
- Psycho-education, 42
- Psychological clinical science accreditation system, 71
- Psychological clinic at hospitals, 170
- Psychological counseling
 - behavioral therapy, 166
 - CBT, 166
 - CCPRS applicants, 167
 - cognitive insight therapy, 166
 - family counselors/therapists, 166
 - humanistic-existential psychological trainings, 166
 - IPA and IAAP, 165
 - psychoanalytical and behavioral therapy, 165
 - technique, 166
 - western theories, 165
- Psychological counselors, 167
- Psychological therapists, 167
- Psychology Board of Australia (PsyBA), 187–189
- Psychology under the communist regime, 109
- Psychopathology
 - acute stress disorder, 14
 - anxiety disorders, 9–12
 - behavioral and cognitive psychology, 2
 - classification, mental/behavioral disorders, 2
 - clinical assessment, 3
 - conduct disorder, 23
 - cultural perspective
 - benefits, 7
 - CFI, 8
 - diagnostic assessment, 8
 - DSM, 6–7
 - emic approach, 6
 - etic approach, 6
 - mental disorders, 7
 - syndromes, 8
 - depression, 3
 - disinhibited social engagement disorder, 14
 - disruptive behavior disorder, 23
 - dissociative disorders, 14
 - DSM (*see* Diagnostic and Statistical Manual of Mental Disorders (DSM))
 - feeding and eating disorders, 17, 18
 - GAD, 10
 - gender dysphoria, 22
 - gender identity disorder, 22, 23
 - hysteria, 1
 - ICD (*see* International Classification of Diseases and Related Health Problems (ICD))
 - intermittent explosive disorder, 23
 - mood disorders, 8–10
 - neurocognitive/organic disorders, 25–26
 - neurodevelopmental disorders, 25, 28
 - OCD, 12, 13
 - oppositional defiant disorder, 23
 - panic disorder, 11, 12
 - paraphilic/sexual preference disorders, 21
 - personality disorders (PD), 24, 25, 27
 - psychotic disorders, 26
 - PTSD, 13, 14

- Psychopathology (*cont.*)
 pyromania and kleptomania, 23
 reactive attachment disorder, 14
 SAD, 10, 11
 schizophrenia, 24
 sexual dysfunctions, 19–20
 sleep-wake disorders, 17–20
 somatic disorders, 16
 substance-related disorders, 15
- Psychosexual stages, 52
- Psychotherapy
 benzodiazepines, 37
 CBT (*see* Cognitive behavioral therapy (CBT))
 and counseling centers, 151
 electrical shock and brain surgery, 37
 financial sustainability, 151
 hippocrates, 36
 moral therapy, 36
 person centered therapy (*see* Humanistic and person-centered therapy)
 religious counseling, 221
 systemic therapy
 communication/ strategic therapy, 58
 definition, 57
 family therapy, 58
 intergenerational/Bowen family therapy, 58, 59
 structural therapy, 58
 support and critics, 59, 60
 therapy techniques, 59
 “the talking cure”, 37
 treatments, 35, 36
- Psychotherapy law, 96
- Psychotic disorders, 26
- Psychological counselors, 171
- Pyromania and kleptomania, 23
- Q**
- Qatar, 231
- R**
- Rational emotive therapy, 41
- Reactive attachment disorder, 14
- Registered clinical and counseling psychologists, 168
- Relational psychology, 54
- Relaxation, 46
- Religious persons, 169
- Research domain criteria (RDoC), 78
- Rey Auditory Verbal Learning Test, 148
- Rey complex figure test, 148–149
- Rey-Kim Memory Test, 148
- Rogarian person-centred therapy, 208
- Rorschach inkblot test, 150, 173
- S**
- SAS. *See* Self-rating depression scale (SAS)
- SASH. *See* South African stress and health study (SASH)
- Saudi Arabia, 231, 232
- Schizophrenia, 24, 109, 110
- School counselors, 168
- Scientist-practitioner model, 190, 191
- Self-psychology, 54
- Self-rating depression scale (SAS), 173
- Seoul neuropsychological scale battery (SNSB), 149
- Service delivery
 Hotlinecounseling, 171
 information provision via internet, 171
 online video counseling, 171
 psychological counselors via internet, 171
 traditional face-to-face individual session, 171
- Service fee
 family, provider, 173
 forms of, 172
 medical insurance system, 172
 mental health problems and treatment methods, 172
 psychiatrist and registered therapist and supervisor, 172
- Service providers
 college instructors, 168
 family and friends, 169
 non-psychiatric doctors, 168, 169
 professional/nonprofessional persons, 167
 psychiatrists, 167
 psychological counselors, 167
 psychological therapists, 167
 registered clinical and counseling psychologists, 168
 religious persons, 169
 school counselors, 168
 social workers, 169
 TCM practitioners, 168, 169
- Service sites
 education system, 170
 enterprises, 171
 private agencies and psychological hotlines, 171
 private foreign hospitals, 171
 psychiatric hospitals, 170

- psychological clinic at comprehensive hospitals, 170
 - TCM hospitals, 170
 - Sexual dysfunctions, 19, 20
 - Sleep-wake disorders, 17, 18, 20
 - Social anxiety disorder (SAD), 10, 11
 - Social workers, 169
 - Somatic disorders, 16
 - SORC-model, 93
 - South African stress and health study (SASH), 200
 - South Korea
 - clinical assessments
 - diagnostic assessment, 149
 - intelligence/neuropsychological assessments, 148
 - personality assessments, 148
 - test, 148
 - clinical psychologists
 - education and academia, 152, 153
 - hospital setting, 150
 - industrial sector, 153
 - public sector, 149–150
 - education and training, 154, 155
 - history, clinical psychology, 140, 141
 - KCPA, 139, 141, 154
 - licensure types, 141, 142, 144, 155
 - mental health assessment, 154–156
 - psychological testing instruments, 150
 - psychotherapy, 151–152
 - qualifications, clinical psychologists, 143, 144
 - research methods, 143
 - training
 - clinical practicum, 145–147
 - graduate education, 145
 - licensure exam, 147
 - theoretical orientation, 147
 - Status quo*, 95
 - Stigma, 110, 112
 - Structural model, 51
 - Structural therapy, 58
 - Substance-related disorders, 15
 - Swiss Association of Psychotherapists, 94
 - Switzerland
 - clinical practice, 99, 100
 - education, 99
 - schizophrenia, 94
 - training, 99
 - Syria, 232
 - Systemic therapy
 - communication/strategic therapy, 58
 - definition, 57
 - family therapy, 58
 - intergenerational/Bowen family therapy, 58, 59
 - structural therapy, 58
 - support and critics, 59, 60
 - therapy techniques, 59
- T**
- Task sharing, 209
 - Task-shifting, 209
 - TAT. *See* Thematic apperception test (TAT)
 - TCM. *See* Traditional Chinese medicine (TCM) classics
 - TCM hospitals, 170
 - Thematic apperception test (TAT), 173
 - Therapy/treatment
 - behavior based addictions, 100
 - eMental Health Programs, 100
 - online therapy and training, 100
 - Topographic model, 51
 - Traditional Chinese medicine (TCM) classics, 160
 - Traditional face-to-face individual session, 171
 - Training system and licensing
 - Bologna training system, 115
 - Czech Republic, 118
 - EuroPsy, 116
 - higher education system, 116
 - Poland, 117
 - Romania, 117
 - Serbia, 117
 - testing and assessment, 117
 - Transference and countertransference, 52, 53
 - Treatment gap, 206, 209–211
 - Trichotillomania, 13
 - Turkey, 233, 234
- U**
- United Arab Emirates (UAE), 234
 - Universal Declaration of Human Rights (UDHR), 248, 251, 254
 - Universalism
 - Canadian Code, 252
 - culture-sensitive model, 251
 - ethical decision making, 252
 - ethical guidelines, 254
 - ethical principles, 247–249
 - international Ad Hoc Joint Committee, 248
 - North American models, 249

Universalism (*cont.*)

- research-based framework, 248
 - structure and objectives, 250
 - moral framework, 251
 - national psychology organizations, 252
 - respect, 253
 - structure and objectives, 249
 - UDHR, 251
- Universalist approach, 242
- Uruguay, 130

V

- Vienna Psychoanalytical Society, 92

W

- Western psychotherapy models, 208
- WMHS. *See* World mental health survey (WMHS)
- Work settings
- diagnosis and treatment management, 112
 - private practice, 113
 - therapeutic modalities, 113
 - training and licensing, 113
- World mental health survey (WMHS), 200

Y

- Yemen, 235