

Index

A

Active power, 144, 147, 151, 152, 155, 158, 159, 175, 178, 179, 185
Alternating Current Transmission System (FACTS), 317, 319, 320, 323, 324, 329, 337, 342
Apparent power, 144, 147–149, 151, 152, 155, 159, 163, 164, 167, 168
Artificial Bee Colony (ABC), 255
Aurora, 618
Automatic compensation, 154, 156
Automatic Repeat reQuest (ARQ), 550
Automatic Secondary Voltage Regulation, 228, 242

B

Back-to-Back (B2B), 288, 310, 312
Balanced loads, 155
Bandwidth, 552, 553, 556
Banks capacitors, 240, 241
Battery Energy Storage System (BESS), 296
Best compromise solution, 478, 483, 487, 492, 494, 496, 498, 499, 501, 503, 505

C

Cascaded H-Bridge (CHB), 302–304
Cicode programs, 592
CitectSCADA, 591–593
Code Division Multiple Access (CDMA), 554, 555, 558
Combined Heat and Power (CHP), 549
Comma separated value (CSV), 461
Communications, 547, 549, 551, 552
Compensator, 137–139, 141, 145, 146, 151, 159, 169, 185
Constraints, 337
Control, 227, 233
Cost function, 329

Coverage, 548, 553, 555
Current Source Converter (CSC), 289
Customised-Of-The-Shelf (COTS), 551
Cyber, 565, 567, 579
Cyber attacks, 574, 578
Cyber security, 565, 579
Cyclodissipativity, 137, 138, 144, 185

D

Decision variable, 476, 489, 490, 510
Delta configuration, 159
Deterministic ORPD (DMO-ORPD), 476, 478, 491–496, 498, 500–503, 505, 507, 508, 510
Differential Evolution (DE), 255
Digital signal processor, 175
DIgSILENT Programming Language (DPL), 417
Diode clamped, 295, 302
Dissipative systems, 137, 146
Distributed generation (DG), 191, 203, 204, 276, 287
Distribution Network Operator (DNO), 253
Double fed induction generator (DFIG), 224
Dynamical system, 145
Dynamic Power Flow Controller (DPFC), 287, 288, 309, 312
Dynamic Voltage Restorer (DVR), 288

E

Earth's magnetosphere, 618
Electric Power Systems, 547, 549
Electric Vehicle (EV), 549
Electromagnetic Interference (EMI), 276, 289
Energy loss, 329
Energy storage system, 296, 311
Energy transmission, 137–139, 144, 182
Evolutionary programming (EP), 346
Expected value of power loss, 484

Expected value of voltage deviation, 484

F

Fibre Optic Communication, 547, 552

Fibre to the Home (FTTH), 552

Fixed capacitor, 518

Fixed Capacitor Thyristor-Controlled Reactor (FCTCR), 124, 125

Flexible AC Transmission Systems (FACTS), 252, 275, 312

Flying capacitor MLC (FC-MLI), 302

Forward Error Correction (FEC), 550

Fuzzy Adaptive Particle Swarm Optimization (FAPSO), 255

Fuzzy decision making, 320, 333

G

Gate Turn-Off Thyristor (GTO), 287, 295, 298, 302

Generalized Unified Power Flow Controller (GUPFC), 319, 320, 325–328, 337, 339, 340, 342

General Packet Radio Service (GPRS), 553

Genetic algorithm (GA), 192, 346, 365, 378

Geodynamo, 614–616

Geomagnetic activity, 612, 618

Geomagnetic storm, 611, 613, 619

Geomagnetism, 613, 614, 618

Global System for Mobile Communications (GSM), 551, 553, 555

Global System for Mobile Communications - Railway (GSM-R), 551

Goodput, 556

H

High Voltage Direct Current (HVDC), 287–289, 310–312

HMI, 563, 564, 572, 573, 576, 577, 581, 582, 591, 607

Homogenous operators, 141, 142

Honey Bee Mating Optimization (HBMO), 265

Hybrid Flow Controller (HFC), 319–321, 323, 329, 330, 337, 339, 340, 342

Hybrid Stochastic Search (HSS), 255

I

IEEE 802.11 Mesh Networking, 547, 557

IEEE 802.15.4 Wireless Sensor Network, 547, 558

IEEE Standard, 547, 558

Improved Genetic Algorithm (IGA), 265

Improved PSO (IPSO), 255

Incidence matrix, 622, 625

Induction machine (IM), 518, 519, 521, 526, 542

Insulated Gate Bipolar Transistor (IGBT), 287, 288, 295

Insulated Gate Commutated Thyristor (IGCT), 287, 288, 295

Interline Power Flow Controller (IPFC), 127, 128, 310, 312, 319

Internal product, 142

Internetwork Protocol version 6 (IPv6), 550

Inter-phase power controller (IPC), 296, 319
ISA100.11a, 558

K

Kirchhoff current law (KCL), 50, 57, 58, 66, 72, 97, 98, 100, 103, 105, 106, 108, 109, 111

Kirchhoff voltage law (KVL), 57, 58, 66, 67, 97, 100, 103, 111

L

LAN, 572, 574, 587, 608

Latency, 553, 556, 557

Life expectancy, 556

Linear Programming (LP), 255

Long Term Evolution (LTE), 553, 555

Loss, 193, 195, 196, 198, 199, 207, 209, 219, 221–223

Low-pass filter, 154, 173, 174

M

Machine-To-Machine (M2M), 550, 554, 555

Magnetic storm, 611, 612, 618–620, 626, 627

Media Access Control (MAC), 558

Metering, 547, 548, 550–552

Minimal value, 148

Mixed integer non-linear program (MINLP), 476

Modular Multilevel Converter (MMC), 310–312

Monte Carlo simulation (MCS), 478

MOPSO-NTVE, 331, 333, 334, 337, 338, 340, 341

MOPSO-TVAC, 338, 339, 341

MOPSO-TVIW, 338, 339, 341

MS SQL database, 587

MTU, 608

Multi-converter FACTS (M-FACTS), 319, 320, 323, 324, 329

Multilevel Converter, 276, 298, 302

Multi-objective, 318, 320, 321, 331, 342

Multi-Objective Optimal Reactive Power Dispatch (MO-ORPD), 475, 477, 478, 491, 494, 507

Multi-objective optimization, 320, 321, 331

N

Network, 612, 613, 619–623, 625–627
 Neutral Point Clamped (NPC), 131
 Nodal Method, 50, 97
 Nonlinear, 137, 138, 144–146, 151–156, 168, 171, 177
 Non-Linear Programming (NLP), 255
 Nonsinusoidal, 137, 138, 140, 141, 172
 Number of Function Evaluation (NFE), 394, 457, 463, 465, 466, 469, 470

O

On-Load Tap Changer (OLTC), 252, 253, 255
 Operating point, 517, 518, 528–531, 533–535, 543
 Optimal power flow (OPF), 214, 217, 252, 264, 346, 475, 476
 Optimal reactive power dispatch, 475, 476, 510
 Optimal reactive power flow (ORPF), 252, 362

P

Pareto front, 221, 222
 Particle Swarm Optimization (PSO), 255, 346, 366–371, 375, 378, 399, 427, 428, 435, 437, 438, 439, 442, 443, 449, 463, 465–468, 474
 Pattern search, 347, 372–378, 382–385, 387, 389, 391, 397
 Phase-shifting transformer (PST), 310, 319, 321
 Planetary magnetism, 615
 Point of Common Coupling (PCC), 262, 276, 281
 Polyphase, 139, 141
 Power factor, 17, 31, 35–38, 43, 44, 276–278
 Power Flow Controller, 287–290, 308–310, 312
 Power Line Communications (PLC), 547, 552
 Power loss, 475–477, 483, 484, 492, 494, 498, 507, 510
 Power quality, 227, 228, 237
 Power system, 3–6, 21, 26, 31, 45, 227–229, 233, 234, 237, 240, 246, 247
 Power transfer theorem, 50, 97
 Power transformer sockets, 241
 Power triangle, 172, 177
 Probability distribution function (PDF), 478–480, 482
 Pulse Width Modulation (PWM), 287

Q

Quadratic Programming (QP), 255, 346

R

Reactive power, 4, 12, 17, 34–38, 42–44, 137–139, 141, 145, 146, 148, 154, 155, 159, 163, 167, 169, 171–174, 185, 191, 193–200, 205, 209, 211–214, 216–218, 222–224, 227–237, 240–243, 245, 246
 Reactive power compensation, 36, 38, 44
 Reactive power consumption, 34, 35, 38, 44
 Reactive Power Dispatch (RPD), 255–258, 261, 271
 Reactive Power Planning (RPP), 263, 265, 269, 318
 Real Genetic Algorithms (RGA), 255
 Reliability, 191, 192, 196, 203, 204
 Renewable energy source, 276
 Resilience, 556
 Resistive-inductive load, 518
 Rikitage system, 616
 Root mean square, 51

S

SCADA, 561–579, 581–591, 595, 597, 601–604, 606–608
 Scalability, 549, 556
 Security, 549, 551, 555, 556
 Self-excited induction generator, 518, 526, 528
 Sequential Quadratic Programming (SQP), 346
 Service Level Agreement (SLA), 550, 551, 555
 Sinusoidal signal, 50–53, 97, 111
 Smart grid, 554–557
 Smart Integrated Generation, 549
 Smart Market, 549
 Smart Network Management, 549
 Solar activity, 611, 617, 619
 Solar wind, 613, 618, 619
 Standards for power systems, 3, 26
 Static Synchronous Compensator (STATCOM), 276, 296–298, 319
 Static Synchronous Series Compensator (SSSC), 127, 128
 Static VAR Compensation (SVC), 261, 265
 Static VAR Compensator, 276, 287, 289
 Static Voltage Restorer (SVR), 288
 Static Voltage Stability (SVS), 264
 STC, 329, 330, 334, 340
 Stochastic MO-ORPD (SMO-ORPD), 475, 476, 478, 486, 490, 491, 497, 501, 504, 507

Sub-Synchronous Resonance (SSR), 123, 288, 294, 303–305, 312
 Superconducting Magnetic Energy Storage (SMES), 296
 Surge Impedance Loading (SIL), 118, 132
 Switched, 179
 Synchronous condenser, 228, 235, 236, 241

T

Tabu Search (TS), 255
 Tellegen's theorem, 145
 Three-phase networks, 154, 185
 Throughput, 553
 Thyristor-Controlled Braking Resistor (TCBR), 296
 Thyristor-Controlled Reactor (TCR), 124, 125, 287, 290, 293, 294, 309, 517, 536
 Thyristor-Controlled Series Capacitor (TCSC), 126
 Thyristor-Controlled Series Compensator (TCSC), 287, 294, 295
 Thyristor-Controlled Series Reactor (TCSR), 126
 Thyristor-Controlled Voltage Limiter (TCVL), 296
 Thyristor-Switched Capacitor (TSC), 124, 125, 287, 290–292, 309
 Thyristor-Switched Capacitor-Thyristor-Controlled Reactor (TSC-TCR), 124, 125
 Thyristor-Switched Reactor (TSR), 124, 125
 Thyristor-Switched Series Capacitor (TSSC), 125, 319
 Thyristor Switched Series Reactor (TSSR), 319
 Time delay, 172, 173, 177
 Total harmonic distortion, 28, 41, 80, 277
 Traditional Genetic Algorithm (TGA), 265

U

Unbalanced, 140, 154, 158, 161–163, 165, 168
 Unified Power Flow Controller (UPFC), 127, 128, 287, 288, 296, 306–308, 310, 312, 319, 320

V

Vijeo Citect Surveillance Softwares, 561, 565, 566, 591
 Volt Ampere Reactive (VAR), 275, 276, 287, 289, 296
 Voltage collapse, 318
 Voltage Deviation (VD), 195, 221–223, 329, 362, 385, 386, 388, 390, 476, 478, 483, 484, 492, 494, 507, 510
 Voltage profile, 318
 Voltage Source Converter (VSC), 276, 287–289, 295–301, 304, 306, 308, 310–312
 Voltage stability, 193, 221–223, 227, 228, 233, 246, 247, 318, 475–478, 483–485, 507, 510
 Voltage Stability Index (VSI), 362, 384, 386, 387, 389
 Voltage Stability Margin (VSM), 255

W

WiFi, 552, 558
 WiMAX, 556, 558
 Wind farm, 259, 261, 265, 266, 271, 476, 482, 483, 488, 489, 493, 496, 503, 506, 508
 Wind power plant, 192, 201, 202, 211, 221, 223, 241, 243
 Wind turbine, 191, 193–199, 201, 202, 204, 205, 210, 211, 213–215, 222–224, 259, 265
 WirelessHART, 558
 Wireless network, 553, 558
 Wireless technologies, 547, 553, 556

X

X Digital Subscriber Line/Loop (xDSL), 547, 552

Z

Zero-Voltage Switching (ZVS), 290
 ZigBee, 558