

Index

A

Abrasion, 14, 15, 237, 269, 272, 273, 301, 326, 351–356
Accuracy, 104, 113, 125, 140, 141, 161, 173, 272, 405, 407, 462, 477, 517
Acid etching, 374, 377
Actor, 5, 13–15, 60, 61, 63–65, 155, 186, 203–205, 217, 225, 233, 247, 255, 257, 261, 269, 270, 273, 281, 282, 294, 299, 310, 339, 355, 356, 362, 369–373, 376, 382, 415, 416, 454, 455, 467, 468, 477, 484, 497, 531, 556, 561, 569, 570, 574, 585
Actualism, 55, 56, 60
Age estimation, 86, 103, 114, 125, 127, 134, 138–142, 382
Aggregate data, 15, 67, 282, 413, 454, 467, 477
Aggregation effects, 197, 198, 398–400, 402–405
Akutuk, 442
Alpha-linoleic acid, 92
Ames, K., 492–494, 496
Analogical reasoning, 13, 56–58, 60
Analogue, 51, 56, 59, 60, 67, 117, 203, 208, 323, 435, 555
Ancient DNA (aDNA), 105, 110, 154, 155, 359, 514–517, 519, 587
Annulus (annuli), 117, 127–129, 135, 141
Antler, 103, 105, 112, 209, 264, 273, 274, 298
Anvil, 220, 293–296, 298–300, 306
Applied zooarchaeology, 518–520
Aqueous transport, 357
Archaeobiology, 11, 24
Archaeofauna, 3, 7, 12, 13, 15, 19, 22, 23, 25, 30, 33, 56, 89, 90, 100, 111, 151, 152, 159, 164, 172, 175–181,

185–188, 195, 197, 198, 221, 225, 226, 228, 242, 246, 248, 268, 273, 274, 283, 323, 325, 339, 358, 369, 371, 372, 376, 379, 380, 385, 396, 404, 405, 407–409, 414, 415, 424, 425, 428, 429, 435, 436, 440, 443, 449, 461, 464, 469, 477, 482, 485, 487, 493, 497, 519, 545, 546, 553, 554, 557, 560, 561, 563–567, 570, 574, 575, 577, 586

Archaeozoology, 25, 26, 32

Artiodactyl index, 545

Attrition, 125, 127, 134, 138, 141, 180, 351, 378, 380, 381, 406, 453, 464, 467–470, 487

Audouze, A., 21, 560

B

Balasse, M., 129, 507, 509

Barlow, K.R., 449, 539

Bartosiewicz, L., 408, 561

Bartram, L., 233, 290, 308, 425, 426

Bayesian statistics, 142, 382

Bayham, F., 545

Behavioral chain, 309–314

Behavioral ecology, 8, 23, 34, 150, 229, 415, 449, 531–533, 536, 543, 544, 547–549, 559, 586

Behrensmeier, A.K., 28–30, 64, 74, 205, 216, 227, 268–272, 324, 340, 345, 346, 348–350, 354, 355, 357, 362, 379, 381, 416, 417, 419, 455

Bettinger, R., 449, 532, 533, 535, 539, 544, 546, 547

- Binford, L., 7, 21, 27, 29, 51, 56–59, 63, 100, 151, 170, 174, 185, 196, 197, 211, 225, 229–234, 236, 238, 245, 283, 286, 288, 290, 293, 308, 309, 311–314, 318, 328, 348, 369, 404, 413, 421–425, 427, 428, 435, 436, 438–450, 455, 456, 466, 468, 470, 485, 486, 559, 592
- Bioapatite, 76, 86, 209, 242, 264, 321–323, 358–360, 508
- Bioerosion, 15, 340–344, 359, 361, 362
- Biogeography, 4, 23, 185, 475, 511, 517–519, 533, 587
- Bird, D., 8, 32, 206, 378, 532, 533, 537, 544, 546, 547, 570
- Blind tests, 172, 177, 219, 405, 406, 470
- Bliege Bird, R., 547, 570
- Blumenschine, R., 24, 227, 228, 230, 231, 233, 242, 243, 247, 248, 285, 292, 294, 296, 300, 313, 340, 425, 443, 469, 470
- Boessneck, J., 25, 32, 109, 159
- Bökönyi, S., 10, 25, 30
- Bone, 4, 9, 10, 14, 15, 22, 23, 28, 29, 34, 57, 61, 64–67, 73–80, 82–86, 93, 95, 99, 104, 106–108, 113, 116, 118, 125, 126, 151, 152, 154, 169, 170, 172–175, 179, 181, 192, 195, 196, 198, 203–206, 209–217, 220, 221
- abrasion
- anisotropic material, 82, 207
- cancellous, 79, 81–83, 210, 225, 233, 236, 237, 239, 247, 264–266, 290, 463
- compact
- cortical, 74, 82, 83, 209, 210, 232, 234, 236, 237, 245, 261, 289, 321, 345, 360, 455
- dermal, 83, 115
- endochondral, 83, 84, 113, 116–117, 126, 139
- grease, 99, 100, 108, 172–174, 180, 260, 275, 282, 319, 328, 405–407, 429, 436, 449, 466, 556
- intramembranous, 83
- marrow
- red, 82, 85, 99, 211, 225, 232, 422
- yellow, 85, 99, 211, 225, 233, 243, 319
- ossification, 83, 84, 126
- subchondral, 83, 255
- Bone composition, 75, 76
- Bone extracellular fluid, 78
- Bone fragmentation, 61, 83, 203–205, 207, 210, 213, 217, 220, 221, 240, 257, 258, 269, 273, 299, 324, 328, 355, 375, 573
- Bone mineral density (BMD), 99, 380, 390, 394, 395, 408, 454, 462–467, 470, 487, 585
- Bone surface modifications, 155, 157, 165, 173
- Bonnichsen, R., 28, 31, 51, 204, 205, 215, 325, 328
- Borrero, L., 34, 221, 240, 348, 378, 379, 420, 443
- Bourdieu, P., 572
- Bowen, J., 319, 571, 572
- Brain, C.K. “Bob”, 29, 30, 176, 205, 230, 231, 245, 263, 274, 275, 351, 355, 369, 372, 455
- Break morphology/shape, 213–216, 218, 220, 325
- Break surface texture, 203, 205, 213, 214, 216, 219, 221, 308
- Bromage, T., 154, 351–355
- Broughton, J., 23, 67, 111, 261, 521, 532, 544, 545
- Bulk utility curve, 438, 439
- Bunn, H., 24, 29, 91, 151, 160, 214, 284, 308, 424–427
- Burning, 67, 324, 325, 378, 520
- Butchery, 10, 15, 28, 33, 65–67, 75, 100, 132, 151, 174, 178, 179, 185, 188, 192, 197, 271, 281–283, 285, 286, 290, 291, 305, 308–310, 312, 318–320, 329, 332, 397, 404, 413–415, 420, 422, 423, 426, 427, 429, 436, 438, 439, 444, 447, 449, 468, 469, 476, 481, 487, 493, 539, 555, 556, 558, 560, 565, 567
- Butler, V., 23, 159, 163, 176, 177, 195, 261, 493, 519, 521, 540, 544, 545
- Byrd, B., 546
- C**
- C3 plants, 505, 509
- C4 plants, 89, 505, 509
- Cahokia, 507
- Callorhinus*, 178, 510, 511, 517, 522, 523, 587
- Cancellous (spongy) bone, 79, 81–83, 210, 225, 233, 236, 237, 239, 247, 264–266, 290, 463
- Canid effects on bone, 230, 233, 234, 239
- Cannon, M., 406, 517, 518, 562
- Carbon isotopes, 89, 319, 504–506
- Carcass consumption sequence, 99, 225, 229–230, 415, 420
- Carcass refitting, 557–560

- Carnivore, 14, 15, 63, 73–75, 90, 96, 99, 111, 138, 173, 205, 211, 213, 217, 225–233, 237, 238, 243–246, 248, 249, 255–258, 262, 265, 266, 268, 283, 300, 358, 370–380, 382, 406, 415–417, 419–421, 427, 455, 466, 468, 469, 484–486, 505, 539
 bone transport, 227–228
 ravaging, 226, 229
- Carnivory, 89, 97
- CA-SCR-9, 496
- Çatalhöyük, 151, 180, 331, 556, 568, 570, 573, 574
- Catastrophic mortality, 478, 479, 481, 482
- Causal process, 14, 52, 55, 61–64, 215, 270, 300, 351, 352, 356, 382, 476, 585
- Central place models (CPM), 539, 546
- Chaîne opératoire*, 301, 305, 309–311, 319, 331, 414, 429, 446, 555, 569, 575
- Charnov, E., 476, 533, 534, 536, 537, 540
- China, 35–37, 203
- Chondral ossification, 83
- Chop marks, 221, 247, 290, 291, 312
- Clade, 514
- Clark, C., 540, 541
- Clark, J.G.D. (Grahame), 24, 476
- Clason, A., 4, 25, 30, 66
- Cleghorn, N., 161, 192, 408, 469, 470
- Clutton-Brock, J., 25, 30
- Codon, 388, 512–514
- Colha, 510
- Collagen, 76–81, 86, 94, 105, 128, 155, 206, 209, 210, 213–217, 219, 225, 260, 307, 314–316, 321–323, 325, 342, 351, 360, 506
- Compact bone, 81, 210, 211, 230, 233, 234, 236, 237, 275, 455, 466
- Complex societies, 12, 36, 37, 414, 422, 553, 554, 556, 557, 567, 570
- Configurational, 53, 55, 58, 61, 300
- Conservation, 154–156, 518–523
- Conservation biologist, 518, 519, 521–523
- Cooking, 10, 75, 80, 108, 215, 281, 282, 290, 305, 307–309, 314–316, 318–324, 326, 327, 331, 375, 429, 573
- Core/column sampling reliability, 153
- Correlation coefficient, 380, 390, 391, 393, 395, 441, 446, 463, 492
- Cortical bone, 74, 82, 83, 210, 232, 234, 236, 237, 245, 261, 289, 345, 360, 455
- Crabtree, P., 27, 108, 160, 414, 556, 557, 561, 564–567, 570
- Crassulacean acid metabolism (CAM) plants, 505
- Crocodile, 225, 247, 248, 375, 566
- Crossing-over, 513
- Crown heights, 134–142, 264, 392, 482
- Cruz-Uribe, K., 30, 109, 111, 134, 160, 170, 176, 191, 192, 405, 482, 486, 545
- CTscan, 463–465
- Culinary processing, 15, 178, 179, 187, 205, 217, 281, 301, 305–307, 309, 318, 327, 330–332, 404, 409, 422, 487, 558
- Culling, 28, 141, 479–481, 485, 556
- Curation, 149, 150, 156, 157, 161, 165
- Currencies, 8, 531, 532
- Cut marks
 as epiphenomena, 314
 functional meaning of, 312
 intensity, 226, 283, 414
 quantifying, 413
 vs. trample mark, 269–273, 320, 351, 585
- D**
- Dairying, 114, 319
- Daly, P., 26, 423, 426
- Data management, 160
- Database, 107, 156, 157, 159–161, 163–165, 174, 181, 192, 393, 519
- David, F., 6, 30, 152, 189, 331, 332, 560, 591
- Davies, N., 449, 532
- de Certeau, M., 572, 575
- Deevy, E., 478, 479, 482
- deFrance, S., 556, 557, 561, 562, 567
- Demography attritional mortality, 481
- Dendritic etching, 344
- DeNiro, M., 504, 506
- Dental eruption, 116, 126, 136, 142, 480, 565
- Dentine, 86, 94, 116, 127, 131, 159, 264
- Deoxyribonucleic acid (DNA), 9, 53, 54, 105, 110, 113, 387, 388, 503, 511–518, 523
- Dermal bone, 83, 115
- Dermestid, 340
- DHA, 92
- Diagenesis, 15, 321, 323, 342, 359, 362, 486
- Diaphysis, 83, 84, 211, 213–215, 220, 221, 233, 237, 294–296, 299, 327, 374, 381, 469
- Die Kelders 1, 373–375, 471
- Disarticulation, 15, 29, 248, 269, 288, 290, 415–417, 419–421
- Dismemberment, 15, 227, 282, 312–314, 320, 332, 415, 417, 420, 421, 423
- Dispersal, 29, 89, 415–417, 419, 517
- Diversity index, 490

- Domestication, 22, 24, 25, 36, 37, 90, 105, 109–111, 481, 503, 511–513, 515, 516, 523, 587
- Domínguez-Rodrigo, M., 32, 89, 234, 243, 248, 267, 271, 272, 284, 285, 300, 340, 372, 404, 423, 425, 426
- Douglas, M., 27, 492, 532, 533, 537, 544, 547, 575, 576
- Drying index, 444
- Ducos, P., 25, 134, 137, 402
- Dynamic loading, 83, 211, 214–216, 220, 292, 300, 307
- Dynamic state variable models (DSVM), 541, 542
- E**
- Ecology, 7, 8, 10, 12, 15, 16, 20, 23, 24, 26, 30, 34, 35, 56, 61, 63, 67, 104, 114, 117, 150, 151, 179, 242, 376, 387, 435, 475, 476, 488, 490, 492, 493, 496, 517, 518, 521–523, 531, 533, 541, 546, 549, 571, 575, 586, 587
- Ecological baseline, 75, 133, 323, 415–417, 506, 520, 521
- Eden-Farson site, 560
- Effector, 14, 15, 62–64, 220, 226, 270, 272, 273, 282, 285, 300, 351, 356, 369, 370, 382, 454, 467, 585
- Element durability, 453, 454
- Element frequencies, 6, 15, 16, 22, 28, 29, 61, 64, 67, 169, 178, 197, 205, 226–228, 242, 257, 258, 261, 262, 308, 339, 349, 358, 369, 370, 390, 394, 395, 405, 413, 415, 423–427, 435, 436, 438, 440, 444–446, 450, 453–456, 467–469, 471, 487, 496, 497, 559, 561–564, 585
- Emerson, A., 308, 428, 429, 443, 445, 449, 562
- Enamel, 86, 125, 129, 131, 133, 134, 136, 137, 159, 264, 504, 508, 509
- Encounter rate, 535–537, 540
- Endosteum, 78, 85
- Enloe, J., 136, 152, 189, 319, 331, 332, 558, 560
- EPA, 92
- Epiphyseal fusion, 104, 106, 113, 116, 117, 126, 138, 142, 565
- Epiphysis, 56, 116, 194, 469
- Equipfinality, 14, 64, 67, 270, 300, 320, 323, 351, 454, 471, 487
- Essential fatty acids (EFA), 92, 95, 96, 319, 442, 541, 542
- Ethnicity, 566
- Ethnoarchaeology, 29, 61, 557, 585
- Ethnographic analogy, 58, 59
- Europe, 4, 11, 19–22, 24–26, 30–32, 34, 103, 108, 126, 130, 225, 261, 264, 360, 398, 407, 425, 516, 557, 562, 566, 573
- Evenness, 470, 487–491
- Exchange, 76, 90, 97, 99, 286, 318, 369, 481, 517, 521, 556, 557, 564, 566
- Experimental archaeology, 60
- F**
- Faith, J.T., 227, 408, 470, 471
- Fat, 97, 98, 428–429
- Felid effects on bone, 240, 242
- Fermentation, 305, 319
- Fibrolamellar bone, 81, 82
- Fitness, 517, 534, 540–542, 544
- Flotation, 152, 153, 175
- Food utility index (FUI), 441, 444, 446, 447, 466, 487
- Foraminifera, 504
- Forensic approach, 13, 300
- Fractional method of MNE estimation, 190
- Fracture angles, 216–220
- Fragmentation, 61, 171, 172, 174, 175, 178, 179, 186, 187, 210, 238, 248, 257, 262, 326, 328, 374, 405, 406, 409, 413, 414
- Friesen, M., 422, 443–445
- Frison, G., 11, 28, 126, 132, 151, 189, 290, 308, 312, 313, 332, 423, 481, 558, 560
- G**
- Garniewicz, R., 138, 486
- Garnsey site, 468
- Gatecliff Shelter, 439, 461, 468
- Gender, 59, 286, 507, 510, 553–555, 569, 570, 572
- Genome, 515
- Gilmore, R., 22
- Giving up threshold, 537
- Glenrock Buffalo Jump, 481
- Gordon, A., 408, 471
- Gourmet utility curve, 438, 447, 448
- Grayson, D., 11, 19, 23, 104, 107, 159, 190, 196, 198, 262, 263, 385, 394, 396–407, 409, 436, 446, 468–470, 486, 487, 490–493
- Grigson, C., 25, 104
- Growth and development, 86, 95, 103, 118, 125, 129, 139
- Gumerman, G., 566, 570

H

- Habitus, 572–576
 Hadza, 316, 318, 324, 425–428, 449, 470, 539
 Hammerstone, 83, 89, 211, 217, 220, 234, 293–296, 299, 306, 382, 408
 Handling time, 229, 449, 536, 543, 547
 Haplogroup, 514
 Haplotype, 514, 517
 Haversian system, 79
 Hawk, 15, 255–257
 Heat effects, 111, 215, 216, 325
 Herding, 479–481, 565
 Hesse, B., 27, 31, 58, 402, 516, 564, 571
 Hildebrandt, W., 177, 511, 546
 Histology, 359
 Historical ecology, 111, 151
 History, 10, 12, 19–22, 27, 28, 31, 32, 34–36, 51–54, 95, 96, 106, 108, 115, 151, 179, 219, 281, 318, 319, 396, 422, 423, 435, 443, 479, 481, 484, 491, 493, 508, 511, 514, 516, 518, 519, 532, 541, 566, 568, 585
 Hockett, B., 257, 258, 275, 531, 541, 548
 Homestead Cave, 261, 262, 493
 Horner site, 151, 558
 Houston, A., 260, 540
 Human behavioral ecology (HBE), 531–533, 546
 Hunting, 3, 27, 28, 36, 62, 67, 91, 99, 126, 141, 159, 179, 197, 226, 246, 286, 305, 307, 308, 310, 316, 413, 421–426, 438, 447, 481, 482, 487, 510, 542, 545, 547, 556, 558
 Hydroxyapatite, 76, 77, 79, 86, 128, 206, 322, 344, 359, 362
 Hyenid effects on bone, 230, 242, 243

I

- Identifiability, 169–171, 176, 178, 179, 181, 186, 187, 406
 Identification, 3–5, 19, 20, 22, 25, 26, 66, 104–106, 157, 159, 161, 164, 170–173, 176–179, 181, 196, 369, 371, 406, 407, 566, 587
 Immanent, 52–56, 65
 Inca Cueva–cueva 4 (ICc4), 379
 Inequality, 559, 562–563
 Insect, 96, 244, 255, 339, 340, 401
 International Council on Archaeozoology (ICAZ), 25, 30, 32, 34, 35
 Interval scale variable, 390, 396
 Intramembranous bone, 83

J

- Japan, 34–35, 37
 Jia, L., 35, 37
 Jones, K., 428, 442, 443
 J-shaped mortality profile, 483

K

- Kendall's tau, 390, 394–395, 446, 466
 Kill-off patterns, 113
 Klasies River Mouth Cave, 398, 439
 Klein, R., 30, 67, 90, 109, 111, 134–137, 160, 170, 176, 185, 191, 192, 242, 395, 398, 405, 482, 485, 486, 545
 Koike, H., 34, 129
 Kolmogorov–Smirnov text, 390, 395
 Krebs, J., 449, 476, 494, 532–534, 536, 539
 Kreutzer, L.A., 23, 179, 456, 462, 465
 Kua San, 426
 Kung San, 316, 326, 423, 426
 Kurtén, B., 479, 481

L

- Lam, Y., 37, 462–466, 470
 Lamellar bone, 81, 82, 350
 Landmark method of MNE estimation, 192
 Landscape taphonomy, 61, 585
 Larson, G., 110, 516, 517, 566
 Last Supper Cave, 468
 Lawrence, B., 20, 22, 23, 27, 30, 56, 65, 104, 108, 177, 359, 453
 Less identifiable fragments, 169, 176
 Levine, M., 134, 481
 Linear Band Ceramic, 573–574
 Living structure mortality profile, 483
 Longitudinal fracture, 213
 Lubinski, P., 128, 141, 560
 Lyell, C., 51–53, 56
 Lyman, R.L., 3, 5, 10, 12, 19, 22, 23, 28, 31, 51–56, 58, 61, 63–65, 76, 86, 104, 106, 151, 153, 154, 159, 163, 176–179, 186–190, 192, 195, 197, 198, 205, 214, 229, 233, 255, 257, 269, 281, 283, 285, 288, 293, 300, 308, 309, 312–314, 328, 348, 349, 358, 385, 394, 396, 402, 404–409, 413, 415–417, 421–423, 425, 443, 446, 455, 456, 461–469, 486–488, 492–494, 496, 518

M

- Mace, R., 541, 542
 Mammalian carnivore, 14, 225, 227, 233, 257, 262

- Mangel, M., 540–542
 Marciniak, A., 572–574
 Marean, C., 24, 161, 170, 190–192, 195, 214, 228–231, 233, 242, 313, 373–375, 381, 404, 405, 408, 425, 469, 470, 482, 486, 487
 Marginal value theorem, 533, 537
 Marrow, 78, 85, 86, 100, 172–174, 204, 205, 211, 232, 233, 237, 239, 243, 245, 267, 268, 282, 288, 292, 299, 305, 306, 316, 317, 319, 324, 332, 371, 374, 406, 407, 409, 422, 426–429, 436, 439, 441–446, 455, 462, 466, 469, 558–560, 573
 red, 82, 99, 211, 225, 232, 422
 yellow, 85, 99, 211, 225, 233, 243
 Marrow utility index, 436, 441, 442, 445, 560
 Maya, 507, 510
 Mayr, E., 52, 54, 62, 586
 Mckee, L., 562, 563
 Meat drying utility index, 444
 Meat science, 109, 572
 Medullary cavity, 112, 175, 428, 462, 463
 Mengoni Goñalons, G., 33, 34, 293, 379, 443, 444, 446
 Metal tools, 283, 286, 289–292, 422
 Metaphysis, 84
 Metcalfe, D., 428, 441–444, 449, 539
 Microsatellites, 514, 515
 Microscopic(al) focal destructions (MFD), 342, 360, 362
 Migration, 96, 247, 421, 556
 Minimum animal units (MAU), 186–197, 385, 388, 396–408, 425, 438, 439, 442, 446, 468–470, 559
 Minimum number of elements (MNE), 186–198, 374, 377, 385, 388, 396–409, 414, 469–471, 559
 Minimum number of individuals (MNI), 161, 186–198, 377, 385, 388, 395–409, 492, 493, 557
 Mitochondrial DNA (MtDNA), 110, 513
 Mitosis, 513
 Modified General Utility Index (MGUI), 394, 436, 438, 439, 441, 444, 446, 447, 456, 466, 468, 469, 487
 Monahan, C., 372, 427, 429
 Mondini, A.M., 34, 239, 240, 245, 376, 379–381
 Monticello, 11, 398, 563, 586
 Morales Muñoz, A., 32, 170
 Morin, E., 172, 173, 396, 397, 405–407, 409, 442, 445, 470, 587
 Mortality profile, 16, 26, 28, 30, 36, 118, 132, 133, 138, 185, 390, 395, 477, 481–485, 487, 519, 564
 Multi-agent accumulation, 369, 382, 585
 Multivariate analysis, 272, 283, 585
 Munson, P., 138, 486
- N**
 Next-generation sequencing (NGS), 515
 Nitrogen isotopes, 506
 fractionation nursing mammals, 506
 Nominal scale variable, 388, 390
 Nonparametric statistics, 389–390
 Normal distribution, 126, 386–388, 390, 391, 393–395
 North America, 3, 13, 20–25, 31, 34, 105, 126, 178, 203, 264, 283, 348, 396, 427, 476, 504, 521–523, 531, 545, 557, 560
 Number of distinct elements (NDE), 407–409, 492
 Number of identifiable specimens (NISP), 161, 186–198, 372, 376, 385, 388, 395–409, 414, 454, 490, 492–495, 544, 557
 Number of specimens (NSP), 186–197
 Nunamiut, 100, 152, 174, 196, 197, 290, 293, 308, 312, 404, 421–424, 428, 435, 436, 438, 441, 442, 446, 447, 449, 468, 559
 Nutrients, 14, 91, 94, 99, 227, 264, 281, 305, 306, 314, 372, 397, 429, 436, 534
- O**
 O'Connell, J., 426, 532, 533, 546, 547
 O'Connor, T., 25, 114, 139, 309, 310, 320, 414, 415, 564
 O'Brien, M., 516, 558, 560
 Occlusal wear stages, 131–133
 Olduvai, 11, 29, 228, 243, 372, 373, 424, 427, 439, 471
 Oliver, J., 179, 215, 245, 293, 300, 309, 316, 318, 324, 325, 370, 425, 426
 Olsen, S.J., 3, 9, 22, 28, 36, 108, 151, 156
 Olsen, S.L., 271, 273, 274, 286, 298, 351, 555
 Opportunity cost, 538
 Optimal foraging theory (OFT), 531, 534, 535, 543
 Ordinal scale variable, 381, 389, 394, 446
 Orians, G., 533
 Ossification, 83, 84, 126
 Osteobiographies, 504

- Osteoblast, 78, 79, 83, 84
 Osteoclast, 77, 79
 Osteocyte, 77–81
 Osteometrics, 104, 107, 113, 117, 118, 516, 560, 564, 587
 Osteon, 74, 79, 81, 82, 118, 208–212, 221, 342
 Otto, J., 562
 Outram, A., 180, 187, 216, 325, 328, 443
 Overlap method of MNE estimation, 192
 Owl, 15, 255–257, 260–263
 Oxygen isotopes, 55, 503, 504, 507–509, 566
- P**
 Palagana site, 559
 Parametric statistics, 394, 396
 Parent population, 90, 386, 387, 394, 395, 470, 471, 491
 Parmalee, P., 20, 22, 157
 Patch choice, 449, 476, 531–533, 537, 540–542
 Payne, S., 104, 108, 113, 114, 131–133, 137, 152, 159, 479–481
 Pearson's correlation coefficient, 446
 Pei, W., 35
 Pellet (raptor), 256, 257, 260–263
 Peninj, 372, 373
 Percussion, 15, 205, 209, 234, 238, 274, 281–283, 288, 290, 293–296, 298–300, 306, 316, 326, 371, 372, 374, 387, 408, 413, 467
 Periosteum, 81, 85, 93, 282, 285, 288, 314
 Perkins, D., 26, 423, 426
 Phosphorus, 75, 264
 Photon densitometer, 462–465
 Pica (osteophagia), 264–266, 519, 534
 Plantations, 225, 561, 563, 586
 Plexiform bone, 81, 82, 211
 Poisson distribution, 387
 Polaco Ramos, Ó., 33
 Political ecology, 521, 523
 Polymerase chain reaction (PCR) sequencing, 514
 Pork taboo, 571
 Pot polish, 326–328, 355
 Pot sizing, 326
 Potts, R., 4, 29, 284, 348, 424, 425
 Practice theory, 568, 572–576
 Precision, 104, 114, 125, 140, 141, 152, 229, 393
 Preservation, 61, 76, 118, 130, 149, 152, 156, 188, 262, 318, 319, 359, 360, 362, 424, 446, 468, 485, 486, 514, 556, 571, 572
- Prey ranking, 544
 Primary data, 64, 66, 132, 188, 396
 Prime-dominated mortality profile, 481, 483
 Product-focused approach, 13, 62, 65, 163, 310, 332
 Production, 3, 8, 16, 36, 63, 64, 76, 93, 98, 113, 128, 172, 173, 180, 203, 204, 212, 257, 264, 270, 286, 305, 308, 309, 320, 354–356, 369, 405, 406, 477, 480, 504, 506, 510, 544, 565, 569–572, 586
 Protein-sparing effects, 98
 Proxy, 442, 449, 477, 487, 497, 503–506, 508, 517, 534, 543, 544, 586
 Pulliam, H.R., 533, 534
- Q**
 Qi, G., 36
 Quadratic crown height method (QCHM), 134–137, 140
 Quantification, 6, 15, 387, 396, 407–409, 453, 567
 Quebrada Seca 3 (QS3), 379, 380
- R**
 Rank order correlation, 407, 463, 466, 469
 Raptors, 255–259, 262, 263, 374, 545
 Rarefaction, 492–495
 Rate maximization, 531, 534, 540, 542, 548, 549
 Ratio scale variable, 390, 392, 395, 396, 446
 Recombination, 513
 Reed, C., 20, 27, 420, 563, 568
 Regression analysis, 138, 142, 272, 390–392, 394, 407, 492
 Reher, C., 28, 132, 174, 312, 313, 481
 Reitz, E., 6, 23, 27, 31, 66, 108, 111, 153, 160, 165, 170, 192, 392, 494, 518, 521, 522, 556, 557, 561, 565
 Relational analogy, 14, 58, 59, 61, 62, 65, 103, 477, 548
 Reproductive isolation, 516
 Resource depression, 533, 537, 540, 544, 545
 Return rate, 111, 427–429, 442, 449, 531, 536, 539, 540, 544, 546, 547, 557, 561, 562
 Ribonucleic acid (RNA), 53, 513
 Riders, 436, 438, 441, 447
 Rodent gnawing, 275–277
 Root etching, 344–345
 Rowley-Conwy, P., 25, 110, 159, 441, 443

- S**
- Sample size effects, 248, 408, 471, 489, 492–494
- Sampling, 126, 129, 139, 154, 188, 256, 263, 331, 400, 488, 491, 494–496, 519, 587
- Sampling to redundancy (STR), 495–497
- Saw marks, 291–292
- Schlepp effect, 423, 426
- Schmid, E., 25, 108
- Schmitt, D., 257, 258, 308, 426, 490, 545, 547, 561
- Schoeninger, M., 504, 506
- Screen size, 152–154, 171, 188, 397
- Sealy, J., 359, 504, 506
- Search time, 449, 536, 540
- Secondary data, 16, 65–67, 160
- Seetah, K., 310, 320, 422, 565
- Selective transport, 15, 249, 286, 374, 404, 405, 413, 423, 424, 429, 445, 446, 448, 453–455, 461, 468, 470, 471, 485–487
- Sex determination, 104, 139, 565
- SFUI, 466, 470, 471
- Shannon evenness index, 470, 471
- Shannon-Wiener diversity index, 489, 490, 494
- Shipman, P., 4, 29, 64, 154, 233, 234, 269, 271, 275, 284, 285, 288, 290, 321–323, 351, 354, 355, 424, 425
- Shotwell, J.A., 23
- Shouldering, 269, 272, 287, 344
- Signatures, 4, 29, 64, 67, 90, 186, 258, 281, 282, 291, 306, 310, 322, 355, 359, 371–373, 415, 448, 478, 503, 504, 507, 508
- Simpson, G.G., 52–55, 58, 127
- Single-nucleotide polymorphism (SNP), 113, 514, 517
- Skeletal element, 12, 13, 15, 61, 62, 67, 74, 76, 85, 99, 100, 106, 107, 109, 111, 142, 152, 172, 173, 185, 187–190, 192, 193, 195–197, 212, 217, 225, 227, 230, 240, 243, 256, 257, 260, 265, 267, 268, 273, 283, 291–293, 299, 300, 308, 312, 314, 320, 321, 339, 345, 348, 351, 357, 359–362, 376, 377, 381, 394, 396, 397, 400, 401, 404–408, 413, 415, 416, 419, 424–429, 435, 436, 442, 444, 446, 448–450, 453–456, 463, 465, 467, 468, 470, 471, 481, 496, 557, 558, 560, 561, 564, 574
- Slave diet, 562
- Social inequality, 557–563
- Social zooarchaeology, 557–560, 567
- South America, 23, 28, 33, 378, 379, 531
- Spearman's rho, 390, 394–395, 446, 466, 469, 471
- Species abundance, 16, 67, 178, 186, 188, 263, 396, 405, 408, 488–491, 546
- Species area curves, 491–497
- Species identification, 104, 106, 172, 178, 181
- Species richness, 178, 488–497
- Specimen, 14, 19, 29, 54, 65–67, 81, 82, 103–108, 110, 111, 113, 114, 116, 117, 128, 130, 132, 134, 135, 137, 141, 149, 151–157, 159–161, 163–165, 169, 171–181, 185–190, 192, 195–197, 205, 211, 213–216, 219, 220, 227, 245, 246, 248, 261, 268, 271–273, 275, 298, 300, 301, 310, 311, 319–326, 329, 330, 342, 348, 350, 351, 354, 355, 359–362, 372–377, 386, 396, 398, 401, 402, 406, 408, 409, 462, 463, 467, 468, 486, 490, 493, 511, 514, 516, 517, 558, 560, 565, 587
- Specimen independence, 397, 400, 401, 404, 492, 493
- Specimen interdependence, 397, 400–402, 492, 494, 495
- Speth, J.D., 30, 92, 97–99, 315, 435, 439, 441, 468, 545
- Spielmann, K., 30, 97–99, 315, 435
- Spiral fracture, 61, 203–205, 213, 217, 221, 269
- Stable isotope, 4, 9, 34, 65, 78, 306, 359, 503–505, 510, 520, 523, 566, 587
- Stahl, A., 553, 554, 586
- Stahl, P., 331, 461, 462, 491
- Standard error of the mean, 393, 394
- Static behavioral models, 548
- Static loading, 211, 231, 234, 300, 378, 382, 467
- Stearidonic acid, 92
- Stiner, M., 32, 78, 111, 141, 151, 228, 231, 239, 243, 322, 323, 376–378, 381, 469, 470, 482–485, 487, 545
- Stone tools, 29, 59, 64, 89, 203, 204, 221, 234, 270, 271, 283–289, 309, 426
- Strain, 206–211, 220, 299
- Stress, 14, 73, 74, 83, 126, 206, 208–210, 212, 246, 306, 307, 379, 409, 466, 563, 569
- Striations, 234, 273, 276, 284–288, 292, 296, 298, 300, 344, 351, 356, 454
- Strontium isotopes, 566
- Subchronal bone, 355
- Swartkrans, 372, 373

T

- Taenia, 90, 307
 Tal-e Malyan, 564
 Tapeworm, 90, 307
 Taphonomy, 5, 29, 138, 381, 485–487
 Task-differentiation, 569–570
 Teeth, 4, 9, 14, 51, 63, 64, 67, 73, 74, 76,
 85–86, 94, 103, 112, 115, 125–127,
 129, 131–133, 135–138, 149, 159,
 169, 176, 180, 181, 185, 188, 211,
 227, 230–234, 237, 239, 242, 245,
 248, 262, 265, 267, 273, 300, 306,
 320, 342, 347, 377, 382, 424, 469,
 481, 482, 486, 504, 509, 514, 536
 Tell Jemmah, 564
 Teneid moths, 340
 Teotihuacán, 509
 Termite, 340
 Ternary plot, 378, 484
 Theory, 572–576
 Thermal stress, 308, 320–322, 324, 325
 Thomas, D.H., 23, 142, 388, 390, 398, 439,
 446, 468, 547, 557, 563, 573
 Todd, L., 28, 132, 151, 189, 213, 312, 347,
 401, 423, 558, 560
 Toolkit, 9, 16, 487, 556, 567, 577, 592
 Tooth marks, 54, 61, 62, 67, 205, 225, 226,
 231–233, 238, 243, 246–249, 258,
 267, 268, 275, 276, 284, 300, 340,
 342, 371, 372, 374, 375, 377, 468
 Torsional loading, 209, 213
 Trabeculae, 78, 82, 210, 236, 292
 Trace fossil, 65, 227, 475
 Trade, 99, 153, 481, 516, 564–566, 571
 Trade-off, 97, 129, 156, 414, 427, 449, 537,
 539, 541, 575
 Tragedy of the commons, 522
 Trampling, 61, 64, 74, 205, 268, 269,
 271–273, 300, 354–357, 369, 370,
 419, 455
 Transverse fracture, 210, 220, 221, 317
 Trophic level, 506
 Twiss, K., 554, 568
 Type I errors, 470
 Type II errors, 408, 470, 471

U

- Uerpmann, H.-P., 10, 25, 26
 Ultrastructure, 326
 Unidentifiable fragments, 170, 174
 Uniformitarian, 6, 13, 29, 51–53, 55–57, 60,
 61, 63, 73, 86, 90, 100, 313, 435,
 548, 574, 575

Uniformitarianism

- methodological, 52, 53
 substantive, 52, 53

U-shaped mortality profile, 483

Utility curves, 424, 438, 439, 446–450, 468

Utility index, 100, 436, 439, 443, 450

V

van der Merwe, N., 4, 504, 506

Volume density (VD), 456, 462–466, 468,
 469, 487

von den Driesch, A., 10, 25, 32,
 107, 108

Voorhies transport classes, 357, 358

Vulture, 226, 255, 256, 260, 262

W

Wapnish, P., 27, 31, 564

Weathering, 15, 34, 61, 67, 74, 75, 78, 81,
 82, 106, 215, 219, 323–325, 339,
 345–351, 362, 369, 374, 377,
 455, 467

Wedl tunnel, 342, 344, 362

Wheat, J.B., 555

White, C., 509, 510

White, T., 22, 188

Wing, E., 6, 23, 27, 31, 66, 108, 111, 153, 160,
 165, 170, 192, 357, 392, 491, 494,
 518, 519, 521, 556

Wolverton, S., 51–55, 58, 61, 63, 178, 187,
 518, 521

X

Xia, N., 35

Y

Yang, Z., 35, 36, 105, 517

Yarimbuzguz Cave, 376–378

Y-chromosome, 514

Young's modulus, 207

Yuan, J., 36, 37, 554

Z

Zeder, M., 3, 11, 22, 27, 30, 109, 110, 116,
 133, 142, 149, 152, 159, 170, 178,
 414, 487, 512, 516, 531, 549, 556,
 564, 565, 571

Zhou, B., 37

Zohar, I., 153, 491, 494

- Zooarchaeology, 3–7, 9–11, 13–16, 19, 20, 22,
24–29, 31, 32, 34, 36, 37, 51, 56,
61, 97, 104, 105, 108, 116, 118,
142, 150, 157, 161, 165, 186, 189,
190, 203, 281, 291, 308, 352, 371,
389, 392, 395, 396, 404, 422,
453–455, 463, 488, 492, 494, 503,
510, 518, 532, 535, 543, 553, 554,
557, 572, 575, 585–587, 591, 592
- Zoology, 3, 7, 10, 22, 25, 104, 105, 449,
531, 532
- zooMS, 587