

Index

A

- Absenteeism, 339, 498, 507, 512, 513, 519, 522, 523, 525
- Abstinence, 190, 326, 327, 334, 339, 341, 343–346, 483
- A1c, 24, 28, 62, 97, 294, 360, 402
- Academic, 1–3, 8, 10, 45, 67, 116–118, 120, 210, 217, 232, 413, 598
- Academy of Nutrition and Dietetics, 82
- Action Learning, 404
- Action Research, 404
- Active duty (AD), 537–539, 541, 543, 547, 556, 559, 562, 569–571
- Active listening skills, 438, 441
- Acute, 22, 23, 25, 30, 47, 67, 76, 87, 88, 98, 99, 105, 113, 123, 125–127, 130, 133, 151, 166, 181, 184–187, 190, 193, 196, 197, 199–201, 207, 219, 220, 234, 252, 253, 265, 293, 294, 304, 333, 362, 369, 370, 443–445, 447–451, 563, 569
- Acute myocardial infarction, 126–127
- Addiction, 10, 40, 102, 155, 166, 322, 325, 329, 333, 336–340, 343, 346, 483, 599
- Adherence, 24, 31, 40, 63, 76, 88, 102, 105, 134, 153, 297, 375, 386, 483, 505, 521
- Adolescent psychiatrists, 68, 155, 234, 248
- Adolescents, 21, 22, 27, 41, 42, 47, 61, 62, 64, 65, 67–69, 76, 120, 151, 153, 155, 196, 199, 217, 218, 233, 234, 248, 249, 251, 274, 302, 310, 334, 342, 367, 408, 409, 412, 418, 566, 567, 597
- Adult intensive care unit (AICU), 126–128, 138
- Adults, 20–22, 24–28, 37, 40, 42, 61, 76, 87, 90, 113, 119, 124, 137, 138, 151, 182, 213, 217, 221, 225, 234, 268, 274, 281, 283, 296, 300, 302, 310, 334, 342, 343, 367, 368, 375, 385, 408, 418, 443, 451, 465, 482, 599
- Advanced life support (ALS), 201, 269
- Advanced practice providers (APPs), 91
- Advanced practice registered nurses (APRN), 153, 467
- Aerospace medical service specialists, 545
- Aerospace medicine specialists/flight surgeons, 545
- African American, 18, 75, 335, 360, 585
- Agnostics, 483, 484
- Agonal, 200
- Airway with cervical spine control, breathing, circulation with control of bleeding (ABCs), 190, 200
- Alanine aminotransferase (ALT), 30
- Al-Anon, 345, 401
- Albumin, 30
- Alcohol, xiv, 40, 95, 121, 186, 195, 252, 302, 324, 346, 347, 368, 445, 502, 503, 509, 525, 527, 546, 552
- Alcohol and Drug Abuse Prevention and Treatment (ADAPT) program managers, 567, 569
- Alcohol/drug abuse and dependency, 190
- Alcoholics Anonymous (AA), 251, 329, 344, 401, 482, 485
- Alcohol Use Disorders Identification Test (AUDIT), 339, 368

- Alkaline phosphatase (ALP), 30
- American Academy of Pediatrics (AAP), 61, 62, 64, 65, 78
- American Association of Diabetes Educators, 303, 314
- American Association for Marriage and Family Therapy (AAMFT), 5, 9, 11, 157, 198, 590, 599
- American Association of Pastoral Counselors, 488
- American Cancer Society, 207
- American College of Emergency Physicians, 184
- American College of Physicians, 106
- American College of Surgeons Commission on Cancer (COC), 210
- American Diabetes Association (ADA), 24, 296, 299–304, 309, 509, 510, 526
- American Indian (AI), 296, 303, 311, 371, 389, 402, 403, 407, 416, 585
- American Medical Association (AMA), 27, 69, 190, 201, 546
- American Psycho-Oncology Society, 227
- American Red Cross (ARC), 437, 440
- Anabolic steroids, 332
- Anderson, R., 599
- Anticipatory guidance, 64–67, 77
- Anxiety, 26, 27, 29, 35, 39, 41, 42, 62, 87, 88, 90, 93, 97, 101–103, 119, 134, 151, 156, 158–160, 164, 166, 168–170, 172, 181, 194–196, 199, 209, 212, 214, 219, 224, 234, 238–240, 248, 250, 251, 253, 277, 278, 294, 301, 304, 310, 325, 330, 331, 341, 347, 360, 361, 364, 368, 371, 379, 381, 383, 386, 387, 440, 447, 452, 468, 474, 482, 500, 516, 517, 522–525, 540–542, 546, 549, 551, 556, 563, 564, 567
- Apnea, 80, 123, 124, 308
- Arterial catheterization, 138
- Aspartate aminotransferase (AST), 30
- Assessment and referral, 527
- Assessments, 34, 36, 38, 43, 62, 64, 65, 68, 69, 78, 88, 93, 94, 97, 100, 101, 103–105, 118–120, 128–130, 133, 134, 147, 153, 154, 158, 159, 164–166, 168, 169, 172, 183, 187, 194–196, 212, 213, 215, 216, 224, 233, 234, 236, 241, 243, 245, 249, 271, 272, 277, 282, 298, 306, 307, 322–325, 336–338, 340, 345, 358, 359, 365, 367–369, 371, 372, 376, 378, 380, 382, 417, 442, 443, 446, 466–470, 472, 474, 476, 480, 481, 484, 497, 501, 504, 505, 508–510, 512, 514, 516–518, 520, 521, 527, 528, 546, 555–557, 565, 566, 585, 600
- Assessment skills, 189–190
- Asthma, 26, 27, 35, 61, 69, 71, 72, 76–78, 80, 125, 127, 186, 371, 418, 519
- Atheists, 483, 484
- Attachment-based family therapy (ABFT), 41, 42, 251
- Attending physicians, 47, 96, 105, 118, 120, 185, 186, 189, 195, 196, 402, 466
- Attention deficit hyperactivity disorder (ADHD), 26, 27, 41, 234, 250, 327, 331, 368, 480, 599
- Atypical antipsychotic, 252, 253
- Audit of Diabetes-Dependent Quality of Life, 313
- Australian Journal of Pastoral Care and Health, 487
- B**
- B12, 29
- Basic life support (BLS), 190, 201
- Behavioral health, 2, 17, 62–64, 67, 68, 70–77, 87, 181, 207, 263, 293, 357–359, 361–363, 365, 367–370, 372, 373, 375, 376, 379–384, 386, 388, 389, 403, 431, 466, 467, 469, 470, 472, 474–477, 585, 587, 591, 592, 594, 595, 598, 599
- Behavioral healthcare facilitators (BHCF), 545
- Behavioral health providers (BHPs), 12, 18–22, 34, 36, 46, 47, 63, 67, 68, 72, 76, 93, 96, 150, 152, 153, 166, 184, 187, 190, 191, 200, 211, 215, 224, 268, 277, 279, 298, 321, 324, 328, 329, 333–335, 338, 340, 341, 343, 361–363, 376, 380, 382, 408, 436, 438, 445, 466, 510, 544, 549, 568
- Behavioral health technicians, 237, 545, 546
- Behavioral therapy, 39, 41, 42, 76, 170, 240, 247, 343, 345, 446
- Bell, J.M., 3, 20, 35, 71, 147, 193, 212, 236, 297, 322, 358, 365, 407, 434, 466, 504, 538
- Beneficiaries, 541, 543, 544, 546, 570
- Beneficiary counseling and assistance coordinators (BCAC), 546
- Benzodiazepines, 248, 252, 330
- Bereavement, 155, 170, 171, 224, 271, 272, 276, 465, 543
- Berge, J., 72, 74, 77, 414, 415, 419, 584, 585
- Biopsy, 225

- Biopsychosocial, 2, 70, 91, 96, 98, 99, 134, 147, 149–151, 153, 159, 163, 165–167, 170, 171, 220, 221, 268, 276, 297, 305, 407, 434, 504, 520, 523, 552, 553
- Biopsychosocial-spiritual (BPSS), xiii, 2, 3, 20, 26, 68, 71, 77, 118, 122, 125, 126, 130–132, 137, 147, 149, 150, 153, 159, 163, 165, 166, 193, 212, 235, 263, 275, 297, 322, 325, 339, 346, 358, 359, 362, 365, 377–384, 387, 389, 407, 434, 440, 443, 444, 446–449, 451–453, 465, 466, 468, 469, 471–477, 484, 504, 513–519, 521–523, 525, 526, 538, 591, 596
- Bipolar disorder, 41, 160, 239, 240, 249, 252, 253, 368
- Blood glucose, 30, 293, 300–302, 305, 306, 309, 312, 364, 365, 403
- Blood glucose monitoring, 301
- Blood urea nitrogen (BUN), 30
- Borst, C., 590
- Breech presentation, 173
- Brief treatment, 26, 103, 153, 521
- Bright Futures™ guidelines, 65
- Bubble CPAP, 138
- Buddhism, 469, 484
- Burnout, 114, 115, 124, 131, 282, 447, 507, 508
- Burn surface area (BSA), 201
- C**
- CAGE Alcohol Questionnaire, 202, 572
- Canadian Association for Spiritual Care, 488
- Cancer, 31, 40, 115, 125, 207, 209–211, 213–215, 217, 220, 223–226, 239, 269, 281, 479
- Cancer care trajectory, 7, 17, 208, 210–215, 219–222, 225
- Cannabis, 332
- Cao Dai, 484
- Carcinoma, 225
- Cardiopulmonary resuscitation (CPR), 201, 283
- Cardiovascular illness, 23, 44, 88, 123, 126, 127, 302, 336, 480
- Care/case manager, 119, 132
- Care coordinators, 155, 236, 264, 408
- Case managers, 92, 99, 166, 187, 328, 362, 476, 505, 522, 546, 563
- Care managers/coordinators, 363, 546
- Catheters, 126, 138
- CC nurses, 120
- Central nervous system depressants, 331
- Central nervous system stimulants, 331
- Cerebral infarction, 24, 126, 127
- Cerebral palsy, 78, 125
- Certified Alcohol and Drug Abuse Counselors (CADAC), 546
- Certified Employee Assistance Professional (CEAP), 514, 527
- Cervix, 174
- Chaplains, 114, 119, 121, 132, 153, 187, 194, 195, 213, 242, 245, 267, 268, 271, 279, 436, 437, 444, 446, 464–468, 471, 474, 475, 483, 484, 559
- Chemical dependency, 329, 346
- Chemotherapy, 208, 210, 217, 218, 264, 278
- Chest film, 201
- Chest tube thoracostomy, 138
- Child-centered medical home (CCMH), 64, 72, 73, 75, 78
- Childhood cancer, 125
- Child life specialists, 47, 119, 120, 132, 187, 268
- Child psychologists, 68
- Children, 22, 26, 61, 62, 64–70, 75–80, 114, 119, 120, 124–126, 131, 132, 135, 136, 187, 218, 223, 235, 274, 302, 367, 387, 403, 480, 481, 538, 542, 553, 566, 567
- ChooseMyPlate.gov, 71, 72
- Christianity, 469, 478, 484–486
- Chronic, 25, 36, 69–70, 95, 105, 151, 245, 269, 271, 307, 382, 451–452
- Chronic health conditions, 27, 90, 161, 359, 361, 369, 519
- Chronic obstructive pulmonary disease (COPD), 35, 90, 95, 127, 186, 269, 386
- Chronic pain, 24, 25, 88, 90, 96, 308, 408, 416, 520, 524, 546, 566, 568
- Citizen health care (CHC), 405–407
- Citizen professionals, 406, 409–410, 414
- Civilians, 538, 539, 541, 543, 547, 551–554, 558, 559, 569–571
- Classroom Action Research, 404
- Clinical/organizational team, 165, 504
- Clinicians, 5, 9, 11, 22, 35, 38, 46, 47, 128, 129, 131, 137, 163, 166, 168, 170, 171, 192, 196, 215, 232, 246, 247, 264, 278, 281, 305, 337, 358, 431, 443, 446, 451, 469, 471, 480, 481, 506, 514, 542, 559, 563, 568, 592, 593, 596
- Closed ICUs, 118
- Coag panel, 190, 201
- Cognitive behavioral conjoint therapy, 451
- Cognitive behavioral couples therapy (CBCT), 42, 172, 251, 342
- Cognitive behavior therapy (CBT), 25, 39, 41, 42, 127, 164, 167–170, 196, 199, 212, 240, 248, 250, 252, 310, 341, 386, 390, 446, 449, 450, 478, 481, 523, 540, 564, 565

- Collaboration, 2, 21, 39, 67, 74, 91, 98, 115, 118, 120, 121, 126, 128–131, 134, 163, 165, 197, 215, 231, 278, 297, 322, 359, 376–378, 404, 447, 464, 473, 474, 508, 522, 548, 596, 597
- Collaborative care, 47, 67, 151, 390, 498
- Collaborative Family Healthcare Association (CFHA), 6, 9, 11
- Co-located care, 20, 38, 47, 91, 211, 278, 298, 358, 362, 472, 475, 516
- Colorado School of Public Health's Rocky Mountain Prevention Research Center, 420
- Columbia-Suicide Severity Rating Scale (C-SSRS), 454
- Combat, 152, 263, 375, 541, 542, 544, 546, 549–552, 554, 555, 559, 570
- Communication, 33, 34, 62–67, 70, 79, 96, 104, 119, 124–126, 130, 131, 135, 136, 151, 152, 157, 164, 167, 168, 170, 171, 188, 195, 209–211, 213, 220, 223, 233, 242, 245, 249, 267, 268, 274, 307, 337, 358, 387, 446, 474, 476, 477, 481, 499, 510, 511, 515, 516, 518, 525, 539, 542, 547, 549, 565, 568
- Community, 6, 20, 63, 87, 115, 165–167, 172, 187, 218, 235, 265, 297, 328, 357, 401, 432, 467, 470, 476, 481–483, 486, 503, 542, 584, 591–593, 595, 598, 599
- approaches, 44–46, 104, 164, 172–173, 251–252, 281, 308, 311, 344–345, 388, 389, 481–483, 567–568
- engagement, 44, 401–419
- health centers, xiv, 363–365, 368, 372, 379, 380, 382, 388, 389
- health workers, 408
- professionals, 409
- Community-based Participatory Action Research, 404–405
- Community-based Participatory Research (CBPR), 44, 47, 311, 388, 389, 401, 404–423
- Community-based Research, 404
- Community-oriented primary care, 401
- Compassionate presence, 188, 438, 441, 443, 444
- Compassion fatigue, 7, 114, 115, 124, 131, 157, 165, 275, 445, 446
- Compensation benefits, 508
- Complementary and alternative medicine, 25
- Complementary and alternative treatments, 269
- Complete blood count (CBC), 30, 31
- Confidentiality, 216, 232, 339, 359, 366, 367, 374, 375, 464, 466, 499, 506, 523, 560
- Congenital heart abnormalities/diseases (CHDs), 125
- Congestive heart failure (CHF), 90, 95, 269
- Consent, 31, 73, 115, 274, 366, 367, 374, 375, 377, 412
- Coronary care (CCU), 113
- Corporate safety officers, 504, 505
- Cost-effectiveness, 38, 41, 135, 384, 510, 522, 526
- Cost report, 390
- Countertransference, 252
- Crasher, 201
- Creatinine, 30
- Critical care settings, 212
- Critical care/units/teams, 113, 114, 116–122, 124, 126, 128, 131–134, 137, 215, 541
- Critical Incident Stress Management (CISM), 448, 449
- C-section (Cesarean birth), 161, 174
- Cultures, 65, 93, 104, 124, 165, 217, 240, 273, 274, 281, 303, 363, 403, 407, 408, 411, 412, 414, 441, 470, 471, 480, 481, 486, 498, 499, 510, 521, 527, 543, 549, 552, 558–560
- Curative care, 266
- Curative treatment, 226, 266
- D**
- Daoism, 485
- Dead body (DB), 433
- Dead on arrival (DOA), 201
- Death, 19, 24, 114, 115, 121, 123, 125, 126, 128–130, 137, 148, 149, 153, 173, 174, 187, 197, 207, 209, 224, 265, 271–275, 277, 278, 301, 302, 374, 437, 442, 446, 468, 485, 558
- De-escalation skills, 191
- Delirium, 121, 183, 234, 244, 270
- Delivering bad news, 191–192, 198
- Department of Defense (DOD), 537, 542, 543, 556, 563
- Department of Homeland Security (DHS), 434
- Dependents, 66, 169, 198, 323, 411, 412, 537, 538, 543, 545–549, 557, 567
- Deployments, 446, 447, 541, 547, 549–553, 559, 566
- Depression, 19, 24, 26–29, 35, 39, 41, 42, 44, 62, 87, 88, 90, 93, 94, 97, 102, 125–127, 156–160, 165, 166, 168, 169, 172, 181, 189, 194, 196, 199, 212, 217, 223, 233, 239, 240, 246, 249, 251, 271, 277, 294, 296, 304, 305, 310, 331, 360, 361, 364, 368, 370, 372, 379, 381, 386,

- 387, 440, 452, 468, 474, 478, 479, 482, 498, 500–504, 512, 516, 517, 519, 522–525, 546, 551, 556, 557, 563, 564, 566, 567, 585, 594
- Detroit Community-Academic Urban Research Center, 420
- Developmentally and age-appropriate care, 78
- Diabetes, 23, 24, 27, 29, 43, 44, 66, 69, 72, 76–79, 88, 89, 92, 99–102, 125, 127, 194, 198, 239, 242, 294–311, 360, 361, 363, 369, 371, 372, 379, 381, 385, 387, 389, 402, 403, 405–410, 412, 416, 418, 464, 472, 483
- educators, 92, 298, 303, 363
- health educators, 363
- health profile, 313
- management, 92, 297, 300–303, 309–311, 363, 387, 406, 408, 410
- Diabetes Quality Of Life Measure, 313
- Diabetes Self-Management Questionnaire, 313
- Diabetic ketoacidosis, 312
- Diagnosis, 24, 27, 28, 31, 40, 62, 64, 69, 73, 79, 80, 87, 90, 105, 121, 123, 125–128, 155, 161, 162, 186, 191, 207, 208, 210, 212–214, 218, 220, 233, 234, 236–239, 241, 266, 271, 280, 283, 295, 298, 300, 301, 323–325, 330, 337, 359, 365, 368, 369, 381, 383, 509, 525, 554, 556, 557, 594
- Dialectical-Behavioral Therapy (DBT), 248
- Dieticians, 23, 36, 73, 92, 100, 298, 382, 403
- Differential diagnosis, 105
- Dilation and curettage (D&C), 174
- Directors of occupational health, 505
- Direct patient care, 67, 115, 544
- Disaster-preparedness, xiv, 444–446, 452
- Discrimination, 157, 158, 241
- Disease-free survival (DFS), 226
- Disorder(s), 20, 26, 27, 31, 35, 39–43, 64, 67, 68, 75, 79, 80, 94, 96, 116, 123, 125, 151, 155, 156, 158–162, 168, 170, 189, 193, 224, 231, 233, 234, 238–240, 244, 247–253, 266, 293, 296, 298, 299, 305–307, 312, 321, 322, 324–327, 329, 330, 333, 336, 339, 340, 343, 344, 360, 370, 371, 379, 381, 386, 387, 440, 443, 451, 479, 508, 509, 522, 523, 541, 542, 558, 597, 599
- Diversity, 23, 32, 97, 124, 138, 185, 198, 273, 303, 335, 358, 403, 442–443, 470, 478, 538, 544, 584
- Documentation, 187, 371, 373, 384, 506, 516
- Do not resuscitate (DNR), 194, 283
- Douglas, 154
- Drug Abuse Screening Test (DAST-7), 520
- Drugs, 128, 138, 161, 321, 322, 328, 337, 341
- Dual roles, 502, 509
- Dyadic coping inventory, 314
- Dynamics, xiii, 2, 37, 42, 62, 66, 67, 72–74, 128, 167, 211, 220–222, 235, 236, 246, 278, 335, 343, 499, 517, 538, 542, 549, 551, 559
- Dyspnea, 190
- E**
- Early-intervention, 64
- Ectopic pregnancy, 149, 174
- Ego-dystonic, 160, 170, 233, 252
- Elderly, 26, 28, 87, 183, 263
- Electroconvulsive therapy (ECT), 240, 253
- Electronic health record (EHR), 19, 33, 361, 365, 368, 369, 372–375, 379, 472
- Emergency department physicians, 185
- Emergency management, 435–438, 445–447, 505
- Emergency medical technicians (EMTs), 186, 196
- Emergency medicine, xiv, 21, 120, 184, 194, 195, 431, 466
- Emergency medicine clerks, 188, 436
- Emergency planning coordinators, 505
- Emergency room technicians (ERTs), 186
- Emotionally focused couples therapy (EFT), 42, 171, 172, 223, 250, 251, 451
- Emotionally focused therapy (EFT), 42
- Emotional regulation, 248, 253
- Empathy, 102, 131, 135–137, 156, 164, 191, 275, 280, 471, 482, 595
- Employee assistance professional, 527
- Employee assistance programs (EAP), 466, 467, 497–507, 515–518
- directors, 505
- model, 499, 528
- Employees, 409, 467, 497–499, 503–509, 512–514, 519–528
- Enabling, 73, 253, 312, 357
- Encounter rate, 390
- Encounters, 64, 70, 99, 101, 102, 131, 135, 162, 167, 188, 200, 369–372, 377, 390, 468, 472, 516, 541, 542, 563
- Endocrine disorders, 125, 296, 305–307, 312
- Endocrinologists, 67, 77, 296, 298, 302, 408
- Endocrinology, xiv, 27, 61, 63, 74, 125, 155, 293–313
- Engel, G., 2, 3, 20, 35, 71, 91, 113, 114, 118, 147, 193, 212, 236, 241, 263, 297, 322, 325, 358, 365, 407, 434, 441, 466, 504, 538, 564, 566

- Ergonomists, 506
- Ethics, 167, 173, 222, 277, 279, 304, 374, 412–413, 470, 485
- Eucharist, 464, 485
- Exceptional Family Member Program (EFMP) Staff, 546
- Exposure and response prevention (E/RP), 160, 170, 233, 240, 246, 247, 250
- Expressed emotion (EE), 249, 253
- External behavioral health consultants (EBHC), 545, 546
- Eye movement desensitization and reprocessing (EMDR), 196, 446, 449, 450, 563, 564
- F**
- Faculty appointments, xv, 584, 596–598
- Familismo*, 45, 335
- Family(ies), 2, 17, 18, 62, 87, 88, 113, 115, 118, 119, 121–126, 128–137, 147, 148, 181, 207, 208, 231, 263, 293, 321, 358, 401, 403, 431, 434, 463–478, 480–484, 497–499, 504, 507, 508, 513–520, 524–528, 537, 538, 584, 585, 587–590, 592–594, 596, 597
- Family accommodation, 250, 253
- Family and Medical Leave Act (FMLA), 510, 528
- Family approaches, 40–44, 101–103, 135–137, 171–172, 249–251, 280–281, 310–311, 342–344, 386–389, 480–481, 524–525, 565–567
- Family-based approaches, 43, 310, 342
- Family-based care, 62, 64, 65, 78, 137
- Family-centered, 2, 9, 65, 211, 212, 222, 225, 252, 278, 357, 383, 418, 538
- Family-centered care, 3, 65, 77, 78, 119, 131, 135, 136, 212, 221, 225, 302, 587, 593, 598
- Family cognitive behavioral therapy, 41, 42
- Family-focused care, 78
- Family focused grief therapy (FFGT), 223, 224, 280
- Family medicine, xiv, 7, 8, 11, 12, 36, 46, 183–185, 294, 297, 409, 431, 466, 539, 585, 588, 594, 596, 597, 599
- Family medicine provider, 17, 21, 22, 24, 26–28, 31, 409
- Family Relationships Index (FRI), 224
- Family therapy, xiii–xv, 2, 4–6, 8, 10, 11, 36, 46, 61–77, 88, 98, 99, 116, 129, 130, 132–134, 138, 147–155, 164, 165, 169, 181–202, 209, 213, 231, 242, 244–247, 249, 251, 252, 368, 372, 379, 380, 382, 389, 414, 415, 419, 444–446, 452, 463–467, 470, 473–476, 497–507, 537, 538, 540–559, 561, 563–567, 583, 586–595, 598, 599
- Fasting blood sugar, 300
- Federal Emergency Management Administration (FEMA), 437, 438
- Federally qualified health center (FQHC), 390
- Fellowship training, 21, 22, 47, 234, 591
- Fertility, 27, 148, 149
- FICA Spiritual History Tool, 470
- Financial, xiii, 12, 37, 46, 93, 97, 100, 152, 157, 187, 197, 211, 245, 246, 268, 308, 324, 326, 328, 338, 346, 362, 366, 375, 378, 384, 388, 435, 497, 499, 503, 508, 510–512, 522, 525, 527, 544, 546
- Financial teams, 187
- Forensic interviewing, 253
- Forgiveness, 223, 272, 465, 482, 485
- Front desk staff, 363
- Functional family therapy (FFT), 41, 42, 250, 343
- G**
- General internists, 90, 105
- Generalized Anxiety Disorder (GAD), 26, 34, 42, 159, 199, 240, 243, 276, 360, 368, 386, 556
- Generalized Anxiety Disorder 7-item scale (GAD-7), 520
- General pediatrician, 4, 22, 44, 61–63, 66, 67, 72, 75–78, 218
- Genetic counselors, 93, 154, 166, 213
- Gestational diabetes, 24, 164, 166, 296, 298, 300, 309
- Glucagon, 301
- Glucagon administration, 302
- Glucose, 24, 28, 29, 79, 127, 301, 312
- Glycated hemoglobin (A1c) test, 28, 30, 62, 94, 97, 300, 305, 312, 402, 403
- Glycemic index, 76, 309, 312
- God, 184, 274, 441, 463, 464, 470, 478, 484–486
- Grace, 485
- Green Cross Academy of Traumatology, 454
- Grief, 114, 115, 124, 128, 129, 131, 155, 168, 187, 192, 209, 214, 223–225, 271, 272, 275, 276, 280, 546, 551, 555
- Gunshot wound (GSW), 190, 194, 201
- Gynecology, xiv, 21, 22, 147–155, 164, 165, 169, 173

H

Hallucinogens, 332
 Harsh, J., 88, 89, 98, 99, 596
 Health, 2, 17, 87, 147, 211, 231, 263, 293,
 321, 357, 463, 537, 538, 540–559,
 563–567
 behavior changes, 65, 72, 73, 94, 95, 98,
 100, 102, 369, 384, 483
 behaviors, 66, 88, 94, 99, 100, 198, 243,
 363, 364, 371, 384, 388, 390, 483, 546
 centers, 239, 362–384, 389
 disparities, 32, 131, 165–167, 303, 375,
 376, 390, 416, 557
 educators, 76, 92, 281, 298, 303, 363, 408
 literacy, 31, 32, 371, 376
 risks, 364, 498, 512
 Health and Social Care Chaplaincy Journal, 488
 Healthcare, 2, 3, 5, 7, 11, 17, 61, 89, 91–93,
 96, 97, 99, 103, 105, 113, 118, 119,
 121–126, 128, 130, 131, 135–137, 181,
 219, 241, 263, 273, 275, 276, 296, 357,
 404, 434, 463–469, 471–477, 479, 480,
 482–484, 539, 559, 583, 584
 professionals, 3, 22, 91, 118, 124, 131,
 153, 275, 283, 297, 405, 445, 473, 479,
 498, 541
 team, 20, 23, 33, 37, 38, 62–64, 67, 73, 74,
 77, 78, 92, 97, 99, 100, 102–104, 114,
 123, 126, 129–131, 136, 149, 154, 155,
 242, 246, 265, 271, 272, 274, 276–278,
 338, 339, 366, 367, 369, 370, 375–379,
 383, 389, 390, 466, 468, 472, 475,
 498–502, 514, 517
 Health coaches (HCs), 68, 359, 360, 363, 364
 Health unit coordinators (HUCs), 188, 363,
 408, 436
 Healthy eating, 23, 42, 44, 297, 364, 369, 372
 Healthy people 2020, 71, 72
 Heart disease, 23, 24, 90, 95, 97, 98, 125,
 163, 313
 Hematocrit, 30
 Hemoglobin, 30, 300
 Hemoglobin A1c (A1c), 24, 28, 30, 62, 94, 97,
 360, 402, 403
 Hepworth, J., 6, 11
 Higher power, 345, 358, 470, 478, 480,
 484–486
 High-frequency oscillation, 138
 Hinduism, 469, 484, 485
 Hispanic, 296, 335, 391, 585
 History and Physical (H&P), 105
 Hodgson, J., 5, 7–9, 11, 12, 36, 46, 231, 368,
 372, 379, 380, 382, 389, 463–467, 470,
 473–476, 497–507, 584–600

Holistic care, 17, 46, 68, 77, 187, 305, 311
 Home health aides (Hospice), xiv, 28, 80, 211,
 214, 266–269, 276, 464
 Homicidality, 160, 166, 187, 189, 233, 237,
 378, 443, 444
 HOPE Approach to Spiritual Assessment, 488
 Hospice care, 211, 263, 265–273, 275–282
 Hospital corpsmen, 546
 Hospitalists, 90–92, 101
 Hotspotting, 45–47
 HR knowledge, 510, 511
 Human resource managers, 511
 Human subjects protection, 216, 412–413
 Hyperglycemia, 30, 301
 Hypertension, 23–26, 31, 33, 35, 88, 90, 92, 97,
 105, 127, 161, 313, 371, 379, 381, 540
 Hypoglycemia, 29, 125, 301, 302, 306
 Hysterectomy, 174

I

ICU acquired weakness, 138
 Illness, 6, 17, 62, 87, 113, 153, 185, 207, 231,
 263, 296, 325, 358, 418, 436, 468, 503,
 546, 590
 Immigrant, 45
 Impaired fasting glucose (IFG), 312
 Incident Command, 432, 435–437, 443,
 444, 446
 Industrial Action Research, 404
 Infertility, 152, 155, 160, 164, 165, 171, 172,
 217, 592
 Inhalants, 332
 Innovations in MedFT, 583–600
 Inpatients, 25, 26, 38, 40, 43, 44, 95, 102, 120,
 132, 133, 153, 173, 194, 198, 208, 237,
 272, 296, 302, 306, 378, 414, 463, 479,
 500, 591, 598
 Installation, 538, 542, 547, 548, 559–562
 Insulin, 24, 78, 79, 89, 94, 296, 298–301,
 305–307, 309, 371
 Insulin administration, 302
 Integrated behavioral health care (IBHC), xv,
 3, 18, 19, 36, 70, 73, 74, 122, 123, 130,
 137, 147, 151, 159, 165–168, 173, 241,
 321, 322, 324, 326, 327, 334, 335, 340,
 344, 345, 359, 362, 365, 367, 370,
 373–377, 384, 386, 477, 498, 500, 502,
 504, 507, 512, 513, 516–519, 523, 526,
 538, 563, 566, 569, 591, 598
 Integrated care, 10, 21, 32, 166, 232, 358, 360,
 377, 584, 588–590, 593, 600
 Integrative behavioral couple therapy
 (IBCT), 250

- Intensive care unit (ICU), 113, 116–122, 126–138
 Intensive outpatient treatment (IOP), 334
 Intensivists, 117, 118, 120, 121, 133
 Interdisciplinary, 10, 11, 17, 43, 64, 70, 118, 126, 166, 167, 197, 222, 231, 235, 237, 263, 266, 295, 308, 324, 329, 338, 339, 361, 418, 431, 438, 447, 465, 467, 504, 540, 549, 556, 584–587, 599
 Interdisciplinary research, xv, 584–587
 Internal behavioral health consultants, 546
 Internal medicine, xiv, 22, 88, 98, 99, 596
 International Committee of the Red Cross, 454
 International Critical Incident Stress Foundation (ICISF), 438
 International Diabetes Federation, 314
 International Psycho-Oncology Society, 227
 Internists, 87, 90, 105
 Interpersonal psychotherapy (IPT), 39, 164, 168–170, 249
 Interprofessional collaboration, 38, 131, 165
 Interventions, 17, 64, 93, 116, 147, 186, 208, 233, 265, 298, 324, 363, 405, 433, 469, 499, 538, 584
 brief, 24, 26, 36, 101, 103, 190, 245, 279, 307, 363, 382, 476, 501, 564, 565
 family-based, 40, 43, 76, 199, 222, 386, 587
 Intervention crisis, 219, 237, 251, 328, 370, 371, 499, 546, 548
 Intimacy-Enhancing Couples Therapy (IECT), 223
 Intimate partner violence (IPV), 553, 565, 566
 Intracranial hemorrhage, 123, 126, 127
 Intrauterine fetal demise (IFUD), 161
 Intraventricular hemorrhage (IVH), 123
 Intubation, 138
 Involuntary commitment, 253
 Islam, 328, 469, 484–486
- J**
 Jaundice, 123
 Jesus Christ, 484–486
 Joining behaviors, 366
 Joint Commission on Accreditation of Healthcare Organization (JCAHO), 467
 Journal of Health Care Chaplaincy, 488
 Judaism, 469, 484, 486
 Juvenile Diabetes Research Foundation, 314
- K**
 Ketone monitoring, 302
 Knowledge, xiv, 3, 18, 26, 33, 35, 37, 38, 66, 68–70, 72–74, 77, 90, 97–100, 114, 117, 122, 123, 128–130, 133, 137, 156, 163–165, 171, 173, 190, 194, 195, 220, 222, 232, 242, 244, 246, 249, 251, 272, 276, 277, 281, 298, 304–308, 311, 335, 336, 339, 340, 342, 363, 365, 372, 378–384, 389, 390, 517, 552, 559
- L**
 Lab technicians, 364
 Lactation consultants, 154
 Latina/Latino, 32, 45, 75, 136, 296, 376, 391
 Lamson, A., 1–13, 116, 129, 130, 132–134, 138, 147–155, 164, 165, 169, 357–390, 497–507, 537, 538, 540–559, 563–567, 584–587
 Lantus, 309, 313
 Latino families (Latino), 45, 136
 Leadership, xv, 2, 3, 35, 244, 304, 363, 381, 414, 416, 421, 445, 467, 475, 477, 504, 507–511, 514, 517, 554, 566, 584, 591, 593, 598–600
 Leave/disability managers, 505, 506
 Lesbian, gay, bisexual (LGB), 537, 566
 Lesbian, gay, bisexual, and transgender (LGBT), 157–159
 Life cycle, 150, 152, 167
 Life events checklist (LEC), 454
 Lifemaps, 480, 481
 Lifespan, 23, 26, 28, 35, 41, 136, 147, 154, 165, 365, 381, 417, 538
 Lifestyle habits, 40, 296, 298, 310
 Linking human systems approach, 452
 Literacy, 363, 376
 Localized, 223, 434
 Lord's Prayer, 464, 486
 Loss, 6, 104, 114, 115, 124, 129–131, 137, 148–150, 152, 155, 161, 162, 164, 165, 167–169, 171, 174, 187, 224, 249, 263, 265, 270, 271, 275, 276, 280, 328, 358, 435, 451, 465, 511, 554, 555
 Loss of consciousness (LOC), 201
- M**
 Malignant, 226
 Malnutrition, 23, 61, 79, 124, 134, 270
 Management consultation, 503, 528
 Maudsley family therapy, 41
 McDaniel, S., 6, 8, 11, 588
 Meadors, P., 596
 Meaning-making, 265, 271, 278, 387
 Mechanical ventilation, 116, 126, 127

- MedFT healthcare continuum, xiv, xv, 3, 12, 34–38, 46, 70–72, 74, 97–101, 128–134, 163–167, 193–197, 219–222, 241–247, 275–279, 305–308, 335–340, 378–384, 413–417, 443–447, 471–477, 502, 513–515, 517, 558–563
- Medical assistants (MAs), 22, 182, 185, 237, 373, 377, 544
- Medical corps officers, 546
- Medical directors, 268, 324, 505, 506
- Medical evaluation board case managers, 546
- Medical family therapy (MedFT), 1, 2, 6, 7, 10, 11, 17–46, 72, 74, 77, 87–104, 113–137, 147–173, 184, 207–227, 231, 263, 296, 322, 368, 372, 379, 380, 382, 389, 414, 415, 419, 431–452, 463–484, 497–528, 537, 538, 540–559, 563–567, 588–590
- Medically unexplained symptoms (MUS), 95, 96
- Medical office assistants (MOA), 364
- Medical oncologists, 210
- Medical receptionists, 92
- Medical residents, 185, 197, 436
- Medical–surgical include coronary care (MSICU), 113
- Medication management, 40, 133, 233, 247, 371, 525, 560
- Medications, 22–25, 31, 33, 43, 63, 70, 73, 74, 88–92, 96, 97, 99, 100, 102, 105, 117, 119, 128, 133, 153–155, 161, 162, 183, 185, 195, 196, 210, 212, 233, 236, 237, 239, 240, 242–244, 246, 265, 268, 270, 283, 296, 300, 307–310, 327, 329, 331, 339, 363–365, 371
- Meditative prayer, 478
- Menarche, 150, 151, 164
- Mendenhall, T., xiii–xv, 12, 192, 304, 414, 415, 419, 444–446, 452, 584–587
- Menopause, 151–153, 155, 162–164, 167, 171
- Mental health, 9, 17, 20, 22, 26, 27, 29, 32, 35–38, 40–44, 46, 62, 65, 68, 69, 79, 114, 128, 151, 153, 156, 158, 164, 167, 170, 172, 181, 211, 242–246, 251, 276, 295, 304, 305, 307, 337, 357, 359–365, 367–372, 375, 381–387, 389, 431, 432, 440, 444, 463, 475, 476, 503, 517, 521, 523, 525, 527, 539, 546–549, 555, 557, 566, 567, 593
- service specialists, 547
- specialists, 268, 547
- technicians, 237
- Mental health treatment coordinators (MHTC), 548
- Metabolic syndrome, 313
- Metastasis, 264
- Metformin, 24, 62, 305
- Meyer, D., 586
- Military, xiv, 7, 166, 435, 537, 538, 540–559, 563–567
- Military family life consultants (MFLC), 542, 547
- Military health system (MHS), 541, 543–545, 562
- Military service coordinators (MSC), 547
- Military service members, 550, 555, 564
- Military sexual trauma (MST), 553, 557, 566
- Mindfulness, 25, 31, 115, 160, 172, 248, 479, 480, 482, 484, 498, 501, 502, 521, 540, 564
- Mindfulness-based interventions, 172, 479–480, 541
- Mixed-methods approaches, 410
- Mood, 29, 125, 151, 158–160, 167–169, 194, 233, 238, 239, 249, 278, 306, 325, 371, 444, 521, 551, 558, 585
- Mood stabilizer, 240
- Moral injuries, 554–555
- Motivational interviewing (MI), 102, 248, 309, 338, 341, 384, 540
- Motor vehicle accident (MVA), 183, 190, 194, 198
- Muism, 486
- Multidimensional family therapy (MDFT), 41, 342
- Multi-family groups, 43
- Muslim, 464, 478, 486
- N**
- Narcotics, 252, 331, 345
- National Cancer Institute (NCI), 207, 210
- National Child Traumatic Stress Network (NCTS), 438
- National Comprehensive Cancer Network Distress Thermometer, 226
- National Incident Management System (NIMS), 434, 444
- Necrotizing enterocolitis, 123, 124
- Neonatal, 22, 113, 115, 122–124, 135, 137, 138
- Neonatal intensive care unit (NICU), 7, 48, 61, 79, 113–115, 119, 122–124, 128, 131, 154, 597
- Neonatologists, 154
- Neonatology, 61
- Neuromuscular blockers, 138
- Nonacademic, 117, 118

- Normal saline (NS), 190, 201
- Nurse practitioners (NPs), 22, 33, 63, 91, 116, 133, 153, 185, 236, 298, 364, 379, 408
- Nurses, 99, 113, 114, 116–118, 120, 133, 209, 215, 221, 236, 242, 245, 252, 305, 338, 373, 377, 409, 501, 504, 506, 518, 522, 584, 596
- Nurses/medical assistants (MAs), 2, 22, 36, 43, 47, 67, 92, 114, 117, 118, 120, 121, 133, 153–155, 183, 185, 186, 211, 212, 221, 222, 236, 267, 268, 298, 324, 334, 335, 344, 345, 362, 364, 372, 376, 379, 382, 383, 403, 408, 436, 467, 471, 544, 545, 599
- Nutrition, 23, 40, 67, 69, 70, 78, 79, 92, 116, 122, 134, 161, 193, 269, 298, 303, 304, 308, 325, 369, 371, 408, 587
- Nutritionist, 27, 33, 68, 324, 328, 336–338, 340, 345, 362, 379, 408
- O**
- Obesity, 26, 27, 45, 61, 62, 65, 66, 69–72, 74, 76–80, 88, 94, 100, 161, 303, 313, 360, 369, 371, 387, 412, 416, 418, 519, 585, 587
- Obesity Action Coalition, 82
- Obsessive Compulsive Disorder (OCD), 42, 156, 160, 168, 232–234, 240, 246, 247, 250, 252, 253, 597
- Obstetrics, xiv, 21, 22, 147–155, 164, 165, 169, 584
- Occupational health, 499–502, 504–506, 528
- Occupational therapists, 92, 121, 237, 268, 597
- Oncologists, 207, 208, 210, 211, 213, 215, 217, 219, 221, 222, 264, 268
- Oncology, 155, 184, 208, 268, 592, 596, 597
nurses, 210, 212, 264
social workers, 211
team, 212, 220–222, 225
- On-site incident response, 528
- Open ICU, 116–118
- Operational, 35, 37, 46, 73, 131, 133, 135, 197, 245, 246, 279, 308, 359, 384, 484, 510–512, 525, 545
- Organizational development (OD), 499, 505–507, 528
- Organizational development directors, 505
- Organizational needs assessment, 528
- Organizations, xv, 8, 11, 12, 32, 44, 45, 65, 251, 265, 269, 277, 279, 283, 308, 345, 389, 401, 404, 409, 413, 416, 421, 434–438, 440, 443, 482, 483, 497–499, 502–513, 525, 527, 528, 552, 554, 559, 562, 598–600
- Outpatient, 21, 31, 35, 68, 87, 90, 91, 99, 117, 132, 152, 153, 187, 213, 215, 221, 232–234, 239, 241, 244–246, 248, 249, 252, 253, 267, 324, 328, 333, 338–340, 342, 344, 464, 466, 476, 518, 519, 543, 547, 587, 591, 592
- Overweight/obesity, 23, 44, 79
- P**
- Pain, 23–25, 40, 44, 88, 90, 94, 96, 102, 103, 121, 132, 134, 148, 151, 152, 155, 164–166, 168, 170, 171, 174, 208, 214, 265, 266, 270, 273, 301–303, 308, 331, 408, 416, 480, 500, 502, 513, 516, 517, 520, 521, 523–525, 539–541, 546, 566
- Palliative care, xiv, 21, 123, 126, 131, 208, 209, 211, 215, 219, 224, 264, 266, 267, 269–272, 276–278, 281, 466
coordinators, 155
nurses, 268
physicians, 211
specialists, 211
teams, 123
- Palliative/Hospice physician/medical directors, 268
- Palliative treatment, 226
- Panic, 159, 169, 181, 238
- Parenting interventions, 43
- Participatory Action Development, 404
- Participatory Action Learning, 404
- Participatory Action Research, 404
- Participatory Research, 388–390, 404–409
- Patient advocates, 547, 548
- Patient aligned care teams (PACTs), 548
- Patient care technicians, 92
- Patient-centered, 359, 369, 386, 387, 389
approach, 25, 39, 119, 384
communication, 387
- Patient Health Questionnaire (PHQ/PHQ9), 304, 360, 501, 520
- Patient Health Questionnaire-9 (PHQ-9), 106, 520
- Patient relations representatives (PRR), 547
- Patients, 2, 17, 61, 62, 64, 65, 67, 70, 71, 73–78, 87, 113–128, 130–138, 147, 181, 207, 231, 263, 293, 321, 357, 372, 379–382, 401, 436, 464, 498, 501, 514–517, 525, 538, 585, 587, 592, 594, 596, 597
- Patient sitters, 188
- Pediatricians, 67, 72, 73
- Pediatric Intake Form, 81
- Pediatric intensive care (PICU), 7, 61, 113–115, 119, 122, 124–126, 128, 131, 136, 597

- Pediatric patient-centered medical homes (PPMH), 61
- Pediatric primary care medical home (PCMH), 75, 544, 571
- Pediatrics, xiv, 7, 22, 64–70, 72–74, 77, 154, 184, 185, 268, 380, 587, 597
- asthma, 69, 76
 - audiology, 79
 - audiology and speech pathology, 61
 - behavioral health providers, 68
 - diabetes, 76, 387
 - dietician and/ nutritionists, 68
 - endocrinology, 61, 63, 79
 - gastroenterology, 61
 - hematology, 61, 79
 - nephrology, 61, 79
 - obesity, 66, 69, 74, 76, 77, 79, 587
 - oncology, 61, 79, 212, 215, 595
 - orthopedics, 61, 80
 - palliative care, 61, 274, 599
 - PEDS, 115
 - pulmonary, 61, 80
 - rheumatology, 61, 80
 - social workers, 68
 - speech pathology, 79
 - subspecialists, 67
 - urology, 61, 80
- Pediatric Symptom Checklist (PSC), 27, 368
- Peer support specialists, 548
- Perinatal distress, 156–158, 160, 164, 168, 170
- Perinatologists, 149, 155
- Peri/post-partum, 592
- Personalismo, 45
- Personal physicians, 268
- Petitionary prayer, 478, 479
- Pharmacists, 23, 33, 36, 43, 92, 117, 118, 121, 133, 185, 237, 268, 298, 379, 382, 436
- Pharmacology, 234, 239–243, 309
- Pharmacotherapy, 121, 133, 169, 239, 327, 337, 340, 346
- Phelps, K., 147–155, 164, 165, 169, 231, 597
- Physical activity, 25, 40, 44, 63, 69, 70, 77, 78, 95, 296, 297, 300–303, 308–310, 364, 369, 371, 372, 385, 387, 402, 410, 412
- Physical and occupational therapists, 92, 268
- Physical dependence, 332, 339, 346, 347
- Physical Evaluation Board Liaison Officers (PEBLO), 547
- Physical therapists, 23, 33, 92, 118, 121, 134, 379, 476
- Physician(s), 5, 7, 10–12, 18, 20–23, 26–28, 32, 33, 43, 47, 67, 68, 78, 88, 89, 91, 93, 96, 105, 114, 116–118, 120, 124, 136, 153–155, 185, 186, 188, 189, 194–196, 208, 210, 231, 234–236, 267, 268, 273, 277, 294, 305, 364, 376, 379, 402, 403, 408, 436, 466, 467, 544, 547, 584, 585, 592, 593
- Physician assistants (PAs), 22, 91, 116, 153, 155, 183, 185, 436, 466
- Physician extenders, 20, 136, 185, 186, 403, 408, 436
- Physiology/physiological, 121, 147, 156, 190, 247, 248, 295, 296, 299, 321, 323–325, 328, 330, 331, 335, 337, 498
- Placenta previa, 161, 174
- Plainviews E-Newsletter, 488
- Platelet count, 31
- Police and other security personnel, 186, 436
- Policy, xiii–xv, 2, 3, 5–7, 9, 12, 33–35, 37, 71, 130, 131, 134, 135, 137, 163–166, 193, 195, 241, 242, 244, 246, 275, 281, 305, 307, 337, 339, 340, 370, 379, 383, 384, 443, 445, 447, 471–474, 497, 504, 506, 510, 514–517, 519, 526, 563, 584, 591, 593, 598–600
- Polydrug abuse, 346
- Polysubstance abuse, 330
- Population health, 26, 33, 45, 46, 92, 379, 390, 483, 525
- Pories, M.L., 586
- Postpartum psychosis, 160, 169
- Post-traumatic stress (PTS), 125, 137, 189, 193, 247, 250, 443, 447, 500, 501, 539, 549, 555–557, 567
- Post-traumatic stress disorder (PTSD), 162, 194, 199, 217, 218, 368, 440, 444, 448–452, 481, 543, 550, 552, 554–557, 559, 560, 564, 565, 567
- Post-treatment phase of cancer, 217–219
- Pratt, K., 72, 74, 77
- Prayer, 193, 213, 273, 464, 465, 469, 471, 477–479, 486
- Pre-Diabetes Screening Test, 313
- Preeclampsia, 161, 164, 174
- Pregnancy, 28, 125, 148, 149, 151–158, 160–164, 171–174, 300, 309, 409, 585
- Pregnancy loss, 152, 161, 164, 167
- Preterm delivery, 174
- Preterm labor, 161, 174
- Prevention, 45, 64, 65, 68, 69, 71, 72, 75, 76, 87, 90, 95, 121, 147, 150, 160, 162, 173, 207, 231, 234, 263, 296, 298, 337, 340, 363, 409, 410, 412, 436, 450, 521–522, 525, 538, 553, 565
- Preventive care, 22, 24, 26, 44, 544
- Previaible delivery, 174

- Primary care, xiv, 3, 17, 20–28, 32, 34, 36, 38–45, 47, 61, 62, 64, 67, 69–73, 75, 77, 78, 88, 90–93, 95, 97, 99, 147, 148, 154, 156, 187, 234, 239, 296–298, 305, 357, 359, 360, 365, 367, 371, 380, 382, 384, 386, 387, 389, 391, 401, 408, 417, 465, 470, 498, 499, 512, 523, 544, 546, 549, 554, 556, 564, 565, 583, 591, 592, 594, 598, 599
- Primary care manager (PCM), 545–547
- Primary Care-Mental Health Integration (PC-MHI) Staff, 549
- Primary care providers (PCPs), 20, 22, 28, 34, 36, 43, 62, 70, 71, 89–92, 95, 99, 101, 118, 119, 147, 154, 239, 243, 268, 295–297, 299, 303, 304, 307, 311, 322–324, 328, 332, 343, 345, 359, 360, 364, 367, 371, 377, 380, 382, 402, 409, 446, 516, 539, 541, 545, 548, 557
- Privileged Mental Health Providers, 547
- Probation officers, 10, 322, 324, 327–329, 333, 334, 337, 338, 345
- Procedures, 23, 28–31, 37, 45, 66, 119, 131, 136, 153, 155, 185–187, 199, 210, 213, 246, 301, 359, 364, 374, 413, 435, 467, 503–505, 507, 528, 545, 560
- Professional Quality of Life Measure (Version 5), 454
- Progress/encounter note, 277, 372
- Progressive care units (PACUs), 113
- Promoting health project (PHP), 45
- Promotoras, 362, 391, 408
- Psychiatric care coordinators, 236
- Psychiatric illnesses, 158, 238–240, 242
- Psychiatric-mental health nurse practitioners, 236
- Psychiatrists, 8, 10, 77, 155, 211, 212, 231–239, 242, 245, 264, 324, 326, 327, 334–336, 338, 339, 343–345, 466, 523, 547, 596, 597, 599
- Psychiatry, xiv, 10, 150, 155, 185, 199, 208, 231, 362, 363, 587, 588, 598
- Psychoactive substances, 331, 332
- Psychoeducation, 36, 40, 72, 114, 115, 127, 134, 152, 167–171, 185, 211, 216, 218, 219, 222, 233, 236, 240, 244, 248, 251, 276, 278–280, 310, 333, 337, 370, 381, 382, 408, 414, 438, 444, 445, 451, 452, 475–477, 482–483, 517, 518, 521–525, 551, 565, 566
- Psychological anxiety, 158
- Psychological debriefing (PD), 448
- Psychological decompensation, 181
- Psychological dependence, 332
- Psychological depression, 158
- Psychological distress, 88, 152, 153, 158–160, 167, 170, 188, 212, 223–224, 449, 480, 550
- Psychological First Aid (PFA), 187, 193–195, 200, 431, 432, 438, 440–445, 447, 448, 509
- Psychological testing, 236
- Psychologists, 10, 22, 43, 68, 93, 153, 187, 211, 212, 236, 298, 326, 408, 466, 471, 597, 598
- Psycho-oncology, 207, 208, 213, 597
- Psychosis, 160, 169, 181, 235, 336, 387
- Psychosocial, 2, 20, 40, 46, 62, 67, 87–91, 93, 95–101, 103, 104, 113, 114, 125–130, 137, 151, 157, 163, 165, 166, 168–170, 173, 192, 207, 211, 213–215, 220–222, 239, 240, 247, 265, 267, 268, 272, 276, 277, 279, 281, 295, 298, 309, 312, 358, 378, 432, 434, 445, 447, 466, 472, 477, 498, 510, 513, 520, 523, 526, 540, 549, 565, 568, 592, 596, 597
- Psychosocial care, 99–101, 213, 219, 270–272, 596
- Psychospiritual, 2, 3, 26, 68, 71, 77, 118, 122, 125, 126, 130–132, 150, 159, 163, 165, 166, 212, 220, 275, 305, 322, 339, 358, 407, 434, 465, 466, 526, 538, 596
- Psychotherapy, 36, 38, 39, 93, 98–101, 155, 164, 169, 212, 222, 233, 234, 236, 237, 239–241, 248, 249, 362, 378, 471, 478, 482, 521, 567, 568, 592
- Public action, 410
- Public conversations, 410–412
- Public health, 103, 417, 436, 439, 446, 541, 584, 585
- Pulmonary, 33, 90, 95, 127, 266, 386
- Q**
- Quality of life, 18, 19, 25, 40, 44, 69, 78, 80, 88, 92, 95, 97, 126, 137, 158, 159, 211, 250, 263, 264, 266, 270, 281, 283, 386, 468, 479, 481, 482, 526
- Questionnaire on Stress in Diabetic Patients-Revised, 314
- Qur'an, 464, 485, 486
- R**
- Radiation oncologists, 210, 264
- Radiologists, 186, 213, 436
- Radiology technicians, 186, 213
- Random blood sugar test, 300

- Rape kit, 201
- Readiness, 39, 70, 333, 334, 338, 341, 385, 509, 540–542, 566, 570, 571
- Readjustment counselors, 549
- Receptive prayer, 478
- Recreational therapists, 235, 237, 242
- Red blood cell count (RBC), 30
- Referral specialists, 364
- Registered dietitians, 122, 134, 298
- Registered nurses (RNs), 22, 92, 153, 155, 186, 236, 268, 377
- Reimbursement, 20, 34, 241, 268, 359, 390, 510
- Reitz, R., 9, 598, 599
- Relational, 3, 12, 20, 33, 41, 68, 71–73, 128–130, 137, 151–153, 156–160, 163–168, 170–173, 197, 200, 211, 216, 222, 232, 242, 243, 246, 247, 275, 324, 358, 378, 379, 419, 449, 504, 510, 511, 513–517, 519, 523–526, 537, 584, 600
- Relationship Dynamics Scale, 34
- Relaxation strategies, 102, 103
- Religions, 65, 124, 132, 273, 437, 463, 468–470, 477, 481, 482, 484–486
- Religiously integrated cognitive behavioral therapy, 478–479
- Remission, 218, 226, 251
- Reserve component, 537, 567
- Residency, 10, 11, 18, 21, 22, 47, 105, 124, 154, 155, 234, 466
- Resident, 47
- Resident physicians, 18, 96, 105, 155
- Respeto, 45, 335
- Respiratory diseases, 125–127
- Respiratory distress syndrome (RDS), 123–125
- Respiratory therapists (RTs), 134, 186
- Retirees, 542, 543, 569
- Risk management, 510, 528
- Rural health clinics, 391
- Rural populations, 32, 391
- S**
- Schizophrenia, 189, 232, 239, 249, 251, 252, 296, 330, 370
- School-based interventions, 450, 452
- Screening, Brief Intervention, and Referral to Treatment (SBIRT) approach, 103, 190, 521
- Screening for Child Anxiety Related Disorders (SCARED), 81
- Screening tools, 27, 159, 224, 368, 474, 520
- Scribes, 188, 436
- Scripture, 465, 479, 486
- Secondary care, xiv, 48
- Secondary traumatic stress, 114
- Security chiefs, 505, 507
- Selective serotonin reuptake inhibitors (SSRIs), 128, 239, 248, 253, 465
- Self-care, 115, 137, 159, 169, 172, 192–193, 253, 275–277, 279, 282, 298, 304, 310, 439, 447, 540, 567, 568
- Self-management, 25, 27, 127, 309, 345, 483, 521, 568
- Sellers, T., 592, 593
- Sepsis, 123, 124, 126, 127, 131
- Septicemia, 126, 127
- Serotonin and norepinephrine reuptake inhibitors (SNRIs), 128, 239
- Service branches, 544
- Service member, 537, 538, 541–553, 555–559, 561–571
- Sexual assault, 539, 553, 554
- Sexual assault nurse examiners (SANEs), 186
- Sexual assault response coordinators (SARC), 548
- Sexual dysfunctions, 152, 163, 171, 592
- Sexual health, 150, 151, 162, 171, 173, 549, 557, 592, 593
- Sexually transmitted infections (STI), 162, 174, 557
- Shintoism, 486
- Sikhism, 486
- Silos, 7, 12, 48, 511, 512
- Single-issue medicine, 184, 200
- Skills, 3, 12, 18, 21, 22, 33–38, 41, 43, 44, 46, 68, 70, 72–74, 88, 89, 92, 93, 97–99, 114, 117, 120–124, 128–130, 135–137, 150, 156, 157, 163–165, 167, 168, 170, 173, 189, 191, 193–196, 200, 201, 213, 216, 219, 220, 222, 223, 225, 233–236, 241, 246–248, 252, 263, 268, 274–278, 280, 281, 297, 305–307, 310, 335–339, 343, 344, 364, 376, 378–384, 386, 405, 406, 408–410, 413–416, 419, 422, 438, 441, 443–446, 451, 452, 463, 471–477, 482, 483, 504, 507–519, 524, 540, 552, 556, 558–560, 568, 584, 591, 594, 596, 600
- Sleep, 27, 40, 80, 88, 103, 155, 159, 160, 167, 169, 193, 237, 273, 308, 360, 369, 371, 383, 480, 500, 539, 546, 551
- apnea, 88
- hygiene, 40, 46, 193, 361, 364, 387, 525
- SMART goals, 373
- Smoking cessation, 40, 360, 369, 409, 418
- Social determinants of health, 32, 391

- Social locations, 158, 239, 358, 366, 384, 385, 538, 565, 567, 569
- Social workers, 10, 22, 43, 93, 153, 187, 197, 211, 235–237, 264, 267, 298, 322, 408, 436, 466, 471, 596, 599
- Society for Behavioral Medicine, 227
- Society of General Internal Medicine, 106
- Solution focused family therapy (SFBT)/
solution focused (SFT), 38, 41, 42, 102, 103, 280, 344, 387, 390, 523, 539
- Solvents, 332
- Spiritual care, xiv, 119, 125, 463–467, 470, 473–476
- Spiritual competencies, 471
- Spiritual ecomaps, 480
- Spirituality, 17, 38, 65, 187, 263, 271, 335, 345, 358, 403, 463, 465–471, 474, 476–484, 486
- Spouses, 44, 136, 186, 218, 246, 299, 311, 403, 408, 521, 525, 543, 551, 567, 587
- Stability, 172, 191, 200, 236, 417, 440, 555
- Stigma, 20, 28, 32, 171, 207, 241, 243, 362, 367, 541, 551, 564
- Stress, 39, 88, 89, 95, 122, 124–126, 130, 135, 137, 152, 159, 162, 170, 172, 186, 187, 189, 193–196, 199, 212, 216, 217, 234, 237, 247, 265, 275–277, 293, 295, 301, 304, 308, 310, 311, 325, 326, 338, 341, 343, 345, 360, 361, 364, 369, 371, 372, 411, 434, 437, 438, 440, 443–445, 447–450, 452, 480–482, 484, 498, 500, 501, 503, 508, 512, 519–522, 524–526, 542, 543, 546, 547, 549–552, 554, 559, 564, 566, 585, 586
- Stress management, 31, 46, 187, 195, 237, 248, 304, 364, 369, 445, 448, 449, 503, 543, 547, 567
- Structured approach therapy, 451
- Subcultures, 538, 558
- Substance abuse, 17, 40–42, 46, 91, 98, 100, 102, 166, 187, 190, 234, 235, 245, 248, 253, 326, 339, 342–346, 357, 364, 370, 371, 466, 503, 524, 527, 540, 558, 563, 569, 571
- Substance-induced mental disorders, 330
- Substance use, 41–43, 101, 103, 104, 124, 133, 166, 189, 190, 238, 304, 321, 322, 324–328, 330, 333–336, 339–344, 346, 368, 389, 519, 521, 552, 566, 599
- Substance use behaviors, 42, 325, 341–343
- Substance use disorders (SUD), 41, 43, 239, 250, 252, 325, 326, 329, 330, 333, 335–339, 344, 379, 381, 519, 521, 543, 559
- Suicidality, 181, 183, 187, 189, 194, 195, 235, 239, 378, 438, 442–445
- Suicide, 41, 160, 169, 196, 198, 232, 374, 432, 522, 549, 558
disability, 239, 522
ideation assessment, 442
prevention, 251, 522
- Suicide Assessment Five-step Evaluation and
Triage (SAFE-T), 454
- Super-utilizers, 46
- Surgical oncologists, 210
- Sutra, 478, 486
- Symptoms, 19, 20, 26, 27, 29, 30, 35, 36, 39, 42, 63, 73, 74, 78, 79, 88, 94–96, 99–103, 105, 124, 126, 127, 137, 152, 156, 158–160, 162, 163, 167–170, 174
- Systemic, xiii, 2, 20, 27, 34, 35, 41, 70, 73, 74, 98–101, 103, 104, 118, 123, 125, 127–131, 150, 152, 159, 163, 164, 167, 168, 193, 194, 196, 208, 221, 237, 243, 247, 249, 250, 263, 275, 277, 278, 282, 306, 310, 324, 335–340, 344, 358, 359, 362, 378, 380, 381, 389, 434, 451, 467, 468, 473, 474, 499, 504, 514, 516, 519, 524, 526, 528, 538
- Systemic therapy, 168, 250, 557
- T**
- Taoism, 484, 485
- Tertiary care, xiv, xv, 21, 61, 69, 70, 72, 74, 77, 275, 279, 281, 296–298, 305, 306, 310, 324, 327, 329, 336, 338, 466, 467, 583, 591, 594, 596–598
- Tests, 23, 26, 28–31, 67–68, 99, 222, 236, 300, 323, 364
- Three world view, 197, 308
- Thromboembolic disease, 161, 174
- Thyroid stimulating hormone (TSH), 29, 33, 379
- Tobacco, 25, 45, 95, 385, 408, 549, 552
- Tolerance, 330, 336, 337
- Total bilirubin, 30
- Tracheostomy, 138
- Traditional psychotherapy, 36, 38, 241
- Trained volunteers (Hospice), 269
- Training innovations, xv, 584, 588–595
- Training managers, 505, 507
- Transference, 249
- Transtheoretical model for change, 385
- Trauma, 113–116, 125, 128, 130, 131, 133, 368, 444–446, 452, 553–554
response teams, xiv
surgeons, 186
teams, 186

Trauma intensive care unit (TICU), 113
 Traumatic brain injury (TBI), 242, 539, 548, 556, 559, 560, 565, 566
 Treatment plans, 3, 34, 37–39, 63, 64, 68, 76, 91, 99–101, 134, 135, 159, 164, 165, 167, 212, 213, 220, 234, 235, 243, 245, 247, 264, 276, 278, 295, 297, 298, 300, 305, 306, 336, 338, 358, 359, 363, 365, 373, 377, 380, 382, 385, 387, 408, 466, 472, 474, 475, 478, 484, 516, 545, 547
 Treatment teams, 12, 21–23, 27, 38, 62–68, 71–74, 91–93, 114, 118–122, 129, 153–155, 157, 164, 170, 185–188, 209–213, 233, 235–237, 263, 266–270, 276–278, 297–298, 303, 321, 323, 326–329, 334, 336–344, 362–364, 372, 373, 375, 464, 466–468, 473–475, 504–507, 515, 544, 553
 Tricyclic antidepressants, 128, 240, 253
 Tumor markers, 226
 Tyndall, L., 593
 Type 1 diabetes, 24, 78, 298, 299, 309
 Type 2 diabetes, 24, 43, 44, 78, 88, 90, 125, 298, 300, 309, 483
 Typical antipsychotic, 253

U
 UCLA child/adolescent PTSD reaction index for DSM-5, 454
 Unintentional injury, 126
 University of Chicago's Institute for Translational Medicine, 420
 University of Minnesota's (UMN) Citizen Professional Center, 420
 University of New Mexico's (UNM) Center for Participatory Research, 420
 Urine toxicology screen (UTOX), 253
 Utilization reports, 512

V

Vanderbilt ADHD Diagnostic Rating Scale, 81
 Veteran, xiv, 234, 251, 537, 538, 540–560, 563–567
 Victim advocates, 548
 Vital signs, 22, 92, 105, 154, 185, 268
 Vitamin D, 29, 299

W

Watson, W.L., 3, 20, 35, 71, 118, 147, 193, 212, 236, 297, 322, 358, 365, 407, 434, 466, 504, 538
 Wellness coach, 501, 512, 522
 White blood cell count (WBC), 31
 Whole health, 20, 469
 Williams-Reade, J., 263, 584–587, 599, 600
 Wilson, J., 463–467, 470, 473–476, 594
 Withdrawal, 214, 232, 235, 273, 322–324, 326, 328, 330–334, 336–339, 361, 442
 Workers compensation, 476, 498–500, 502, 504, 506, 508, 512, 514, 517, 519
 Workers compensation service workers, 528
 Workplaces, xiii, 2, 3, 475, 477, 498, 499, 502–505, 508–511, 513, 514, 517, 518, 521–524, 526–528
 Wright, L.M., 3, 20, 71, 118, 147, 193, 212, 236, 297, 322, 358, 365, 407, 434, 466, 504, 538

X

X-ray technicians, 365

Z

Zubatsky, M., 296, 594