

Index

- (v, w) , 144
 $2^{\mathbb{N}}$, 174
 $A \Rightarrow B$, 313
 $A \mapsto B$, 310
 $A \models B$, 204
 $A \rightarrow B$, 26
 $A \rightleftarrows B$, 26
 $A \vee B$, 26
 $A \wedge B$, 26
 $A \Box \rightarrow B$, 310
 $A \Diamond \rightarrow B$, 312
 $A_1, \dots, A_n \models B$, 38, 200, 284
 $A_1, \dots, A_n \models B$ in $K-$, 286
 $A_1, \dots, A_n \models_i B$, 395, 408
 $A_1, \dots, A_n \not\models B$, 39, 200
 $A_1, \dots, A_n \not\models B$, 66, 218
 $A_1, \dots, A_n \not\models' B$, 86, 224
 $A_1, \dots, A_n \not\models'_i B$, 389
 $A_1, \dots, A_n \not\models'_i B$, 386, 405
 $A_1, \dots, A_n \vdash B$, 66, 218
 $A_1, \dots, A_n \vdash' B$, 86, 224
 $A_1, \dots, A_n \vdash' B$ in $K-$, 294
 $A_1, \dots, A_n \vdash'_i B$, 389, 406
 $A_1, \dots, A_n \vdash_i B$, 386, 405
 $A_1, \dots, A_n \models^* B$, 314
 $A_1, \dots, A_n \vdash^* B$, 313
 CA , 303
 $C(A)$, 214
 EA , 303
 GL , 318
 Ind , 274
 K , 280, 315
 $K-$, 280
 KT , 280, 315
 $M \models A[v]$, 197
 $M \models A$, 199, 283
 $M \models_i A$, 395
 $M \not\models A[v]$, 198
 $M \not\models A$, 199, 283
 $M \not\models_i A$, 395
 $M, s \models_i A$, 394
 $M, s \models_i A(a_1, \dots, a_k)[n_1, \dots, n_k]$, 407
 $M, w \models A$, 283
 $P(V)$, 138
 $R; S, R \circ S$, 148
 $S4$, 280, 315
 $S5$, 280, 315
 $Sk(A)$, 214
 $V - W$, 135
 $V <_1 W$, 169
 $V \cap W$, 135
 $V \cup W$, 134
 $V \times W$, 145
 V/R , 150
 V^2 , 146
 V^n , 146
 $W \not\subseteq V$, 137
 $W \subset V$, 137
 $W \subseteq V$, 137
 W^V , 153
 ZF , 132, 141
 $[v]_R, v/R$, 149
 $\Box A$, 280
 $\Diamond A$, 280
 $\Gamma \models B$, 38
 $\Gamma \vdash B$, 66, 218
 $\Gamma \vdash_i B$, 405
 $\bigcup x$, 134
 \check{R}, R^T , 147
 \mathcal{N} , 262
 $\mathcal{P}\mathcal{A}$, 274
 \mathcal{P} , 264, 265
 \emptyset , 133
 \mathbb{N} , 135

- \mathbb{Q} , 162
- \mathbb{R} , 162
- \mathbb{Z} , 162
- $\models B$, 284
- $\models B$ in K^- , 286
- $\models_i A$, 395
- $\neg A$, 26
- σ_{01mon} , 413
- σ_{01} , 413
- σ_{ω} , 413
- $\ulcorner A \urcorner$, 268, 270
- $\vdash' B$ in K^- , 294
- $\vdash'_i B$, 390
- $\vdash_i B$, 386
- $\{v, w\}$, 133
- $\{z \in x \mid A(z)\}$, 135
- $f : V =_1 W$, 154
- $f : V \leq_1 W$, 154
- $f : V \rightarrow W$, 152
- $f = g$, 155
- $f[V_0]$, 156
- $f(V')$, 152
- $f(v)$, 151
- $f^{-1}(W')$, 152
- $f^{-1}(w)$, 155
- $g \circ f$, 155
- $v \in V$, 129
- $v \notin V$, 129
- $xRy, R(x, y)$, 147
- \mathcal{L} , 262

- a posteriori, 141, 243, 349
- a priori, 141, 243, 349
- absorption law, 136
- accessibility relation, 112, 283, 368, 394
- actually infinite, 162
- ad baculum argument, 527
- ad hominem argument, 525
- agenda, 480
- aleph-null-categorical, 272, 273
- alethic operator, 278
- alphabet, 434
- alphabet of \mathcal{L} , 262, 263
- alphabet of predicate logic, 190
- alphabet of propositional logic, 25
- always false, 34
- always true, 33, 196, 199
- analogy reasoning, 518
- analytic, 141, 142, 243, 244, 299, 349, 350
- anonymity, 469
- anonymous variable, 445
- antecedent, 26, 40
- antecedent test, 354
- anti-symmetric, 156
- antinomies, 97, 98
- antinomy of Berry, 99
- antinomy of Russell, 99
- any, 194
- appeal to ignorance, 496
- aprioristic reasoning, 504
- argumentum ad ignorantiam, 496
- argumentum ad populum, 521
- arithmetic, 261
- arithmetical completeness, 320
- arithmetical soundness, 319
- Arrow's impossibility theorem, 470
- Arrow, K., 17
- Artificial Intelligence, 15, 96, 445
- assertion, 333
- associative, 136
- asymmetric, 158
- atomic formula, 263, 435
- atomic formula of predicate logic, 190
- atomic formula of propositional logic, 25
- atomic proposition, 22
- attributive use, 297, 347
- Ausserdrungs Axiom, 130
- automated theorem proving, 15, 96, 214
- Automath, 71
- autonomously used, 330
- axiom schema, 65, 135
- axiomatizable, 266
- axioms for \rightarrow , 63
- axioms for (classical) predicate logic, 216
- axioms for (classical) propositional logic, 46, 64
- axioms for (intuitionistic) propositional logic, 385
- axioms of Peano, 265

- backtracking, 429, 430
- Balinski, M., 17
- barber paradox, 99
- Barcan formula, 316
- basic term, 190
- begging the question, 505
- Begriffsschrift, 42, 106, 109
- Bernays, P., 109
- Berry's paradox, 344
- Beth, E., 82
- biased connotation, 516
- bijection, 154
- bijective, 154
- binary connective, 52
- binary spread, 413
- body, 58, 428, 435
- Borda Rule, 467
- bound variable, 188

- Boyce-Codd Normal Form, 458
 BR, 467
 Brouwer, L.E.J., 162, 381
 Brouwer-Kripke axiom, 416
- calculemus, 41, 111, 368
 Cantor, G., 129, 130, 169, 170, 174
 Cartesian product, 145
 causal chain, 297, 346
 characteristic function, 154
 cherry picking, 529
 choice-law, 412, 413
 choice-sequence, 413–415
 Chomsky, N., 370
 Church, A., 41, 111, 313, 368
 circular reasoning, 504
 classical logic, 29
 clausal form, 214
 clause, 57, 428, 436
 cliché, 491
 closed branch, 398, 399
 closed formula, 192
 closed interval, 171
 closed search tree, 306, 399
 closed tableau, 85, 224, 293, 389
 closed tableau branch, 84, 223, 293, 389
 closer to, 311
 closure, 199
 common knowledge, 300, 303
 communicative act, 336
 commutative, 136
 compactness, 232, 240
 compactness theorem, 35, 233
 compatible, 459
 complement, 136
 complete, 64, 68
 complete relation, 157
 complete set of connectives, 52
 completed branch, 84, 224, 293, 389
 completed tableau, 85, 224, 293, 389
 completeness, 93, 227, 240, 303, 316, 397, 409, 410, 432, 438, 469
 completeness of intuitionistic propositional logic, 396
 completeness theorem, 10, 68, 95, 227, 308, 401, 402
 completion, 444, 448
 composite formula, 25
 composition of functions, 155
 composition of relations, 148
 compositionality, 333
 concatenation, 237
 conceptual content, 106
 conclusion, 3, 40, 63
- conditional, 33, 107, 309, 310, 313
 Condorcet loser, 465
 Condorcet paradox, 466
 Condorcet portion, 466
 Condorcet profile, 466
 Condorcet winner, 465
 confirmation principle, 245, 352
 conjunctive normal form, 53
 connected, 158
 connective, 22
 connotation, 332
 consequentiae, 104
 consistent, 33, 236, 266
 constraints, 454
 construction project, 381, 411
 constructive, 402
 content, 109
 contingent, 34
 continuity principle, 414
 continuum, 174
 Continuum Hypothesis, 174
 contradictory, 34, 247
 contraposition, 47
 contrary, 247
 conversational implicature, 107, 365
 converse relation, 147
 coordinated attack problem, 302
 correct argument, 3, 22
 correlation-law, 414
 countable, 164
 countably infinite, 164
 counterexample, 49, 198, 199
 counterfactual, 108, 310, 366
 countermodel, 198, 199
 cryptarithmic puzzle, 446
 cum hoc, ergo propter hoc, 509
 Cusanus, 140
 cut, 440
- database-characterisation, 455
 database-constraint, 455
 databases, 455
 de dicto, 299, 369
 De Morgan, 47
 de re, 299, 369
 decidable, 40, 88, 95, 308, 392, 401
 decision procedure, 40, 231
 Dedekind infinite, 175
 deducible, 11, 64, 66, 81, 218, 219, 221, 281, 405
 deduction, 11, 64, 66, 217, 281, 386, 405
 deduction theorem, 73, 220, 386
 deductive databases, 445
 deductive nomological explanations, 110

- deep structure, 372
- definite clause, 435
- definite goal, 58, 435
- definite program, 58, 435
- definite program clause, 58, 435
- denotation, 332
- denumerable, 164
- deontic logic, 284
- deontic operator, 278
- depth-first search, 433
- derivable from, 371
- derivation tree, 370
- derived rule, 80
- diagonal, 148
- diagonal method, 169
- diagonalisation, 169, 170
- dictator, 469
- Diodorus Cronus, 98, 103
- direct reference, 297, 346
- discursive paradox, 481
- disjunction property, 296
- disjunctive normal form, 53, 56
- distributive law, 47, 136
- district paradox, 480
- $\text{Dom}(R)$, 147
- domain, 147, 194, 197, 211
- domination, 471, 472
- double negation elimination, 76
- double standards, 505
- dressed spread, 413
- Duhem-Quine thesis, 51

- either/or fallacy, 524
- electric circuit, 53
- elementary number theory, 261
- elementary theory of fields, 241
- elimination rule, 76, 220, 221
- empty clause, 435
- empty list, 439
- empty relation, 148
- empty set, 132, 133
- entailment, 314
- enthymemes, 18, 43, 489
- enumerable, 164
- enumeration, 164
- epistemic logic, 287
- epistemic operator, 278
- equally great, 163
- equipollent, 163
- equivalence class, 149
- equivalence relation, 149
- Erathostenes, 164
- essence, 296, 347
- essentialism, 318, 359

- Euclid, 164
- everybody knows, 303
- ex falso sequitur quod libet, 47
- exclusive 'or', 37
- exclusive negation, 339
- existential quantifier, 23, 183
- expert system, 15, 96, 447
- extension, 332
- extensionality axiom, 132
- extensionally opaque, 317, 318

- fact, 58, 246, 428, 430, 435
- fallacy, 18, 489, 491
- fallacy of incredulity, 500
- falsidical paradoxes, 97, 99
- falsification principle, 245, 352
- finite, 164
- first-order, 202
- form, 69, 71
- formal fallacy, 18, 490
- formal language of predicate logic, 189
- formal language of propositional logic, 26
- formal number theory, 265
- formalization, 265
- formula, 280, 435
- formula of predicate logic, 191, 211
- formula of propositional logic, 6, 25
- free for, 210
- free variable, 188, 189
- Frege's Begriffsschrift, 105
- Frege, G., 42, 82, 106, 109, 142, 278, 331, 353
- fulfilled, 84, 224, 293, 389
- function, 151, 152
- function symbols, 211
- functionally dependent, 455

- Gödel, K., 227
- Gödel-number, 268
- Gödel-numbering, 268
- Gödel's logic, 318
- general term, 332
- Gentzen's elimination rules, 79
- Gentzen's introduction rules, 79
- Gentzen's system of natural deduction, 81, 221
- Gentzen, G., 82
- Gentzen-type rules, 82, 87
- goal, 429
- Goldbach's conjecture, 14, 382
- grammar, 371
- graph, 152
- Grelling's paradox, 345
- Grice, H.P., 47, 107, 108, 365, 367

- head, 58, 428, 435, 439

- held constant, 217, 218, 405
 Heyting, A., 385
 Hilbert hotel, 165
 Hilbert, D., 109
 Hilbert-type, 62
 homonyms, 502
 Horn clause, 57, 58, 435
 Hume, D., 352
- idempotent, 136
 identity relation, 148
 ignorance, 496
 IIA, 465
 illocutionary act, 340
 illocutionary force, 334
 image, 151
 immediate successor, 237
 implicative verb, 355
 impossibility theorem, 17, 469, 470
 improper generalization, 493
 incompleteness theorem, 12, 265, 266, 271
 inconsistent, 34
 incorrect argument, 5
 incredulity, 499
 independent, 62
 Independent of Irrelevant Alternatives, 465, 470
 indicative conditional, 107, 366
 indirect reference, 334
 individual constant, 185, 189
 individual variable, 182, 185
 induction basis, 27
 induction hypothesis, 27
 induction principle, 27, 192
 inductive logic, 110
 infinite, 164, 380
 infinity, 135
 infix notation, 451
 informal fallacy, 18, 490
 injection, 154
 injective, 154
 integer, 162
 intended interpretation, 186, 262
 intension, 332
 intensional context, 278
 interpolation theorem, 91
 interpretation, 35, 194, 197, 211
 interpreted sentence, 364
 intersection, 135
 interval, 171
 introduction rule, 76, 220, 221
 intuitionism, 14, 379
 intuitionistic counterexample, 395
 intuitionistic countermodel, 395
 intuitionistic model, 395
 intuitionistic propositional logic, 110, 385, 387
 intuitionistically valid, 395
 intuitionistically valid consequence, 393, 395
 invalid, 4, 9
 inverse function, 155
 isomorphic, 159
 isomorphism, 159
- join, 459
 judgment, 109
 judgment aggregation, 481
- König's Lemma, 237
 Kant, I., 141, 243, 349
 key, 455
 killer, 491
 knowledge base, 15, 57, 96, 246
 knowledge-based-system, 447
 Kripke model, 283, 394, 407
 Kripke model for K^- , 286
 Kripke valid, 408
 Kripke valid consequence, 408
 Kripke, S., 279
- Löwenheim-Skolem theorem, 233, 235, 240
 Löb's theorem, 270
 Löwenheim's theorem, 232
 language, 381
 language generated by, 371
 Laraki, R., 17
 law of double negation, 47
 law of excluded middle, 47
 law of non-contradiction, 47
 lawless sequence, 415
 lawlike sequence, 415
 Leibniz' law, 111, 316, 368
 Leibniz, G., 111, 367
 lexicographic ordering, 156
 linear ordering, 157
 lingua philosophica, 40, 111, 367
 linguistic gradation, 338
 list, 439
 literal, 53, 55, 435
 locution, 334
 locutionary act, 340
 logic of, 72
 logic of provability, 318
 logic program, 213, 215, 246
 logical axioms, 62
 logical consequence, 38, 196
 logical positivism, 244, 352
 logical symbols, 186, 264
 logically complete, 304, 397

- logically contingent, 141, 243, 349
- logically necessary, 141, 243, 349
- logicism, 142, 350

- majority gauge, 475
- majority grade, 471
- Majority Judgment, 17, 462
- Majority Rule, 17, 465, 466
- majority-gauge rule, 475
- Mannoury, G., 335
- manufactured majority, 481
- marriage theorem, 37
- matching, 163, 430, 436
- material implication, 25, 32, 33
- mathematical induction, 27
- mathematical language, 381
- May's axioms, 469
- meaning, 107, 333, 365
- meaning as use, 359
- merit-profile, 471, 472
- meta-language, 7, 345
- method of exhaustion, 337
- method of transformation, 337
- middle-most block, 472
- MJ, 462
- modal logic, 279
- modal operator, 278
- modality test, 354
- model, 35, 195, 199, 233, 283, 313, 408
- model theory, 199
- modulo R , 149, 150
- Modus Ponens, 5, 22, 63
- Modus Tollens, 3, 5, 69
- monadic formula, 237
- monotonicity, 469
- more than one meaning, 502
- most general unifier, 438
- most votes count, 464
- MP, 22
- MR, 466
- muddy children puzzle, 288

- naive comprehension principle, 130
- name, 332
- natural deduction, 11, 78, 79, 221
- natural number, 130, 162
- Negation as Failure, 444
- negation of choice, 339
- negation test, 354
- negative introspection, 280, 320
- negative literal, 57
- negative test for validity, 231
- neutrality, 469
- node, 237

- non-constructive, 403
- non-intended interpretation, 186, 188
- non-logical symbols, 186, 264
- non-monotonic, 444
- non-standard model of arithmetic, 273
- non-terminals, 370, 371
- normal database-type, 458
- normal form theorem, 56
- normal goal, 435
- normal program, 435
- normal program clause, 435
- NP, 60
- NP-complete, 60
- numeral, 268

- object-characterisation, 452, 453
- object-language, 7, 190
- oblique reference, 334
- occur check, 437
- one-one correspondence, 154, 163
- one-sorted, 202
- one-step expansion, 84, 224, 293, 389
- ontology of mathematics, 141
- open branch, 399
- open formula, 192
- open interval, 171
- open search tree, 306, 399
- open tableau, 85, 224, 293, 389
- open tableau branch, 84, 224, 293, 389
- opinion-profile, 471, 472
- ordered n -tuple, 145
- ordered pair, 144
- ordering, 157
- Organon, 247

- pairing axiom, 133
- pairwise comparison, 465, 466
- paradox of the liar, 97
- paradoxes, 97
- paradoxes of material implication, 47, 108, 366
- paradoxes of strict implication, 310
- Pareto condition, 482
- parsing, 446
- partial function, 152
- partial ordering, 156
- partition, 150
- path, 237
- pattern of reasoning, 3
- Peano, G., 264
- perlocutionary act, 341
- Philo of Megara, 103
- Philosophical Investigations, 357
- phrase marker, 370
- picture theory of meaning, 358

- plausible, 43
- Plurality Rule, 17, 464
- polarity element, 355
- positive introspection, 280
- positive literal, 57
- positive test for validity, 231
- possible world, 112, 279, 283, 368
- post hoc, ergo propter hoc, 508
- potentially infinite, 163
- powerset, 138
- PR, 464
- pragmatics, 341, 364
- precedence, 451
- predicate, 183
- predicate calculus, 182
- predicate logic, 8, 181
- predicate logic with equality, 237
- predicate logic with function symbols, 211
- predicate symbols, 187, 189
- prefix, 237
- premiss, 3, 40, 63
- prenex (normal) form, 212
- prenex formula, 212
- prenex operation, 212
- presupposition, 333, 353
- Principia Mathematica, 109
- principle of adequacy, 97
- principle of extensionality, 112
- probabilistic explanations, 110
- procedure of searching for a tableau-deduction, 93, 228
- procedure to construct a counterexample, 304, 397
- production, 371
- production rule, 370
- projection, 458
- projection problem, 356
- Prolog, 57, 246, 428, 430, 433
- proof, 66, 217
- proof by cases, 51
- proper subset, 137
- property, 184
- proposition, 21, 189, 333, 364
- propositional calculus, 21, 24
- propositional logic, 7, 21, 22
- propositional operation, 22
- provability predicate, 270
- provable, 63, 66, 81, 217, 281

- query language, 459
- questionable analogy, 494
- Quine, W.V., 142, 278, 329
- quotient set, 150

- $\text{Ran}(R)$, 147
- range, 147
- rational number, 162
- rationalizing, 506, 508
- real number, 162
- reciproca, 102
- reckless, 14, 383
- recursive definition, 431
- red herring argument, 512
- reductio ad absurdum, 51, 76
- reference, 331, 333
- referential use, 297, 347
- referentially transparent, 317, 318
- reflexive, 149, 156, 284, 394
- regularity, 139
- relation, 147, 184
- relational database, 16, 445, 455
- relative complement, 135
- relevance logic, 72
- relevant implication, 313
- RelView, 149
- replacement, 139
- replacement rule, 50
- replacement theorem, 50
- representative, 149
- resolution, 214
- restriction of a function, 156
- reversal portion, 465
- Richard paradox, 346
- rigid designator, 298, 348
- Rosetta, 28
- Ross's paradox, 285
- Ross, A., 282
- rule, 246, 428, 430, 435
- rules of inference for (classical) predicate logic, 216
- Russell's paradox, 130
- Russell, B., 82, 109, 142, 242, 342

- safeness condition, 448
- same cardinality, 163
- satisfiability problem, 59
- satisfiable, 33, 35, 196, 199
- satisfiable in, 232
- scope, 188
- search tree, 292, 294, 304, 306, 397, 399, 428, 432
- second-order, 202
- second-order logic, 234
- secrecy, 527
- selection rule, 430, 433
- semantic tableaux rules, 82, 83, 290
- semantics, 111, 341, 363
- Sen's paradox, 482

- sense, 331, 333
 sentence, 192
 sentential calculus, 21
 separation axiom, 130, 135
 sequence, 153
 sequent, 82, 222, 290, 387
 set, 129
 Sextus Empiricus, 103
 Sheffer stroke, 51
 signed formula, 82, 222, 387
 signfics, 335, 501
 simple consistency, 68
 simplistic thinking, 494
 simultaneously satisfiable in, 232
 singleton, 133
 singular term, 332
 Skolem (normal) form, 213
 Skolem's generalization, 232
 Skolem's paradox, 235
 slippery slope argument, 494
 social choice theory, 16, 462
 sophism, 491
 sound, 43, 48, 67
 soundness, 67, 219, 227, 239, 286, 314, 316,
 396, 409, 410, 432, 438
 speculative thinking, 497
 speech act, 336, 340
 split-rule, 290
 spread, 381, 412
 SQL, 459
 square of opposition, 247
 stable, 392
 standard model, 262
 start-symbol, 371
 Stoic logic, 102
 strategy-proof, 467, 473, 480
 straw man argument, 511
 strict associated ordering, 157
 strict implication, 103, 278, 309, 310
 structure, 158, 197
 sub-contrary, 247
 subaltern, 247
 subformula, 49
 subformula property, 85
 subgoal, 58, 435
 subject, 183
 subjunctive conditional, 107, 366
 subset, 137
 subset-requirement, 456
 substitution, 429, 430
 substitution theorem, 45
 substitutivity of identity, 112, 368
 substitutivity of material equivalents, 112
 succedent, 26, 40
 successor function, 134
 suggestive methods, 515
 sum-set, 134
 surface structure, 372
 surjection, 154
 surjective, 154
 syllogism, 248
 symmetric, 149, 286
 synonyms, 502
 syntactic, 86
 syntax, 111, 363
 synthetic, 141, 243, 349

 table, 454
 table-constraint, 454
 tableau, 84, 85, 224, 293, 389
 tableau branch, 84, 223, 293, 389
 tableau-deducible, 86, 223, 224, 291, 294, 389,
 390
 tableau-deduction, 86, 223, 224, 294, 389
 tableau-proof, 86, 223, 224, 294, 389
 tableau-provable, 86, 223, 224, 294, 390
 tableaux rules, 82, 223, 290, 387
 tail, 439
 Tarski's truth definition, 197
 tautology, 33
 tense operator, 278
 term, 190, 211, 263, 434
 terminals, 370, 371
 ternary relation, 184
 theory, 67
 theory of types, 131
 total ordering, 157
 Tractatus, 357
 transitive, 149, 156, 285, 394, 466
 transitivity, 470
 transposition, 147
 Traveling Salesman Problem, 59
 treacherous paradox, 524
 tree, 237
 true in, 199, 283, 395
 truth of fact, 112, 368
 truth of reason, 112, 368
 truth table, 29, 30
 truthfunctional, 30
 tuple, 145, 453
 tuple-constraint, 454
 Turing, A., 41, 111, 368
 two sorted, 202

 undecidable, 230, 231, 266, 410
 unfair discussion methods, 510
 unification, 437
 unification algorithm, 437

- union, 133, 134
- uniquely identifying, 455
- unit clause, 58
- universal closure, 199
- universal quantifier, 23, 182
- universal relation, 148
- universal spread, 413
- universe of discourse, 194, 197
- unordered pair, 133
- use and mention, 329

- vague terms, 500
- valid, 3, 9, 187, 238, 283, 284, 314
- valid argument, 22
- valid consequence, 38, 196, 200, 202, 238, 283, 284, 286, 314
- valid consequence in $K-$, 286
- valid formula, 33, 196, 199
- valid in, 232

- valid in $K-$, 286
- valuation, 195, 197
- variable general, 202
- variable held constant, 201
- veridical paradoxes, 97, 99
- verification principle, 245, 352
- Vienna Circle, 244, 352

- weak implication, 313
- weak negation elimination, 76
- weak ordering, 157
- well-ordering, 158
- Whitehead, A., 109
- Wittgenstein, L., 242, 342, 357

- Zeno's paradox, 100
- Zermelo, E., 129, 132
- Zermelo-Fraenkel, 139
- ZF, 139