

Index

A

- Abuse prevention programs, 217
- Acceptance and commitment therapy (ACT), 50
- Accountable Care Organizations (ACOs), 84, 246
- Affordable Care Act (ACA), 72, 87, 245, 339
- Agency for Healthcare Research and Quality, 283
- Alaska Native Tribal Health Consortium, 218
- Alcohol and drug use and addictions, 62
- Alcohol use, 212
- Alcohol use disorder (AUD), 289
- Alcohol Use Disorders Identification Test (AUDIT), 47
- Alcohol, Smoking and Substance Involvement Screening Test (ASSIST), 47
- Alcoholism, 213
- Alzheimer's disease, 236, 264
- American Association on Intellectual and Developmental Disabilities (AAIDD), 253
- American Indian and Alaska Native (AI/AN)
 - alcoholism, 211
 - behavioral disorders, 206
 - behavioral health concerns, 215
 - ceremonies and traditional activities, 217
 - combination, 205
 - communities, 205, 218
 - community-engaged approaches, 218
 - CSIs, 217
 - cultural traditions, 219
 - depression, 207
 - depression and poor family social support, 209
 - disabilities, 215
 - drug, 211
 - EBP, 216
 - gender and ethnic differences, 207
 - gender differences, 212
 - genocide and boarding school system, 207
 - healing approaches, 218
 - illicit substances, 214
 - interviews, 208
 - multiple risk factors, 209
 - partner violence, 210
 - poverty, 206, 208
 - prevention and treatment programs, 216
 - psychological distress, 207
 - psychological stressors, 208
 - PTSD, 208, 210
 - regional differences, 212
 - resiliency and self-determination, 206
 - rural and urban, 210
 - sexual violence, 209
 - social problems, 208
 - suicide, 211
 - tobacco, 211
 - treatment and prevention programs, 219
 - tribal representatives, 220
 - urban and rural, 206
 - US populations, 220
 - veterans, 215
 - youth experience, 209
- American Medical Association, 279
- American Psychological Association, 284
- Americans Disabled for Assistance Programs Today (ADAPT), 261
- Americans with Disabilities Act (ADA), 262
- Anxiety disorders
 - GAD, 25
 - mental disorders, 25

- Anxiety disorders (*cont.*)
 separation anxiety disorder, 26
 social anxiety disorder, 27
 specific phobia, 27
- Arrested youth
 anxiety and depression, 165
 drug usage, 164
 JAC, 166, 167
 sexual disease infections, 165
 sexual risk behavior, 164
- Attention deficit hyperactivity disorder (ADHD), 16
 diagnosis, 31
 HKD, 31
 prevalence, 31
 treatment, 32
- Autism spectrum disorder (ASD), 254
- Autistic Self-Advocacy Network (ASAN), 263
- B**
- Barriers to use of EBPs
 characteristics, 103
 clientele receiving services, 104
 community culture, 105
 implementation models, 103
 implementation process, 105
 interventions, 103
 NIRN, 104
 organizational structure, 105
 services, 103
 translation of programs, 103
- Behavioral health
 addressing pathology and etiology, 130
 American adults, 3
 challenges, 121
 changes, behavioral health technology, 121
 children and adolescents, 4
 complex, health systems, 120
 concept, 2
 data (*see* Data)
 economic costs, 4
 efficacious and effective practices, 6
 ICD and ICF, 128
 implications, 132–133
 mental and substance use disorders, 3
 mental health and substance abuse services, 6
 MNS disorders, 128
 networked informatics programs and applications, 120
 pharmacy (*see* Pharmacy services)
 population-based approach, 2
 primary care and public health, 2
 public and private sector services, 5
 public health, 5
 public health services, 2
 services research 1980s, 119
 social media, 7
 stakeholders, 120
 state and federal legislation, 6
 underreporting population subgroups, 129
 US government agencies, 1
 women (*see* Women behavioral health)
 World Health Report, 127
- Behavioral Health Aide Program, 218
- Behavioral health-care manager (BHCM), 275
- Behavioral health clinical data
 CEA data collection and analysis process, 126
 models, 126
 and program, 127
- Behavioral health clinicians, 245
- Behavioral Health Consultants (BHCs), 281
- Behavioral health professionals, 268
- Behavioral health services, 219
- Behavioral health treatment, 73
- Binge-eating disorder, 30
 WMH Survey Initiative, 30
- Bipolar disorders
 BPS, 24
 upper-middle-income countries, 25
 WMH Survey Initiative, 24
- Bipolar spectrum (BPS), 24
- Blended approaches, 291
- C**
- Cannabis, 34
- Center for Substance Abuse Treatment (CSAT), 167
- Centers for Disease Control and Prevention (CDC), 255
- Child Guidance Clinics and Community Mental Health Centers, 142
- Children
 mental health (*see* School mental health)
- Clinical pharmacy services
 community mental health setting, 343
 inpatient treatment setting, 342
 medication adherence and cost-savings, 342
 pharmacists, 342
 transitions of care, 344
- Cognitive Behavioral Intervention for Trauma in Schools (CBITS), 150
- Cognitive behavioral therapy (CBT), 28, 49
- Collaborative care model (CoCM)
 accountable, 278
 ADHD, 277

- application, 277
 - BHCM, 275, 276
 - colocation model, 277
 - components, 280
 - digital electronic consultation platforms, 290
 - evidence-based treatments, 278
 - IMPACT study, 276
 - implementation, 279
 - measurement tools, 278
 - PCBH, 287
 - PCP, 275
 - PCP and BHCM, 278
 - population-based care, 278
 - principles, 277
 - randomized controlled trials, 276
 - real-world implementation, 280
 - team members, 275
 - team processes, 279
 - treatment, 276, 277
 - VAMC, 289
 - Commercial insurance, 340
 - Community collaborating agencies, 169
 - The Community Mental Health Centers Act of 1963, 71
 - Community Mental Health Centers (CMHCs), 142, 339
 - Community mental health setting, 343
 - Community pharmacies
 - CMHCs, 339
 - health system/outpatient clinic, 338
 - Comorbidity, women
 - chronic health condition, 187
 - co-occurring physical health disorders, 188, 189
 - mental and substance use disorders, 188
 - NCS-R report, 187
 - Confirmatory factor analysis (CFA), 175
 - Consumer cost-sharing, 76, 81
 - Contingency management (CM), 49
 - Convention on the Rights of Persons with Disabilities (CRPD), 38
 - Co-occurring disorders, 52, 53
 - Cost-based reimbursement, 82
 - Counseling session, 60
 - Cultural competence
 - categories and identities, 323
 - disability, age and social class, 323
 - health equity, 322
 - implications, 331, 332
 - meaning, culture, 322
 - organizational (*see* Organizational cultural competence)
 - race, 323
 - reduction, behavioral health disparities, 323
 - review of literature, 324
 - social causes, 322
 - social movements, 321
 - twentieth century, 321
 - Culturally appropriate evaluation tools, 218
 - Culturally diverse populations, *see* Cultural competence
 - Culturally sensitive interventions (CSIs), 217
 - Customized employment (CE), 257, 258
 - Americans with Disabilities Act, 260
 - discovery, 258
 - finding employment, 260
 - job seeker and employer, 258, 259
 - planning meeting, 259
 - visual resume, 259
 - vocational profile, 258
- D**
- Danish Civil Registration System, 18
 - Danish Psychiatric Central Research Register, 18
 - Data
 - behavioral health clinical data, 126
 - behavioral health system, 124, 126
 - definition, 124
 - EHR and EHR modules, 123
 - elements, 122
 - federal data sets, 122
 - Mental Health FastStats, 122
 - public domain data and public sector, 123
 - QuickFacts, 122
 - reports, 122
 - types of, 121
 - underreporting prevalence, 129
 - WISQARS™, 121
 - Dedicated and concerted advocacy, 249
 - Demographic heterogeneity, 232
 - Depression, 273
 - Depression Improvement Across Minnesota—Offering a New Direction (DIAMOND), 280
 - Depressive disorders
 - comorbid MSUD, 23
 - epidemiologic surveys, 23
 - GBD Study, 21
 - income inequality, 23
 - MDD, 22
 - WMH Survey Initiative, 22
 - youth/middle age, 21
 - Developmental disabilities, 254
 - Diagnostic and Statistical Manual for Mental Disorders* (DSM-5), 254
 - Disability-adjusted life years (DALYs), 3, 352

- Down syndrome, 264
Drug Abuse Screening Test-10 (DAST-10), 47
Drugs
 abuse problems, 167
 behaviors, 164
 Drug Abuse Act of 1998, 166
 DSM-V criteria, 171
 EMIT procedure, 171
 gender group effects, 177
 health coach program, 171
 mental health problems, adolescents, 165
 TCU drug, 173, 177
 usage, youth, 164
Dual diagnosis, mental health, 347
- E**
Economic insecurity, 238
E-health, 311
Electronic health records (HER), 242
Employment Retirement and Income Security Act (ERISA), 89
Epidemiology
 rural behavioral health
 mental disorder, 305
 prevalence of behavioral disorders, 304
 SAMHSA reports, 305
 stress of ranching and farming, 305
 substance use disorders, 304
 women behavioral health
 barriers, 186
 cardiovascular diseases, 184
 depression, 185, 186
 mortality and morbidity, 186
 multiple chronic conditions, 185
 NHANES, 185
 physical disorders, 185
 prevalence rates, 186
 PTSD, 185
 treatment, 185
Essential health benefits (EHBs), 88
Ethnic identity, 217
Evidence-based practices (EBPs), 216
Evidence-based programs (EBPs)
 barriers (*see* Barriers to use of EBPs)
 controlled research settings, 101
 definition, 102
 fidelity and adaptation
 adherence, 106
 challenges, 105
 conceptualization and operationalization, 106
 dose/exposure, 106
 participant responsiveness, 107
 program differentiation, 107
 quality of delivery, 106
 fidelity and participant outcomes, 107–109
 implementation of, 102
 mental health services, 103
 perspectives, 102
 sustainability, 111, 112
Expanded School Mental Health (ESMH) Programs, 143
- F**
Facilitated referral, 59
The Federal Employees Health Benefits (FEHB) program, 77
Federal government, 262
Fee-for-service (FFS), 79
Fee-for-service Medicare program, 80
Fee-for-service systems, 83
Fetal alcohol syndrome, 215
Financing
 ACA, 72
 ADHD, 72
 adverse selection, 77
 behavioral health, 71
 behavioral health treatment, 72
 cost-sharing, 76
 FEHBP, 77
 function, 75
 health insurance, 75
 health plans, 76
 higher-risk consumers, 76
 HMOs, 80
 insurance-based behavioral health treatment systems, 72
 managed care, 79
 MBHOs, 74
 Medicaid, 78
 nonpsychiatric physician, 74
 PBMs, 81
 PPOs, 79
 prescription medications, 75
 private health insurance systems, 71, 80
 psychiatrists, 74
 RAND HIE, 76
 risk adjustment, 77
 SSDI and SSI programs, 78
 treatment, 73
Financing, School mental health services, 152, 153
Florida Self-Advocacy Alliance (FSAA), 261
Foundations Behavioral Health, 10
Frontier and remote areas (FAR), 303

Functionality, 239

The Future of Public Health, 1

G

Gender role traditionality, 36

Generalized anxiety disorder (GAD), 25
 diagnosis, 25
 prevalence, 25

Geriatric behavioral health policy, 231

Global Burden of Disease (GBD) studies,
 3, 17

Global services

- Africa, 366
- Asia and the Pacific Island region, 364
- Australia, 365
- Brazil, 364
- Central America and the Caribbean, 367
- North America, 363
- priority disorders, 362
- South Africa, 366
- South America, 363
- Southeast Asia region (SEAR), 365
- WHO, 362

Globalization, 15

Great Chinese Famine of 1959–1961, 19

Gross domestic product (GDP), 93

Group Health Cooperative (GHC), 280

H

Health Coach services

- arrested youth, 167
- community collaborating
 agencies, 169
- information gathering and service
 activities, 168
- JAC-processed youth, 168, 170
- MIS, 169
- sociodemographic information, 170
- standard pre- and post-counseling, 168
- STD risk-reduction intervention, 169

Health disparities, women, 189–191

Health equity, 322

Health Insurance Experiment (HIE), 76

Healthy People 2030, 9

Healthy People's 2020, 9

High-deductible health plans (HDHP), 76

Highly active antiretroviral therapy
 (HAART), 191

High-quality SUD treatment, 62

HRSA Health Professional Shortage Area
 (HPSAs) facilities, 307

Hyperkinetic disorder (HKD), 31

I

Implementation science (IS)

- barriers, 101
- behavioral health and public health, 102
- core elements of fidelity, 106
- EBPs (*see* Evidence-based programs
 (EBPs))
- effective intervention, 102
- factors, 104
- fidelity and participant outcomes, 107–109
- implications for behavioral health, 112, 113
- stages
 NIRN model, 110, 111
 program fidelity and community fit, 109

Independence At Home (IAH), 248

Indicators, policymaking

- economic, 355
- EU framework, mental health and
 well-being, 358
- framing, 356
- health as a human right, 357
- MDGs, 358
- MHiAP, 359
- poverty, 356
- SDH, 358

Individuals with Disabilities Education Act
 (IDEA), 143

Information and communication technologies
 (ICTs), 290

Institute of Medicine's (IOM), 1

Insurance coverage

- commercial, 340
- Medicare and Medicaid, 340
- MHPA, 339
- PAPs, 341
- PDLs, 340, 341

Integrated care coordination, 310

Intellectual and developmental disabilities
 (IDD)

- adaptive skills, 256
- aging, 263
- alcohol, 257
- Alzheimer's disease, 264
- ASD, 256
- CE process, 257, 258
- comorbid behavioral health, 256
- DD Act, 254
- DD and ID, 255
- definitions, 254
- disenfranchised grief, 266
- employment opportunities, 258
- factor, 253
- MI, 268
- NTG, 264

- Intellectual and developmental disabilities (IDD) (*cont.*)
 over-protectiveness, 266
 person-centered planning, 267
 prevalence, 255
 problem behavior, 256
 psychiatric disorders, 256
 risk factors, 255
 self-advocacy, 262
 substance abuse, 257
- International Classification of Diseases (ICD), 31
- International Covenant of Economic, Social, and Cultural Rights (ICESCR), 357
- International trade agreements, 16
- J**
- Juvenile Assessment Center (JAC)
 elements, 167
 health coach services
 (*see* Health coach services)
 history, 166, 167
- Juvenile justice system
 adolescents, 165
 age, 163, 171
 arrested youth (*see* Arrested youth)
 data analysis, 173
 depression
 CES-D, 172
 CFA, 175
 covariate predictors, 176
 depressive symptoms, 164
 8-item measures, 172, 173
 female youth level, 176
 non-African American, 177
 predictors, 175
 scores, 176
 descriptive statistics, 173–175
 health coach service (*see* Health Coach services)
 implications, 178
 JAC (*see* Juvenile Assessment Center (JAC))
 jurisdiction of court, 163
 limitations, 177
 male and female comparison covariates, 174
 measures, drug usage, 171
 MLR, 176
 public health monitoring, 178
 regression analysis, 177
 sexual risk behaviors, 164, 172
 sociodemographic characteristics, 171
 stages, delinquency case processing, 163
 STD status, 172
 training, 179
 youth, 163, 165
- L**
- Linguistically diverse, behavioral health, 327, 328
- Literacy, health, 195, 196
- Long-acting injectable (LAI) antipsychotic medications, 346
- Low-intensity interventions, 61
- M**
- Major depressive disorder (MDD), 21
- Managed behavioral health-care organizations (MBHOs), 74
- Managed care, 79
- Market-based proposals, 91
- Market-based reform, 92
- Media advocacy, 7
- Medicaid, 78, 92
- Medical information system (MIS), 169
- Medical technology, 273
- Medicare, 78, 279
 and private insurance policies, 239
- Medicare and Medicaid, 77, 340
- Medicare program, 78
- Medication
 LAI antipsychotic, 346
 MI, 344, 345
 SDM, 345, 346
- Mental and substance use disorders (MSUD), 3, 188
 CIDI, 17
 depressive disorders, 15
 epidemiologic surveys, 16
 global epidemiology, 16
 global statistics, 16
 multinational research, 15
 schizophrenia, 18
 WMH Survey Initiative, 17
- Mental health advocates, 89
- Mental Health in All Policies (MHAP), 359
- Mental health literacy, 151
- Mental Health Parity Act of 1996 (MHPA), 339
- Mental Health Parity and Addiction Equity Act (MHPAEA), 89
- Mental health policies and programs, 36
- Mental, neurological, and substance use (MNS) disorders, 8
- Methamphetamines (MA), 214

- m-Health, 311
- Millennium development goals (MDGs), 8, 358
- Mindfulness training, 50
- Motivational interviewing (MI), 48, 344, 345
- Multi-substance use disorder, 214
- Multi-tiered formularies, 81

- N**
- National Alzheimer's Project Act in 2011, 264
- National Collaborating Centre for Determinants of Health, 7
- National Health and Nutrition Examination Survey (NHANES), 185
- National Implementation Research Network's (NIRN) Model
 - exploration, 110
 - full implementation, 110
 - implementation, 104
 - initial implementation, 110
 - installation, 110
- The National Indian Youth Leadership Project, 217
- National Institute on Alcohol Abuse and Alcoholism (NIAAA), 46
- National Task Group, 264
- New health-care policy programs, 245

- O**
- Obama's administration, 236
- Obstacles to services delivery, 305, 306
- Office of Juvenile Justice and Delinquency Prevention (OJJDP), 166
- Older adults
 - ability domain, 243
 - ACA, 246
 - accessibility and affordability, 241
 - ACOs, 246
 - ageism and therapeutic nihilism, 234
 - aging, 232, 244
 - aging population, 231
 - alcohol and medication, 233
 - American Indians and Alaskan Natives, 233
 - behavioral health and physical health, 241
 - CMMIL, 249
 - competencies, 243
 - concept of value, 243
 - demographic heterogeneity, 232
 - engagement, 240
 - factors, 234
 - functionality, 239
 - generative roles, 244
 - geriatric behavioral health interventions, 234
 - geriatric behavioral health manpower, 233
 - geriatric health and behavioral health
 - policy, 241
 - health and quality of life, 237
 - health care, 235
 - information, 244
 - IOM, 249
 - Medicare, 237
 - mental health-care services, 235
 - PCMHs, 246
 - PCORI, 249
 - physical and behavioral health problems, 231
 - policy reform, 238
 - public health policies, 234
 - reimbursement, 242
 - social and economic needs, 235
 - social and health policies, 243
 - social policies, 237
 - treatment, 234
 - WHCoA, 235, 236
- Older Americans Act, 235
- Omnibus Reconciliation Act, 235
- Organizational cultural competence
 - community context, 326
 - compatibility, 330, 331
 - conceptual model, 325
 - direct service domain, 329, 330
 - implementation domains, 328
 - infrastructure, 329
 - linguistic characteristics, 327, 328
 - literature review, 325
 - relationships, 324
- Organizational infrastructure, 329

- P**
- Parent and community partnerships, 148, 149
- Parity, 88, 89
- Patient assistance programs (PAPs), 341
- Patient Health Questionnaire-9 (PHQ-9), 247, 276
- Patient-centered medical homes (PCMHs), 84
- Personality disorders, 32
 - DSM, 32
 - WMH Survey Initiative data, 33
- Pharmacy benefit managers (PBMs), 81
- Pharmacy services
 - clinical (*see* Clinical pharmacy services)
 - community (*see* Community pharmacies)
 - dual diagnosis treatment, 347
 - implications, 348
 - insurance (*see* Insurance coverage)
 - lack of mental health providers, 347

- Pharmacy services (*cont.*)
 - medication (*see* Medication)
 - pharmacists, 337
 - Point-of-service (POS), 79
 - Policy, school mental health, 139, 140
 - Population-based health, 2
 - Population-based surveys, 51
 - Post-employment supports, 259
 - Postpartum depression (PPD), women, 192, 193
 - Post-traumatic stress disorder (PTSD), 28
 - Asian and Latino immigrants, 29
 - characteristic, 28
 - combatants and civilians, 29
 - onset and severity, 28
 - pre-migration onset, 29
 - prevalence, 30
 - risk, 29
 - sexual assault, 29
 - Poverty, 356
 - Practice, school mental health, 139, 140
 - Preferred drug lists (PDLs), 340, 341
 - Preferred provider organization (PPO) plans, 79
 - Primary Care Behavioral Health (PCBH)
 - model, 280
 - clinical grassroots inception, 281
 - GATHER, 282, 283
 - GHC, 281
 - hiring and training needs, 287
 - insomnia, 281
 - patient-specific outcomes, 282
 - SCF, 284
 - Primary care provider (PCP), 275
 - Private health insurance systems, 71
 - Problem-solving therapy (PST), 276
 - Psychiatric case review, 276
 - Psychiatric disorders, 274
 - Psychotic disorders, 285
 - Psychotropic medications, 81
 - Public and private services delivery
 - partnerships, 315
 - Public health models
 - deleterious effects, 144
 - design, 144
 - ecological framework, 144
 - educational policy, 144
 - interconnected systems framework (ISF), 145
 - MTSS framework, 145, 146
 - PBIS, 145
 - preventative measures, 144
 - SMH practitioners, 144
 - Public insurance, 91
 - Public policymaking
 - analysis in behavioral health, 352
 - Community-based and community-driven initiatives, 355
 - Comprehensive Mental Health Action Plan, 354
 - data
 - interdependent, 360
 - prevalence report, 360–362
 - SDG, 360
 - social determinants, 360
 - sources, 359
 - global burden of disease (GDB), 352
 - global services (*see* Global services)
 - implications for Behavioral Health, 368, 369
 - indicators (*see* Indicators, policymaking)
 - interventions, 353
 - issue/concern, 351
 - measures, 352
 - national and global research, 352
 - reviews, 351, 353
 - significant problems, 352
- Q**
- Quasi-experimental study, 286
- R**
- Reimbursement, 242
 - behavioral health providers, 82
 - cost-based reimbursement, 82
 - fee-for-service and capitation, 84
 - fee-for-service systems, 83
 - mechanisms, 82
 - prospective payment systems, 83
 - Resiliency, 206, 221
 - Resource Book on Mental Health, Human Rights and Legislation*, 37
 - Risk adjustment, 77
 - Risk selection, 76
 - Rural behavioral health services
 - affordability (Individual and System), 312
 - availability of specialty, 306–308
 - barriers, 302
 - community acceptability, 313
 - differences, 304
 - education and training, 313
 - emergency room (ER) as primary care, 309
 - enviro-behavioral factors, 313
 - epidemiology (*see* Epidemiology, rural behavioral health)
 - FAR methodology, 303
 - frontier areas, 301
 - health care resources and providers, 309
 - hospitals, 304

- implications, 314, 315
 - integrated care coordination, 310
 - investment, 304
 - medicare and medicaid programs, 304
 - migration of young adults, 302
 - obstacles, services delivery, 305, 306
 - organizational models, 303
 - residential population density, 302
 - safety net clinics, 310, 311
 - socioeconomic diversity, 302
 - telehealth, e-/m-health technologies, 311
 - training programs, 303
 - twentieth century, America, 301
 - values, 313
 - variability and heterogeneity, 303
- S**
- Safety net clinics, 310, 311
 - Schizophrenia, 17
 - environmental risks, 18
 - GBD, 19
 - gender comparisons, 20
 - gender differences, 19
 - International Pilot Study, 20
 - post-migration onset, 19
 - WMH Survey, 21
 - School mental health
 - CBITS, 150, 151
 - child guidance clinics, 142
 - children, 140, 141
 - CMHCs, 142
 - cultural sensitivity, 150
 - ecological systems perspectives, 147
 - ESMH programs, 143
 - evidence-based interventions, 150
 - financing, services, 152, 153
 - implications, 153, 154
 - mental health literacy, 151
 - models, public health (*see* Public health models)
 - NCLB, 147
 - nursing, 141, 142
 - parent and community partnerships, 148, 149
 - policies and practices, 139, 140
 - prevention, intervention, and response services, 147
 - provision of, 141
 - Public Law 94-142 and IDEA, 142
 - research perspectives, 151
 - services, 147
 - social-emotional, 147
 - Universal screening, 148
 - School nursing, 141, 142
 - Screening, Brief Intervention, and Referral to Treatment (SBIRT) model, 46
 - Selective serotonin reuptake inhibitors (SSRIs), 28
 - Self-advocacy movement
 - ADAPT, 262
 - AIDD, 262
 - ASAN, 263
 - biomedical model, 261
 - disability pride, 261
 - Federal government, 262
 - FSAA, 261
 - IDD, 263
 - organizations, 261
 - SABE, 262
 - Self-Advocates Becoming Empowered (SABE), 261, 262
 - Self-determination, 260
 - Separation anxiety disorder, 26
 - Serious and persistent mental illness (SPMI), 93
 - Serious mental illness (SMI), 285
 - Sexual assault, 29
 - Sexual behavior, 168, 170
 - Shared decision-making (SDM), 345, 346
 - Social anxiety disorder, 27
 - Social determinants of health (SDH), 357, 358
 - Social insurance programs, 78
 - Social media, 7
 - Social security, 238
 - Social security and Medicare, 237
 - Societal responsibility, 240
 - Southcentral Foundation (SCF), 284
 - Specialized mental health care, 274
 - Specific phobia, 27
 - Standards, behavioral health data, 131, 132
 - State Children's Health Insurance Program (SCHIP), 86
 - State Medicaid programs, 80
 - STD risk-reduction intervention, 168, 169
 - Strengths-Based Case Management, 56
 - Substance abuse, women
 - and alcohol use disorders, 186
 - drug use disorder, 186
 - etiology, 187
 - medical vulnerability and social consequences, 187
 - Substance use disorders (SUD), 45
 - ACT, 50
 - alcohol, 35
 - alcohol use, 46
 - assessment and treatment, 51
 - behavioral therapy approaches, 53
 - brief interventions, 47, 48
 - care settings, 57

Substance use disorders (SUD) (*cont.*)

- CBT, 49
 - clinical characteristics, 55
 - facilitated referral, 59
 - feature, 34
 - literature, 53
 - mental disorders, 52
 - meta-analyses, 49
 - meta-analysis, 49, 51
 - MI, 52
 - MSUD, 36, 37
 - prevention and treatment, 46
 - primary care clinics, 57
 - provider factors, 55
 - SBIRT, 47, 48, 56
 - treatment, 34, 57, 58
 - treatment programs, 53
 - WMH Survey Initiative data, 35
- Suicide, 211
- Supplemental Security Income (SSI)
program, 71
- Sustainable development goals (SDGs), 354,
356, 358–360, 364

T

- TEAMcare intervention, 288
- Technology-based help resources, 62
- Telehealth, 290, 311
- Telepsychiatry and telemental health, 290
- Traditional clinical settings, 291
- Traditional indemnity insurance, 79
- Traditional staff/group model, 79
- Trauma-informed care (TIC), 193, 194
- Trauma-related disorders, 16
- Traumatic brain injuries (TBI), 215
- Tribal governments, 219
- Twelve-Step Facilitation, 50

U

- Unhealthy substance use, 54
- UN/WHO Millennium Development Goals
(MDGs), 358
- US Centers for Disease Control and
Prevention (CDC), 213
- US health-care systems, 291

V

- Value-based care, 274
- Vermont Hub-and-Spoke model, 290
- Veteran suicide, 211

- Veterans Administration (VA), 92, 210
- Veterans Administration Medical Centers
(VAMC), 289
- Veterans Affairs (VA), 82
- Veterans Health Administration
(VHA), 54
- Videoconferencing, 290
- Voice over Internet Protocol (VoIP), 7

W

- Western biomedical approaches, 218
- Women behavioral health
 - community behavioral health-care
programs, 194
 - comorbidities (*see* Comorbidities, women)
 - disparities, 189–191
 - elements, 184
 - epidemiology, 184–186
 - health literacy, 195, 196
 - HIV, 191, 192
 - impact, 191
 - implications
 - access and quality of health-care
services, 197
 - development, health-care outcomes, 196
 - federal agencies, 196
 - life expectancy and development of
new medications, 196
 - national priority, 196
 - prevention and early intervention, 197
 - recommendations, 197
 - reimbursement policies, 197
 - World Health Organization, 196
 - integrated health care, 195
 - PPD, 192, 193
 - reimbursement policy and service delivery
challenges, 184
 - strength-based approach, 194
 - substance use disorders (*see* Substance
abuse)
 - trauma-informed services, 193, 194
 - WHO, 183
- Women living with human immunodeficiency
virus (WLHIV), 191, 192
- World Bank, 17, 26–28
- World Health Organization
 - frames on SDH, 354

Y

- Youth
 - sexually transmitted diseases, 164